

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="fXRuUNVJIHpLk09Ke1ElHLRm5QkGSEMFhN2y22dF">

    <title>BrainShare</title>
    <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```
>↵      <link rel='shortcut icon' type='image/x-icon'
.....
href="http://localhost:8000/images/logo.png" />↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```
>↵      <script type="text/javascript">↵
.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
.....
```

4. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 44, column 5, to line 44, column 107](#)

```
dit"><input type="hidden" name="_token"
value="fXRuuNVJIHpLk09Ke1ElHLRm5QkGSEMFhN2y22dF" autocomplete="off"> <i
```

Document checking completed.

Source

```
1. <
2. <!DOCTYPE html><
3. <html lang="en"><
4.   <head><
5.     <meta charset="utf-8"><
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><
7.     <meta name="viewport" content="width=device-width, initial-scale=1"><
8.   <
9.     <!-- CSRF Token --><
10.    <meta name="csrf-token"
content="fXRuuNVJIHpLk09Ke1ElHLRm5QkGSEMFhN2y22dF"><
11.   <
12.     <title>BrainShare</title><
13.     <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" /><
14.   <
15.     <!-- Styles --><
16.     <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet"><
17.     <link href="http://localhost:8000/css/app.css" rel="stylesheet"><
18.     <script type="text/javascript"><
19.       // Fix for Firefox autofocus CSS bug
20.       // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951
21.     </script><
22.     <script type="text/javascript" src=http://localhost:8000/js/app.js
defer><
23.   </script><
24. </head><
25. <body><
26.   <main><
27.     <header><
28.       <nav><
29.         <a href="http://localhost:8000/home"></a><
30.         <h1><a href="http://localhost:8000/home">BrainShare</a></h1><
31.         <ul><
32.           <li><a href="http://localhost:8000/about">About us</a>
</li><
33.           <li><a href="http://localhost:8000/faq">FAQ</a></li><
34.           <li><a
href="http://localhost:8000/contact">Contacts</a></li><
35.           <li><a
href="http://localhost:8000/user/1000">John Doe</a></li><
36.           <li><a class="button"
href="http://localhost:8000/logout"> Logout </a></li>
37.         </ul><
38.       </nav><
39.     </header><
40.     <section id="content"><
41.   <
42. <h1>Edit Profile</h1><
```

```
43. <form method="POST" action="http://localhost:8000/user/1000/edit">↵
44.   <input type="hidden" name=" token"
    value="fXRuuNVJIHpLk09Ke1E1HLRm5QkGSEMFhN2y22dF" autocomplete="off">   <input
    type="hidden" name="_method" value="PUT">↵
45.   <label for="username">Username</label>↵
46.   <input id="username" type="text" name="username" value="John Doe" required
    autofocus>↵
47.   ↵
48.   <label for="email">E-Mail Address</label>↵
49.   <input id="email" type="email" name="email" value="admin@gmail.com"
    required>↵
50.   ↵
51.   <label for="password">Password</label>↵
52.   <input id="password" type="password" name="password" required>↵
53.   ↵
54.   <label for="password-confirm">Confirm Password</label>↵
55.   <input id="password-confirm" type="password" name="password_confirmation"
    required>↵
56.   ↵
57.   <label for="description">Description</label>↵
58.   <textarea id="description" name="description"
    required>Description</textarea>↵
59.   ↵
60.   <div>↵
61.     <button type="submit">Save</button>↵
62.   </div>↵
63. </form>↵
64.   </section>↵
65. </main>↵
66. </body>↵
67. </html>
```

Used the HTML parser.

Total execution time 9 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19