# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

**Showing results for contents of text-input area**

---Checker Input---

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ▼] ☐ css

```
    <label for="username">Username</label>
    <input id="username" type="text" name="username" value="" required autofocus>

    <label for="email">E-Mail Address</label>
    <input id="email" type="email" name="email" value="" required>

    <label for="password">Password</label>
    <input id="password" type="password" name="password" required>

    <label for="password-confirm">Confirm Password</label>
    <input id="password-confirm" type="password" name="password_confirmation"
required>

    <button type="submit">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1.  **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

    From line 13, column 9; to line 13, column 101

    ```
    >↵        <link rel='shortcut icon' type='image/x-icon'
    href="http://localhost:8000/images/logo.png" />↵↵
    ```

2.  **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

    From line 18, column 9; to line 18, column 39

    ```
    >↵        <script type="text/javascript">↵
    ```

3.  **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

    From line 22, column 9; to line 22, column 81

    ```
    >↵        <script type="text/javascript" src=http://localhost:8000/js/app.js
    defer>↵
    ```

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

From line 40, column 5; to line 40, column 107

```
ter">↵      <input type="hidden" name="_token"
value="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBAO" autocomplete="off">↵↵
```

5. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to **add identifying headings to all sections**, or else use a `div` element instead for any cases where no heading is needed.

From line 38, column 13; to line 38, column 34

```
<section id="content">↵
```

**Document checking completed.**

## Source

```
1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.      <head>↵
5.          <meta charset="utf-8">↵
6.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.          <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.          <!-- CSRF Token -->↵
10.         <meta name="csrf-token"
    content="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBAO">↵
11. ↵
12.         <title>BrainShare</title>↵
13.         <link rel='shortcut icon' type='image/x-icon'
    href="http://localhost:8000/images/logo.png" />↵
14. ↵
15.         <!-- Styles -->↵
16.         <link href="http://localhost:8000/css/milligram.min.css"
    rel="stylesheet">↵
17.         <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
18.         <script type="text/javascript">↵
19.             // Fix for Firefox autofocus CSS bug↵
20.             // See: http://stackoverflow.com/questions/18943276/html-5-
    autofocus-messes-up-css-loading/18945951#18945951↵
21.         </script>↵
22.         <script type="text/javascript" src=http://localhost:8000/js/app.js
    defer>↵
23.         </script>↵
24.     </head>↵
25.     <body>↵
26.         <main>↵
27.             <header>↵
28.                 <nav>↵
29.                 <a href="http://localhost:8000/home"><img
    src="http://localhost:8000/images/logo.png" alt="Logo" id="logo"></a>↵
30.                 <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↵
31.                     <ul>↵
32.                         <li><a href="http://localhost:8000/about">About us</a>
    </li>↵
33.                         <li><a href="http://localhost:8000/faq">FAQ</a></li>↵
34.                         <li><a
    href="http://localhost:8000/contact">Contacts</a></li>↵
```

```
35.                                              </ul>↵
36.                              </nav>↵
37.                          </header>↵
38.                          <section id="content">↵
39.                              <form method="POST" action="http://localhost:8000/register">↵
40.          <input type="hidden" name=" token"
      value="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBAO" autocomplete="off">↵
41.      ↵
42.          <label for="username">Username</label>↵
43.          <input id="username" type="text" name="username" value="" required
      autofocus>↵
44.          ↵
45.          <label for="email">E-Mail Address</label>↵
46.          <input id="email" type="email" name="email" value="" required>↵
47.          ↵
48.          <label for="password">Password</label>↵
49.          <input id="password" type="password" name="password" required>↵
50.          ↵
51.          <label for="password-confirm">Confirm Password</label>↵
52.          <input id="password-confirm" type="password" name="password_confirmation"
      required>↵
53.      ↵
54.          <button type="submit">↵
55.            Register↵
56.          </button>↵
57.          <a class="button button-outline"
      href="http://localhost:8000/login">Login</a>↵
58.      </form>↵
59.                      </section>↵
60.                  </main>↵
61.              </body>↵
62. </html>
```

Used the HTML parser.

Total execution time 23 milliseconds.

---