

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
Logout </a></li>
</ul>
</nav>
</header>
<section id="content">

<h1>Create Tag</h1>
<form method="POST" action="http://localhost:8000/administration/create-tag">
  <input type="hidden" name="_token"
value="aGEnlgcdObcssJuDMQRZGnt0RybQPMaqciBuj9Ss" autocomplete="off">  <!-- Tag
Name -->
  <label for="tag_name">Tag Name:</label>
  <input type="text" id="tag_name" name="tag_name" value="" required>

  <button type="submit">Create Tag</button>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```
>↵      <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```
>↵      <script type="text/javascript">↵
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
```

4. **Error** An **input** element with a **type** attribute whose value is **hidden** must not have an **autocomplete** attribute whose value is **on** or **off**.

[From line 45, column 5, to line 45, column 107](#)

```
tag"><      <input type="hidden" name="_token"
value="aGEn1gcd0bcssJuDMQRZGNT0RybQPMaqciBuj9Ss" autocomplete="off">      <!
```

Document checking completed.

Source

```
1.  <
2.  <!DOCTYPE html><
3.  <html lang="en"><
4.      <head><
5.          <meta charset="utf-8"><
6.          <meta http-equiv="X-UA-Compatible" content="IE=edge"><
7.          <meta name="viewport" content="width=device-width, initial-scale=1"><
8.  <
9.      <!-- CSRF Token --><
10.     <meta name="csrf-token"
content="aGEn1gcd0bcssJuDMQRZGNT0RybQPMaqciBuj9Ss"><
11.  <
12.     <title>BrainShare</title><
13.     <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" /><
14.  <
15.     <!-- Styles --><
16.     <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet"><
17.     <link href="http://localhost:8000/css/app.css" rel="stylesheet"><
18.     <script type="text/javascript"><
19.         // Fix for Firefox autofocus CSS bug<
20.         // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951<
21.     </script><
22.     <script type="text/javascript" src=http://localhost:8000/js/app.js
defer><
23.     </script><
24.     </head><
25.     <body><
26.         <main><
27.             <header><
28.                 <nav><
29.                     <a href="http://localhost:8000/home"></a><
30.                     <h1><a href="http://localhost:8000/home">BrainShare</a></h1><
31.                     <ul><
32.                         <li><a href="http://localhost:8000/about">About us</a>
</li><
33.                         <li><a href="http://localhost:8000/faq">FAQ</a></li><
34.                         <li><a
href="http://localhost:8000/contact">Contacts</a></li><
35.                         <li><a
href="http://localhost:8000/administration">Administration</a></li><
36.                         <li><a
href="http://localhost:8000/user/3000">Admin</a></li><
37.                         <li><a class="button"
href="http://localhost:8000/logout"> Logout </a></li> <
38.                     </ul><
39.                 </nav><
40.             </header><
41.             <section id="content"><
```

```
42.      ↵
43. <h1>Create Tag</h1>↵
44. <form method="POST" action="http://localhost:8000/administration/create-tag">↵
45.   <input type="hidden" name="_token"
    value="aGEn1gcd0bcssJuDMQRZGNT0RybQPMaqciBuj9Ss" autocomplete="off">   <!--
    Tag Name -->↵
46.   <label for="tag_name">Tag Name:</label>↵
47.   <input type="text" id="tag_name" name="tag_name" value="" required>↵
48. ↵
49.   <button type="submit">Create Tag</button>↵
50. </form>↵
51. <h2>Existing Tags</h2>↵
52.   <p class="button">Programming</p>↵
53.   <p class="button">Travel</p>↵
54.   <p class="button">Food</p>↵
55.   <p class="button">Music</p>↵
56.   <p class="button">123</p>↵
57.   </section>↵
58. </main>↵
59. </body>↵
60. </html>
```

Used the HTML parser.

Total execution time 12 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19