Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
Info Trailing slash on void elements has no effect and interacts badly with
   unquoted attribute values.
   From line 13, column 9; to line 13, column 101
               <link rel='shortcut icon' type='image/x-icon'</pre>
   href="http://localhost:8000/images/logo.png" />↔
2.
    Warning | The type attribute is unnecessary for JavaScript resources.
   From line 18, column 9; to line 18, column 39
   >←
               <script type="text/javascript">↔
   Warning The type attribute is unnecessary for JavaScript resources.
3.
   From line 22, column 9; to line 22, column 81
               <script type="text/javascript" src=http://localhost:8000/js/app.js</pre>
   >←
   defer>←
```

```
5. Error Duplicate ID content.

From line 48, column 5; to line 48, column 51

[abel>← <textarea id="content" name="content" required></text
```

```
6. Warning The first occurrence of ID content was here.

From line 40, column 13; to line 40, column 34

<section id="content">←
```

```
8. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 40, column 13; to line 40, column 34

<section id="content">

</section id="content"

</section id="content">

</section id="content"

</section id="content">

</section id="content"

</section id="content">

</section id="content"

</section id="content"

</section id="cont
```

Document checking completed.

Source

```
1. ←
2. <!DOCTYPE html>←
3. <html lang="en">↔
4.
       <head>←
5.
           <meta charset="utf-8">↔
            <meta http-equiv="X-UA-Compatible" content="IE=edge">←
6.
7.
           <meta name="viewport" content="width=device-width, initial-scale=1">↔
8. ←
9.
           <!-- CSRF Token -->↔
            <meta name="csrf-token"</pre>
10.
   content="fXRuuNVJIHpLkO9Ke1E1HLRm5QkGSEMFhN2y22dF">←
```

```
12
            <title>BrainShare</title>↔
13.
            <link rel='shortcut icon' type='image/x-icon'</pre>
    href="http://localhost:8000/images/logo.png" />↩
14.
15.
            <!-- Styles -->↔
            <link href="http://localhost:8000/css/milligram.min.css"</pre>
16.
    rel="stylesheet">↔
17.
            <link href="http://localhost:8000/css/app.css" rel="stylesheet">←
            <script type="text/javascript">←
18.
19.
                // Fix for Firefox autofocus CSS bug↔
20.
                // See: http://stackoverflow.com/questions/18943276/html-5-
    autofocus-messes-up-css-loading/18945951#18945951↔
21.
            </script>↔
22.
            <script type="text/javascript" src=http://localhost:8000/js/app.js</pre>
    defer>←
23.
            </script>↔
24.
        </head>↩
25.
        <body>←
26.
            <main>←
27.
                <header>←
28.
                    <nav>←
29.
                    <a href="http://localhost:8000/home"><img</pre>
    src="http://localhost:8000/images/logo.png" alt="Logo" id="logo"></a>↔
30.
                    <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↔
31.
                        <111>←
32.
                             <a href="http://localhost:8000/about">About us</a>
    ↩
33.
                            <a href="http://localhost:8000/fag">FAQ</a>↔
34.
                             <a
    href="http://localhost:8000/contact">Contacts</a>↔
35.
                                                                      <a
    href="http://localhost:8000/user/1000">John Doe</a>↔
36.
                             <a class="button"
    href="http://localhost:8000/logout"> Logout </a> ↔
37.
                                             ←
38.
                    </nav>↔
39.
                </header>↩
40.
                <section id="content">←
41.
                    <form method="POST" action="http://localhost:8000/question">←
42.
        <input type="hidden" name="_token"</pre>
    value="fXRuuNVJIHpLk09Ke1ElHLRm5QkGSEMFhN2y22df" autocomplete="off">
    Question Title -->↔
43.
        <label for="title">Question Title:</label>←
        <input type="text" id="title" name="title" value="" required>←
44.
45.
46.
        <!-- Question Description -->↔
        <label for="content">Content:</label>←
47.
        <textarea id="content" name="content" required></textarea>↩
48.
49. ←
50.
        <!-- Question Tag -->↔
51.
        <label for="tag_id">Tag:</label>↔
            <select id="tag_id" name="tag id" required>↔
52.
53.
                                 <option value="1001" >←
54.
                        Programming←
55.
                    </option>←
56.
                                 <option value="1002" >←
                        Travel↩
57.
58.
                    </option>←
59.
                                 <option value="1003" >←
60.
                        Food←
61.
                    </option>←
62.
                                 <option value="1004" >←
63.
                        Music←
64.
                    </option>↩
65.
                                 <option value="1" >←
66.
                        123←
67.
                    </option>←
68.
                        </select>↔
69.
70.
        <button type="submit">Create Question</button>←
71.
   </form>↔
```

```
72. </section>↔
73. </main>↔
74. </body>↔
75. </html>
```

Used the HTML parser.

Total execution time 15 milliseconds.

About this checker • Report an issue • Version: 23.11.28