

Tolvas

PLC tags / Default tag table [67]

PLC tags

PLC tags

	Name	Data type	Address	Retain	Access- sible from HMI/O PC UA/W eb API	Writa- ble from HMI/O PC UA/W eb API	Visi- ble in HMI engi- neer- ing	Supervision			Comment
	b_Start	Bool	%M0.0	False	True	True	True				
	b_A_ext	Bool	%M0.1	False	True	True	True				
	b_A_ret	Bool	%M0.2	False	True	True	True				
	b_B_ext	Bool	%M0.3	False	True	True	True				
	b_B_ret	Bool	%M0.4	False	True	True	True				
	b_T500_Full	Bool	%M0.5	False	True	True	True				
	b_T500_Emp	Bool	%M0.6	False	True	True	True				
	b_T600_Full	Bool	%M0.7	False	True	True	True				
	b_T600_Emp	Bool	%M1.0	False	True	True	True				
	b_M_in	Bool	%M1.1	False	True	True	True				
	b_M_out	Bool	%M1.2	False	True	True	True				
	b_Piston_A	Bool	%M1.3	False	True	True	True				
	b_Piston_B	Bool	%M1.4	False	True	True	True				
	i_Peso_Des	Int	%MW12	False	True	True	True				
	i_Estado	Int	%MW14	False	True	True	True				
	i_T500	Int	%MW16	False	True	True	True				
	i_T600	Int	%MW18	False	True	True	True				
	i_WS600	Int	%MW24	False	True	True	True				
	i_Resto500	Int	%MW20	False	True	True	True				
	i_Resto600	Int	%MW22	False	True	True	True				
	b_TempS	Bool	%M1.5	False	True	True	True				
	b_TempF	Bool	%M1.6	False	True	True	True				

PLC tags / Default tag table [67]

User constants

User constants				
Name	Data type	Value	Comment	