

Scan Results

July 26, 2026

This report was generated with an evaluation version of Qualys

Report Summary	
User Name:	Beatriz Roland Machado
Login Name:	unpam3br
Company:	UNIPAMPA
User Role:	Manager
Address:	
Country:	Brazil
Created:	07/26/2026 at 01:27:03 AM (GMT-0300)
Launch Date:	07/26/2026 at 12:22:43 AM (GMT-0300)
Active Hosts:	15
Total Hosts:	19
Type:	On demand
Status:	Finished
Reference:	scan/1785036163.64373
Scanner Appliances:	mulita-5080 (Scanner 15.2.5-1, Vulnerability Signatures 2.6.660-3)
Duration:	00:27:36
Title:	VulnLab2
Asset Groups:	-
IPs:	172.30.19.1-172.30.19.2, 172.30.20.2, 172.30.26.1, 172.30.32.1, 172.30.45.1, 172.30.46.1, 172.30.47.1, 172.30.49.1, 172.31.1.14, 172.31.1.20, 172.31.1.73-172.31.1.74, 172.31.1.76, 172.31.1.82, 172.31.1.84, 172.31.1.86, 172.31.1.92, 172.31.1.95
Excluded IPs:	-
FQDNs:	-
Options Profile:	Qualys Recommended Option Profile


Summary of Vulnerabilities

Vulnerabilities Total	419	Security Risk (Avg)		2.7
-----------------------	-----	---------------------	--	-----


by Severity				
Severity	Confirmed	Potential	Information Gathered	Total
5	0	13	0	13
4	5	42	0	47
3	11	89	4	104
2	10	68	17	95
1	1	0	159	160
Total	27	212	180	419

5 Biggest Categories				
Category	Confirmed	Potential	Information Gathered	Total
CGI	11	183	18	212
Information gathering	1	1	89	91
TCP/IP	0	4	45	49
Web server	6	9	20	35
General remote services	9	10	7	26
Total	27	207	179	413


Vulnerabilities by Severity



Operating Systems Detected



Services Detected



Detailed Results

172.30.20.2 (activemq-old.labvulnerabilities_vulnnet, -)

Information Gathered (8)

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.20.2	activemq-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 677 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:35:03 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
activemq-old.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	1883	0:09:33
TCP	5672	0:04:02

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
1883	unknown	unknown	unknown	
5672	unknown	unknown	unknown	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply

Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:58 GMT
Unreachable (type=3 code=3)	UDP Port 161	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 635	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1900	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 31030	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7301	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 69	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 15345	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/19/2004
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1028453706 with a standard deviation of 644991142. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5065 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID: 82046
 Category: TCP/IP
 Associated CVEs: -

Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

172.30.26.1 (phpmyadmin-old.labvulnerabilities vulnnet, -)

Vulnerabilities (10)

4 PhpMyAdmin Multiple Vulnerabilities(PMASA-2018-6, PMASA-2018-8)

port 80/tcp

QID:	13363
Category:	CGI
Associated CVEs:	CVE-2018-19968 , CVE-2018-19970
Vendor Reference:	PMASA-2018-6 , PMASA-2018-8
Bugtraq ID:	106178,106181
Service Modified:	06/30/2021
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet. phpMyAdmin is prone to following vulnerabilities.

CVE-2018-19968:Local file inclusion through transformation feature
CVE-2018-19970:XSS vulnerability in navigation tree

Affected Versions:
phpMyAdmin versions from at least 4.0 through 4.8.3

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to exploit phpMyAdmin to leak the contents of a local file, execute xss attacks.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.8.4 or newer from phpMyAdmin (http://phpmyadmin.net/home_page/downloads.php). For more information check PMASA-2018-6 (<https://www.phpmyadmin.net/security/PMASA-2018-6/>) and PMASA-2018-8 (<https://www.phpmyadmin.net/security/PMASA-2018-8/>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2018-6 (<https://www.phpmyadmin.net/security/PMASA-2018-6/>)

PMASA-2018-8 (<https://www.phpmyadmin.net/security/PMASA-2018-8/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable PhpMyAdmin Detected on port: 80
"phpMyAdmin 4.6.6 documentation"

 4 PhpMyAdmin Security Vulnerability (CVE-2020-22278)

port 80/tcp

QID:	733236
Category:	CGI
Associated CVEs:	CVE-2020-22278
Vendor Reference:	CVE-2020-22278
Bugtraq ID:	-
Service Modified:	11/28/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

Phpmyadmin through 5.0.2 allows csv injection via export section. Note: the vendor disputes this because "the csv file is accurately generated based on the database contents. Affected versions from 5.0.0.0 before 5.0.3.0

IMPACT:

Successful exploitation of this vulnerability may allow an authenticated attacker to execute arbitrary JavaScript code on the target system.

SOLUTION:

For more information regarding these vulnerabilities, please refer to phpMyAdmin (http://phpmyadmin.net/home_page/downloads.php).for latest versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2020-22278 (https://mega.nz/file/ySQnQSR#vXzY46mgf0CE2ysYpWpbE4O6T_g37--rtal8pqdHcQs)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nist-nvd2

Reference: CVE-2020-22278

Description: phpMyAdmin through 5.0.2 allows CSV injection via Export Section. NOTE: the vendor disputes this because "the CSV file is accurately generated based on the database contents.

Link: https://mega.nz/file/ySQnQSR#vXzY46mgf0CE2ysYpWpbE4O6T_g37--rtal8pqdHcQs

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 4.6.6 documentation<

 3 PhpMyAdmin Multiple Vulnerabilities (PMASA-2018-3,PMASA-2018-4)

port 80/tcp

QID: 13174
Category: CGI
Associated CVEs: [CVE-2018-12581](#), [CVE-2018-12613](#)
Vendor Reference: [PMASA-2018-3](#), [PMASA-2018-4](#)
Bugtraq ID: 104222,104178,104530,104532
Service Modified: 04/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

Multiple vulnerabilities were reported in PhpMyAdmin

CVE-2018-12581:A Cross-Site Scripting vulnerability has been found where an attacker can use a crafted database name to trigger an XSS attack when that database is referenced from the Designer feature.

CVE-2018-12613: An issue was discovered in phpMyAdmin, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) and the "\$cfg['ServerDefault'] = 0" case (which bypasses the login requirement and runs the vulnerable code without any authentication).

Affected Versions:
phpMyAdmin versions prior to 4.8.2

IMPACT:

Successful exploitation can result in file inclusion ,remote code execution and cross-site-scripting attack.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.8.2 or newer from phpMyAdmin (http://phpmyadmin.net/home_page/downloads.php). For more information check PMASA-2018-3 (<https://www.phpmyadmin.net/security/PMASA-2018-3/>) and PMASA-2018-4 (<https://www.phpmyadmin.net/security/PMASA-2018-4/>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2018-3: PhpMyAdmin (<https://www.phpmyadmin.net/security/PMASA-2018-3/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution - Metasploit Ref : /modules/exploit/multi/http/phpmyadmin_lfi_rce

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/phpmyadmin_lfi_rce.rb

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution - Metasploit Ref : /modules/exploit/windows/misc/hp_dataprotector_encrypted_comms

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/phpmyadmin_lfi_rce.rb

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution - Metasploit Ref : /modules/auxiliary/scanner/sap/sap_mgmt_con_getaccesspoints

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/phpmyadmin_lfi_rce.rb

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution - Metasploit Ref : /modules/exploit/multi/http/rails_actionpack_inline_exec

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/phpmyadmin_lfi_rce.rb



The Exploit-DB

Reference: CVE-2018-12613

Description: phpMyAdmin - (Authenticated) Remote Code Execution (Metasploit) - The Exploit-DB Ref : 45020

Link: <http://www.exploit-db.com/exploits/45020>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - (Authenticated) Local File Inclusion (1) - The Exploit-DB Ref : 44924

Link: <http://www.exploit-db.com/exploits/44924>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - (Authenticated) Local File Inclusion (2) - The Exploit-DB Ref : 44928

Link: <http://www.exploit-db.com/exploits/44928>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - Remote Code Execution (RCE) - The Exploit-DB Ref : 50457

Link: <http://www.exploit-db.com/exploits/50457>



exploitdb

Reference: CVE-2018-12613

Description: phpMyAdmin - (Authenticated) Remote Code Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/45020>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - (Authenticated) Local File Inclusion (1)

Link: <https://www.exploit-db.com/exploits/44924>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - Remote Code Execution (RCE)

Link: <https://www.exploit-db.com/exploits/50457>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - (Authenticated) Local File Inclusion (2)

Link: <https://www.exploit-db.com/exploits/44928>



nvd

Reference: CVE-2018-12613

Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] =

true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an

Link: <http://packetstormsecurity.com/files/164623/phpMyAdmin-4.8.1-Remote-Code-Execution.html>

Reference: CVE-2018-12613

Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an

Link: <https://www.exploit-db.com/exploits/44924/>

Reference: CVE-2018-12613

Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an

Link: <https://www.exploit-db.com/exploits/45020/>



packetstorm

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 Remote Code Execution

Link: <https://packetstormsecurity.com/files/164623/phpMyAdmin-4.8.1-Remote-Code-Execution.html>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 Code Execution / Local File Inclusion

Link: <https://packetstormsecurity.com/files/148283/phpMyAdmin-4.8.1-Code-Execution-Local-File-Inclusion.html>

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution

Link: <https://packetstormsecurity.com/files/148534/phpMyAdmin-Authenticated-Remote-Code-Execution.html>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 Authenticated Local File Inclusion

Link: <https://packetstormsecurity.com/files/150466/phpMyAdmin-4.8.1-Authenticated-Local-File-Inclusion.html>



metasploit

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution

Link: https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/multi/http/phpmyadmin_lfi_rce.rb



0day.today

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 Code Execution / Local File Inclusion Vulnerabilities

Link: <https://0day.today/exploit/30622>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 - Remote Code Execution Exploit

Link: <https://0day.today/exploit/36949>

Reference: CVE-2018-12613

Description: phpMyAdmin Authenticated Remote Code Execution Exploit

Link: <https://0day.today/exploit/30714>

Reference: CVE-2018-12613

Description: phpMyAdmin 4.8.1 Authenticated Local File Inclusion Vulnerability

Link: <https://0day.today/exploit/31685>

Reference: CVE-2018-12613
 Description: phpMyAdmin Authenticated Remote Code Execution Exploit
 Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/remote-exploits/30714.txt>

Reference: CVE-2018-12613
 Description: phpMyAdmin 4.8.1 Authenticated Local File Inclusion Vulnerability
 Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/31685.txt>

Reference: CVE-2018-12613
 Description: phpMyAdmin 4.8.1 Code Execution / Local File Inclusion Vulnerabilities
 Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/30622.txt>

Reference: CVE-2018-12613
 Description: phpMyAdmin 4.8.1 - Remote Code Execution Exploit
 Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/36949.txt>



github-exploits

Reference: CVE-2018-12613
 Description: 0x00-0x00/CVE-2018-12613 exploit repository
 Link: <https://github.com/0x00-0x00/CVE-2018-12613>

Reference: CVE-2018-12613
 Description: filippo-zullo98/phpMyAdmin-RCE-Exploit-Lab exploit repository
 Link: <https://github.com/filippo-zullo98/phpMyAdmin-RCE-Exploit-Lab>

Reference: CVE-2018-12613
 Description: ivanitlearning/CVE-2018-12613 exploit repository
 Link: <https://github.com/ivanitlearning/CVE-2018-12613>



coreimpact

Reference: CVE-2018-12613
 Description: phpMyAdmin index.php Local File Inclusion Vulnerability Exploit
 Link: <https://www.coresecurity.com/core-labs/exploits>



d2elliot

Reference: CVE-2018-12613
 Description: phpMyAdmin 4.8.1 RCE
 Link: https://www.d2sec.com/exploits/phpmyadmin_4.8.1_rce.html



nist-nvd2

Reference: CVE-2018-12613
 Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an
 Link: <http://packetstormsecurity.com/files/164623/phpMyAdmin-4.8.1-Remote-Code-Execution.html>

Reference: CVE-2018-12613
 Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an
 Link: <https://www.exploit-db.com/exploits/44924/>

Reference: CVE-2018-12613
 Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an
 Link: <https://www.exploit-db.com/exploits/45020/>

Reference: CVE-2018-12613

Description: An issue was discovered in phpMyAdmin 4.8.x before 4.8.2, in which an attacker can include (view and potentially execute) files on the server. The vulnerability comes from a portion of code where pages are redirected and loaded within phpMyAdmin, and an improper test for whitelisted pages. An attacker must be authenticated, except in the "\$cfg['AllowArbitraryServer'] = true" case (where an attacker can specify any host he/she is already in control of, and execute arbitrary code on phpMyAdmin) an

Link: <https://www.exploit-db.com/exploits/44928/>



nuclei-templates

Reference: CVE-2018-12613

Description: PhpMyAdmin

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2018/CVE-2018-12613.yaml>



vulncheck-botnets

Reference: CVE-2018-12613

Description: Zerobot

Link: <https://blog.netlab.360.com/new-ddos-botnet-wszeor/>

Reference: CVE-2018-12613

Description: Zerobot

Link:

<https://fortiguard.fortinet.com/threat-signal-report/4926/new-zerobot-variant-exploits-additional-vulnerabilities-for-propagation>

Reference: CVE-2018-12613

Description: Zerobot

Link:

<https://www.fortinet.com/blog/threat-research/zerobot-new-go-based-botnet-campaign-targets-multiple-vulnerabilities>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable PhpMyAdmin Detected on port: 80
"phpMyAdmin 4.6.6 documentation"



3 PhpMyAdmin Cross-Site Scripting Vulnerability (PMASA-2018-5)

port 80/tcp

QID: 13252
Category: CGI
Associated CVEs: [CVE-2018-15605](#)
Vendor Reference: [PMASA-2018-5](#)
Bugtraq ID: 105168
Service Modified: 08/27/2018
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

A Cross-Site Scripting vulnerability was found in the file import feature, where an attacker can deliver a payload to a user through importing a specially-crafted file.

Affected Versions:
phpMyAdmin versions prior to 4.8.3

IMPACT:

A remote user can access the target user's cookies (including authentication cookies), if any, associated with the site running the phpMyAdmin

software, access data recently submitted by the target user via web form to the site, or take actions on the site acting as the target user.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.8.3 or newer from phpMyAdmin (http://phpmyadmin.net/home_page/downloads.php). For more information check PMASA-2018-5 (<https://www.phpmyadmin.net/security/PMASA-2018-5/>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2018-5 (<https://www.phpmyadmin.net/security/PMASA-2018-5/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable PhpMyAdmin Detected on port: 80
"phpMyAdmin 4.6.6 documentation"

 3 PhpMyAdmin Arbitrary File Read Vulnerability (PMASA-2019-1)

port 80/tcp

QID:	13401
Category:	CGI
Associated CVEs:	CVE-2019-6799
Vendor Reference:	PMASA-2019-1
Bugtraq ID:	106736
Service Modified:	10/26/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

The software is exposed to Arbitrary file read vulnerability:
CVE-2019-6799

Affected Versions:
phpMyAdmin versions from at least 4.0 through 4.8.4

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to read any file on the server that the web server's.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.8.5 (http://phpmyadmin.net/home_page/downloads.php) or the latest version.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2019-1 (<https://www.phpmyadmin.net/security/PMASA-2019-1/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

"phpMyAdmin 4.6.6 documentation"



3 PhpMyAdmin SQL Injection Vulnerability (PMASA-2019-2)

port 80/tcp

QID: 13402
Category: CGI
Associated CVEs: [CVE-2019-6798](#)
Vendor Reference: [PMASA-2019-2](#)
Bugtraq ID: 106727
Service Modified: 04/21/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

The software is exposed to SQL injection vulnerability in Designer feature:
CVE-2019-6799

Affected Versions:
phpMyAdmin versions from 4.5.0 through 4.8.4

IMPACT:

Successful exploitation allows remote attackers to inject and execute arbitrary SQL code a targeted server.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.8.5 (http://phpmyadmin.net/home_page/downloads.php) or the latest version.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2019-2 (<https://www.phpmyadmin.net/security/PMASA-2019-2/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

"phpMyAdmin 4.6.6 documentation"



3 Web Server Predictable Session ID Vulnerability

port 80/tcp

QID: 86310
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/04/2026

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Many Web sites support the idea of user sessions. Each user connecting to the site is issued a unique session ID, which is then used to identify all subsequent requests made by that user, either encoded in the URLs, or as a cookie. The server can then store data for each user session such as the state of a Web shopping cart. Session IDs are also often used to control access to sites requiring a login. Instead of sending the username/password with every request, the site issues a session ID after the user logs on, and the session ID identifies the user for the rest of the session.

With some server session management systems, it's possible for a user, who can connect to the server and get a session ID, to guess other users' session IDs. If successful, the attacker can then view any page, take any action, post to any form etc. as the real user of that session.

This attack requires no IP spoofing or session snooping. It works against sites using SSL.

The following links provide more information about this vulnerability:

Netcraft Security Advisory 2001-01.1 - Predictable Session IDs
(http://news.netcraft.com/archives/2003/01/01/security_advisory_2001011_predictable_session_ids.html)
Cookie Encyclopedia - Predictable Session IDs (http://www.pdos.lcs.mit.edu/cookies/seq_sessionid.html)
Brute-Force Exploitation of Web Application Session IDs (<http://www.cgisecurity.com/lib/SessionIDs.pdf>)

IMPACT:

The session ID can be trivially guessed after only a limited number of attempts. If this issue is successfully exploited, then it may be possible for an attacker to obtain the cookie-based authentication credentials for legitimate users, allowing unauthorized access to the vulnerable application.

SOLUTION:

This issue may be caused by the Web server, the Web application server or the Web application itself.

Some software known to be vulnerable are listed below:

Ipswitch IMail Server Predictable Session ID Vulnerability (<http://cve.mitre.org/cgi-bin/cvename.cgi?name=CAN-2001-1284>)
IBM WebSphere Application Server Predictable Session ID Vulnerability (<http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2001-0962>)

For all other software follow the guidelines below or contact your vendor.

Use strong cryptographic algorithms to generate random session IDs.
The Web application should not rely on predictable session IDs as the sole means of session tracking and management.
Any meaningful data being used in session IDs should be one-way encrypted.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PQ47663V302: Websphere Applicaton Server 3.x (<http://www-01.ibm.com/support/us/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Session cookies are:

#1: Set-Cookie: pma_collation_connection=utf8mb4_unicode_ci
#2: Set-Cookie: pma_collation_connection=utf8mb4_unicode_ci
#3: Set-Cookie: pma_collation_connection=utf8mb4_unicode_ci
#4: Set-Cookie: pma_collation_connection=utf8mb4_unicode_ci
#5: Set-Cookie: pma_collation_connection=utf8mb4_unicode_ci

Percentage of common characters among subsequent cookies: 100%

QID: 86728
 Category: Web server
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 08/25/2020
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

The Web server uses plain-text form based authentication. A web page exists on the target host which uses an HTML login form. This data is sent from the client to the server in plain-text.

IMPACT:

An attacker with access to the network traffic to and from the target host may be able to obtain login credentials for other users by sniffing the network traffic.

SOLUTION:

Please contact the vendor of the hardware/software for a possible fix for the issue. For custom applications, ensure that data sent via HTML login forms is encrypted before being sent from the client to the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /index.php HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

```

<form method="post" action="index.php" name="login_form" class="disableAjax login hide js-show">
  <fieldset>
    <legend>Log in<a href="/doc/html/index.html" target="documentation"></a></legend><div class="item">
      <label for="input_username">Username:</label>
      <input type="text" name="pma_username" id="input_username" value="" size="24" class="textfield"/>
    </div>
    <div class="item">
      <label for="input_password">Password:</label>
      <input type="password" name="pma_password" id="input_password" value="" size="24" class="textfield" />
    </div>
    <input type="hidden" name="server" value="1" /></fieldset>
    <fieldset class="tblFooters">
      <input value="Go" type="submit" id="input_go" /><input type="hidden" name="target" value="index.php" /><input type="hidden"
name="lang" value="en" /><input type="hidden" name="collation_connection" value="utf8mb4_unicode_ci" /><input type="hidden" name="token"
value="0d91c392bcc509c0b487ba80d2bafa1b" /></fieldset>
  </form>

```

GET /# HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

GET /#phpinfo.php HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

GET /# HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0
Accept: */*
Connection: close

GET /#/login HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0
Accept: */*
Content-Type: application/x-www-form-urlencoded
Connection: close

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.18) Gecko/2010020220 Firefox/3.0.18 (.NET CLR 3.5.30729)

GET / HTTP/1.1
Connection: Keep-Alive
HOST: 172.30.26.1:80
Content-Type: text/xml; charset=UTF-8
User-Agent: () { ignored; }; echo Content-Type: text/plain ; echo ; echo ; /usr/bin/id

GET /phpinfo.php HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0
Accept: */*
Connection: close

GET // HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /index.php?option=articles&task=viewarticle&artid=%3Cscript%3Ealert(6353)%3C/script%3E HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
Authorization: Negotiate
YGwGBisGAQUFAqBiIMGCGDjAMBgorBgEEAYI3AglK004wTKA7OzkEASUKNAQBSSBLISBKYSBJCSBISBSBHiSBGySBGCSBFSSBEISBDySBDCSBCSSBBISBAwSBAAQCUUehDQQLUXVhbHlzR3VhcmQ=

GET /index.php?offset=1 HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET http://Qualys.null/ HTTP/1.0

GET http://172.30.26.1:1/ HTTP/1.0

GET / HTTP/1.0

POST /index.php HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
Content-Type: application/x-www-form-urlencoded
Content-Length: 108

PHP_AUTH_USER=qualys%22+UNION+select+*+from+customers+LIMIT+1+---&password=test&language=english&login=LoginGET /index.php?module=subjects
HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive



2 Session Cookie Does Not Contain the "Secure" Attribute

port 80/tcp

QID: 13162
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The secure cookie flag is an option that can be set by the application server when sending a new cookie to the user within an HTTP Response. The purpose of the secure flag is to prevent cookies from being observed by unauthorized parties due to the transmission of a the cookie in clear text. By setting the secure flag, the browser will prevent the transmission of a cookie over an unencrypted channel.

A cookie with the secure attribute was not detected in the scan.

IMPACT:

Session cookies sent via HTTP expose users to sniffing attacks that could lead to user impersonation or account compromise.

SOLUTION:

Apply the "secure" attribute to session cookies to ensure that they are sent via HTTPS only. More information about this flag can be found here: <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie>.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP Cookie missing Secure attribute on port 80.
Set-Cookie: pmaCookieVer=5; expires=Tue, 25-Aug-2026 03:26:32 GMT; Max-Age=2592000; path=/; HttpOnly
GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive



2 AutoComplete Attribute Not Disabled for Password in Form Based Authentication

port 80/tcp

QID: 86729
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/28/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Web server allows form based authentication without disabling the AutoComplete feature for the password field.

Autocomplete should be turned off for any input that takes sensitive information such as credit card number, CVV2/CVC code, U.S. social security number, etc.

IMPACT:

If the browser is used in a shared computing environment where more than one person may use the browser, then "autocomplete" values may be retrieved or submitted by an unauthorized user.

SOLUTION:

Contact the vendor to have the AutoComplete attribute disabled for the password field in all forms. The AutoComplete attribute should also be disabled for the user ID field.

Developers can add the following attribute to the form or input element: autocomplete="off"

This attribute prevents the browser from prompting the user to save the populated form values for later reuse.

Most browsers no longer honor autocomplete="off" for password input fields. These browsers include Chrome, Firefox, Microsoft Edge, IE, Opera

However, there is still an ability to turn off autocomplete through the browser and that is recommended for a shared computing environment.

Since the ability to turn autocomplete off for password inputs fields is controlled by the user it is highly recommended for application to enforce strong password rules.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /index.php HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<form method="post" action="index.php" name="login_form" class="disableAjax login hide js-show">
  <fieldset>
    <legend>Log in<a href="/doc/html/index.html" target="documentation"></a></legend><div class="item">
  <label for="input_username">Username:</label>
  <input type="text" name="pma_username" id="input_username" value="" size="24" class="textfield"/>
</div>
<div class="item">
  <label for="input_password">Password:</label>
  <input type="password" name="pma_password" id="input_password" value="" size="24" class="textfield" />
</div>
  <input type="hidden" name="server" value="1" /></fieldset>
  <fieldset class="tblFooters">
    <input value="Go" type="submit" id="input_go" /><input type="hidden" name="target" value="index.php" /><input type="hidden"
name="lang" value="en" /><input type="hidden" name="collation_connection" value="utf8mb4_unicode_ci" /><input type="hidden" name="token"
value="0d91c392bcc509c0b487ba80d2bafa1b" /></fieldset>
</form>
```

GET /# HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

GET /#/phpinfo.php HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

GET /# HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

Accept: */*

Connection: close

GET /#/login HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0
Accept: /*/*
Content-Type: application/x-www-form-urlencoded
Connection: close

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.18) Gecko/2010020220 Firefox/3.0.18 (.NET CLR 3.5.30729)

GET / HTTP/1.1
Connection: Keep-Alive
HOST: 172.30.26.1:80
Content-Type: text/xml; charset=UTF-8
User-Agent: () { ignored; }; echo Content-Type: text/plain ; echo ; echo ; /usr/bin/id

GET /phpinfo.php HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0
Accept: /*/*
Connection: close

GET // HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET /index.php?option=articles&task=viewarticle&artid=%3Cscript%3Ealert(6353)%3C/script%3E HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET / HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
Authorization: Negotiate
YGwGBisGAQUFAqBiMGCGDjAMBgorBgEEAYI3AglKo04wTKA7OzkEASUkNAQBSSBLISBKySBjCSBISBHiSBGySBGCSBFSSBEISBDySBDCSBCSSBBISBAwSBAAQCUUehDQQLUXVhbHlzR3VhcmQ=

GET /index.php?offset=1 HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

GET http://Qualys.null/ HTTP/1.0

GET http://172.30.26.1:1/ HTTP/1.0

GET / HTTP/1.0

POST /index.php HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive
Content-Type: application/x-www-form-urlencoded
Content-Length: 108

PHP_AUTH_USER=qualys%22+UNION+select+*+from+customers+LIMIT+1+---+&password=test&language=english&login=LoginGET /index.php?module=subjects HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

Potential Vulnerabilities (5)

 4	PhpMyAdmin SQL Injection Vulnerability (PMASA-2020-1)	port 80/tcp
QID:	730305	
Category:	CGI	
Associated CVEs:	CVE-2020-5504	
Vendor Reference:	PMASA-2020-1	
Bugtraq ID:	-	

Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.
CVE-2020-5504: A malicious user could inject custom SQL in place of their own username when creating queries to this page.

Affected Versions:
phpMyAdmin versions from 4.0.x prior to 4.9.4.
phpMyAdmin versions from 5.0.x prior to 5.0.1.

IMPACT:

Successful exploitation of these vulnerabilities may allows remote attackers to inject and execute arbitrary SQL code on the targeted server.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.9.4 or 5.0.1 (http://phpmyadmin.net/home_page/downloads.php) or the latest version.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2020-1 (<https://www.phpmyadmin.net/security/PMASA-2020-1/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? exploitdb

Reference: CVE-2020-5504
Description: phpMyAdmin 5.0.0 - SQL Injection
Link: <https://www.exploit-db.com/exploits/52451>

? nvd

Reference: CVE-2020-5504
Description: In phpMyAdmin 4 before 4.9.4 and 5 before 5.0.1, SQL injection exists in the user accounts page. A malicious user could inject custom SQL in place of their own username when creating queries to this page. An attacker must have a valid MySQL account to access the server.
Link: <https://cybersecurityworks.com/zerodays/cve-2020-5504-phpmyadmin.html>

? github-exploits

Reference: CVE-2020-5504
Description: xMohamed0/CVE-2020-5504-phpMyAdmin exploit repository
Link: <https://github.com/xMohamed0/CVE-2020-5504-phpMyAdmin>

? nist-nvd2

Reference: CVE-2020-5504
Description: In phpMyAdmin 4 before 4.9.4 and 5 before 5.0.1, SQL injection exists in the user accounts page. A malicious user could inject custom SQL in place of their own username when creating queries to this page. An attacker must have a valid MySQL account to access the server.
Link: <https://cybersecurityworks.com/zerodays/cve-2020-5504-phpmyadmin.html>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 4.6.6 documentation<

QID: 13577
 Category: CGI
 Associated CVEs: [CVE-2019-12922](#)
 Vendor Reference: [phpmyadmin](#)
 Bugtraq ID: -
 Service Modified: 09/30/2025
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

The software is exposed to the XSRF/CSRF vulnerability:

CVE-2019-12922

Affected Versions:

phpMyAdmin versions prior to 4.9.1

IMPACT:

By deceiving a user to click on a crafted URL, it is possible for an attacker to execute arbitrary SQL commands.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.8.4 or newer from phpMyAdmin (http://phpmyadmin.net/home_page/downloads.php).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin (<https://seclists.org/fulldisclosure/2019/Sep/23>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2019-12922

Description: phpMyAdmin 4.9.0.1 - Cross-Site Request Forgery - The Exploit-DB Ref : 47385

Link: <http://www.exploit-db.com/exploits/47385>



exploitdb

Reference: CVE-2019-12922

Description: phpMyAdmin 4.9.0.1 - Cross-Site Request Forgery

Link: <https://www.exploit-db.com/exploits/47385>



nvd

Reference: CVE-2019-12922

Description: A CSRF issue in phpMyAdmin 4.9.0.1 allows deletion of any server in the Setup page.

Link: <http://seclists.org/fulldisclosure/2019/Sep/23>

Reference: CVE-2019-12922

Description: A CSRF issue in phpMyAdmin 4.9.0.1 allows deletion of any server in the Setup page.

Link: <http://packetstormsecurity.com/files/154483/phpMyAdmin-4.9.0.1-Cross-Site-Request-Forgery.html>

Reference: CVE-2019-12922

Description: A CSRF issue in phpMyAdmin 4.9.0.1 allows deletion of any server in the Setup page.

Link: <https://www.exploit-db.com/exploits/47385>



packetstorm

Reference: CVE-2019-12922

Description: phpMyAdmin 4.9.0.1 Cross Site Request Forgery

Link: <https://packetstormsecurity.com/files/154483/phpMyAdmin-4.9.0.1-Cross-Site-Request-Forgery.html>



Oday.today

Reference: CVE-2019-12922

Description: phpMyAdmin 4.9.0.1 - Cross-Site Request Forgery Vulnerability

Link: <https://0day.today/exploit/33253>

Reference: CVE-2019-12922

Description: phpMyAdmin 4.9.0.1 - Cross-Site Request Forgery Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/33253.txt>



nist-nvd2

Reference: CVE-2019-12922

Description: A CSRF issue in phpMyAdmin 4.9.0.1 allows deletion of any server in the Setup page.

Link: <http://packetstormsecurity.com/files/154483/phpMyAdmin-4.9.0.1-Cross-Site-Request-Forgery.html>

Reference: CVE-2019-12922

Description: A CSRF issue in phpMyAdmin 4.9.0.1 allows deletion of any server in the Setup page.

Link: <http://seclists.org/fulldisclosure/2019/Sep/23>

Reference: CVE-2019-12922

Description: A CSRF issue in phpMyAdmin 4.9.0.1 allows deletion of any server in the Setup page.

Link: <https://www.exploit-db.com/exploits/47385>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
PhpMyAdmin Detected on port: 80
var DOCUMENTATION_OPTIONS = {
  URL_ROOT:    './',
  VERSION:    '4.6.6',
  COLLAPSE_INDEX:
```



3 PhpMyAdmin Cross-Site Request Forgery (CSRF) Vulnerability (PMASA-2019-4)

port 80/tcp

QID: 730306
Category: CGI
Associated CVEs: [CVE-2019-12616](#)
Vendor Reference: [PMASA-2019-4](#)
Bugtraq ID: -
Service Modified: 09/30/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

CVE-2019-12616: A vulnerability was found that allows an attacker to trigger a CSRF attack against a phpMyAdmin user.

Affected Versions:
phpMyAdmin versions prior to 4.9.0.

IMPACT:

Successful exploitation of this vulnerability may allows remote attackers to trick user to perform unintended actions on attackers behalf.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 4.9.0 (http://phpmyadmin.net/home_page/downloads.php) or the latest version.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2019-4 (<https://www.phpmyadmin.net/security/PMASA-2019-4/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2019-12616

Description: phpMyAdmin 4.8 - Cross-Site Request Forgery - The Exploit-DB Ref : 46982

Link: <http://www.exploit-db.com/exploits/46982>

 exploitdb

Reference: CVE-2019-12616

Description: phpMyAdmin 4.8 - Cross-Site Request Forgery

Link: <https://www.exploit-db.com/exploits/46982>

 packetstorm

Reference: CVE-2019-12616

Description: phpMyAdmin 4.8 Cross Site Request Forgery

Link: <https://packetstormsecurity.com/files/153251/phpMyAdmin-4.8-Cross-Site-Request-Forgery.html>

 0day.today

Reference: CVE-2019-12616

Description: phpMyAdmin 4.8 - Cross-Site Request Forgery Vulnerability

Link: <https://0day.today/exploit/32859>

Reference: CVE-2019-12616

Description: phpMyAdmin 4.8 - Cross-Site Request Forgery Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/32859.txt>

 nuclei-templates

Reference: CVE-2019-12616

Description: phpMyAdmin

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2019/CVE-2019-12616.yaml>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 4.6.6 documentation<

3 PhpMyAdmin Information Disclosure Vulnerability

port 80/tcp

QID: 730632
Category: CGI
Associated CVEs: [CVE-2022-0813](#)
Vendor Reference: [phpMyAdmin Release Note](#)
Bugtraq ID: -
Service Modified: 11/02/2022
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

CVE-2022-0813: PhpMyAdmin 5.1.1 and before allows an attacker to retrieve potentially sensitive information by creating invalid requests. This affects the lang parameter, the pma_parameter, and the cookie section.

Affected Versions:
PhpMyAdmin version 5.1.1 and before.

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to retrieve potentially sensitive information by creating invalid requests.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 5.1.3 (http://phpmyadmin.net/home_page/downloads.php) or the latest version.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

phpMyAdmin Release Note (<https://www.phpmyadmin.net/news/2022/2/11/phpmyadmin-4910-and-513-are-released/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 4.6.6 documentation<

 3 PhpMyAdmin Cross-Site Scripting (XSS) Vulnerability (PMASA-2023-1)

port 80/tcp

QID:	730737
Category:	CGI
Associated CVEs:	CVE-2023-25727
Vendor Reference:	PMASA-2023-1
Bugtraq ID:	-
Service Modified:	03/04/2023
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PhpMyAdmin is a free software tool written in PHP and intended to handle the administration of MySQL over the Internet.

An XSS vulnerability has been discovered where an authenticated user can trigger an XSS attack by uploading a specially-crafted .sql file through the drag-and-drop interface.

Affected Versions:
phpMyAdmin versions from 4.3.0 prior to 4.9.1
phpMyAdmin versions from 5.0 prior to 5.2.1

IMPACT:

Successful exploitation of this vulnerability may allow an authenticated attacker to execute arbitrary JavaScript code on the target system.

SOLUTION:

Users are advised to upgrade to phpMyAdmin 5.2.1 or 4.9.11 (http://phpmyadmin.net/home_page/downloads.php) or the latest version. Workaround: Disable the configuration directive ``$cfg[enable_drag_drop_import]``, users will be unable to use the drag and drop upload

which would protect against the vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PMASA-2023-1 (<https://www.phpmyadmin.net/security/PMASA-2023-1/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

>phpMyAdmin 4.6.6 documentation<

Information Gathered (17)



2 Web Applications and Plugins Detected

port 80/tcp

QID:	45114
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The result section of this QID lists web applications and plugins that were detected on the target using web application fingerprinting. This technique compares static files at known locations against precomputed hashes for versions of those files in all available releases. The technique is fast, low-bandwidth, non-invasive, generic, and highly automatable.

Following open source and free applications are currently supported:

Joomla!
MediaWiki
WordPress
phpBB
MovableType
Drupal
osCommerce
PHP-Nuke
Moodle
Liferay
Tikiwiki
Twiki
phpmyadmin
SPIP
Confluence(free versions)
Wikka
Wacko
Usemod
e107
Flyspray
AppRain
V-CMS
AjaxPloer/Pydio
eFront Learning Management System
vTigerCRM (Open source versions)
MyBB
WebCalendar
PivotX WebLog

DokuWiki
MODX Revolution
MODX Evolution
Collabtive
Achievo
Magento 1.x CE
iCE Hrm (Opensource Version)
AdaptCMS
ownCloud
HumHub
Redaxscript
phpwcms
Wolf CMS
Pligg CMS
Zen Cart
Xoops
TYPO3
Microweber

This QID is based on the Blind Elephant project (<http://blindelephant.sourceforge.net/>). For a complete list of supported web applications and plugins, please check the following link: DOC-5480 (<https://community.qualys.com/docs/DOC-5480>).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

phpMyAdmin	4.6.6	in directory: /	Source: /themes/original/img/ajax_clock_small.gif
OpenDocMan	1.3.5	in directory: /js/	Source: /functions.js

2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.26.1	phpmyadmin-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1150 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:42:56 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
phpmyadmin-old.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	3:26:24

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
 Timestamp Request (to trigger Timestamp Reply)
 Address Mask Request (to trigger Address Mask Reply)
 UDP Packet (to trigger Port Unreachable Reply)
 IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 59146	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 4156	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 2967	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:49 GMT
Unreachable (type=3 code=3)	UDP Port 1170	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 15345	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 17185	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 41552	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 520	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

 1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/19/2004
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Bugtraq ID: -
Service Modified: 05/13/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

phpMyAdmin is a free software tool written in PHP, intended to handle the administration of MySQL over the Web. phpMyAdmin supports a wide range of operations on MySQL and MariaDB.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PhpMyAdmin Detected on port: 80
GET /doc/html/index.html HTTP/1.1
Host: phpmyadmin-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

"phpMyAdmin 4.6.6 documentation"



1 Default Web Page

port 80/tcp

QID: 12230
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/16/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<!DOCTYPE HTML><html lang='en' dir='ltr' class='other other0'><head><meta charset='utf-8' /><meta name='referrer' content='no-referrer' /><meta name='robots' content='noindex,nofollow' /><meta http-equiv='X-UA-Compatible' content='IE=Edge' /><style id='cfs-style'>html{display:none;}</style><link rel='icon' href='favicon.ico' type='image/x-icon' /><link rel='shortcut icon' href='favicon.ico' type='image/x-icon' /><link rel='stylesheet' type='text/css' href='./themes/pmahomme/jquery/jquery-ui-1.11.4.css' /><link rel='stylesheet' type='text/css' href='js/codemirror/lib/codemirror.css?v=4.6.6' /><link rel='stylesheet' type='text/css' href='js/codemirror/addon/hint/show-hint.css?v=4.6.6' /><link rel='stylesheet' type='text/css' href='phpmyadmin.css.php?nocache=4459207702ltr' /><link rel='stylesheet' type='text/css' href='./themes/pmahomme/css/printview.css?v=4.6.6' media='print' id='printcss' /><title>phpMyAdmin</title><script data-cfasync='false' type='text/javascript' src='js/whitelist.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=3d858e8d3b85bea161b3ab70375dcab0&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.js&scripts%5B%5D=sprintf.js&scripts%5B%5D=ajax.js&scripts%5B%5D=keyhandler.js&scripts%5B%5D=jquery/jquery-ui-1.11.4.min.js&scripts%5B%5D=jquery/jquery.cookie.js&scripts%5B%5D=jquery/jquery.mousewheel.js&scripts%5B%5D=jquery/jquery.event.drag-2.2.js&scripts%5B%5D=jquery/jquery-ui-timepicker-addon.js&scripts%5B%5D=jquery/jquery.ba-hashchange-1.3.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=jquery/jquery.debounce-1.0.5.js&scripts%5B%5D=menu-resizer.js&scripts%5B%5D=cross_framing_protection.js&scripts%5B%5D=rte.js&scripts%5B%5D=tracekit/tracekit.js&scripts%5B%5D=error_report.js&scripts%5B%5D=config.js&scripts%5B%5D=doclinks.js&scripts%5B%5D=functions.js&scripts%5B%5D=navigation.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=indexes.js&scripts%5B%5D=common.js&scripts%5B%5D=page_settings.js&scripts%5B%5D=codemirror/lib/codemirror.js&scripts%5B%5D=codemirror/mode/sql/sql.js&scripts%5B%5D=codemirror/addon/runmode/runmode.js&scripts%5B%5D=codemirror/addon/hint/show-hint.js&scripts%5B%5D=codemirror/addon/hint/sql-hint.js&scripts%5B%5D=codemirror/addon/lint/lint.js&scripts%5B%5D=codemirror/addon/lint/sql-lint.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=console.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/messages.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=3d858e8d3b85bea161b3ab70375dcab0&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_image.js.php?theme=pmahomme&v=4.6.6'></script><script data-cfasync='false' type='text/javascript'>/*!CDATA[ PMA_commonParams.setAll({common_query:"?lang=en&collation_connection=utf8mb4_unicode_ci&token=3d858e8d3b85bea161b3ab70375dcab0",opendb_url:"db_structure.php",safari_browser:"0",collation_connection:"utf8mb4_unicode_ci",lang:"en",server:"1",table:"",db:"",token:"3d858e8d3b85bea161b3ab70375dcab0",text_dir:"ltr",show_databases_navigation_as_tree:"1",pma_text_default_tab:"Browse",pma_text_left_default_tab:"Structure",pma_text_left_default_tab2:"",LimitChars:"50",pftext:"",confirm:"1",LoginCookieValidity:"1440",logged_in:"",PMA_VERSION:"4.6.6",auth_type:"cookie"}); ConsoleEnterExecutes=false AJAX.scriptHandler.add("jquery/jquery-2.1.4.min.js",0).add("whitelist.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=3d858e8d3b85bea161b3ab70375dcab0",1).add("sprintf.js",1).add("ajax.js",0).add("keyhandler.js",1).add("jquery/jquery-ui-1.11.4.min.js",0).add("jquery/jquery.cookie.js",0).add("jquery/jquery.mousewheel.js",0).add("jquery/jquery.event.drag-2.2.js",0).add("jquery/jquery-ui-timepicker-addon.js",0).add("jquery/jquery.ba-hashchange-1.3.js",0).add("jquery/jquery.debounce-1.0.5.js",0).add("menu-resizer.js",1).add("cross_framing_protection.js",0).add("rte.js",1).add("tracekit/tracekit.js",1).add("error_report.js",1).add("messages.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=3d858e8d3b85bea161b3ab70375dcab0",0).add("get_image.js.php?theme=pmahomme",0).add("config.js",1).add("doclinks.js",1).add("functions.js",1).add("navigation.js",1).add("indexes.js",1).add("common.js",1).add("page_settings.js",1).add("codemirror/lib/codemirror.js",0).add("codemirror/mode/sql/sql.js",0).add("codemirror/addon/runmode/runmode.js",0).add("codemirror/addon/hint/show-hint.js",0).add("codemirror/addon/hint/sql-hint.js",0).add("codemirror/addon/lint/lint.js",0).add("codemirror/addon/lint/sql-lint.js",0).add("console.js",1); $(function){AJAX.fireOnload("whitelist.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=3d858e8d3b85bea161b3ab70375dcab0");AJAX.fireOnload("sprintf.js");AJAX.fireOnload("keyhandler.js");AJAX.fireOnload("menu-resizer.js");AJAX.fireOnload("rte.js");AJAX.fireOnload("tracekit/tracekit.js");AJAX.fireOnload("error_report.js");AJAX.fireOnload("config.js");AJAX.fireOnload("doclinks.js");AJAX.fireOnload("functions.js");AJAX.fireOnload("navigation.js");AJAX.fireOnload("indexes.js");AJAX.fireOnload("common.js");AJAX.fireOnload("page_settings.js");AJAX.fireOnload("console.js");});}]]></script><noscript><style>html{display:block}</style></noscript></head><body id='loginform'><div id='page_content'><div class='container'><a href='./url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F' target='_blank' rel='noopener noreferrer' class='logo'><img src='./themes/pmahomme/img/logo_right.png' id='imLogo' name='imLogo' alt='phpMyAdmin' border='0' /></a><h1>Welcome to <bdo dir='ltr' lang='en'>phpMyAdmin</bdo></h1><noscript><div class='error'><img src='themes/dot.gif' title='' alt='' class='icon ic_s_error' /> Javascript must be enabled past this point!</div></noscript><div class='hide js-show'><form method='get' action='index.php' class='disableAjax'><input type='hidden' name='db' value='' /><input type='hidden' name='table' value='' /><input type='hidden' name='lang' value='en' /><input type='hidden' name='collation_connection' value='utf8mb4_unicode_ci' /><input type='hidden' name='token' value='3d858e8d3b85bea161b3ab70375dcab0' /><fieldset><legend lang='en' dir='ltr'>Language</legend><select name='lang' class='autosubmit' lang='en' dir='ltr' id='sel-lang'><option value='hy'>
```

```
Armenian</option><option value="az">Az&#601;rbaycanca - Azerbaijani</option><option value="bn"> - Bangla</option><option value="pt_br">Portugus - Brazilian Portuguese</option><option value="bg">&#1041;&#1098;&#1083;&#1075;&#1072;&#1088;&#1089;&#1082;&#1080; - Bulgarian</option><option value="ca">Catal - Catalan</option><option value="zh_cn">&#20013;&#25991; - Chinese simplified</option><option value="zh_tw">&#20013;&#25991; - Chinese traditional</option><option value="cs">etina - Czech</option><option value="da">Dansk - Danish</option><option value="nl">Nederlands - Dutch</option><option value="en" selected="selected">English</option><option value="en_gb">English (United Kingdom)</option><option value="et">Eesti - Estonian</option><option value="fi">Suomi - Finnish</option><option value="fr">Franais - French</option><option value="gl">Galego - Galician</option><option value="de">Deutsch - German</option><option value="el">&#20132;&#20135;&#20133; - Greek</option><option value="hu">Magyar - Hungarian</option><option value="id">Bahasa Indonesia - Indonesian</option><option value="ia">Interlingua</option><option value="it">Italiano - Italian</option><option value="ja">&#26085;&#26412;&#35486; - Japanese</option><option value="ko">&#54620;&#44397;&#50612; - Korean</option><option value="lt">Lietuvi&#371; - Lithuanian</option><option value="nb">Norsk - Norwegian</option><option value="pl">Polski - Polish</option><option value="pt">Portugus - Portuguese</option><option value="ro">Romn&#259; - Romanian</option><option value="ru">&#1056;&#1091;&#1089;&#1089;&#1082;&#1080;&#1081; - Russian</option><option value="sr@latin">Srpski - Serbian (latin)</option><option value="si">&#3523;&#3538;&#3458;&#3524;&#3517; - Sinhala</option><option value="sq">Shqip - Slbanian</option><option value="sk">Sloven&#269;ina - Slovak</option><option value="sl">Sloven&scaron;&#269;ina - Slovenian</option><option value="es">Espaol - Spanish</option><option value="sv">Svenska - Swedish</option><option value="tr">Trke - Turkish</option><option value="uk">&#1059;&#1082;&#1088;&#1072;&#1111;&#1085;&#1089;&#1100;&#1082;&#1072; - Ukrainian</option><option value="vi">Ting Vit - Vietnamese</option></select></fieldset></form></div>
<br />
<!-- Login form -->
<form method="post" action="index.php" name="login_form" class="disableAjax login hide js-show">
  <fieldset>
    <legend>Log in<a href="/doc/html/index.html" target="documentation"></a></legend><div class="item">
      <label for="input_username">Username:</label>
      <input type="text" name="pma_username" id="input_username" value="" size="24" class="textfield"/>
    </div>
    <div class="item">
      <label for="input_password">Password:</label>
      <input type="password" name="pma_password" id="input_password" value="" size="24" class="textfield" />
    </div>
    <input type="hidden" name="server" value="1" /></fieldset>
    <fieldset class="tblFooters">
      <input value="Go" type="submit" id="input_go" /><input type="hidden" name="target" value="index.php" /><input type="hidden" name="lang" value="en" /><input type="hidden" name="collation_connection" value="utf8mb4_unicode_ci" /><input type="hidden" name="token" value="3d858e8d3b85bea161b3ab70375dcab0" /></fieldset>
  </form></div></div></body></html><-CR-
```

	1 Default Web Page (Follow HTTP Redirection)	port 80/tcp
QID:	13910	
Category:	CGI	
Associated CVEs:	-	
Vendor Reference:	-	
Bugtraq ID:	-	
Service Modified:	11/05/2020	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<!DOCTYPE HTML><html lang='en' dir='ltr' class='other otherO'><head><meta charset='utf-8' /><meta name='referrer' content='no-referrer' /><meta name='robots' content='noindex,nofollow' /><meta http-equiv='X-UA-Compatible' content='IE=Edge' /><style id='cfs-style'>html{display:none;}</style><link rel='icon' href='favicon.ico' type='image/x-icon' /><link rel='shortcut icon' href='favicon.ico' type='image/x-icon' /><link rel='stylesheet' type='text/css' href='./themes/pmahomme/jquery/jquery-ui-1.11.4.css' /><link rel='stylesheet' type='text/css' href='js/codemirror/lib/codemirror.css?v=4.6.6' /><link rel='stylesheet' type='text/css' href='js/codemirror/addon/hint/show-hint.css?v=4.6.6' /><link rel='stylesheet' type='text/css' href='js/codemirror/addon/lint/lint.css?v=4.6.6' /><link rel='stylesheet' type='text/css' href='phpmyadmin.css.php?nocache=4459207702ltr' /><link rel='stylesheet' type='text/css' href='./themes/pmahomme/css/printview.css?v=4.6.6' media='print' id='printcss' /><title>phpMyAdmin</title><script data-cfasync='false' type='text/javascript' src='js/whitelist.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=e602efe7f187984c25e648bb77b64699&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=jquery/jquery-2.1.4.min.js&scripts%5B%5D=sprintf.js&scripts%5B%5D=ajax.js&scripts%5B%5D=keyhandler.js&scripts%5B%5D=jquery/jquery-ui-1.11.4.min.js&scripts%5B%5D=jquery/jquery.cookie.js&scripts%5B%5D=jquery/jquery.mousewheel.js&scripts%5B%5D=jquery/jquery.event.drag-2.2.js&scripts%5B%5D=jquery/jquery-ui-timepicker-addon.js&scripts%5B%5D=jquery/jquery.ba-hashchange-1.3.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=jquery/jquery.debounce-1.0.5.js&scripts%5B%5D=menu-resizer.js&scripts%5B%5D=cross_framing_protection.js&scripts%5B%5D=rte.js&scripts%5B%5D=tracekit/tracekit.js&scripts%5B%5D=error_report.js&scripts%5B%5D=config.js&scripts%5B%5D=doclinks.js&scripts%5B%5D=functions.js&scripts%5B%5D=navigation.js&scripts%5B%5D=common.js&scripts%5B%5D=indexes.js&scripts%5B%5D=codemirror/lib/codemirror.js&scripts%5B%5D=codemirror/mode/sql/sql.js&scripts%5B%5D=codemirror/addon/runmode/runmode.js&scripts%5B%5D=codemirror/addon/hint/show-hint.js&scripts%5B%5D=codemirror/addon/hint/sql-hint.js&scripts%5B%5D=codemirror/addon/lint/lint.js&scripts%5B%5D=codemirror/addon/lint/sql-lint.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_scripts.js.php?scripts%5B%5D=console.js&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/messages.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=e602efe7f187984c25e648bb77b64699&v=4.6.6'></script><script data-cfasync='false' type='text/javascript' src='js/get_image.js.php?theme=pmahomme&v=4.6.6'></script><script data-cfasync='false' type='text/javascript'>PMA_commonParams.setAll({common_query:"?lang=en&collation_connection=utf8mb4_unicode_ci&token=e602efe7f187984c25e648bb77b64699",opendb_url:"db_structure.php",safari_browser:"0",collation_connection:"utf8mb4_unicode_ci",lang:"en",server:"1",table:"",db:"",token:"e602efe7f187984c25e648bb77b64699",text_dir:"ltr",show_databases_navigation_as_tree:"1",pma_text_default_tab:"Browse",pma_text_left_default_tab:"Structure",pma_text_left_default_tab2:"",LimitChars:"50",pftext:"",confirm:"1",LoginCookieValidity:"1440",logged_in:"",PMA_VERSION:"4.6.6",auth_type:"cookie"});ConsoleEnterExecutes=falseAJAX.scriptHandler.add("jquery/jquery-2.1.4.min.js",0).add("whitelist.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=e602efe7f187984c25e648bb77b64699",1).add("sprintf.js",1).add("ajax.js",0).add("keyhandler.js",1).add("jquery/jquery-ui-1.11.4.min.js",0).add("jquery/jquery.cookie.js",0).add("jquery/jquery.mousewheel.js",0).add("jquery/jquery.event.drag-2.2.js",0).add("jquery/jquery-ui-timepicker-addon.js",0).add("jquery/jquery.ba-hashchange-1.3.js",0).add("jquery/jquery.debounce-1.0.5.js",0).add("menu-resizer.js",1).add("cross_framing_protection.js",0).add("rte.js",1).add("tracekit/tracekit.js",1).add("error_report.js",1).add("messages.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=e602efe7f187984c25e648bb77b64699",0).add("get_image.js.php?theme=pmahomme",0).add("config.js",1).add("doclinks.js",1).add("functions.js",1).add("navigation.js",1).add("indexes.js",1).add("common.js",1).add("page_settings.js",1).add("codemirror/lib/codemirror.js",0).add("codemirror/mode/sql/sql.js",0).add("codemirror/addon/runmode/runmode.js",0).add("codemirror/addon/hint/show-hint.js",0).add("codemirror/addon/hint/sql-hint.js",0).add("codemirror/addon/lint/lint.js",0).add("codemirror/addon/lint/sql-lint.js",0).add("console.js",1);$(function(){AJAX.fireOnLoad("whitelist.php?lang=en&db=&collation_connection=utf8mb4_unicode_ci&token=e602efe7f187984c25e648bb77b64699");AJAX.fireOnLoad("sprintf.js");AJAX.fireOnLoad("keyhandler.js");AJAX.fireOnLoad("menu-resizer.js");AJAX.fireOnLoad("rte.js");AJAX.fireOnLoad("tracekit/tracekit.js");AJAX.fireOnLoad("error_report.js");AJAX.fireOnLoad("config.js");AJAX.fireOnLoad("doclinks.js");AJAX.fireOnLoad("functions.js");AJAX.fireOnLoad("navigation.js");AJAX.fireOnLoad("indexes.js");AJAX.fireOnLoad("common.js");AJAX.fireOnLoad("page_settings.js");AJAX.fireOnLoad("console.js");});// ]></script><noscript><style>html{display:block}</style></noscript></head><body id='loginform'><div id='page_content'><div class='container'><a href='./url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F' target='_blank' rel='noopener noreferrer' class='logo'><img src='./themes/pmahomme/img/logo_right.png' id='imLogo' name='imLogo' alt='phpMyAdmin' border='0' /></a><h1>Welcome to <bdo dir='ltr' lang='en'>phpMyAdmin</bdo></h1></noscript><div class='error'><img src='themes/dot.gif' title='' alt='' class='icon ic_s_error' /> Javascript must be enabled past this point!</div></noscript><div class='hide js-show'><form method='get' action='index.php' class='disableAjax'><input type='hidden' name='db' value='' /><input type='hidden' name='table' value='' /><input type='hidden' name='lang' value='en' /><input type='hidden' name='collation_connection' value='utf8mb4_unicode_ci' /><input type='hidden' name='token' value='e602efe7f187984c25e648bb77b64699' /><fieldset><legend lang='en' dir='ltr'>Language</legend><select name='lang' class='autosubmit' lang='en' dir='ltr' id='sel-lang'><option value='hy'> - Armenian</option><option value='az'>Az&#601;rbaycanca - Azerbajani</option><option value='bn'> - Bangla</option><option value='pt_br'>Portugus - Brazilian Portuguese</option><option value='bg'>&#1041;&#1098;&#1083;&#1075;&#1072;&#1088;&#1089;&#1082;&#1080; - Bulgarian</option><option value='ca'>Catal - Catalan</option><option value='zh_cn'>&#20013;&#25991; - Chinese simplified</option><option value='zh_tw'>&#20013;&#25991; - Chinese traditional</option><option value='cs'>etina - Czech</option><option value='da'>Dansk - Danish</option><option value='nl'>Nederlands - Dutch</option><option value='en' selected='selected'>English</option><option value='en_gb'>English (United Kingdom)</option><option value='et'>Eesti - Estonian</option><option value='fi'>Suomi - Finnish</option><option value='fr'>Franais - French</option><option value='gl'>Galego - Galician</option><option value='de'>Deutsch - German</option><option value='el'>&Epsilon;&lambda;&lambda;&lambda;&eta;&nu;&iota;&kappa;&#940; - Greek</option><option value='hu'>Magyar - Hungarian</option><option value='id'>Bahasa Indonesia - Indonesian</option><option value='ia'>Interlingua</option><option value='it'>Italiano - Italian</option><option value='ja'>&#26085;&#26412;&#35486; - Japanese</option><option value='ko'>&#54620;&#44397;&#50612; - Korean</option><option value='lt'>Lietuvi&#371; - Lithuanian</option><option value='nb'>Norsk - Norwegian</option><option value='pl'>Polski - Polish</option><option value='pt'>Portugus - Portuguese</option><option value='ro'>Romn&#259; - Romanian</option><option
```

```
value="ru">&#1056;&#1091;&#1089;&#1089;&#1082;&#1080;&#1081; - Russian</option><option value="sr@latin">Srpski - Serbian
(latin)</option><option value="si">&#3523;&#3538;&#3458;&#3524;&#3517; - Sinhala</option><option value="sq">Shqip - Slbanian</option><option
value="sk">Sloven&#269;ina - Slovak</option><option value="sl">Sloven&scaron;&#269;ina - Slovenian</option><option value="es">Espaol -
Spanish</option><option value="sv">Svenska - Swedish</option><option value="tr">Trke - Turkish</option><option
value="uk">&#1059;&#1082;&#1088;&#1072;&#1111;&#1085;&#1089;&#1100;&#1082;&#1072; - Ukrainian</option><option value="vi">Ting Vit -
Vietnamese</option></select></fieldset></form></div>
<br />
<!-- Login form -->
<form method="post" action="index.php" name="login_form" class="disableAjax login hide js-show">
  <fieldset>
    <legend>Log in<a href="/doc/html/index.html" target="documentation"></a></legend><div class="item">
      <label for="input_username">Username:</label>
      <input type="text" name="pma_username" id="input_username" value="" size="24" class="textfield"/>
    </div>
    <div class="item">
      <label for="input_password">Password:</label>
      <input type="password" name="pma_password" id="input_password" value="" size="24" class="textfield" />
    </div>
    <input type="hidden" name="server" value="1" /></fieldset>
    <fieldset class="tblFooters">
      <input value="Go" type="submit" id="input_go" /><input type="hidden" name="target" value="index.php" /><input type="hidden"
name="lang" value="en" /><input type="hidden" name="collation_connection" value="utf8mb4_unicode_ci" /><input type="hidden" name="token"
value="e602efe7f187984c25e648bb77b64699" /></fieldset>
  </form></div></div></body></html><-CR-
```

1 Nginx Web Server Detected

port 80/tcp

QID: 45433
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/15/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Nginx is a web server which can also be used as a reverse proxy, load balancer , mail proxy and HTTP cache.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Nginx Web Server Detected on 80 over TCP.
Server: nginx

1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: phpmyadmin-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Server: nginx

Date: Sun, 26 Jul 2026 03:26:11 GMT

Content-Type: text/html; charset=utf-8

Transfer-Encoding: chunked

Connection: keep-alive

Set-Cookie: pmaCookieVer=5; expires=Tue, 25-Aug-2026 03:26:11 GMT; Max-Age=2592000; path=/; HttpOnly

Set-Cookie: pma_lang=en; expires=Tue, 25-Aug-2026 03:26:11 GMT; Max-Age=2592000; path=/; HttpOnly

Set-Cookie: pma_collation_connection=utf8mb4_unicode_ci; expires=Tue, 25-Aug-2026 03:26:11 GMT; Max-Age=2592000; path=/; HttpOnly

Set-Cookie: phpMyAdmin=p2t0qg0887lu83nbl92pc6uhkt1cer4e; path=/; HttpOnly

X-ob_mode: 1

X-Frame-Options: DENY

Content-Security-Policy: default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;;style-src 'self' 'unsafe-inline' ;referrer

no-referrer;img-src 'self' data: *.tile.openstreetmap.org;

X-Content-Security-Policy: default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data:

*.tile.openstreetmap.org;

X-WebKit-CSP: default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src

'self' data: *.tile.openstreetmap.org;

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Permitted-Cross-Domain-Policies: none

X-Robots-Tag: noindex, nofollow

Expires: Sun, 26 Jul 2026 03:26:11 +0000
Cache-Control: no-store, no-cache, must-revalidate, pre-check=0, post-check=0, max-age=0
Pragma: no-cache
Last-Modified: Sun, 26 Jul 2026 03:26:11 +0000
Vary: Accept-Encoding

1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.26.1:80

GET /Q_Evasive/ HTTP/1.1
Host:172.30.26.1:80

1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No

PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/doc/	brute force
/.hg/	brute force
/hg/.hg/	brute force
/prod/.hg/	brute force
/repository/.hg/	brute force
/dev/.hg/	brute force
/database/.hg/	brute force
/application/.hg/	brute force
/new/.hg/	brute force
/repos/.hg/	brute force
/app/.hg/	brute force
/__MACOSX/.hg	brute force
/build/.hg	brute force
/aomanalyzer/.hg	brute force
/old-cuburn/.hg	brute force
/flock/.hg	brute force
/amphtml/.hg	brute force
/.bzl/	brute force
/bzl/.bzl/	brute force
/prod/.bzl/	brute force
/repository/.bzl/	brute force
/dev/.bzl/	brute force
/database/.bzl/	brute force
/application/.bzl/	brute force
/new/.bzl/	brute force
/repos/.bzl/	brute force
/app/.bzl/	brute force
/__MACOSX/.bzl	brute force
/build/.bzl	brute force
/aomanalyzer/.bzl	brute force
/old-cuburn/.bzl	brute force
/flock/.bzl	brute force
/amphtml/.bzl	brute force
/admin/templates/	brute force
/phpx/admin/templates/	brute force
/js/	brute force
/.git	brute force

/git/.git	brute force
/repository/.git	brute force
/#/	brute force
/dev/.git	brute force
/database/.git	brute force
/js/jquery/	brute force
/application/.git	brute force
/new/.git	brute force
/repos/.git	brute force
/app/.git	brute force
/__MACOSX/.git	brute force
/build/.git	brute force
/aomanalyzer/.git	brute force
/old-cuburn/.git	brute force
/flock/.git	brute force
/amphtml/.git	brute force
/svn/	brute force
/svn.svn/	brute force
/prod.svn/	brute force
/repository.svn/	brute force
/dev.svn/	brute force
/database.svn/	brute force
/application.svn/	brute force
/new.svn/	brute force
/repos.svn/	brute force
/app.svn/	brute force
/__MACOSX.svn	brute force
/build.svn	brute force
/aomanalyzer.svn	brute force
/old-cuburn.svn	brute force
/flock.svn	brute force
/index.php	brute force
/amphtml.svn	brute force
/aws/	brute force
/ada/	brute force
/ssh/	brute force
/midway/	brute force
/doc/	web page
/doc/html/	web page
/js/	web page
/#/	web page
/#/js/	web page
/themes/	web page
/themes/pmahomme/	web page
/themes/pmahomme/img/	web page
/_static/	web page
/doc/html/_static/	web page
/#/js/js/	web page
/#/js/js/js/	web page
/#/js/js/js/js/	web page
/#/js/js/js/js/js/	web page
/#/js/js/js/js/js/js/	web page
/#/js/js/js/js/js/js/js/	web page
/#/js/js/js/js/js/js/js/js/	web page
/#/js/js/js/js/js/js/js/js/js/	web page

172.30.32.1 (mediawiki-old.labvulnerabilities vulnnet, -)

page 45

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP Cookie missing Secure attribute on port 80.
Set-Cookie: mw_installer_session=b3ec453bc7797bc29c441704fe75eb64; path=/
GET / HTTP/1.1
Host: mediawiki-old.labvulnerabilities_vulnnet
Connection: Keep-Alive



1 Expose_php Set to On in php.ini

port 80/tcp

QID: 12087
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/23/2009
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The scanner found PHP version information in the headers returned by the PHP-enabled target Web server. This likely means that the "expose_php" variable is set to "On" in the "php.ini" configuration file for the Web server.

IMPACT:

This allows remote users to easily know that PHP is installed on the Web server. It also provides version information of the PHP installation. This could aid an attacker in launching more targeted attacks in the future.

SOLUTION:

Locate the "php.ini" configuration file on the target host and add this setting to it: "expose_php=Off". Restart the Web server.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HEAD / HTTP/1.1
Host: mediawiki-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

-PR-

Potential Vulnerabilities (63)

5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 7.1.x Detected

QID: 105904
Category: Security Policy
Associated CVEs: -
Vendor Reference: [PHP End of Life](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 7.1 series reached End of Life in its support cycle on 1 Dec 2019.

Since there are no further bug fixes or security updates for PHP 7.1 series, it's highly recommended to migrate from version 5.6 to newer supported versions.

Affected Versions:
PHP 7.1.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 105904 detected on port 80 over TCP -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
```

```
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

5 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81738, 81739)

port 80/tcp

QID:	38880
Category:	General remote services
Associated CVEs:	CVE-2022-31630 , CVE-2022-37454
Vendor Reference:	81738 , 81739
Bugtraq ID:	-
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

CVE-2022-31630: In installed version of PHP, when using `imageloadfont()` function in `gd` extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with `imagechar()` function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

CVE-2022-37454: The Keccak XKCP SHA-3 reference implementation before `fdc6fef` has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties.

Affected Versions:

PHP versions before 7.4.33

PHP versions 8.0.0 prior to 8.0.25

PHP versions 8.1.0 prior to 8.1.12

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to crash the PHP process or Denial of Service (DoS) or attackers to execute arbitrary code on the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
For more information please refer to Sec Bug 81739 (<https://bugs.php.net/bug.php?id=81739>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81739 (<https://bugs.php.net/bug.php?id=81739>)

81738 (<http://bugs.php.net/81738>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.2.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

 nist-nvd2

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.1.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}
```

```
h1 {
```

```
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 7.1.x Detected

port 80/tcp

QID: 105904
Category: Security Policy
Associated CVEs: -
Vendor Reference: [PHP End of Life](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 7.1 series reached End of Life in its support cycle on 1 Dec 2019.

Since there are no further bug fixes or security updates for PHP 7.1 series, it's highly recommended to migrate from version 5.6 to newer supported versions.

Affected Versions:
PHP 7.1.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK

Date: Sun, 26 Jul 2026 03:26:00 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=e694fb114c208e6f53d9b641c63c0281; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Encoding: gzip
Content-Length: 394
Connection: close
Content-Type: text/html; charset=UTF-8

EOL/Obsolete Software: PHP 7.1.x Detected on Port 80.

 5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop -by-hop mechanism Vulnerability port 80/tcp

QID: 730529
Category: CGI
Associated CVEs: [CVE-2022-31813](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 06/25/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2022-31813
Description: dodiorne/cve-2022-31813 exploit repository
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: yiliufeng168/CVE-2022-31813 exploit repository
Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

- 5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556)

port 80/tcp

QID:	731514
Category:	CGI
Associated CVEs:	CVE-2022-28330 , CVE-2022-28614 , CVE-2022-28615 , CVE-2022-29404 , CVE-2022-30556
Vendor Reference:	Apache_http_server
Bugtraq ID:	-
Service Modified:	08/20/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.
CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.
CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.
CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:

Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>

```

<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>

4 Apache HTTP Server Privilege Escalation From Modules Scripts

QID: 87383
Category: Web server
Associated CVEs: [CVE-2019-0211](#), [CVE-2019-0217](#), [CVE-2019-0215](#), [CVE-2019-0197](#), [CVE-2019-0196](#), [CVE-2019-0220](#)
Vendor Reference: [Fixed in Apache httpd 2.4.39](#)
Bugtraq ID: 107666
Service Modified: 06/03/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Affected Versions:
2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.30, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17

IMPACT:

Successful exploitation allows a remote attacker to use this vulnerability to execute arbitrary code with the privileges of the parent process.

SOLUTION:

This vulnerability have been patched in Apache. Refer to Apache httpd 2.4.39 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.39 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB
Reference: CVE-2019-0211
Description: Apache 2.4.17 < 2.4.38 - 'apache2ctl graceful' 'logrotate' Local Privilege Escalation - The Exploit-DB Ref : 46676
Link: <http://www.exploit-db.com/exploits/46676>

 exploitdb
Reference: CVE-2019-0211
Description: Apache 2.4.17 < 2.4.38 - 'apache2ctl graceful' 'logrotate' Local Privilege Escalation
Link: <https://www.exploit-db.com/exploits/46676>

 nvd
Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged

child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <http://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <https://www.exploit-db.com/exploits/46676/>



seebug

Reference: CVE-2019-0211

Description: CVE-2019-0211 Apache Root Privilege Escalation

Link: <https://www.seebug.org/vuldb/ssvid-97900>



packetstorm

Reference: CVE-2019-0211

Description: Apache 2.4.38 Root Privilege Escalation

Link: <https://packetstormsecurity.com/files/152386/Apache-2.4.38-Root-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: CARPE (DIEM) Apache 2.4.x Local Privilege Escalation

Link: <https://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>



Oday.today

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - apache2ctl graceful (logrotate) Local Privilege Escalation Exploit

Link: <https://oday.today/exploit/32502>

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - apache2ctl graceful (logrotate) Local Privilege Escalation Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/32502.txt>



github-exploits

Reference: CVE-2019-0211

Description: ozkanbilge/Apache-Exploit-2019 exploit repository

Link: <https://github.com/ozkanbilge/Apache-Exploit-2019>

Reference: CVE-2019-0217

Description: savsch/PoC_CVE-2019-0217 exploit repository

Link: https://github.com/savsch/PoC_CVE-2019-0217

Reference: CVE-2019-0211

Description: Jeanback1/CVE-2019-0211-exploit exploit repository

Link: <https://github.com/Jeanback1/CVE-2019-0211-exploit>



cisa-kev

Reference: CVE-2019-0211

Description: Apache HTTP Server Privilege Escalation Vulnerability

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



gitee-exploits

Reference: CVE-2019-0211

Description: Harveysn0w/cve-2019-0211 exploit repository

Link: <https://gitee.com/Harveysn0w/cve-2019-0211>

Reference: CVE-2019-0211

Description: Solitude-Echo/cve-2019-0211 exploit repository

Link: <https://gitee.com/Solitude-Echo/cve-2019-0211>



vulncheck-initial-access

Reference: CVE-2019-0211

Description: Apache HTTP Server Carpe Diem Root Privilege Escalation

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2019-0211>

 nist-nvd2

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <https://www.exploit-db.com/exploits/46676/>

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <http://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <http://packetstormsecurity.com/files/152415/Slackware-Security-Advisory-httpd-Updates.html>

 vulncheck-threat-actors

Reference: CVE-2019-0211

Description: Unattributed

Link: <https://isc.sans.edu/diary/rss/32126>

Reference: CVE-2019-0211

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

Reference: CVE-2019-0211

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Breaches.pdf

Reference: CVE-2019-0211

Description: Unattributed

Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2019-0211

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2019-0211

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

 vulncheck-ransomware

Reference: CVE-2019-0211

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID: 87383 detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

4 PHP 7 Remote Code Execution Vulnerability

port 80/tcp

QID:	87400
Category:	Web server
Associated CVEs:	CVE-2019-11043
Vendor Reference:	PHP Bug #78599
Bugtraq ID:	-
Service Modified:	03/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

PHP 7 is exposed to a remote code execution vulnerability due to a underflow issue in the 'env_path_info' in PHP-FPM.

Affected Versions:

PHP 7 versions 7.3.x before 7.3.11, 7.2.x before 7.2.24, and 7.1.x before 7.1.33.

IMPACT:

Successful exploitation of this vulnerability allows a remote attacker to execute arbitrary code on vulnerable server.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP (<http://www.php.net/>). For more information please visit the advisories.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php download (<http://php.net/downloads.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2019-11043

Description: PHP-FPM Underflow RCE - Metasploit Ref : /modules/exploit/windows/http/desktopcentral_deserialization

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/php_fpm_rce.rb

Reference: CVE-2019-11043

Description: PHP-FPM Underflow RCE - Metasploit Ref : /modules/exploit/multi/http/php_fpm_rce

Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/multi/http/php_fpm_rce.rb

The Exploit-DB

Reference: CVE-2019-11043

Description: PHP-FPM - Underflow Remote Code Execution (Metasploit) - The Exploit-DB Ref : 48182

Link: <http://www.exploit-db.com/exploits/48182>

Reference: CVE-2019-11043

Description: PHP-FPM + Nginx - Remote Code Execution - The Exploit-DB Ref : 47553

Link: <http://www.exploit-db.com/exploits/47553>

exploitdb

Reference: CVE-2019-11043

Description: PHP-FPM + Nginx - Remote Code Execution

Link: <https://www.exploit-db.com/exploits/47553>

Reference: CVE-2019-11043

Description: PHP-FPM - Underflow Remote Code Execution (Metasploit)

Link: <https://www.exploit-db.com/exploits/48182>

nvd

Reference: CVE-2019-11043

Description: In PHP versions 7.1.x below 7.1.33, 7.2.x below 7.2.24 and 7.3.x below 7.3.11 in certain configurations of FPM setup it is possible to cause FPM module to write past allocated buffers into the space reserved for CGI protocol data, thus opening the possibility of remote code execution.

Link: <https://bugs.php.net/bug.php?id=78599>

Reference: CVE-2019-11043

Description: In PHP versions 7.1.x below 7.1.33, 7.2.x below 7.2.24 and 7.3.x below 7.3.11 in certain configurations of FPM setup it is possible to cause FPM module to write past allocated buffers into the space reserved for CGI protocol data, thus opening the possibility of remote code execution.

Link: <https://github.com/neex/phuip-fpizdam>

packetstorm

Reference: CVE-2019-11043

Description: PHP-FPM 7.x Remote Code Execution

Link: <https://packetstormsecurity.com/files/156642/PHP-FPM-7.x-Remote-Code-Execution.html>

Reference: CVE-2019-11043

Description: PHP-FPM Remote Code Execution

Link: <https://packetstormsecurity.com/files/154974/PHP-FPM-Remote-Code-Execution.html>

metasploit

Reference: CVE-2019-11043

Description: PHP-FPM Underflow RCE

Link: <https://github.com/rapid7/metasploit-framework>

Reference: CVE-2019-11043
Description: PHP-FPM Underflow RCE
Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/exploits/multi/http/php_fpm_rce.rb



Oday.today

Reference: CVE-2019-11043
Description: PHP-FPM 7.x Remote Code Execution Exploit
Link: <https://Oday.today/exploit/34058>

Reference: CVE-2019-11043
Description: PHP-FPM + Nginx - Remote Code Execution Exploit
Link: <https://Oday.today/exploit/33426>

Reference: CVE-2019-11043
Description: PHP-FPM 7.x Remote Code Execution Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/remote-exploits/34058.txt>

Reference: CVE-2019-11043
Description: PHP-FPM + Nginx - Remote Code Execution Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/33426.txt>



github-exploits

Reference: CVE-2019-11043
Description: 0th3rs-Security-Team/CVE-2019-11043 exploit repository
Link: <https://github.com/0th3rs-Security-Team/CVE-2019-11043>

Reference: CVE-2019-11043
Description: k8gege/CVE-2019-11043 exploit repository
Link: <https://github.com/k8gege/CVE-2019-11043>

Reference: CVE-2019-11043
Description: jas502n/CVE-2019-11043 exploit repository
Link: <https://github.com/jas502n/CVE-2019-11043>

Reference: CVE-2019-11043
Description: kriskhub/CVE-2019-11043 exploit repository
Link: <https://github.com/kriskhub/CVE-2019-11043>

Reference: CVE-2019-11043
Description: akamajoris/CVE-2019-11043-Docker exploit repository
Link: <https://github.com/akamajoris/CVE-2019-11043-Docker>

Reference: CVE-2019-11043
Description: shadow-horse/cve-2019-11043 exploit repository
Link: <https://github.com/shadow-horse/cve-2019-11043>

Reference: CVE-2019-11043
Description: ypereirareis/docker-CVE-2019-11043 exploit repository
Link: <https://github.com/ypereirareis/docker-CVE-2019-11043>

Reference: CVE-2019-11043
Description: neex/phuip-fpizdam exploit repository
Link: <https://github.com/neex/phuip-fpizdam>

Reference: CVE-2019-11043
Description: MRdoulestar/CVE-2019-11043 exploit repository
Link: <https://github.com/MRdoulestar/CVE-2019-11043>

Reference: CVE-2019-11043
Description: huowen/CVE-2019-11043 exploit repository
Link: <https://github.com/huowen/CVE-2019-11043>

Reference: CVE-2019-11043
Description: theMiddleBlue/CVE-2019-11043 exploit repository
Link: <https://github.com/theMiddleBlue/CVE-2019-11043>

Reference: CVE-2019-11043
Description: lindemer/CVE-2019-11043 exploit repository
Link: <https://github.com/lindemer/CVE-2019-11043>

Reference: CVE-2019-11043
Description: jas9reet/CVE-2019-11043 exploit repository
Link: <https://github.com/jas9reet/CVE-2019-11043>

Reference: CVE-2019-11043
Description: jptr218/php_hack exploit repository
Link: https://github.com/jptr218/php_hack

Reference: CVE-2019-11043
Description: CodeHex083/phuiP-fpizdam exploit repository
Link: <https://github.com/CodeHex083/phuiP-fpizdam>

Reference: CVE-2019-11043
Description: gon905332-jpg/cve-2019-11043.py exploit repository
Link: <https://github.com/gon905332-jpg/cve-2019-11043.py>

Reference: CVE-2019-11043
Description: AleWong/PHP-FPM-Remote-Code-Execution-Vulnerability-CVE-2019-11043- exploit repository
Link: <https://github.com/AleWong/PHP-FPM-Remote-Code-Execution-Vulnerability-CVE-2019-11043->

Reference: CVE-2019-11043
Description: corifeo/CVE-2019-11043 exploit repository
Link: <https://github.com/corifeo/CVE-2019-11043>

? cisa-key
Reference: CVE-2019-11043
Description: PHP FastCGI Process Manager (FPM) Buffer Overflow Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? gitee-exploits
Reference: CVE-2019-11043
Description: csharpPython/CVE-2019-11043 exploit repository
Link: <https://gitee.com/csharpPython/CVE-2019-11043>

Reference: CVE-2019-11043
Description: yinguowen/CVE-2019-11043 exploit repository
Link: <https://gitee.com/yinguowen/CVE-2019-11043>

? nist-nvd2
Reference: CVE-2019-11043
Description: In PHP versions 7.1.x below 7.1.33, 7.2.x below 7.2.24 and 7.3.x below 7.3.11 in certain configurations of FPM setup it is possible to cause FPM module to write past allocated buffers into the space reserved for FCGI protocol data, thus opening the possibility of remote code execution.
Link: <https://bugs.php.net/bug.php?id=78599>

Reference: CVE-2019-11043
Description: In PHP versions 7.1.x below 7.1.33, 7.2.x below 7.2.24 and 7.3.x below 7.3.11 in certain configurations of FPM setup it is possible to cause FPM module to write past allocated buffers into the space reserved for FCGI protocol data, thus opening the possibility of remote code execution.
Link: <http://packetstormsecurity.com/files/156642/PHP-FPM-7.x-Remote-Code-Execution.html>

Reference: CVE-2019-11043
Description: In PHP versions 7.1.x below 7.1.33, 7.2.x below 7.2.24 and 7.3.x below 7.3.11 in certain configurations of FPM setup it is possible to cause FPM module to write past allocated buffers into the space reserved for FCGI protocol data, thus opening the possibility of remote code execution.

Link: <https://github.com/neex/phui-pizdam>



shadowserver-exploited

Reference: CVE-2019-11043

Description: PHP-FPM (FastCGI Process Manager) (CVE-2019-11043)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-13&host_type=src&vulnerability=cve-2019-11043

Reference: CVE-2019-11043

Description: PHP-FPM (FastCGI Process Manager) (CVE-2019-11043)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-13&host_type=src&vulnerability=cve-2019-11043



vulncheck-threat-actors

Reference: CVE-2019-11043

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape_Report.pdf

Reference: CVE-2019-11043

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2019-11043

Description: Unattributed

Link:

<https://www.f5.com/labs/articles/threat-intelligence/vulnerabilities--exploits--and-malware-driving-attack-campaigns-in-december-2023>

Reference: CVE-2019-11043

Description: Unattributed

Link:

<https://www.f5.com/labs/articles/threat-intelligence/vulnerabilities-exploits-and-malware-driving-attack-campaigns-in-november-2023>

Reference: CVE-2019-11043

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2019-11043

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

Reference: CVE-2019-11043

Description: Unattributed

Link:

<https://thefirreport.com/2023/12/18/lets-opendir-some-presents-an-analysis-of-a-persistent-actors-activity/>

Reference: CVE-2019-11043

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Breaching.pdf



vulncheck-ransomware

Reference: CVE-2019-11043

Description: NextCry

Link:

<https://go.recordedfuture.com/hubfs/reports/cta-2024-0208.pdf>

Reference: CVE-2019-11043

Description: Unattributed

Link:

<https://www.cisa.gov/known-exploited-vulnerabilities-catalog>



vulncheck-botnets

Reference: CVE-2019-11043

Description: Kinsing

Link:

https://1665891.fs1.hubspotusercontent-na1.net/hubfs/1665891/Threat%20reports/AquaSecurity_Kinsing_Demystified_Technica

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB

Malware ID: Deadbolt

Type: Ransomware

Link: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

Malware ID: NextCry

Type: Ransomware

Link: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

Malware ID: Unattributed

Type: Ransomware

Link: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

RESULTS:

Vulnerable PHP 7.x version detected on port 80.

GET /index.php HTTP/1.1

Host: mediawiki-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Sun, 26 Jul 2026 03:25:58 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=45ed91983a32bedddd4caeb4614908c7; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Keep-Alive: timeout=5, max=78

Connection: Keep-Alive

Content-Type: text/html; charset=UTF-8

 4 Apache HTTP Server Multiple Vulnerabilities

port 80/tcp

QID: 730109

Category: CGI

Associated CVEs: [CVE-2019-17567](#), [CVE-2020-13938](#), [CVE-2020-13950](#), [CVE-2020-35452](#), [CVE-2021-26690](#), [CVE-2021-26691](#), [CVE-2021-30641](#)

Vendor Reference: [Apache HTTP Server 2.4.48](#)

Bugtraq ID: -

Service Modified: 12/30/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions prior to 2.4.46.

NOTE:

CVE-2021-26691, CVE-2021-26690, CVE-2020-35452, CVE-2020-13938 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38,

2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2, 2.4.1, 2.4.0.
CVE-2019-17567 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6
CVE-2021-30641 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39
CVE-2020-13950 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update Apache httpd 2.4.48.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.47 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2021-26690

Description: 7own/CVE-2021-26690---Apache-mod_session exploit repository

Link: https://github.com/7own/CVE-2021-26690---Apache-mod_session

Reference: CVE-2021-26690

Description: 0xdeviner/CVE-2021-26690 exploit repository

Link: <https://github.com/0xdeviner/CVE-2021-26690>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>

```

<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.38 (Debian)



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 80/tcp

QID: 730209
Category: CGI
Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)
Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)
Bugtraq ID: -
Service Modified: 07/24/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2021-40438
Description: Kashkovsky/CVE-2021-40438 exploit repository
Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sixpacksecurity/CVE-2021-40438 exploit repository
Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438
Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository
Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438
Description: element-security/check-point-gateways-rce exploit repository
Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: yakir2b/check-point-gateways-rce exploit repository
Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438
Description: n0m-d/CVE-2021-40438-POC exploit repository
Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

? cisa-kev
Reference: CVE-2021-40438
Description: Apache HTTP Server-Side Request Forgery (SSRF)
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? blogs
Reference: CVE-2021-40438
Description: Check Point Security Gateways RCE via CVE-2021-40438
Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>

? vulncheck-initial-access
Reference: CVE-2021-40438
Description: Check Point Gaia Portal mod_proxy Configuration Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>

? nuclei-templates
Reference: CVE-2021-40438
Description: Apache
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>

? shadowserver-exploited
Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-22&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape

Reference: CVE-2021-40438

Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438
Description: ExCobalt
Link: <https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware
Reference: CVE-2021-40438
Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Malware ID: Unattributed
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.38 (Debian)



4 Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability port 80/tcp

QID: 730312
Category: CGI
Associated CVEs: [CVE-2021-44790](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0. A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).

Affected Versions:

Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



exploitdb

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow

Link: <https://www.exploit-db.com/exploits/51193>



packetstorm

Reference: CVE-2021-44790

Description: Apache 2.4.x Buffer Overflow

Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>



Oday.today

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790

Description: Apache 2.4.x - Buffer Overflow Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>



github-exploits

Reference: CVE-2021-44790

Description: nuPacaChi/-CVE-2021-44790 exploit repository

Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



4 Apache Hypertext Transfer Protocol (HTTP) Server NULL Pointer Dereference and Server Side Request Forgery (SSRF) Vulnerability

port 80/tcp

QID:	730313
Category:	CGI
Associated CVEs:	CVE-2021-44224
Vendor Reference:	Apache Security Advisory
Bugtraq ID:	-
Service Modified:	04/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Affected Versions:
Apache HTTP Server 2.4.7 - 2.4.51

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

 4 Apache Hypertext Transfer Protocol (HTTP) Server Out-of-bounds Write Vulnerability

port 80/tcp

QID: 730403

Category: CGI

Associated CVEs: [CVE-2022-23943](#), [CVE-2022-22721](#), [CVE-2022-22720](#), [CVE-2022-22719](#)
Vendor Reference: [Apache Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

CVE-2022-22719 - A carefully crafted request body can cause a read to a random memory area which could cause the process to crash.
CVE-2022-22720 - Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling

CVE-2022-22721 - If LimitXMLRequestBody is set to allow request bodies larger than 350MB (defaults to 1M) on 32 bit systems an integer overflow happens which later causes out of bounds writes.

CVE-2022-23943 - Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data.

Affected Versions:
Apache HTTP Server 2.4 - 2.4.52

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.53 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
```

```
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



4 Apache Hypertext Transfer Protocol (HTTP) Server Request Smuggling Vulnerability

port 80/tcp

QID: 730758
Category: CGI
Associated CVEs: [CVE-2023-25690](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Affected Versions:
Apache HTTP Server Versions 2.4.0 through 2.4.55 (including)

IMPACT:

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug

Reference: CVE-2023-25690
Description: Apache HTTP Server 求走私漏洞(CVE-2023-25690)
Link: <https://www.seebug.org/vuldb/ssvid-99689>

 packetstorm

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling
Link: https://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html

 Oday.today

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://oday.today/exploit/39214>

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/39214.txt>

 github-exploits

Reference: CVE-2023-25690
Description: dhmosfunk/CVE-2023-25690-POC exploit repository
Link: <https://github.com/dhmosfunk/CVE-2023-25690-POC>

Reference: CVE-2023-25690
Description: thanhnam-attt/CVE-2023-25690 exploit repository
Link: <https://github.com/thanhnam-attt/CVE-2023-25690>

Reference: CVE-2023-25690
Description: oOCyginXOo/CVE-2023-25690-POC exploit repository
Link: <https://github.com/oOCyginXOo/CVE-2023-25690-POC>

 vulncheck-threat-actors

Reference: CVE-2023-25690
Description: Ethereal Panda
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

Reference: CVE-2023-25690
Description: Silent Chollima
Link: <https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>

 vulncheck-botnets

Reference: CVE-2023-25690
Description: Mirai
Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding

Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513
Category: CGI
Associated CVEs: [CVE-2006-20001](#), [CVE-2022-37436](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:
Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.

For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.58 Multiple Security Vulnerabilities

port 80/tcp

QID: 731517

Category: CGI

Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-45802
Description: MehranTurk/CVE-2023-45802 exploit repository
Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
```

```

background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>

```

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-36760)	port 80/tcp
QID:	731520		
Category:	CGI		
Associated CVEs:	CVE-2022-36760		
Vendor Reference:	Apache_http_server		
Bugtraq ID:	-		
Service Modified:	09/06/2024		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-36760: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:
Apache HTTP Server from 2.4 through 2.4.54

IMPACT:

Successful exploitation of this vulnerability allows an attacker to smuggle requests to the AJP server it forwards requests.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
[Apache HTTP Server Security Advisory \(https://httpd.apache.org/security/vulnerabilities_24.html\)](https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs

Reference: CVE-2022-36760
Description: Leveraging HTTP Request Smuggling for Remote Code Execution
Link:

<https://conference.hitb.org/hitbsecconf2024bkk/materials/D2T1%20-%20Leveraging%20Request%20Smuggling%20For%20Authen>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
  <style media="screen">
    html, body {
      color: #000;
      background-color: #fff;
      font-family: sans-serif;
      text-align: center;
    }

    h1 {
      font-size: 150%;
    }
  </style>
</head>
<body>
  

  <h1>MediaWiki 1.27.7</h1>
  <div class="error">

    <p>LocalSettings.php not found.</p>

    <p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

  </div>
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-26377)

port 80/tcp

QID: 731521
Category: CGI
Associated CVEs: [CVE-2022-26377](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-26377: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:

Apache HTTP Server versions 2.4 to 2.4.53

IMPACT:

Successful exploitation of this vulnerability may allows an attacker to smuggle requests to the AJP server it forwards requests to.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2022-26377

Description: watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc exploit repository

Link: https://github.com/watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>

```

```
<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

	4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 80/tcp
QID:	731613		
Category:	CGI		
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573		
Vendor Reference:	Apache HTTP Server 2.4.60		
Bugtraq ID:	-		
Service Modified:	07/24/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:
Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug
Reference: CVE-2024-38472

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>

github-exploits

Reference: CVE-2024-38473

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475

Description: soltanalio/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanalio/CVE-2024-38475>

Reference: CVE-2024-38473

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: p0in7s/CVE-2024-38475 exploit repository

Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475

Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository

Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473

Description: mmtalsi/toolbox exploit repository

Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475

Description: Nyakki-Labs-0x420/Myesve exploit repository

Link: <https://github.com/Nyakki-Labs-0x420/Myesve>

cisa-kev

Reference: CVE-2024-38475

Description: Apache HTTP Server Improper Escaping of Output Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573
Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!
Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475
Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)
Link: <https://labs.watchtower.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475
Description: SonicWall SMA100 Arbitrary File Leak
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475
Description: Sonicwall - Pre-Authentication Arbitrary File Read
Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475
Description: Unattributed

Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475

Description: Unattributed

Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475

Description: unc6148

Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475

Description: Unattributed

Link:

<https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

vulncheck-canaries

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-30>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-06>

Reference: CVE-2024-38475

Description: VulnCheck Canaries CVE-2024-38475 Exploitation

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-04>

Reference: CVE-2024-38475

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-04-30>

[illegible]

[illegible]

[illegible]

[illegible]

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252)

port 80/tcp

QID:	732750
Category:	CGI
Associated CVEs:	CVE-2024-47252
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">
```

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734128
Category: CGI
Associated CVEs: [CVE-2026-29169](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

<!DOCTYPE html>

<html lang="en" dir="ltr">

```
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734130
Category:	CGI
Associated CVEs:	CVE-2026-34059
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
  <style media="screen">
    html, body {
      color: #000;
      background-color: #fff;
      font-family: sans-serif;
      text-align: center;
    }

    h1 {
      font-size: 150%;
    }
  </style>
</head>
<body>
  

  <h1>MediaWiki 1.27.7</h1>
  <div class="error">

    <p>LocalSettings.php not found.</p>

    <p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

  </div>
```

3 TCP Sequence Number Approximation Based Denial of Service

QID:	82054
Category:	TCP/IP
Associated CVEs:	CVE-2004-0230
Vendor Reference:	-
Bugtraq ID:	10183
Service Modified:	03/27/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>

exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1)

Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2)

Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)

Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset

Link: <https://www.exploit-db.com/exploits/276>

nvd

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.

Link: <http://www.securityfocus.com/bid/10183>



seebug

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)
Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)
Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230
Description: Kreset.pl
Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
Description: bgp-dosv2.pl
Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
Description: reset-tcp_rfc31337-compliant.c
Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
Description: reset-tcp.c
Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
Description: reset.zip
Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
Description: tcp_reset.c
Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230
Description: disconn.py
Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
Description: autoRST.c
Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.

 3 Apache HTTP Server multiple vulnerabilities

port 80/tcp

QID: 13745
Category: CGI
Associated CVEs: [CVE-2020-1934](#), [CVE-2020-1927](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2020-1934: In Apache HTTP Server, mod_proxy_ftp may use uninitialized memory when proxying to a malicious FTP server.

CVE-2020-1927: In Apache HTTP Server, redirects configured with mod_rewrite that were intended to be self-referential might be fooled by encoded newlines and redirect instead to an an unexpected URL within the request URL.

Affected Versions:
Apache httpd 2.4.0 to 2.4.41

IMPACT:

This vulnerability could be exploited to gain partial access to sensitive information. Malicious users could also use this vulnerability to change partial contents or configuration on the system

SOLUTION:

Customers are advised to update Apache httpd to 2.4.42 or later.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.4.42 or later 2.4. (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding

Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

3 PHP Unauthenticated Arbitrary File Disclosure

port 80/tcp

QID:	38816
Category:	General remote services
Associated CVEs:	CVE-2020-11579
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Affected Versions:
PHP versions before 7.2.16

IMPACT:

Successful exploitation allows a remote unauthenticated attacker to disclose local files on hosts.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
php downloads (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

 nist-nvd2

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">
```

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>

3 Hypertext Preprocessor (PHP) Security Update

port 80/tcp

QID:	38851
Category:	General remote services
Associated CVEs:	CVE-2021-21706
Vendor Reference:	PHP Changelog Version 7.4.24 , PHP Changelog Version 7.3.31 , PHP Changelog Version 8.0.11
Bugtraq ID:	-
Service Modified:	10/09/2021
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is affected by multiple vulnerabilities.

Affected Versions:
PHP versions prior to 7.4.24
PHP versions 7.3.x prior to 7.3.31
PHP versions 8.0.x prior to 8.0.11

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to impact Confidentiality and Integrity.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Changelog Version 7.4.24 (https://www.php.net/ChangeLog-7.php#PHP_7_4)

PHP Changelog Version 7.3.31 (https://www.php.net/ChangeLog-7.php#PHP_7_3)

PHP Changelog Version 8.0.11 (<https://www.php.net/ChangeLog-8.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

3 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81726, 81727)

port 80/tcp

QID:	38881
Category:	General remote services
Associated CVEs:	CVE-2022-31628 , CVE-2022-31629
Vendor Reference:	81726 , 81727
Bugtraq ID:	-
Service Modified:	02/29/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected versions of PHP has multiple vulnerabilities:

CVE-2022-31628 : The vulnerability exists due to infinite loop within the phar uncompressor code when processing "quines" gzip files. A remote attacker can pass a specially crafted archive to the application, consume all available system resources and cause denial of service conditions.

CVE-2022-31629: The vulnerability exists due to the way PHP handles HTTP variable names. A remote attacker can set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Affected Versions:

PHP versions before 7.4.31

PHP versions 8.0.0 prior to 8.0.24

PHP versions 8.1.0 prior to 8.1.11

IMPACT:

Successful exploitation of this vulnerability allows a remote attacker to perform a denial of service (DoS) attack or bypass implemented security

restrictions.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
For more information please refer to Sec Bug 81726 (<https://bugs.php.net/bug.php?id=81726>) and Sec Bug 81727 (<https://bugs.php.net/bug.php?id=81727>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81727 (<https://bugs.php.net/bug.php?id=81727>)

81726 (<https://bugs.php.net/bug.php?id=81726>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a `\_\_Host-` or `\_\_Secure-` cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>

 nist-nvd2

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a `\_\_Host-` or `\_\_Secure-` cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>

```

<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>

3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 80/tcp

QID: 86847
Category: Web server
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: 21865
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.
Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.
Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.
Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -

There are no vendor-supplied patches available at this time.

Workaround:- Server-specific recommendations can be found here
(<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).
- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.
- Adjusting the Timeout Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.
- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintsthehall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris
Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum
Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec
Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>



metasploit

Reference: CVE-2007-6750
Description: Slowloris Denial of Service Attack
Link:

<https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>



github-exploits

Reference: CVE-2007-6750
Description: Jeanpseven/slowloris exploit repository
Link: <https://github.com/Jeanpseven/slowloris>

Reference: CVE-2007-6750
Description: sarjanpatel22/siem-threat-detection-lab exploit repository
Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 80 over TCP - Apache 1.3



3 Apache Hypertext Transfer Protocol (HTTP) Server Response Smuggling Vulnerability

port 80/tcp

QID: 730765
Category: CGI
Associated CVEs: [CVE-2023-27522](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 01/22/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

HTTP Response Smuggling vulnerability in Apache HTTP Server via mod_proxy_uwsgi. Special characters in the origin response header can truncate/split the response forwarded to the client.

Affected Versions:
This issue affects Apache HTTP Server: from 2.4.30 through 2.4.55

IMPACT:

Successful exploitation of the vulnerability may result in integrity impact.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795)

port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:

Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2023-38709

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
```



```
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CV E-2025-49812)

port 80/tcp

QID:	732749
Category:	CGI
Associated CVEs:	CVE-2025-49812
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities

port 80/tcp

QID:	732751
Category:	CGI
Associated CVEs:	CVE-2025-53020
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	05/29/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase

Affected Versions:

Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2025-53020

Description: Apache 2.4.17 - Denial of Service

Link: <https://www.exploit-db.com/exploits/39037>

 github-exploits

Reference: CVE-2025-53020

Description: galbarnahum/CVE-2025-53020-PoC exploit repository

Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">
```

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

<!DOCTYPE html>

<html lang="en" dir="ltr">

```
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CV E-2025-23048)

port 80/tcp

QID:	732753
Category:	CGI
Associated CVEs:	CVE-2025-23048
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-23048: Apache HTTP Server: mod_ssl access control bypass with session resumption

Affected Versions:

Apache httpd 2.4.35 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-23048

Description: absholi7ly/CVE-2025-23048-POC exploit repository

Link: <https://github.com/absholi7ly/CVE-2025-23048-POC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756

Category: CGI

Associated CVEs: [CVE-2024-42516](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -

Service Modified: 04/23/2026

User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-42516: Apache HTTP Server: HTTP response splitting

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
```

```
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID:	733483
Category:	CGI
Associated CVEs:	CVE-2025-66200
Vendor Reference:	Apache_HTTP_Server_2.4.66
Bugtraq ID:	-
Service Modified:	03/02/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -

Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}
```

```

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>

```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125
 Category: CGI
 Associated CVEs: [CVE-2026-33006](#)
 Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
 Bugtraq ID: -
 Service Modified: 05/22/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734129
Category:	CGI
Associated CVEs:	CVE-2026-24072
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
```

```
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID:	734380
Category:	CGI
Associated CVEs:	CVE-2026-44186
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975)

port 80/tcp

QID:	734381
Category:	CGI
Associated CVEs:	CVE-2026-49975
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	07/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-49975

Description: minc-nice-100/http2-bomb-analysis-paper exploit repository

Link: <https://github.com/minc-nice-100/http2-bomb-analysis-paper>

Reference: CVE-2026-49975

Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository

Link: <https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb->

Reference: CVE-2026-49975

Description: Manisso/http2-bomb exploit repository

Link: <https://github.com/Manisso/http2-bomb>

Reference: CVE-2026-49975

Description: 0xc03307b/CVE-2026-49975 exploit repository

Link: <https://github.com/0xc03307b/CVE-2026-49975>

Reference: CVE-2026-49975

Description: razureink/cve-2026-49975-http2bomb_reproduction exploit repository

Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975

Description: obrige/http2-bomb exploit repository

Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975

Description: LiaoZiqi-GZFLS/CVE-2026-49975 exploit repository

Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975

Description: mrx-arafat/CVE-2026-49975-POC exploit repository

Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

 coreimpact

Reference: CVE-2026-49975

Description: HTTP2 Bomb DoS

Link: <https://www.coresecurity.com/core-labs/exploits>

 blogs

Reference: CVE-2026-49975
Description: Codex Discovered a Hidden HTTP/2 Bomb
Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>



nist-nvd2

Reference: CVE-2026-49975
Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.

Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}
```

```

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>

```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID: 734383
 Category: CGI
 Associated CVEs: [CVE-2026-43951](#)
 Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
 Bugtraq ID: -
 Service Modified: 06/15/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
 CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash
 Affected Versions:
 Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
 For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
 Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID:	734385
Category:	CGI
Associated CVEs:	CVE-2026-42535
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/18/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-42535: mod_dav_fs protected directory access
Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>
```

</div>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) HTTP/2 Method Injection Vulnerability

port 80/tcp

QID: 730210
Category: CGI
Associated CVEs: [CVE-2021-33193](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning.

Affected Versions:

Apache HTTP Server 2.4.17 to 2.4.48.

IMPACT:

Successful exploitation of this vulnerability may allow request splitting or cache poisoning.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NA (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2021-33193

Description: A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning. This issue affects Apache HTTP Server 2.4.17 to 2.4.48.

Link: <https://portswigger.net/research/http2>



nist-nvd2

Reference: CVE-2021-33193

Description: A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning. This issue affects Apache HTTP Server 2.4.17 to 2.4.48.

Link: <https://portswigger.net/research/http2>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">
```

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.38 (Debian)



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Denial of Service (DoS) Vulnerability

port 80/tcp

QID:	730211
Category:	CGI
Associated CVEs:	CVE-2021-36160
Vendor Reference:	Apache HTTP Server Security Advisory
Bugtraq ID:	-
Service Modified:	04/06/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0. A carefully crafted request uri-path can cause mod_proxy_uwsgi to read above the allocated memory and crash (DoS).

Affected Versions:
Apache HTTP Server versions 2.4.30 to 2.4.48.

IMPACT:

Successful exploitation of this vulnerability may cause Denial of Service (DoS)

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

NA (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">
```

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.38 (Debian)

QID: 732754
Category: CGI
Associated CVEs: [CVE-2024-43204](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
```

```
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49630)

port 80/tcp

QID:	732755
Category:	CGI
Associated CVEs:	CVE-2025-49630
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49630: Apache HTTP Server: mod_proxy_http2 denial of service

Affected Versions:

Apache httpd 2.4.26 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
  <style media="screen">
    html, body {
      color: #000;
      background-color: #fff;
      font-family: sans-serif;
      text-align: center;
    }

    h1 {
      font-size: 150%;
    }
  </style>
</head>
<body>
  

  <h1>MediaWiki 1.27.7</h1>
  <div class="error">

    <p>LocalSettings.php not found.</p>

    <p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

  </div>
```

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733482		
Category:	CGI		
Associated CVEs:	CVE-2025-65082		
Vendor Reference:	Apache_HTTP_Server_2.4.66		
Bugtraq ID:	-		
Service Modified:	03/02/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-65082: Apache HTTP Server: CGI environment variable override
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



QID: 733484
Category: CGI
Associated CVEs: [CVE-2025-55753](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-55753: Apache HTTP Server: mod_md (ACME), unintended retry intervals

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
  <style media="screen">
    html, body {
      color: #000;
```

```
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734123
Category:	CGI
Associated CVEs:	CVE-2026-34032
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
  <style media="screen">
    html, body {
      color: #000;
      background-color: #fff;
      font-family: sans-serif;
      text-align: center;
    }

    h1 {
      font-size: 150%;
    }
  </style>
</head>
<body>
  

  <h1>MediaWiki 1.27.7</h1>
  <div class="error">

    <p>LocalSettings.php not found.</p>

    <p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

  </div>
```

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:	734124		
Category:	CGI		
Associated CVEs:	CVE-2026-33007		
Vendor Reference:	Apache_HTTP_Server_2.4.67		
Bugtraq ID:	-		
Service Modified:	05/22/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	No		

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-33007: Apache HTTP Server: mod_authn_socache crash
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="UTF-8" />
  <title>MediaWiki 1.27.7</title>
  <style media="screen">
    html, body {
      color: #000;
```

```

background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>

```

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734131
 Category: CGI
 Associated CVEs: [CVE-2026-33523](#)
 Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
 Bugtraq ID: -
 Service Modified: 05/06/2026
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:
 Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
 For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
 Following are links for downloading patches to fix the vulnerabilities:
 Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734138
Category:	CGI
Associated CVEs:	CVE-2026-28780
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	07/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

QID: 734139
Category: CGI
Associated CVEs: [CVE-2026-29168](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29168: Apache HTTP Server: mod_md unrestricted OCSP response

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
```

```
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID:	734375
Category:	CGI
Associated CVEs:	CVE-2026-29170
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/19/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID:	734377
Category:	CGI
Associated CVEs:	CVE-2026-29167
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_ldap per-dir use-after-free

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">
```

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>

```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185)

port 80/tcp

QID:	734379
Category:	CGI
Associated CVEs:	CVE-2026-44185
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OCSP `send\_request`

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

	2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)	port 80/tcp
---	---	-------------

QID:	734386
Category:	CGI
Associated CVEs:	CVE-2026-34356
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Connection: close

Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>

```

<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please set up the wiki first.</p>

</div>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

Information Gathered (19)



3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID:	48001
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	Content-Security-Policy
Bugtraq ID:	-
Service Modified:	03/11/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: mediawiki-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

2 PHP Server Detected

QID:	45110
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/22/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

<!DOCTYPE html>

```

<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>

```



2 Web Applications and Plugins Detected

port 80/tcp

QID:	45114
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The result section of this QID lists web applications and plugins that were detected on the target using web application fingerprinting. This technique compares static files at known locations against precomputed hashes for versions of those files in all available releases. The technique is fast, low-bandwidth, non-invasive, generic, and highly automatable.

Following open source and free applications are currently supported:

- Joomla!
- MediaWiki
- WordPress
- phpBB
- MovableType
- Drupal
- osCommerce
- PHP-Nuke
- Moodle
- Liferay
- Tikiwiki
- Twiki
- phpmyadmin
- SPIP
- Confluence(free versions)
- Wikka
- Wacko
- Usemod
- e107
- Flyspray

AppRain
V-CMS
AjaxPloer/Pydio
eFront Learning Management System
vTigerCRM (Open source versions)
MyBB
WebCalendar
PivotX WebLog
DokuWiki
MODX Revolution
MODX Evolution
Collabtive
Achievo
Magento 1.x CE
iCE Hrm (Opensource Version)
AdaptCMS
ownCloud
HumHub
Redaxscript
phpwcms
Wolf CMS
Pligg CMS
Zen Cart
Xoops
TYPO3
Microweber

This QID is based on the Blind Elephant project (<http://blindelephant.sourceforge.net/>). For a complete list of supported web applications and plugins, please check the following link: DOC-5480 (<https://community.qualys.com/docs/DOC-5480>).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

MediaWiki	1.27.7	in directory: /	Source: /docs/php-memcached/Documentation
-----------	--------	-----------------	---



2 Web Server HTTP Protocol Versions

port 80/tcp

QID:	45266
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/02/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.32.1	mediawiki-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038

Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/15/2022
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1196 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:43:42 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
mediawiki-old.labvulnerabilities_vulnnet	FQDN



1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.38 (Debian)
X-Powered-By: PHP/7.1.32
X-Content-Type-Options: nosniff
Set-Cookie: mw_installer_session=a173e4bd3b0a31160199ad2c5d607cc0; path=/
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 604
Connection: close
Content-Type: text/html; charset=UTF-8

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
color: #000;
background-color: #fff;
font-family: sans-serif;
text-align: center;
}

h1 {
font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
```

1 Scan Activity per Port

QID:	45426
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	3:16:35

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 4156	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 520	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7301	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1042	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:49 GMT
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 80	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 111	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1217387092 with a standard deviation of 622989922. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5065 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID: 82046
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/27/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:


```

}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
</body>
</html>

```

1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID:	13910
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/05/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: mediawiki-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>

```

```
<meta charset="UTF-8" />
<title>MediaWiki 1.27.7</title>
<style media="screen">
html, body {
  color: #000;
  background-color: #fff;
  font-family: sans-serif;
  text-align: center;
}

h1 {
  font-size: 150%;
}
</style>
</head>
<body>


<h1>MediaWiki 1.27.7</h1>
<div class="error">

<p>LocalSettings.php not found.</p>

<p>Please <a href="/mw-config/index.php">set up the wiki</a> first.</p>

</div>
</body>
</html>
```



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: mediawiki-old.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 200 OK

Date: Sun, 26 Jul 2026 03:25:43 GMT

Server: Apache/2.4.38 (Debian)

X-Powered-By: PHP/7.1.32

X-Content-Type-Options: nosniff

Set-Cookie: mw_installer_session=7296b439c1faa324499187d24512c39a; path=/

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Vary: Accept-Encoding

Content-Length: 604

Keep-Alive: timeout=5, max=96

Connection: Keep-Alive

Content-Type: text/html; charset=UTF-8

1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.
GET / HTTP/1.1
Host: mediawiki-old.labvulnerabilities_vulnnet
Connection: Keep-Alive

1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Apache 1.3	-
Apache/2.4.38	(Debian)

1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/images/	brute force
/mw-config/	web page
/icons/	brute force
/index.php	brute force
/www.mediawiki.org/	web page
/www.mediawiki.org/wiki/	web page
/www.mediawiki.org/wiki/Special:MyLanguage/	web page

172.30.45.1 (solr-old.labvulnerabilities_vulnnet, -)

Information Gathered (4)

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.45.1	solr-old.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 355 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:29:41 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
solr-old.labvulnerabilities_vulnnet	FQDN

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)
Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 53	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:58 GMT
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1034	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 98	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 26439	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6969	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6073	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable

172.30.46.1 (zookeeper-old.labvulnerabilities_vulnnet, -)

Vulnerabilities (1)

4 Apache Zookeeper Common/Default Nodes Accessible Without ACL

port 2181/tcp

QID: 38780
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/01/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache ZooKeeper is essentially a centralized service for distributed systems to a hierarchical key-value store, which is used to provide a distributed configuration service, synchronization service, and naming registry for large distributed systems.

Result section of this QID shows the nodes which are accessible without ACLs.

IMPACT:

A remote attacker could exploit this to steal or modify sensitive information.

SOLUTION:

Workaround: Enable ACL on all the nodes

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache Zookeeper Common/Default Nodes Accessible Without ACL found: -

/config
/isr_change_notification
/admin
/brokers
/controller_epoch
/controller
/cluster

Potential Vulnerabilities (2)

5 EOL/Obsolete Software: Apache ZooKeeper 3.4.x Detected

port 2181/tcp

QID: 650058
Category: Security Policy
Associated CVEs: -
Vendor Reference: [Apache ZooKeeper Advisory](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

ZooKeeper is a centralized service for maintaining configuration information, naming, providing distributed synchronization, and providing group services.

Apache ZooKeeper 3.4.x has reached EOL and will be effective from 1st of June, 2020
Currently supported versions of Apache ZooKeeper are 3.6.x, 3.7.x and 3.8.x

IMPACT:

The system is at high risk of exposure to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to attacks.

SOLUTION:

Customers are advised to upgrade to Apache ZooKeeper (<https://zookeeper.apache.org/releases.html#download>) latest versions to remediate these vulnerabilities.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

EOL/Obsolete Software: Apache ZooKeeper Detected on port 2181 - zookeeper.version=3.4.14-4c25d480e66aadd371de8bd2fd8da255ac140bcf, built on 03/06/2019 16:18 GMT

5 Apache ZooKeeper SASL Quorum Peer Authorization Bypass Vulnerability (wf0yrk84dg1942z1o74kd8nycg6pgm5b) port 2181/tcp

QID: 731692
Category: CGI
Associated CVEs: [CVE-2023-44981](#)
Vendor Reference: [Apache ZooKeeper Security Advisory](#)
Bugtraq ID: -
Service Modified: 08/27/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache ZooKeeper is a centralized service for maintaining configuration information, naming, providing distributed synchronization, and providing group services.

CVE-2023-44981: Apache ZooKeeper is vulnerable to authorization bypass vulnerability.

Affected Versions:
Apache ZooKeeper 3.9.0
Apache ZooKeeper 3.8.0 through 3.8.2
Apache ZooKeeper 3.7.0 through 3.7.1
Apache ZooKeeper before 3.7.0

IMPACT:

Successful exploitation of this vulnerability may allow attacker to access unauthorized cluster and data manipulation.

SOLUTION:

Customers are advised to upgrade to Apache ZooKeeper (<https://zookeeper.apache.org/releases.html#download>) latest versions to remediate these vulnerabilities.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache ZooKeeper Security Advisory (<https://lists.apache.org/thread/wf0yrk84dg1942z1o74kd8nycg6pgm5b>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Version of Apache ZooKeeper Detected on port 2181 - zookeeper.version=3.4.14-4c25d480e66aadd371de8bd2fd8da255ac140bcf, built on 03/06/2019 16:18 GMT

Information Gathered (9)

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.46.1	zookeeper-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes

to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 336 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:29:22 GMT

 1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
-----------	--------

 1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	2181	0:01:10

 1 Apache Zookeeper Accessible Without Authentication

QID: 48070
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/30/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache ZooKeeper is essentially a centralized service for distributed systems to a hierarchical key-value store, which is used to provide a

distributed configuration service, synchronization service, and naming registry for large distributed systems.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache Zookeeper Accessible without authentication on port 2181 - zookeeper.version=3.4.14-4c25d480e66aadd371de8bd2fd8da255ac140bcf, built on 03/06/2019 16:18 GMT

1 Open TCP Services List

QID:	82023
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
2181	unknown	unknown	APACHE ZOOKEEPER	

 1 ICMP Replies Received

QID: 82040
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 01/16/2003
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
 Timestamp Request (to trigger Timestamp Reply)
 Address Mask Request (to trigger Address Mask Reply)
 UDP Packet (to trigger Port Unreachable Reply)
 IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:58 GMT
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1034	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 98	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7457	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6969	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6073	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

 1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1055104056 with a standard deviation of 586974163. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5063 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID: 82046
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/27/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

Not applicable.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Operating System	Technique	ID
FreeBSD 5.x / AIX 5.3	TCP/IP Fingerprint	U1512:9092

 1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.47.1	kafka-old.labvulnerabilities_vulnnet

 1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -

Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 302 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:28:48 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
kafka-old.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	9092	0:01:17

1 Confluent Platform/Apache Kafka Detected

QID:	45430
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/15/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Confluent is a fully managed Kafka service and enterprise stream processing platform.
Mapping of Confluent Platform and Apache Kafka can be done using the
Mapping Confluent Platform/Apache Kafka (<https://docs.confluent.io/current/installation/versions-interoperability.html>)

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Confluent Platform/Apache Kafka on Port - 9092 over TCP

1 Open TCP Services List

QID:	82023
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
9092	unknown	unknown	KAFKA	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable

Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:58 GMT
Unreachable (type=3 code=3)	UDP Port 53	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1034	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 98	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7457	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6969	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6073	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/19/2004
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 898426759 with a standard deviation of 626811941. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5066 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID: 82046
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -

Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

172.30.49.1 (vault-old.labvulnerabilities_vulnnet, -)

Information Gathered (13)

2 Web Server HTTP Protocol Versions

port 8200/tcp

QID:	45266
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/02/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 8200 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.30.49.1	vault-old.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering

Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1217 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:44:03 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
vault-old.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	8200	2:25:52

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
8200	unknown	unknown	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)

Timestamp Request (to trigger Timestamp Reply)

Address Mask Request (to trigger Address Mask Reply)

UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:58 GMT
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1034	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 98	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7457	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6969	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6073	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/16/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: vault-old.labvulnerabilities_vulnnet:8200
Connection: Keep-Alive

404 page not found



1 Default Web Page (Follow HTTP Redirection)

port 8200/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: vault-old.labvulnerabilities_vulnnet:8200

Connection: Keep-Alive

404 page not found



1 HTTP Response Method and Header Information Collected

port 8200/tcp

QID:	48118
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 8200.

GET / HTTP/1.1

Host: vault-old.labvulnerabilities_vulnnet:8200

Connection: Keep-Alive

HTTP/1.1 404 Not Found
Cache-Control: no-store
Content-Type: text/plain; charset=utf-8
X-Content-Type-Options: nosniff
Date: Sun, 26 Jul 2026 03:27:09 GMT
Content-Length: 19

 1 Web Server Supports HTTP Request Pipelining

port 8200/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.30.49.1:8200

GET /Q_Evasive/ HTTP/1.1
Host:172.30.49.1:8200

HTTP/1.1 404 Not Found
Cache-Control: no-store
Content-Type: text/plain; charset=utf-8
X-Content-Type-Options: nosniff
Date: Sun, 26 Jul 2026 03:28:43 GMT
Content-Length: 19

404 page not found
HTTP/1.1 404 Not Found

Cache-Control: no-store
Content-Type: text/plain; charset=utf-8
X-Content-Type-Options: nosniff
Date: Sun, 26 Jul 2026 03:28:43 GMT
Content-Length: 19

404 page not found

172.31.1.20 (jboss7.labvulnerabilities_vulnnet, -)

Vulnerabilities (1)



2 HTTP Security Header Not Detected

port 8080/tcp

QID: 11827
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/02/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

This QID reports the absence of the following HTTP headers (https://www.owasp.org/index.php/OWASP_Secure-Headers_Project#tab=Headers) according to CWE-693: Protection Mechanism Failure (<https://cwe.mitre.org/data/definitions/693.html>):

X-Content-Type-Options: This HTTP header will prevent the browser from interpreting files as a different MIME type to what is specified in the Content-Type HTTP header.

Strict-Transport-Security: The HTTP Strict-Transport-Security response header (HSTS) allows web servers to declare that web browsers (or other complying user agents) should only interact with it using secure HTTPS connections, and never via the insecure HTTP protocol.

IMPACT:

Depending on the vulnerability being exploited, an unauthenticated remote attacker could conduct cross-site scripting, clickjacking or MIME-type sniffing attacks.

SOLUTION:

Note: To better debug the results of this QID, it is requested that customers execute commands to simulate the following functionality: `curl -IkL --verbose`.

CWE-693: Protection Mechanism Failure mentions the following - The product does not use or incorrectly uses a protection mechanism that provides sufficient defense against directed attacks against the product. A "missing" protection mechanism occurs when the application does not define any mechanism against a certain class of attack. An "insufficient" protection mechanism might provide some defenses - for example, against the most common attacks - but it does not protect against everything that is intended. Finally, an "ignored" mechanism occurs when a mechanism is available and in active use within the product, but the developer has not applied it in some code path.

Customers are advised to set proper X-Content-Type-Options (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options>) and Strict-Transport-Security (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>) HTTP response headers.

Depending on their server software, customers can set directives in their site configuration or Web.config files. Few examples are:

X-Content-Type-Options:

Apache: Header always set X-Content-Type-Options: nosniff

HTTP Strict-Transport-Security:

Apache: Header always set Strict-Transport-Security "max-age=31536000; includeSubDomains"

Nginx: add_header Strict-Transport-Security max-age=31536000;

Note: Network devices that include a HTTP/HTTPS console for administrative/management purposes often do not include all/some of the security headers. This is a known issue and it is recommend to contact the vendor for a solution.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Content-Type-Options HTTP Header missing on port 8080.

GET / HTTP/1.1

Host: jboss7.labvulnerabilities_vulnnet:8080

Connection: Keep-Alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/93.0

HTTP/1.1 200 OK

Connection: keep-alive

Last-Modified: Fri, 24 Jul 2015 00:27:15 GMT

X-Powered-By: Undertow/1

Server: WildFly/8

Content-Type: text/html

Content-Length: 2429

Date: Sun, 26 Jul 2026 03:27:45 GMT

<!--

```
~ JBoss, Home of Professional Open Source.
~ Copyright (c) 2011, Red Hat, Inc., and individual contributors
~ as indicated by the @author tags. See the copyright.txt file in the
~ distribution for a full listing of individual contributors.
~
~ This is free software; you can redistribute it and/or modify it
~ under the terms of the GNU Lesser General Public License as
~ published by the Free Software Foundation; either version 2.1 of
~ the License, or (at your option) any later version.
~
~ This software is distributed in the hope that it will be useful,
~ but WITHOUT ANY WARRANTY; without even the implied warranty of
~ MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
~ Lesser General Public License for more details.
~
~ You should have received a copy of the GNU Lesser General Public
~ License along with this software; if not, write to the Free
~ Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
~ 02110-1301 USA, or see the FSF site: http://www.fsf.org.
-->
```

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<html>

<head>

```
<title>Welcome to WildFly Application Server 8</title>
<link rel="shortcut icon" href="favicon.ico" type="image/x-icon">
<link rel="StyleSheet" href="wildfly.css" type="text/css">
```

</head>

<body>

<div class="wrapper">

<div class="content">

<div class="logo">

</div>

<h1>Welcome to WildFly 8</h1>

<h3>Your WildFly 8 is running.</h3>

<p>Documentation | Quickstarts | Administration Console </p>

```

<p><a href="http://wildfly.org">WildFly Project</a> |
  <a href="https://community.jboss.org/en/wildfly">User Forum</a> |
  <a href="https://issues.jboss.org/browse/WFLY">Report an issue</a></p>
<p class="logos"><a href="http://jboss.org"></a></p>

<p class="note">To replace this page simply deploy your own war with / as its context path.<br />
  To disable it, remove "welcome-content" handler for location / in undertow subsystem</p>
</div>
</div>
</body>
</html>

```

Information Gathered (16)

 3 Content-Security-Policy HTTP Security Header Not Detected

port 8080/tcp

QID: 48001
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: [Content-Security-Policy](#)
 Bugtraq ID: -
 Service Modified: 03/11/2019
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 8080.
 GET / HTTP/1.1
 Host: jboss7.labvulnerabilities_vulnnet:8080
 Connection: Keep-Alive

 2 Web Server HTTP Protocol Versions

port 8080/tcp

QID: 45266
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -

Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 8080 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.20	jboss7.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1628 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:50:54 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
jboss7.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	8080	2:43:09

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
8080	http-alt	HTTP Alternate (see port 80)	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP

Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 01/16/2003
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
 Timestamp Request (to trigger Timestamp Reply)
 Address Mask Request (to trigger Address Mask Reply)
 UDP Packet (to trigger Port Unreachable Reply)
 IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	12:47:33 GMT
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1034	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 98	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 50113	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6969	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6073	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/19/2004
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1090288010 with a standard deviation of 500560592. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5065 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

 1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

~ This is free software; you can redistribute it and/or modify it
 ~ under the terms of the GNU Lesser General Public License as
 ~ published by the Free Software Foundation; either version 2.1 of
 ~ the License, or (at your option) any later version.
 ~
 ~ This software is distributed in the hope that it will be useful,
 ~ but WITHOUT ANY WARRANTY; without even the implied warranty of
 ~ MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
 ~ Lesser General Public License for more details.
 ~
 ~ You should have received a copy of the GNU Lesser General Public
 ~ License along with this software; if not, write to the Free
 ~ Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
 ~ 02110-1301 USA, or see the FSF site: <http://www.fsf.org>.
 -->

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

```
<html>
<head>
  <title>Welcome to WildFly Application Server 8</title>
  <link rel="shortcut icon" href="favicon.ico" type="image/x-icon">
  <link rel="StyleSheet" href="wildfly.css" type="text/css">
</head>

<body>
<div class="wrapper">
  <div class="content">
    <div class="logo">
      
    </div>
    <h1>Welcome to WildFly 8</h1>

    <h3>Your WildFly 8 is running.</h3>

    <p><a href="documentation.html">Documentation</a> | <a href="http://github.com/wildfly/quickstart">Quickstarts</a> | <a
href="/console">Administration
  Console</a> </p>

    <p><a href="http://wildfly.org">WildFly Project</a> |
    <a href="https://community.jboss.org/en/wildfly">User Forum</a> |
    <a href="https://issues.jboss.org/browse/WFLY">Report an issue</a></p>
    <p class="logos"><a href="http://jboss.org"></a></p>

    <p class="note">To replace this page simply deploy your own war with / as its context path.<br />
    To disable it, remove "welcome-content" handler for location / in undertow subsystem</p>
  </div>
</div>
</body>
</html>
```



1 Default Web Page (Follow HTTP Redirection)

port 8080/tcp

QID: 13910
 Category: CGI
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/05/2020
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: jboss7.labvulnerabilities_vulnnet:8080
Connection: Keep-Alive

HTTP/1.1 200 OK
Connection: keep-alive
Last-Modified: Fri, 24 Jul 2015 00:27:15 GMT
X-Powered-By: Undertow/1
Server: WildFly/8
Content-Type: text/html
Content-Length: 2429
Date: Sun, 26 Jul 2026 03:27:41 GMT

```
<!--
~ JBoss, Home of Professional Open Source.
~ Copyright (c) 2011, Red Hat, Inc., and individual contributors
~ as indicated by the @author tags. See the copyright.txt file in the
~ distribution for a full listing of individual contributors.
~
~ This is free software; you can redistribute it and/or modify it
~ under the terms of the GNU Lesser General Public License as
~ published by the Free Software Foundation; either version 2.1 of
~ the License, or (at your option) any later version.
~
~ This software is distributed in the hope that it will be useful,
~ but WITHOUT ANY WARRANTY; without even the implied warranty of
~ MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
~ Lesser General Public License for more details.
~
~ You should have received a copy of the GNU Lesser General Public
~ License along with this software; if not, write to the Free
~ Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
~ 02110-1301 USA, or see the FSF site: http://www.fsf.org.
-->
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<html>
<head>
  <title>Welcome to WildFly Application Server 8</title>
  <link rel="shortcut icon" href="favicon.ico" type="image/x-icon">
  <link rel="StyleSheet" href="wildfly.css" type="text/css">
</head>

<body>
<div class="wrapper">
  <div class="content">
    <div class="logo">
      
    </div>
    <h1>Welcome to WildFly 8</h1>

    <h3>Your WildFly 8 is running.</h3>

    <p><a href="documentation.html">Documentation</a> | <a href="http://github.com/wildfly/quickstart">Quickstarts</a> | <a
href="/console">Administration
  Console</a> </p>

    <p><a href="http://wildfly.org">WildFly Project</a> |
```



```
<a href="https://community.jboss.org/en/wildfly">User Forum</a> |
<a href="https://issues.jboss.org/browse/WFLY">Report an issue</a></p>
<p class="logos"><a href="http://jboss.org"></a></p>

<p class="note">To replace this page simply deploy your own war with / as its context path.<br />
To disable it, remove "welcome-content" handler for location / in undertow subsystem</p>
</div>
</div>
</body>
</html>
```



1 HTTP Response Method and Header Information Collected

port 8080/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 8080.

GET / HTTP/1.1
Host: jboss7.labvulnerabilities_vulnnet:8080
Connection: Keep-Alive

HTTP/1.1 200 OK
Connection: keep-alive
Last-Modified: Fri, 24 Jul 2015 00:27:15 GMT
X-Powered-By: Undertow/1
Server: WildFly/8
Content-Type: text/html
Content-Length: 2429

 1 Referrer-Policy HTTP Security Header Not Detected

port 8080/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 8080 port.
GET / HTTP/1.1
Host: jboss7.labvulnerabilities_vulnnet:8080
Connection: Keep-Alive

 1 Web Server Supports HTTP Request Pipelining

port 8080/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -

Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.31.1.20:8080

GET /Q_Evasive/ HTTP/1.1
Host:172.31.1.20:8080

HTTP/1.1 200 OK
Connection: keep-alive
Last-Modified: Fri, 24 Jul 2015 00:27:15 GMT
X-Powered-By: Undertow/1
Server: WildFly/8
Content-Type: text/html
Content-Length: 2429
Date: Sun, 26 Jul 2026 03:28:54 GMT

```
<!--
~ JBoss, Home of Professional Open Source.
~ Copyright (c) 2011, Red Hat, Inc., and individual contributors
~ as indicated by the @author tags. See the copyright.txt file in the
~ distribution for a full listing of individual contributors.
~
~ This is free software; you can redistribute it and/or modify it
~ under the terms of the GNU Lesser General Public License as
~ published by the Free Software Foundation; either version 2.1 of
~ the License, or (at your option) any later version.
~
~ This software is distributed in the hope that it will be useful,
~ but WITHOUT ANY WARRANTY; without even the implied warranty of
~ MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
~ Lesser General Public License for more details.
~
~ You should have received a copy of the GNU Lesser General Public
~ License along with this software; if not, write to the Free
```

```

~ Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
~ 02110-1301 USA, or see the FSF site: http://www.fsf.org.
-->
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<html>
<head>
  <title>Welcome to WildFly Application Server 8</title>
  <link rel="shortcut icon" href="favicon.ico" type="image/x-icon">
  <link rel="StyleSheet" href="wildfly.css" type="text/css">
</head>

<body>
<div class="wrapper">
  <div class="content">
    <div class="logo">
      
    </div>
    <h1>Welcome to WildFly 8</h1>

    <h3>Your WildFly 8 is running.</h3>

    <p><a href="documentation.html">Documentation</a> | <a href="http://github.com/wildfly/quickstart">Quickstarts</a> | <a
href="/console">Administration
  Console</a> </p>

    <p><a href="http://wildfly.org">WildFly Project</a> |
    <a href="https://community.jboss.org/en/wildfly">User Forum</a> |
    <a href="https://issues.jboss.org/browse/WFLY">Report an issue</a></p>
    <p class="logos"><a href="http://jboss.org"></a></p>

    <p class="note">To replace this page simply deploy your own war with / as its context path.<br />
    To disable it, remove "welcome-content" handler for location / in undertow subsystem</p>
  </div>
</div>
</body>
</html>
HTTP/1.1 404 Not Found
Connection: keep-alive
X-Powered-By: Undertow/1
Server: WildFly/8
Content-Length: 74
Content-Type: text/html
Date: Sun, 26 Jul 2026 03:28:54 GMT

<html><head><title>Error</title></head><body>404 - Not Found</body></html>

```



1 List of Web Directories

port 8080/tcp

QID:	86672
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/10/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/console	brute force
/console/	brute force

172.31.1.74 (nagios.labvulnerabilities_vulnnet, -)

Vulnerabilities (10)



4 SSL Server Allows Anonymous Authentication Vulnerability

port 25/tcp over SSL

QID:	38142
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/24/2025
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

The Secure Socket Layer (SSL) protocol allows for secure communication between a client and a server. The client usually authenticates the server using an algorithm like RSA or DSS. Some SSL ciphers allow SSL communication without authentication. Most common Web browsers like Microsoft Internet Explorer, Netscape and Mozilla do not use anonymous authentication ciphers by default.

A vulnerability exists in SSL communications when clients are allowed to connect using no authentication algorithm. SSL client-server communication may use several different types of authentication: RSA, Diffie-Hellman, DSS or none. When 'none' is used, the communications are vulnerable to a man-in-the-middle attack."

IMPACT:

An attacker can exploit this vulnerability to impersonate your server to clients.

SOLUTION:

Disable support for anonymous authentication to mitigate this vulnerability.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
TLSv1 SUPPORTS CIPHERS WITH NO AUTHENTICATION					
ADH-AES128-SHA	DH	None	SHA1	AES(128)	MEDIUM
ADH-AES256-SHA	DH	None	SHA1	AES(256)	HIGH
ADH-CAMELLIA128-SHA	DH	None	SHA1	Camellia(128)	MEDIUM

ADH-CAMELLIA256-SHA	DH	None	SHA1	Camellia(256)	HIGH
AECDH-AES128-SHA	ECDH	None	SHA1	AES(128)	MEDIUM
AECDH-AES256-SHA	ECDH	None	SHA1	AES(256)	HIGH
TLSv1.1 SUPPORTS CIPHERS WITH NO AUTHENTICATION					
ADH-AES128-SHA	DH	None	SHA1	AES(128)	MEDIUM
ADH-AES256-SHA	DH	None	SHA1	AES(256)	HIGH
ADH-CAMELLIA128-SHA	DH	None	SHA1	Camellia(128)	MEDIUM
ADH-CAMELLIA256-SHA	DH	None	SHA1	Camellia(256)	HIGH
AECDH-AES128-SHA	ECDH	None	SHA1	AES(128)	MEDIUM
AECDH-AES256-SHA	ECDH	None	SHA1	AES(256)	HIGH
TLSv1.2 SUPPORTS CIPHERS WITH NO AUTHENTICATION					
ADH-AES128-SHA	DH	None	SHA1	AES(128)	MEDIUM
ADH-AES256-SHA	DH	None	SHA1	AES(256)	HIGH
ADH-CAMELLIA128-SHA	DH	None	SHA1	Camellia(128)	MEDIUM
ADH-AES128-SHA256	DH	None	SHA256	AES(128)	MEDIUM
ADH-AES256-SHA256	DH	None	SHA256	AES(256)	HIGH
ADH-CAMELLIA256-SHA	DH	None	SHA1	Camellia(256)	HIGH
ADH-AES128-GCM-SHA256	DH	None	AEAD	AESGCM(128)	MEDIUM
ADH-AES256-GCM-SHA384	DH	None	AEAD	AESGCM(256)	HIGH
ADH-CAMELLIA128-SHA256	DH	None	SHA256	Camellia(128)	MEDIUM
ADH-CAMELLIA256-SHA256	DH	None	SHA256	Camellia(256)	HIGH
AECDH-AES128-SHA	ECDH	None	SHA1	AES(128)	MEDIUM
AECDH-AES256-SHA	ECDH	None	SHA1	AES(256)	HIGH



4 Weak SSL/TLS Key Exchange

port 25/tcp over SSL

QID: 38863
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 03/03/2023
 User Modified: -
 Edited: No
 PCI Vuln: Yes

IMPACT:

An attacker with access to sufficient computational power might be able to recover the session key and decrypt session content.

SOLUTION:

Change the SSL/TLS server configuration to only allow strong key exchanges. Key exchanges used on the server should provide at least 112 bits of security, so the minimum key size to not flag this QID should be:
 2048 bit key size for Diffie Hellman (DH) or RSA key exchanges
 224 bit key size for Elliptic Curve Diffie Hellman (EDCH) key exchanges.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PROTOCOL	CIPHER	NAME	GROUP	KEY-SIZE	FORWARD-SECRET	CLASSICAL-STRENGTH	QUANTUM-STRENGTH
TLSv1	ADH-CAMELLIA128-SHA	DHA		1024	yes	80	low
TLSv1	ADH-AES128-SHA	DHA		1024	yes	80	low
TLSv1.1	ADH-CAMELLIA128-SHA	DHA		1024	yes	80	low
TLSv1.1	ADH-AES128-SHA	DHA		1024	yes	80	low
TLSv1.2	ADH-CAMELLIA128-SHA256	DHA		1024	yes	80	low
TLSv1.2	ADH-AES128-GCM-SHA256	DHA		1024	yes	80	low
TLSv1.2	ADH-AES128-SHA256	DHA		1024	yes	80	low
TLSv1.2	ADH-CAMELLIA128-SHA	DHA		1024	yes	80	low
TLSv1.2	ADH-AES128-SHA	DHA		1024	yes	80	low

3 Remote Management Service Accepting Unencrypted Credentials Detected(HTTP)

QID: 45242
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/18/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

A remote management service that accepts unencrypted credentials was detected on the target host.

Services like HTTP with basic auth are checked.

IMPACT:

A malicious individual can easily intercept unencrypted passwords during transmission using a "network sniffer" and use this data to gain unauthorized access.

SOLUTION:

If possible, use alternate services that provide encryption.
Using strong cryptography, render all authentication credentials (such as passwords/phrases) unreadable during transmission.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service Name: HTTP on TCP port 80.
HTTP Service Accepting Basic Auth Credentials Detected

3 Web Server Uses Plain Text Basic Authentication

QID: 86763

port 80/tcp

Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/22/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

During Web server authentication, communication can take place with the user by Clear Text User Credentials. This Qid detects the HTTP basic authentication by sending a request and looks for the value of "WWW-Authenticate: Basic realm=" header field in response.

IMPACT:

Using Readable Clear Text can help eavesdropping and thereby compromise confidentiality. An attacker can successfully exploit this issue when the 401 error is returned when authentication is required. Also, an attacker can find out that the Basic Authentication scheme is used using the WWW-authenticate header.

SOLUTION:

Please contact the vendor of the hardware/software for a possible fix for the issue. It is advisable to work with vendor to disable communication over HTTP and make sure that every sensitive information transmits over HTTPS.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: nagios.labvulnerabilities_vulnnet
Connection: Keep-Alive
User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; .NET CLR 1.1.4322)

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.labvulnerabilities_vulnnet Port 80</address>
</body></html>
Service Name: HTTP on TCP port 80.
HTTP Service Accepting Basic Auth Credentials Detected
```



3 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Server supports Transport Layer Security (TLSv1.0)

port 25/tcp over SSL

QID: 38628
Category: General remote services
Associated CVEs: -
Vendor Reference: [Deprecating TLS 1.0 and TLS 1.1](#)
Bugtraq ID: -
Service Modified: 12/23/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

TLS is capable of using a multitude of ciphers (algorithms) to create the public and private key pairs. For example if TLSv1.0 uses either the RC4 stream cipher, or a block cipher in CBC mode. RC4 is known to have biases and the block cipher in CBC mode is vulnerable to the POODLE attack.

TLSv1.0, if configured to use the same cipher suites as SSLv3, includes a means by which a TLS implementation can downgrade the connection to SSL v3.0, thus weakening security.

A POODLE-type (<https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls>) attack could also be launched directly at TLS without negotiating a downgrade.

This QID is an automatic PCI FAIL in accordance with the PCI standards.

Further details can be found under:

PCI: ASV Program Guide v3.1 (page 27) (https://www.pcisecuritystandards.org/documents/ASV_Program_Guide_v3.1.pdf)

PCI: Use of SSL Early TLS and ASV Scans (<https://www.pcisecuritystandards.org/documents/Use-of-SSL-Early-TLS-and-ASV-Scans.pdf>)

NOTE: On March 31, 2021 Transport Layer Security (TLS) versions 1.0 (RFC 2246) and 1.1 (RFC 4346) are formally deprecated. Refer to Deprecating TLS 1.0 and TLS 1.1 (<https://tools.ietf.org/html/rfc8996>)

IMPACT:

An attacker can exploit cryptographic flaws to conduct man-in-the-middle type attacks or to decryption communications.

For example: An attacker could force a downgrade from the TLS protocol to the older SSLv3.0 protocol and exploit the POODLE vulnerability, read secure communications or maliciously modify messages.

A POODLE-type (<https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls>) attack could also be launched directly at TLS without negotiating a downgrade.

SOLUTION:

Disable the use of TLSv1.0 protocol in favor of a cryptographically stronger protocol such as TLSv1.2. The following openssl commands can be used

to do a manual test:

```
openssl s_client -connect ip:port -tls1
```

If the test is successful, then the target support TLSv1

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLSv1.0 is supported



3 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Server Supports Transport Layer Security (TLSv1.1)

port 25/tcp over SSL

QID: 38794
Category: General remote services
Associated CVEs: -
Vendor Reference: [Deprecating TLS 1.0 and TLS 1.1](#)
Bugtraq ID: -
Service Modified: 12/22/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The scan target supports version 1.1 of the TLS protocol. That version is in the process of being deprecated and is no longer recommended. Instead the newer versions 1.2 and/or 1.3 should be used. The TLSv1.1 protocol itself does not have any currently exploitable vulnerabilities. However some vendor implementations of TLSv1.1 have weaknesses which may be exploitable.

This QID is posted as potential, when servers require client certificates and we cannot complete the handshake.

NOTE: On March 31, 2021 Transport Layer Security (TLS) versions 1.0 (RFC 2246) and 1.1 (RFC 4346) are formally deprecated. Refer to Deprecating TLS 1.0 and TLS 1.1 (<https://tools.ietf.org/html/rfc8996>)

IMPACT:

Supporting TLSv1.1 by itself does not necessarily have any harmful consequences, but it is no longer considered best practice because of bad past experience with some vendor implementations of TLSv1.1.

SOLUTION:

Disable the use of TLSv1.1 protocol in favor of a cryptographically stronger protocol such as TLSv1.2.
The following openssl commands can be used

to do a manual test:
openssl s_client -connect ip:port -tls1_1

If the test is successful, then the target support TLSv1.1

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLSv1.1 is supported

 2 SSL Certificate - Self-Signed Certificate

port 25/tcp over SSL

QID: 38169
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/23/2020
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection.

The client can trust that the Server Certificate belongs to the server only if it is signed by a mutually trusted third-party Certificate Authority (CA). Self-signed certificates are created generally for testing purposes or to avoid paying third-party CAs. These should not be used on any production or critical servers.

By exploiting this vulnerability, an attacker can impersonate the server by presenting a fake self-signed certificate. If the client knows that the server does not have a trusted certificate, it will accept this spoofed certificate and communicate with the remote server.

IMPACT:

By exploiting this vulnerability, an attacker can launch a man-in-the-middle attack.

SOLUTION:

Please install a server certificate signed by a trusted third-party Certificate Authority.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0 CN=localhost is a self signed certificate.

 2 SSL Certificate - Subject Common Name Does Not Match Server FQDN

port 25/tcp over SSL

QID:	38170
Category:	General remote services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/05/2025
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection.

A certificate whose Subject commonName or subjectAltName does not match the server FQDN offers only encryption without authentication.

Please note that a false positive reporting of this vulnerability is possible in the following case:

If the common name of the certificate uses a wildcard such as *.somedomainname.com and the reverse DNS resolution of the target IP is not configured. In this case there is no way for Qualys to associate the wildcard common name to the IP. Adding a reverse DNS lookup entry to the target IP will solve this problem.

IMPACT:

A man-in-the-middle attacker can exploit this vulnerability in tandem with a DNS cache poisoning attack to lure the client to another server, and then steal all the encryption communication.

SOLUTION:

Please install a server certificate whose Subject commonName or subjectAltName matches the server FQDN.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0 CN=localhost (localhost) doesn't resolve
(localhost) doesn't resolve

2 SSL Certificate - Signature Verification Failed Vulnerability

port 25/tcp over SSL

QID: 38173
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

An SSL Certificate associates an entity with a Public Key and is used by clients to authenticate the server during an SSL/TLS connection. This authentication relies on verifying that the certificate is signed by a trusted Certificate Authority (CA).

If certificate verification fails, the client cannot reliably authenticate the server and may abort the connection or proceed without validation.

Verification failure may occur due to reasons such as a self-signed certificate, untrusted CA, missing intermediate certificates, expired or invalid certificates, mismatched issuer information, unsupported signature algorithms, or signature validation errors.

This may allow an attacker to perform man-in-the-middle attacks and compromise the confidentiality and integrity of the communication.

IMPACT:

By exploiting this vulnerability, man-in-the-middle attacks in tandem with DNS cache poisoning can occur.

Exception:

If the server communicates only with a restricted set of clients who have the server certificate or the trusted CA certificate, then the server or CA certificate may not be available publicly, and the scan will be unable to verify the signature.

SOLUTION:

Ensure the SSL certificate is valid and trusted. Install a certificate signed by a trusted Certificate Authority and configure the complete certificate chain, including any required intermediate certificates. Replace expired or invalid certificates and ensure proper issuer and signature configuration

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0 CN=localhost ISSUER:_CN=localhost self signed certificate

2 SSL Certificate - Invalid Maximum Validity Date Detected

port 25/tcp over SSL

QID: 38685
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/13/2021
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Subscriber Certificates issued on or after 1 September 2020 SHOULD NOT have a Validity Period greater than 397 days and MUST NOT have a Validity Period greater than 398 days. (13 months)
Subscriber Certificates issued after 1 March 2018, but prior to 1 September 2020, MUST NOT have a Validity Period greater than 825 days. (27 months)
Subscriber Certificates issued after 1 July 2016 but prior to 1 March 2018 MUST NOT have a Validity Period greater than 39 months.
SSL certificates have limited validity periods so that the certificate's holder identity information is re-authenticated more frequently.
It is detected that maximum validity of certificate on the system is more than what is recommended.

IMPACT:

By exploiting this vulnerability, an attacker can launch a man-in-the-middle attack.

SOLUTION:

Please install a server certificate with recommended maximum validity.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Certificate #0 CN=localhost ISSUER:_CN=localhost is valid for more than 398 days

Potential Vulnerabilities (41)

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities port 80/tcp

QID: 731613
Category: CGI
Associated CVEs: [CVE-2024-38472](#), [CVE-2024-38473](#), [CVE-2024-38474](#), [CVE-2024-38475](#), [CVE-2024-38476](#), [CVE-2024-38477](#), [CVE-2024-39573](#)
Vendor Reference: [Apache HTTP Server 2.4.60](#)
Bugtraq ID: -
Service Modified: 07/24/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious

requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



seebug

Reference: CVE-2024-38472

Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)

Link: <https://www.seebug.org/vuldb/ssvid-99857>



github-exploits

Reference: CVE-2024-38473

Description: Abdurahmon3236/CVE-2024-38473 exploit repository

Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475

Description: soltanali0/CVE-2024-38475 exploit repository

Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473

Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository

Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475

Description: p0in7s/CVE-2024-38475 exploit repository

Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475

Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository

Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473

Description: mmtalsi/toolbox exploit repository

Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475

Description: Nyakki-Labs-0x420/Myesve exploit repository

Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-key

Reference: CVE-2024-38475

Description: Apache HTTP Server Improper Escaping of Output Vulnerability

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475

Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)

Link: <https://labs.watcht0w1r.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475

Description: SonicWall SMA100 Arbitrary File Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475

Description: Sonicwall - Pre-Authentication Arbitrary File Read

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475
Description: unc6148
Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>



vulncheck-canaries

Reference: CVE-2024-38475

[illegible]

Scan Results

[illegible]

[illegible]

[illegible]

Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-02-25>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-05>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-06>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-07>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-05-29>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-08>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252)

port 80/tcp

QID: 732750
Category: CGI

Associated CVEs: [CVE-2024-47252](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

QID: 734128
Category: CGI
Associated CVEs: [CVE-2026-29169](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply  
the credentials required.</p>
```

```
<hr>
```

```
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
```

```
</body></html>
```



QID: 734130
Category: CGI
Associated CVEs: [CVE-2026-34059](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

QID: 82054
 Category: TCP/IP
 Associated CVEs: [CVE-2004-0230](#)
 Vendor Reference: -
 Bugtraq ID: 10183
 Service Modified: 03/27/2025
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>

 exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1)

Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2)

Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230
Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)
Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230
Description: Microsoft Windows XP/2000 - TCP Connection Reset
Link: <https://www.exploit-db.com/exploits/276>

? nvd

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

? seebug

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)
Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)
Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>

? packetstorm

Reference: CVE-2004-0230
Description: Kreset.pl
Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
Description: bgp-dosv2.pl
Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
Description: reset-tcp_rfc31337-compliant.c
Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
Description: reset-tcp.c
Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
Description: reset.zip
Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
Description: tcp_reset.c
Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230

Description: `disconn.py`
Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
Description: `autoRST.c`
Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795)

port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:
Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2023-38709

Description: mrmtwoj/apache-vulnerability-testing exploit repository

Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749

Category: CGI

Associated CVEs: [CVE-2025-49812](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -

Service Modified: 04/23/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities

port 80/tcp

QID:	732751
Category:	CGI
Associated CVEs:	CVE-2025-53020
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	05/29/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase

Affected Versions:

Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2025-53020
Description: Apache 2.4.17 - Denial of Service
Link: <https://www.exploit-db.com/exploits/39037>

 github-exploits

Reference: CVE-2025-53020
Description: galbarnahum/CVE-2025-53020-PoC exploit repository
Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-23048) port 80/tcp

QID:	732753
Category:	CGI
Associated CVEs:	CVE-2025-23048
Vendor Reference:	Apache_HTTP_Server_2.4.64
Bugtraq ID:	-
Service Modified:	04/23/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-23048: Apache HTTP Server: mod_ssl access control bypass with session resumption

Affected Versions:

Apache httpd 2.4.35 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-23048

Description: absholi7ly/CVE-2025-23048-POC exploit repository

Link: <https://github.com/absholi7ly/CVE-2025-23048-POC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply  
the credentials required.</p>
```

```
<hr>
```

```
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
```

```
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756

Category: CGI

Associated CVEs: [CVE-2024-42516](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-42516: Apache HTTP Server: HTTP response splitting
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply  
the credentials required.</p>
```

```
<hr>
```

```
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
```

```
</body></html>
```



QID: 733483
Category: CGI
Associated CVEs: [CVE-2025-66200](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```




QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2025-58098

Description: dhmosfunk/CVE-2025-58098 exploit repository

Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply
```

the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125
Category: CGI
Associated CVEs: [CVE-2026-33006](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
```

requested. Either you supplied the wrong credentials (e.g., bad password), or your browser doesn't understand how to supply the credentials required.</p><hr><address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address></body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734129
Category: CGI
Associated CVEs: [CVE-2026-24072](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
```

```
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID: 734380
Category: CGI
Associated CVEs: [CVE-2026-44186](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975)

port 80/tcp

QID: 734381
Category: CGI
Associated CVEs: [CVE-2026-49975](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 07/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2026-49975
Description: minc-nice-100/http2-bomb-analysis-paper exploit repository
Link: <https://github.com/minc-nice-100/http2-bomb-analysis-paper>

Reference: CVE-2026-49975
Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository
Link: <https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb->

Reference: CVE-2026-49975
Description: Manisso/http2-bomb exploit repository
Link: <https://github.com/Manisso/http2-bomb>

Reference: CVE-2026-49975
Description: 0xc03307b/CVE-2026-49975 exploit repository
Link: <https://github.com/0xc03307b/CVE-2026-49975>

Reference: CVE-2026-49975
Description: razureink/cve-2026-49975-http2bomb_reproduction exploit repository
Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975
Description: obrige/http2-bomb exploit repository
Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975
Description: LiaoZiqi-GZFLS/CVE-2026-49975 exploit repository
Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975
Description: mrx-arafat/CVE-2026-49975-POC exploit repository
Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

 coreimpact
Reference: CVE-2026-49975
Description: HTTP2 Bomb DoS
Link: <https://www.coresecurity.com/core-labs/exploits>

 blogs
Reference: CVE-2026-49975
Description: Codex Discovered a Hidden HTTP/2 Bomb
Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>

 nist-nvd2
Reference: CVE-2026-49975
Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.
Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
```

are authorized to access the document requested. Either you supplied the wrong credentials (e.g., bad password), or your browser doesn't understand how to supply the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">


```
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID: 734383
Category: CGI
Associated CVEs: [CVE-2026-43951](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID:	734385
Category:	CGI
Associated CVEs:	CVE-2026-42535
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/18/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42535: mod_dav_fs protected directory access

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

2 Global User List Found Using Other QIDS

QID:	45002
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/27/2024
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

This is the global system user list, which was retrieved during the scan by exploiting one or more vulnerabilities or via authentication provided by user. The Qualys IDs for the vulnerabilities leading to the disclosure of these users are also given in the Result section. Each user will be displayed only once, even though it may be obtained by using different methods.

IMPACT:

These common account(s) can be used by a malicious user to break-in the system via password bruteforcing.

SOLUTION:

To prevent your host from being attacked, do one or more of the following:

- Remove (or rename) unnecessary accounts
- Shutdown unnecessary network services
- Ensure the passwords to these accounts are kept secret
- Use a firewall to restrict access to your hosts from unauthorized domains

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

User Name	Source Vulnerability (QualysID)
root	74046

 2 Valid Logins/Aliases Guessed with SMTP VRFY Command port 25/tcp

QID: 74046
Category: Mail services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/27/2011
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Simple Mail Transfer Protocol (SMTP) is used to transfer mail between servers. When one mail server establishes a connection with another mail server to deliver an e-mail message, it can check the validity of the destination user on the remote host by using the VRFY command.

IMPACT:

If a host is running an SMTP server, unauthorized users can obtain valid logins by brute forcing common "login names" with the VRFY command.

SOLUTION:

Your mail server should not allow remote users to verify the existence of a particular user on your system. If you are using Sendmail Version 8, then you can disable the VRFY command by adding the line "novrfy" to your sendmail.cf file, which is usually located in the /etc directory. Please note that RFC 821 (Simple Mail Transfer Protocol) defines SMTP 2xx replies as positive completion replies, noting "The requested action has been successfully completed". An SMTP server that responds to a VRFY command with a 2xx reply will be marked as vulnerable.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

root

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204) port 80/tcp

QID: 732754
Category: CGI
Associated CVEs: [CVE-2024-43204](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply  
the credentials required.</p>
```

```
<hr>
```

```
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
```

```
</body></html>
```

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49630)

port 80/tcp

QID: 732755
Category: CGI

Associated CVEs: [CVE-2025-49630](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49630: Apache HTTP Server: mod_proxy_http2 denial of service
Affected Versions:
Apache httpd 2.4.26 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

QID: 733482
Category: CGI
Associated CVEs: [CVE-2025-65082](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-65082: Apache HTTP Server: CGI environment variable override

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 733484
Category: CGI
Associated CVEs: [CVE-2025-55753](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-55753: Apache HTTP Server: mod_md (ACME), unintended retry intervals

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```




QID: 734123
Category: CGI
Associated CVEs: [CVE-2026-34032](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 734124
Category: CGI
Associated CVEs: [CVE-2026-33007](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33007: Apache HTTP Server: mod_auth_socache crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 734131
Category: CGI
Associated CVEs: [CVE-2026-33523](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 734138
Category: CGI
Associated CVEs: [CVE-2026-28780](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 07/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 734139
Category: CGI
Associated CVEs: [CVE-2026-29168](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29168: Apache HTTP Server: mod_md unrestricted OCSP response

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply  
the credentials required.</p>
```

```
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID: 734377
Category: CGI
Associated CVEs: [CVE-2026-29167](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_lidap per-dir use-after-free

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
```


are authorized to access the document requested. Either you supplied the wrong credentials (e.g., bad password), or your browser doesn't understand how to supply the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536)

port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">

```
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185)

port 80/tcp

QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OCSP `send\_request`

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-48913)

port 80/tcp

QID:	734384
Category:	CGI
Associated CVEs:	CVE-2026-48913
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-48913: mod_http2 memory corruption when file handles exhausted

Affected Versions:

Apache httpd 2.4.55 before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)

port 80/tcp

QID:	734386
Category:	CGI
Associated CVEs:	CVE-2026-34356
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:07 GMT

Server: Apache/2.4.58 (Ubuntu)

WWW-Authenticate: Basic realm="Nagios Access"

Content-Length: 465

Connection: close

Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>401 Unauthorized</title>
```

```
</head><body>
```

```
<h1>Unauthorized</h1>
```

```
<p>This server could not verify that you  
are authorized to access the document  
requested. Either you supplied the wrong  
credentials (e.g., bad password), or your  
browser doesn't understand how to supply  
the credentials required.</p>
```

```
<hr>
```

```
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
```

```
</body></html>
```

Information Gathered (27)

 2 SMTP Banner

port 25/tcp

QID:	74042
Category:	Mail services
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/02/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Simple Mail Transfer Protocol is a communication protocol for electronic mail transmission.

IMPACT:

NA

SOLUTION:

NA

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

220 6f5870bfe227 ESMTP Postfix (Ubuntu)

2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.74	nagios.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1121 seconds

Start time: Sun, Jul 26 2026, 03:24:14 GMT

End time: Sun, Jul 26 2026, 03:42:55 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
nagios.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and

Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:07 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 465
Connection: close
Content-Type: text/html; charset=iso-8859-1

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.example.com Port 80</address>
</body></html>
```

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	25	0:04:23
TCP	80	2:06:29

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
25	smtp	Simple Mail Transfer	smtp	
80	www-http	World Wide Web HTTP	http	

 1 ICMP Replies Received

QID: 82040
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 01/16/2003
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
 Timestamp Request (to trigger Timestamp Reply)
 Address Mask Request (to trigger Address Mask Reply)
 UDP Packet (to trigger Port Unreachable Reply)
 IP Packet with Protocol ≥ 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 1035	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 12223	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 666	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1047	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 623	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 40426	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:24:16 GMT
Unreachable (type=3 code=3)	UDP Port 1999	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1604	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 12346	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID:	82045
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/19/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 958928197 with a standard deviation of 734713749. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5065 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.


```
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.labvulnerabilities_vulnnet Port 80</address>
</body></html>
```



1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: nagios.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at nagios.labvulnerabilities_vulnnet Port 80</address>
</body></html>
```



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1
Host: nagios.labvulnerabilities_vulnnet
Connection: Keep-Alive

HTTP/1.1 401 Unauthorized
Date: Sun, 26 Jul 2026 03:26:10 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 480
Keep-Alive: timeout=5, max=96
Connection: Keep-Alive
Content-Type: text/html; charset=iso-8859-1



1 cAdvisor (Container Advisor) Detected

port 80/tcp

QID: 48228
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/22/2022

User Modified: -
Edited: No
PCI Vuln: No

THREAT:

cAdvisor (Container Advisor) provides container users an understanding of the resource usage and performance characteristics of their running containers. It is a running daemon that collects, aggregates, processes, and exports information about running containers.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

cAdvisor Detected on port 80 over TCP.

1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache/2.4.58 (Ubuntu)



1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.31.1.74:80

GET /Q_Evasive/ HTTP/1.1
Host:172.31.1.74:80

HTTP/1.1 401 Unauthorized
Date: Sun, 26 Jul 2026 03:27:36 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 458
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">

```
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at 172.31.1.74 Port 80</address>
</body></html>
HTTP/1.1 401 Unauthorized
Date: Sun, 26 Jul 2026 03:27:36 GMT
Server: Apache/2.4.58 (Ubuntu)
WWW-Authenticate: Basic realm="Nagios Access"
Content-Length: 458
Content-Type: text/html; charset=iso-8859-1

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>401 Unauthorized</title>
</head><body>
<h1>Unauthorized</h1>
<p>This server could not verify that you
are authorized to access the document
requested. Either you supplied the wrong
credentials (e.g., bad password), or your
browser doesn't understand how to supply
the credentials required.</p>
<hr>
<address>Apache/2.4.58 (Ubuntu) Server at 172.31.1.74 Port 80</address>
</body></html>
```

 1	List of Web Directories	port 80/tcp
QID: 86672		
Category: Web server		
Associated CVEs: -		
Vendor Reference: -		
Bugtraq ID: -		
Service Modified: 09/10/2004		
User Modified: -		
Edited: No		
PCI Vuln: No		

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/javascript/	brute force
/icons/	brute force

QID: 38116
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 05/24/2016
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The following is a list of supported SSL ciphers.

Note: If a cipher is included in this list it means that it was possible to establish a SSL connection using that cipher. There are some web servers setups that allow connections to be established using a LOW grade cipher, only to provide a web page stating that the URL is accessible only through a non-LOW grade cipher. In this case even though LOW grade cipher will be listed here QID 38140 will not be reported.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv2 PROTOCOL IS DISABLED					
SSLv3 PROTOCOL IS DISABLED					
TLSv1 PROTOCOL IS ENABLED					
TLSv1	COMPRESSION METHOD	None			
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-SHA	DH	RSA	SHA1	AES(128)	MEDIUM
ADH-AES128-SHA	DH	None	SHA1	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
DHE-RSA-AES256-SHA	DH	RSA	SHA1	AES(256)	HIGH
ADH-AES256-SHA	DH	None	SHA1	AES(256)	HIGH
CAMELLIA128-SHA	RSA	RSA	SHA1	Camellia(128)	MEDIUM
DHE-RSA-CAMELLIA128-SHA	DH	RSA	SHA1	Camellia(128)	MEDIUM
ADH-CAMELLIA128-SHA	DH	None	SHA1	Camellia(128)	MEDIUM
CAMELLIA256-SHA	RSA	RSA	SHA1	Camellia(256)	HIGH
DHE-RSA-CAMELLIA256-SHA	DH	RSA	SHA1	Camellia(256)	HIGH
ADH-CAMELLIA256-SHA	DH	None	SHA1	Camellia(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
AECDH-AES128-SHA	ECDH	None	SHA1	AES(128)	MEDIUM

AECDH-AES256-SHA	ECDH	None	SHA1	AES(256)	HIGH
TLSv1.1 PROTOCOL IS ENABLED					
TLSv1.1	COMPRESSION METHOD	None			
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-SHA	DH	RSA	SHA1	AES(128)	MEDIUM
ADH-AES128-SHA	DH	None	SHA1	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
DHE-RSA-AES256-SHA	DH	RSA	SHA1	AES(256)	HIGH
ADH-AES256-SHA	DH	None	SHA1	AES(256)	HIGH
CAMELLIA128-SHA	RSA	RSA	SHA1	Camellia(128)	MEDIUM
DHE-RSA-CAMELLIA128-SHA	DH	RSA	SHA1	Camellia(128)	MEDIUM
ADH-CAMELLIA128-SHA	DH	None	SHA1	Camellia(128)	MEDIUM
CAMELLIA256-SHA	RSA	RSA	SHA1	Camellia(256)	HIGH
DHE-RSA-CAMELLIA256-SHA	DH	RSA	SHA1	Camellia(256)	HIGH
ADH-CAMELLIA256-SHA	DH	None	SHA1	Camellia(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
AECDH-AES128-SHA	ECDH	None	SHA1	AES(128)	MEDIUM
AECDH-AES256-SHA	ECDH	None	SHA1	AES(256)	HIGH
TLSv1.2 PROTOCOL IS ENABLED					
TLSv1.2	COMPRESSION METHOD	None			
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-SHA	DH	RSA	SHA1	AES(128)	MEDIUM
ADH-AES128-SHA	DH	None	SHA1	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
DHE-RSA-AES256-SHA	DH	RSA	SHA1	AES(256)	HIGH
ADH-AES256-SHA	DH	None	SHA1	AES(256)	HIGH
CAMELLIA128-SHA	RSA	RSA	SHA1	Camellia(128)	MEDIUM
DHE-RSA-CAMELLIA128-SHA	DH	RSA	SHA1	Camellia(128)	MEDIUM
ADH-CAMELLIA128-SHA	DH	None	SHA1	Camellia(128)	MEDIUM
DHE-RSA-AES128-SHA256	DH	RSA	SHA256	AES(128)	MEDIUM
DHE-RSA-AES256-SHA256	DH	RSA	SHA256	AES(256)	HIGH
ADH-AES128-SHA256	DH	None	SHA256	AES(128)	MEDIUM
ADH-AES256-SHA256	DH	None	SHA256	AES(256)	HIGH
CAMELLIA256-SHA	RSA	RSA	SHA1	Camellia(256)	HIGH
DHE-RSA-CAMELLIA256-SHA	DH	RSA	SHA1	Camellia(256)	HIGH
ADH-CAMELLIA256-SHA	DH	None	SHA1	Camellia(256)	HIGH
AES128-GCM-SHA256	RSA	RSA	AEAD	AESGCM(128)	MEDIUM
AES256-GCM-SHA384	RSA	RSA	AEAD	AESGCM(256)	HIGH
DHE-RSA-AES128-GCM-SHA256	DH	RSA	AEAD	AESGCM(128)	MEDIUM
DHE-RSA-AES256-GCM-SHA384	DH	RSA	AEAD	AESGCM(256)	HIGH
ADH-AES128-GCM-SHA256	DH	None	AEAD	AESGCM(128)	MEDIUM
ADH-AES256-GCM-SHA384	DH	None	AEAD	AESGCM(256)	HIGH
CAMELLIA128-SHA256	RSA	RSA	SHA256	Camellia(128)	MEDIUM
DHE-RSA-CAMELLIA128-SHA256	DH	RSA	SHA256	Camellia(128)	MEDIUM
ADH-CAMELLIA128-SHA256	DH	None	SHA256	Camellia(128)	MEDIUM
CAMELLIA256-SHA256	RSA	RSA	SHA256	Camellia(256)	HIGH
DHE-RSA-CAMELLIA256-SHA256	DH	RSA	SHA256	Camellia(256)	HIGH
ADH-CAMELLIA256-SHA256	DH	None	SHA256	Camellia(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
AECDH-AES128-SHA	ECDH	None	SHA1	AES(128)	MEDIUM
AECDH-AES256-SHA	ECDH	None	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA256	ECDH	RSA	SHA256	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA384	ECDH	RSA	SHA384	AES(256)	HIGH

ECDHE-RSA-AES128-GCM-SHA256	ECDH	RSA	AEAD	AESGCM(128)	MEDIUM
ECDHE-RSA-AES256-GCM-SHA384	ECDH	RSA	AEAD	AESGCM(256)	HIGH
ARIA128-GCM-SHA256	RSA	RSA	AEAD	ARIAGCM(128)	MEDIUM
ARIA256-GCM-SHA384	RSA	RSA	AEAD	ARIAGCM(256)	HIGH
DHE-RSA-ARIA128-GCM-SHA256	DH	RSA	AEAD	ARIAGCM(128)	MEDIUM
DHE-RSA-ARIA256-GCM-SHA384	DH	RSA	AEAD	ARIAGCM(256)	HIGH
ECDHE-RSA-ARIA128-GCM-SHA256	ECDH	RSA	AEAD	ARIAGCM(128)	MEDIUM
ECDHE-RSA-ARIA256-GCM-SHA384	ECDH	RSA	AEAD	ARIAGCM(256)	HIGH
ECDHE-RSA-CAMELLIA128-SHA256	ECDH	RSA	SHA256	Camellia(128)	MEDIUM
ECDHE-RSA-CAMELLIA256-SHA384	ECDH	RSA	SHA384	Camellia(256)	HIGH
AES128-CCM	RSA	RSA	AEAD	AESCCM(128)	MEDIUM
AES256-CCM	RSA	RSA	AEAD	AESCCM(256)	HIGH
DHE-RSA-AES128-CCM	DH	RSA	AEAD	AESCCM(128)	MEDIUM
DHE-RSA-AES256-CCM	DH	RSA	AEAD	AESCCM(256)	HIGH
AES128-CCM-8	RSA	RSA	AEAD	AESCCM8(128)	MEDIUM
AES256-CCM-8	RSA	RSA	AEAD	AESCCM8(256)	HIGH
DHE-RSA-AES128-CCM-8	DH	RSA	AEAD	AESCCM8(128)	MEDIUM
DHE-RSA-AES256-CCM-8	DH	RSA	AEAD	AESCCM8(256)	HIGH
ECDHE-RSA-CHACHA20-POLY1305	ECDH	RSA	AEAD	CHACHA20/POLY1305(256)	HIGH
DHE-RSA-CHACHA20-POLY1305	DH	RSA	AEAD	CHACHA20/POLY1305(256)	HIGH
AES128-SHA256	RSA	RSA	SHA256	AES(128)	MEDIUM
AES256-SHA256	RSA	RSA	SHA256	AES(256)	HIGH
TLSv1.3 PROTOCOL IS ENABLED					
TLS13-AES-128-GCM-SHA256	N/A	N/A	AEAD	AESGCM(128)	MEDIUM
TLS13-AES-256-GCM-SHA384	N/A	N/A	AEAD	AESGCM(256)	HIGH
TLS13-CHACHA20-POLY1305-SHA256	N/A	N/A	AEAD	CHACHA20/POLY1305(256)	HIGH



1 SSL Session Caching Information

port 25/tcp over SSL

QID: 38291
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 03/19/2020
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

SSL session is a collection of security parameters that are negotiated by the SSL client and server for each SSL connection. SSL session caching is targeted to reduce the overhead of negotiations in recurring SSL connections. SSL sessions can be reused to resume an earlier connection or to establish multiple simultaneous connections. The client suggests an SSL session to be reused by identifying the session with a Session-ID during SSL handshake. If the server finds it appropriate to reuse the session, then they both proceed to secure communication with already known security parameters.

This test determines if SSL session caching is enabled on the host.

IMPACT:

SSL session caching is part of the SSL and TLS protocols and is not a security threat. The result of this test is for informational purposes only.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLSv1 session caching is enabled on the target.
TLSv1.1 session caching is enabled on the target.
TLSv1.2 session caching is enabled on the target.
TLSv1.3 session caching is enabled on the target.



1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Invalid Protocol Version Tolerance

port 25/tcp over SSL

QID: 38597
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/12/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

SSL/TLS protocols have different version that can be supported by both the client and the server. This test attempts to send invalid protocol versions to the target in order to find out what is the target's behavior. The results section contains a table that indicates what was the target's response to each of our tests.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

my version	target version
0304	0303
0399	0303
0400	0303
0499	0303



1 SSL Server default Diffie-Hellman prime information

port 25/tcp over SSL

QID: 38609
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/26/2015
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Diffie-Hellman is a popular cryptographic algorithm used by SSL/TLS.

- For fixed primes: 1024 and below are considered unsafe.

- For variable

primes: 512 is unsafe. 768 is probably mostly safe, but might not be for long. 1024 and above are considered safe.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

SSL server default to use Diffie-Hellman key exchange method with variable 2048(bits) prime



1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Key Exchange Methods

port 25/tcp over SSL

QID: 38704
Category: General remote services
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/01/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following is a list of SSL/TLS key exchange methods supported by the server, along with their respective key sizes, strengths and ciphers.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	NAME	GROUP	KEY-SIZE	FORWARD-SECRET	CLASSICAL-STRENGTH	QUANTUM-STRENGTH
TLSv1						
CAMELLIA256-SHA	RSA		2048	no	110	low
CAMELLIA128-SHA	RSA		2048	no	110	low
AES256-SHA	RSA		2048	no	110	low
AES128-SHA	RSA		2048	no	110	low
DHE-RSA-CAMELLIA256-SHA	DHE		2048	yes	110	low
DHE-RSA-CAMELLIA128-SHA	DHE		2048	yes	110	low
DHE-RSA-AES256-SHA	DHE		2048	yes	110	low
DHE-RSA-AES128-SHA	DHE		2048	yes	110	low
ADH-CAMELLIA256-SHA	DHA		3072	yes	132	low
ADH-CAMELLIA128-SHA	DHA		1024	yes	80	low
ADH-AES256-SHA	DHA		3072	yes	132	low
ADH-AES128-SHA	DHA		1024	yes	80	low
ECDHE-RSA-AES256-SHA	ECDHE	x448	448	yes	224	low
ECDHE-RSA-AES256-SHA	ECDHE	x25519	256	yes	128	low
ECDHE-RSA-AES256-SHA	ECDHE	secp384r1	384	yes	192	low
ECDHE-RSA-AES256-SHA	ECDHE	secp256r1	256	yes	128	low
ECDHE-RSA-AES256-SHA	ECDHE	secp521r1	521	yes	260	low
ECDHE-RSA-AES128-SHA	ECDHE	x448	448	yes	224	low
ECDHE-RSA-AES128-SHA	ECDHE	x25519	256	yes	128	low
ECDHE-RSA-AES128-SHA	ECDHE	secp384r1	384	yes	192	low
ECDHE-RSA-AES128-SHA	ECDHE	secp256r1	256	yes	128	low
ECDHE-RSA-AES128-SHA	ECDHE	secp521r1	521	yes	260	low
AECDH-AES256-SHA	ECDHA	x448	448	yes	224	low
AECDH-AES256-SHA	ECDHA	x25519	256	yes	128	low
AECDH-AES256-SHA	ECDHA	secp384r1	384	yes	192	low
AECDH-AES256-SHA	ECDHA	secp256r1	256	yes	128	low
AECDH-AES256-SHA	ECDHA	secp521r1	521	yes	260	low
AECDH-AES128-SHA	ECDHA	x448	448	yes	224	low
AECDH-AES128-SHA	ECDHA	x25519	256	yes	128	low
AECDH-AES128-SHA	ECDHA	secp384r1	384	yes	192	low
AECDH-AES128-SHA	ECDHA	secp256r1	256	yes	128	low
AECDH-AES128-SHA	ECDHA	secp521r1	521	yes	260	low
TLSv1.1						
CAMELLIA256-SHA	RSA		2048	no	110	low
CAMELLIA128-SHA	RSA		2048	no	110	low
AES256-SHA	RSA		2048	no	110	low
AES128-SHA	RSA		2048	no	110	low
DHE-RSA-CAMELLIA256-SHA	DHE		2048	yes	110	low
DHE-RSA-CAMELLIA128-SHA	DHE		2048	yes	110	low
DHE-RSA-AES256-SHA	DHE		2048	yes	110	low
DHE-RSA-AES128-SHA	DHE		2048	yes	110	low
ADH-CAMELLIA256-SHA	DHA		3072	yes	132	low

ADH-CAMELLIA128-SHA	DHA	1024	yes	80	low
ADH-AES256-SHA	DHA	3072	yes	132	low
ADH-AES128-SHA	DHA	1024	yes	80	low
ECDHE-RSA-AES256-SHA	ECDHE x448	448	yes	224	low
ECDHE-RSA-AES256-SHA	ECDHE x25519	256	yes	128	low
ECDHE-RSA-AES256-SHA	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-AES256-SHA	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-AES256-SHA	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-AES128-SHA	ECDHE x448	448	yes	224	low
ECDHE-RSA-AES128-SHA	ECDHE x25519	256	yes	128	low
ECDHE-RSA-AES128-SHA	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-AES128-SHA	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-AES128-SHA	ECDHE secp521r1	521	yes	260	low
AECDH-AES256-SHA	ECDHA x448	448	yes	224	low
AECDH-AES256-SHA	ECDHA x25519	256	yes	128	low
AECDH-AES256-SHA	ECDHA secp384r1	384	yes	192	low
AECDH-AES256-SHA	ECDHA secp256r1	256	yes	128	low
AECDH-AES256-SHA	ECDHA secp521r1	521	yes	260	low
AECDH-AES128-SHA	ECDHA x448	448	yes	224	low
AECDH-AES128-SHA	ECDHA x25519	256	yes	128	low
AECDH-AES128-SHA	ECDHA secp384r1	384	yes	192	low
AECDH-AES128-SHA	ECDHA secp256r1	256	yes	128	low
AECDH-AES128-SHA	ECDHA secp521r1	521	yes	260	low
TLSv1.2					
AES256-SHA256	RSA	2048	no	110	low
AES128-SHA256	RSA	2048	no	110	low
AES256-CCM-8	RSA	2048	no	110	low
AES128-CCM-8	RSA	2048	no	110	low
AES256-CCM	RSA	2048	no	110	low
AES128-CCM	RSA	2048	no	110	low
ARIA256-GCM-SHA384	RSA	2048	no	110	low
ARIA128-GCM-SHA256	RSA	2048	no	110	low
CAMELLIA256-SHA256	RSA	2048	no	110	low
AES256-GCM-SHA384	RSA	2048	no	110	low
AES128-GCM-SHA256	RSA	2048	no	110	low
CAMELLIA256-SHA	RSA	2048	no	110	low
CAMELLIA128-SHA	RSA	2048	no	110	low
AES256-SHA	RSA	2048	no	110	low
AES128-SHA	RSA	2048	no	110	low
CAMELLIA128-SHA256	RSA	2048	no	110	low
DHE-RSA-AES256-GCM-SHA384	DHE	2048	yes	110	low
DHE-RSA-CHACHA20-POLY1305	DHE	2048	yes	110	low
DHE-RSA-ARIA256-GCM-SHA384	DHE	2048	yes	110	low
DHE-RSA-AES128-GCM-SHA256	DHE	2048	yes	110	low
DHE-RSA-ARIA128-GCM-SHA256	DHE	2048	yes	110	low
DHE-RSA-AES256-CCM	DHE	2048	yes	110	low
DHE-RSA-AES128-CCM	DHE	2048	yes	110	low
DHE-RSA-AES256-CCM-8	DHE	2048	yes	110	low
DHE-RSA-AES128-CCM-8	DHE	2048	yes	110	low
DHE-RSA-AES256-SHA256	DHE	2048	yes	110	low
DHE-RSA-CAMELLIA256-SHA256	DHE	2048	yes	110	low
DHE-RSA-CAMELLIA256-SHA	DHE	2048	yes	110	low
DHE-RSA-AES128-SHA256	DHE	2048	yes	110	low
DHE-RSA-CAMELLIA128-SHA256	DHE	2048	yes	110	low
DHE-RSA-CAMELLIA128-SHA	DHE	2048	yes	110	low

DHE-RSA-AES256-SHA	DHE	2048	yes	110	low
DHE-RSA-AES128-SHA	DHE	2048	yes	110	low
ADH-CAMELLIA256-SHA256	DHA	3072	yes	132	low
ADH-CAMELLIA128-SHA256	DHA	1024	yes	80	low
ADH-AES256-GCM-SHA384	DHA	3072	yes	132	low
ADH-AES128-GCM-SHA256	DHA	1024	yes	80	low
ADH-CAMELLIA256-SHA	DHA	3072	yes	132	low
ADH-AES256-SHA256	DHA	3072	yes	132	low
ADH-AES128-SHA256	DHA	1024	yes	80	low
ADH-CAMELLIA128-SHA	DHA	1024	yes	80	low
ADH-AES256-SHA	DHA	3072	yes	132	low
ADH-AES128-SHA	DHA	1024	yes	80	low
ECDHE-RSA-AES256-GCM-SHA384	ECDHE x448	448	yes	224	low
ECDHE-RSA-AES256-GCM-SHA384	ECDHE x25519	256	yes	128	low
ECDHE-RSA-AES256-GCM-SHA384	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-AES256-GCM-SHA384	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-AES256-GCM-SHA384	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-CHACHA20-POLY1305	ECDHE x448	448	yes	224	low
ECDHE-RSA-CHACHA20-POLY1305	ECDHE x25519	256	yes	128	low
ECDHE-RSA-CHACHA20-POLY1305	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-CHACHA20-POLY1305	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-CHACHA20-POLY1305	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-AES128-GCM-SHA256	ECDHE x448	448	yes	224	low
ECDHE-RSA-AES128-GCM-SHA256	ECDHE x25519	256	yes	128	low
ECDHE-RSA-AES128-GCM-SHA256	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-AES128-GCM-SHA256	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-AES128-GCM-SHA256	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-ARIA256-GCM-SHA384	ECDHE x448	448	yes	224	low
ECDHE-RSA-ARIA256-GCM-SHA384	ECDHE x25519	256	yes	128	low
ECDHE-RSA-ARIA256-GCM-SHA384	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-ARIA256-GCM-SHA384	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-ARIA256-GCM-SHA384	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-ARIA128-GCM-SHA256	ECDHE x448	448	yes	224	low
ECDHE-RSA-ARIA128-GCM-SHA256	ECDHE x25519	256	yes	128	low
ECDHE-RSA-ARIA128-GCM-SHA256	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-ARIA128-GCM-SHA256	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-ARIA128-GCM-SHA256	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-AES256-SHA384	ECDHE x448	448	yes	224	low
ECDHE-RSA-AES256-SHA384	ECDHE x25519	256	yes	128	low
ECDHE-RSA-AES256-SHA384	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-AES256-SHA384	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-AES256-SHA384	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-CAMELLIA256-SHA384	ECDHE x448	448	yes	224	low
ECDHE-RSA-CAMELLIA256-SHA384	ECDHE x25519	256	yes	128	low
ECDHE-RSA-CAMELLIA256-SHA384	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-CAMELLIA256-SHA384	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-CAMELLIA256-SHA384	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-AES128-SHA256	ECDHE x448	448	yes	224	low
ECDHE-RSA-AES128-SHA256	ECDHE x25519	256	yes	128	low
ECDHE-RSA-AES128-SHA256	ECDHE secp384r1	384	yes	192	low
ECDHE-RSA-AES128-SHA256	ECDHE secp256r1	256	yes	128	low
ECDHE-RSA-AES128-SHA256	ECDHE secp521r1	521	yes	260	low
ECDHE-RSA-CAMELLIA128-SHA256	ECDHE x448	448	yes	224	low
ECDHE-RSA-CAMELLIA128-SHA256	ECDHE x25519	256	yes	128	low
ECDHE-RSA-CAMELLIA128-SHA256	ECDHE secp384r1	384	yes	192	low

ECDHE-RSA-CAMELLIA128-SHA256	ECDHE	secp256r1	256	yes	128	low
ECDHE-RSA-CAMELLIA128-SHA256	ECDHE	secp521r1	521	yes	260	low
ECDHE-RSA-AES256-SHA	ECDHE	x448	448	yes	224	low
ECDHE-RSA-AES256-SHA	ECDHE	x25519	256	yes	128	low
ECDHE-RSA-AES256-SHA	ECDHE	secp384r1	384	yes	192	low
ECDHE-RSA-AES256-SHA	ECDHE	secp256r1	256	yes	128	low
ECDHE-RSA-AES256-SHA	ECDHE	secp521r1	521	yes	260	low
ECDHE-RSA-AES128-SHA	ECDHE	x448	448	yes	224	low
ECDHE-RSA-AES128-SHA	ECDHE	x25519	256	yes	128	low
ECDHE-RSA-AES128-SHA	ECDHE	secp384r1	384	yes	192	low
ECDHE-RSA-AES128-SHA	ECDHE	secp256r1	256	yes	128	low
ECDHE-RSA-AES128-SHA	ECDHE	secp521r1	521	yes	260	low
AECDH-AES256-SHA	ECDHA	x448	448	yes	224	low
AECDH-AES256-SHA	ECDHA	x25519	256	yes	128	low
AECDH-AES256-SHA	ECDHA	secp384r1	384	yes	192	low
AECDH-AES256-SHA	ECDHA	secp256r1	256	yes	128	low
AECDH-AES256-SHA	ECDHA	secp521r1	521	yes	260	low
AECDH-AES128-SHA	ECDHA	x448	448	yes	224	low
AECDH-AES128-SHA	ECDHA	x25519	256	yes	128	low
AECDH-AES128-SHA	ECDHA	secp384r1	384	yes	192	low
AECDH-AES128-SHA	ECDHA	secp256r1	256	yes	128	low
AECDH-AES128-SHA	ECDHA	secp521r1	521	yes	260	low
TLSv1.3						
TLS13-AES-128-GCM-SHA256	DHE	ffdhe2048	2048	yes	110	low
TLS13-AES-128-GCM-SHA256	DHE	ffdhe3072	3072	yes	132	low
TLS13-AES-256-GCM-SHA384	DHE	ffdhe2048	2048	yes	110	low
TLS13-AES-256-GCM-SHA384	DHE	ffdhe3072	3072	yes	132	low
TLS13-CHACHA20-POLY1305-SHA256	DHE	ffdhe2048	2048	yes	110	low
TLS13-CHACHA20-POLY1305-SHA256	DHE	ffdhe3072	3072	yes	132	low
TLS13-AES-128-GCM-SHA256	ECDHE	x25519	256	yes	128	low
TLS13-AES-128-GCM-SHA256	ECDHE	x448	448	yes	224	low
TLS13-AES-128-GCM-SHA256	ECDHE	secp256r1	256	yes	128	low
TLS13-AES-128-GCM-SHA256	ECDHE	secp521r1	521	yes	260	low
TLS13-AES-128-GCM-SHA256	ECDHE	secp384r1	384	yes	192	low
TLS13-AES-256-GCM-SHA384	ECDHE	x25519	256	yes	128	low
TLS13-AES-256-GCM-SHA384	ECDHE	x448	448	yes	224	low
TLS13-AES-256-GCM-SHA384	ECDHE	secp256r1	256	yes	128	low
TLS13-AES-256-GCM-SHA384	ECDHE	secp521r1	521	yes	260	low
TLS13-AES-256-GCM-SHA384	ECDHE	secp384r1	384	yes	192	low
TLS13-CHACHA20-POLY1305-SHA256	ECDHE	x25519	256	yes	128	low
TLS13-CHACHA20-POLY1305-SHA256	ECDHE	x448	448	yes	224	low
TLS13-CHACHA20-POLY1305-SHA256	ECDHE	secp256r1	256	yes	128	low
TLS13-CHACHA20-POLY1305-SHA256	ECDHE	secp521r1	521	yes	260	low
TLS13-CHACHA20-POLY1305-SHA256	ECDHE	secp384r1	384	yes	192	low



1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Protocol Properties

port 25/tcp over SSL

QID: 38706
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 06/09/2021
 User Modified: -
 Edited: No

PCI Vuln: No

THREAT:

The following is a list of detected SSL/TLS protocol properties.

IMPACT:

Items include:

Extended Master Secret: indicates whether the extended_master_secret extension is supported or required by the server. This extension enhances security and is recommended. Applicable to TLSv1, TLSv1.1, TLSv1.2, DTLSv1, DTLSv1.2
Encrypt Then MAC: indicates whether the encrypt_then_mac extension is supported or required by the server. This extension enhances the security of non-AEAD ciphers and is recommended. Applicable to TLSv1, TLSv1.1, TLSv1.2, DTLSv1, DTLSv1.2
Heartbeat: indicates whether the heartbeat extension is supported. It is not recommended to enable this, except for DTLS. Applicable to TLSv1, TLSv1.1, TLSv1.2, TLSv1.3, DTLSv1, DTLSv1.2
Truncated HMAC: indicates whether the truncated_hmac extension is supported. This can degrade security and is not recommended. Applicable to TLSv1, TLSv1.1, TLSv1.2, DTLSv1, DTLSv1.2
Cipher priority: indicates whether client, server or both determine the priority of ciphers. Having the server determine the priority is recommended. Applicable to SSLv3, TLSv1, TLSv1.1, TLSv1.2, TLSv1.3, DTLSv1, DTLSv1.2

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

NAME	STATUS
TLSv1	
Extended Master Secret	yes
Encrypt Then MAC	yes
Heartbeat	no
Truncated HMAC	no
Cipher priority controlled by	client
OCSP stapling	no
SCT extension	no
TLSv1.1	
Extended Master Secret	yes
Encrypt Then MAC	yes
Heartbeat	no
Truncated HMAC	no
Cipher priority controlled by	client
OCSP stapling	no
SCT extension	no
TLSv1.2	
Extended Master Secret	yes
Encrypt Then MAC	yes
Heartbeat	no
Truncated HMAC	no
Cipher priority controlled by	client

OCSP stapling	no
SCT extension	no
TLSv1.3	
Heartbeat	no
Cipher priority controlled by	client
OCSP stapling	no
SCT extension	no



1 TLS Secure Renegotiation Extension Support Information

port 25/tcp over SSL

QID: 42350
 Category: General remote services
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 03/21/2016
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

Secure Socket Layer (SSL) and Transport Layer Security (TLS) renegotiation are vulnerable to an attack in which the attacker forms a TLS connection with the target server, injects content of his choice, and then splices in a new TLS connection from a client. The server treats the client's initial TLS handshake as a renegotiation and thus believes that the initial data transmitted by the attacker is from the same entity as the subsequent client data. TLS protocol was extended to cryptographically tie renegotiations to the TLS connections they are being performed over. This is referred to as TLS secure renegotiation extension. This detection determines whether the TLS secure renegotiation extension is supported by the server or not.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLS Secure Renegotiation Extension Status: supported.



1 Secure Sockets Layer/Transport Layer Security (SSL/TLS) Server supports Transport Layer Security (TLSv1.2)

port 25/tcp over SSL

QID: 48340
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: [SSL/TLS Server supports TLSv1.2](#)
 Bugtraq ID: -

Service Modified: 04/14/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

N/A

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLSv1.2 is supported



1 SSL Certificate - Information

port 25/tcp over SSL

QID: 86002
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/07/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

SSL certificate information is provided in the Results section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

NAME	VALUE
(O)CERTIFICATE 0	
(O)Version	3 (0x2)
(O)Serial Number	44:8a:1c:bc:c0:86:df:ff:da:32:aa:cf:50:e6:29:0d:d9:5b:cc:a3
(O)Signature Algorithm	sha256WithRSAEncryption
(O)ISSUER NAME	
commonName	localhost
(O)SUBJECT NAME	
commonName	localhost
(O)Valid From	Nov 6 09:32:47 2024 GMT
(O)Valid Till	Nov 4 09:32:47 2034 GMT
(O)Public Key Algorithm	rsaEncryption
(O)RSA Public Key	(2048 bit)
(O)	RSA Public-Key: (2048 bit)
(O)	Modulus:
(O)	00:ce:27:7a:33:b8:93:f5:78:7b:e7:52:4b:3e:88:
(O)	8b:a4:d1:20:a6:8f:d1:0f:03:10:2a:83:3e:0d:53:
(O)	75:8d:b9:cb:9f:b6:28:05:1a:70:45:7d:bd:f2:9c:
(O)	b4:2b:95:ea:ae:1f:c4:78:12:58:7c:63:9e:cc:0d:
(O)	db:c1:69:99:5f:af:f7:75:49:02:de:6f:44:c9:94:
(O)	fc:07:57:9e:76:6d:3d:51:ac:0d:8d:c0:40:eb:ea:
(O)	d6:57:31:9e:98:0a:51:e4:0f:e7:7d:11:fd:ef:d0:
(O)	10:ec:09:fd:c1:8e:50:f8:da:55:70:18:32:88:81:
(O)	7a:dd:8e:54:dd:d8:2e:08:21:67:92:c5:83:9c:4c:
(O)	8b:71:39:ba:4f:44:a1:25:a3:f4:3a:cb:53:d9:f7:
(O)	e1:39:d9:b4:eb:f6:08:ab:91:ca:ff:2b:4a:8e:78:
(O)	72:9e:e9:c5:7c:bf:a5:b4:bd:1d:67:57:8e:7d:f5:
(O)	ac:6f:05:2f:cd:f0:07:4d:1d:5c:53:fc:a1:16:b1:
(O)	72:f1:86:94:b2:a4:9d:e1:fc:ad:be:66:74:2e:63:
(O)	9c:b5:4d:d3:f8:f1:78:17:52:e6:1d:a2:e9:bb:be:
(O)	71:ec:06:fd:3a:27:cc:47:d1:7a:f0:5f:a7:52:e6:
(O)	16:51:04:48:98:ed:f7:9f:46:6a:c3:1f:16:0e:2f:
(O)	1e:17
(O)	Exponent: 65537 (0x10001)
(O)X509v3 EXTENSIONS	
(O)X509v3 Basic Constraints	CA:FALSE
(O)X509v3 Subject Alternative Name	DNS:localhost
(O)X509v3 Subject Key Identifier	2C:80:42:E3:73:0E:94:E2:B8:17:5F:28:08:30:FA:40:5F:7D:37:73
(O)Signature	(256 octets)
(O)	92:d0:a7:d4:57:ce:48:b9:11:83:f3:e2:8a:a5:7c:70
(O)	a0:9a:78:e7:e8:6f:6b:32:de:04:85:20:76:a7:1b:86
(O)	e9:00:0b:27:0c:87:11:11:fb:22:9d:f0:15:44:da:77
(O)	57:ef:60:52:a3:60:e8:0a:2b:7b:7b:05:c0:c2:5d:d0
(O)	94:5a:c1:39:c7:36:69:10:a5:f2:95:35:22:c6:9e:99
(O)	9b:b3:e2:3f:f5:3d:14:fc:3c:72:f7:7f:d9:48:87:65
(O)	5e:8fad:bd:ca:14:c6:1c:8a:51:9d:7f:0f:c0:74:63
(O)	d2:e9:b0:5e:1e:d5:29:a2:a6:df:4c:56:c6:d6:0e:6e
(O)	2b:1c:8f:1f:b5:6a:a3:2b:27:f7:5b:76:20:5a:28:9f
(O)	1a:d2:f6:43:6a:80:32:9a:72:6e:f4:f3:3b:e3:8d:ba
(O)	ea:0a:04:da:dd:94:b7:ea:ab:6b:3c:d9:84:ca:08:aa
(O)	a6:9a:20:c4:10:76:e9:1c:83:32:17:b2:cd:01:7f:8f
(O)	db:90:a3:35:f5:a3:dc:fd:6b:87:1b:1f:12:52:46:09

(0)	3a:13:28:e2:fc:ce:e2:36:57:8f:6e:49:ca:cf:1:ca2
(0)	64:8d:cc:bc:8c:86:38:a7:ae:bf:cc:af:12:03:e7:9d
(0)	10:c7:af:2b:4f:92:c7:a7:97:59:62:e0:71:77:36:3a

172.31.1.84 (drupal7.labvulnerabilities_vulnnet, -)

Potential Vulnerabilities (42)

5 Hypertext Preprocessor (PHP) Multiple Vulnerabilities (Unauthenticated) port 80/tcp	QID: Category: Associated CVEs: Vendor Reference: Bugtraq ID: Service Modified: User Modified: Edited: PCI Vuln: 38978 General remote services CVE-2024-11235, CVE-2025-1219, CVE-2025-1736, CVE-2025-1861, CVE-2025-1734, CVE-2025-1217 PHP 8.1.32, PHP 8.2.28, PHP 8.3.19, PHP 8.4.5 - 01/06/2026 - No Yes
---	--

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected Versions:

PHP versions from 8.1.0 prior to 8.1.32

PHP versions from 8.2.0 prior to 8.2.28

PHP versions from 8.3.0 prior to 8.3.19

PHP versions from 8.4.0 prior to 8.4.5

IMPACT:

Successful exploitation of this vulnerability can lead to the creation of malformed and allowing attackers to inject malicious code.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP Downloads (<https://www.php.net/downloads>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 8.4.5 (<https://www.php.net/ChangeLog-8.php#8.4.5>)

PHP 8.3.19 (<https://www.php.net/ChangeLog-8.php#8.3.19>)

PHP 8.2.28 (<https://www.php.net/ChangeLog-8.php#8.2.28>)

PHP 8.1.32 (<https://www.php.net/ChangeLog-8.php#8.1.32>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

	nist-nvd2
Reference:	CVE-2025-1219
Description:	In PHP from 8.1.* before 8.1.32, from 8.2.* before 8.2.28, from 8.3.* before 8.3.19, from 8.4.* before 8.4.5, when requesting a HTTP resource using the DOM or SimpleXML extensions, the wrong content-type header is used to determine the charset when the requested resource performs a redirect. This may cause the resulting document to be parsed incorrectly or bypass validations.
Link:	https://github.com/php/php-src/security/advisories/GHSA-p3x9-6h7p-cgfc
Reference:	CVE-2024-11235

Description: In PHP versions 8.3.* before 8.3.19 and 8.4.* before 8.4.5, a code sequence involving `__set` handler or `??=` operator and exceptions can lead to a use-after-free vulnerability. If the third party can control the memory layout leading to this, for example by supplying specially crafted inputs to the script, it could lead to remote code execution.

Link: <https://github.com/php/php-src/security/advisories/GHSA-rwp7-7vc6-8477>

Reference: CVE-2025-1217

Description: In PHP from 8.1.* before 8.1.32, from 8.2.* before 8.2.28, from 8.3.* before 8.3.19, from 8.4.* before 8.4.5, when http request module parses HTTP response obtained from a server, folded headers are parsed incorrectly, which may lead to misinterpreting the response and using incorrect headers, MIME types, etc.

Link: <https://github.com/php/php-src/security/advisories/GHSA-v8xr-gpvj-cx9g>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: <http://install.php>
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4	Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (Unauthenticated)	port 80/tcp
QID:	38991	
Category:	General remote services	
Associated CVEs:	CVE-2025-1735 , CVE-2025-6491 , CVE-2025-1220	
Vendor Reference:	PHP 8.1.33 , PHP 8.2.29 , PHP 8.3.23 , PHP 8.4.10	
Bugtraq ID:	-	
Service Modified:	07/23/2025	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected PHP versions
from 8.4.0 before 8.4.10
from 8.3.0 before 8.3.23
from 8.2.0 before 8.2.29
from 8.1.0 before 8.1.33

IMPACT:

Successful exploitation of this vulnerability could lead to a security breach or affect integrity, availability and confidentiality.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP on Downloads page (<https://www.php.net/downloads>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP 8.1.33 (<https://www.php.net/ChangeLog-8.php#8.1.33>)

PHP 8.2.29 (<https://www.php.net/ChangeLog-8.php#8.2.29>)

PHP 8.3.23 (<https://www.php.net/ChangeLog-8.php#8.3.23>)

PHP 8.4.10 (<https://www.php.net/ChangeLog-8.php#8.4.10>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nist-nvd2

Reference: CVE-2025-6491

Description: In PHP versions:8.1.* before 8.1.33, 8.2.* before 8.2.29, 8.3.* before 8.3.23, 8.4.* before 8.4.10 when parsing XML data in SOAP extensions, overly large (>2Gb) XML namespace prefix may lead to null pointer dereference. This may lead to crashes and affect the availability of the target server.

Link: <https://github.com/php/php-src/security/advisories/GHSA-453j-q27h-5p8x>

Reference: CVE-2025-1220

Description: In PHP versions:8.1.* before 8.1.33, 8.2.* before 8.2.29, 8.3.* before 8.3.23, 8.4.* before 8.4.10 some functions like fsockopen() lack validation that the hostname supplied does not contain null characters. This may lead to other functions like parse_url() treat the hostname in different way, thus opening way to security problems if the user code implements access checks before access using such functions.

Link: <https://github.com/php/php-src/security/advisories/GHSA-3cr5-j632-f35r>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: http://install.php

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252)

port 80/tcp

QID: 732750

Category: CGI

Associated CVEs: [CVE-2024-47252](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -

Service Modified: 04/23/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID:	734128
Category:	CGI
Associated CVEs:	CVE-2026-29169
Vendor Reference:	Apache_HTTP_Server_2.4.67
Bugtraq ID:	-
Service Modified:	05/22/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734130
Category: CGI
Associated CVEs: [CVE-2026-34059](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3 TCP Sequence Number Approximation Based Denial of Service

QID: 82054
Category: TCP/IP
Associated CVEs: [CVE-2004-0230](#)
Vendor Reference: -
Bugtraq ID: 10183
Service Modified: 03/27/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14

(ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>

exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (1)
Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230
Description: Multiple Vendor - TCP Sequence Number Approximation (2)
Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230
Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)
Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230
Description: Microsoft Windows XP/2000 - TCP Connection Reset
Link: <https://www.exploit-db.com/exploits/276>



nvd

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>



seebug

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)
Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)
Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230
Description: Kreset.pl
Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
Description: bgp-dosv2.pl
Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
Description: reset-tcp_rfc31337-compliant.c
Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
Description: reset-tcp.c
Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
Description: `reset.zip`
Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
Description: `tcp_reset.c`
Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230
Description: `disconn.py`
Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
Description: `autoRST.c`
Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.



3 jQuery Versions Greater than or Equal to 1.2 and Before 3.5.0 Cross-Site Scripting Vulnerability

port 80/tcp

QID: 13770
Category: CGI
Associated CVEs: [CVE-2020-11022](#)
Vendor Reference: [jQuery](#)
Bugtraq ID: -
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

jQuery is prone to a cross-site-scripting vulnerability because it fails to sufficiently sanitize user-supplied input.

Affected Versions:
jQuery versions greater than or equal to 1.2 and before 3.5.0.

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Vendor has advised to Upgrade jquery to version 3.5.0

Patch:
Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting (XSS) - The Exploit-DB Ref : 49766

Link: <http://www.exploit-db.com/exploits/49766>



exploitdb

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting (XSS)

Link: <https://www.exploit-db.com/exploits/49766>



nvd

Reference: CVE-2020-11022

Description: In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Link: <http://packetstormsecurity.com/files/162159/jQuery-1.2-Cross-Site-Scripting.html>



packetstorm

Reference: CVE-2020-11022

Description: jQuery 1.2 Cross Site Scripting

Link: <https://packetstormsecurity.com/files/162159/jQuery-1.2-Cross-Site-Scripting.html>



Oday.today

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting Vulnerability

Link: <https://Oday.today/exploit/36102>

Reference: CVE-2020-11022

Description: jQuery 1.2 - Cross-Site Scripting Vulnerability

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/36102.txt>



github-exploits

Reference: CVE-2020-11022

Description: 0xAJ2K/CVE-2020-11022-CVE-2020-11023 exploit repository

Link: <https://github.com/0xAJ2K/CVE-2020-11022-CVE-2020-11023>

Reference: CVE-2020-11022

Description: ossf-cve-benchmark/CVE-2020-11022 exploit repository

Link: <https://github.com/ossf-cve-benchmark/CVE-2020-11022>



nist-nvd2

Reference: CVE-2020-11022

Description: In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

Link: <http://packetstormsecurity.com/files/162159/jQuery-1.2-Cross-Site-Scripting.html>



vulncheck-threat-actors

Reference: CVE-2020-11022

Description: Comment Panda

Link: <https://www.tenable.com/blog/daisy-chaining-how-vulnerabilities-can-be-greater-than-the-sum-of-their-parts>

Reference: CVE-2020-11022

Description: Emissary Panda

Link:

<https://www.securin.io/wp-content/uploads/2023/08/2023-State-of-Cybersecurity-for-Medical-Devices-and-Healthcare-Systems.pdf>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

jQuery Version Prior to 3.5.0 Detected.jquery.js?v=1.4.4"><



3 jQuery Cross-Site Scripting Vulnerability

port 80/tcp

QID: 13772
Category: CGI
Associated CVEs: [CVE-2020-11023](#)
Vendor Reference: [jQuery](#)
Bugtraq ID: -
Service Modified: 02/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

jQuery is prone to a cross-site-scripting vulnerability because it fails to sufficiently sanitize user-supplied input.

Affected Versions:
jQuery versions greater than or equal to 1.0.3 and before 3.5.0.

IMPACT:

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site.

SOLUTION:

Vendor has advised to Upgrade jquery to version 3.5.0

Patch:
Following are links for downloading patches to fix the vulnerabilities:

jQuery (<https://jquery.com/download/>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2020-11023
Description: jQuery 1.0.3 - Cross-Site Scripting (XSS) - The Exploit-DB Ref : 49767
Link: <http://www.exploit-db.com/exploits/49767>



exploitdb

Reference: CVE-2020-11023
Description: jQuery 1.0.3 - Cross-Site Scripting (XSS)
Link: <https://www.exploit-db.com/exploits/49767>



nvd

Reference: CVE-2020-11023
Description: In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.
Link: <http://packetstormsecurity.com/files/162160/jquery-1.0.3-Cross-Site-Scripting.html>



packetstorm

Reference: CVE-2020-11023
Description: jQuery 1.0.3 Cross Site Scripting
Link: <https://packetstormsecurity.com/files/162160/jquery-1.0.3-Cross-Site-Scripting.html>



Oday.today

Reference: CVE-2020-11023
Description: jQuery 1.0.3 - Cross-Site Scripting Vulnerability
Link: <https://0day.today/exploit/36103>

Reference: CVE-2020-11023
Description: jQuery 1.0.3 - Cross-Site Scripting Vulnerability
Link: <https://raw.githubusercontent.com/vulncheck-oss/0day.today.archive/main/web-applications/36103.txt>

 cisa-key
Reference: CVE-2020-11023
Description: JQuery Cross-Site Scripting (XSS) Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

 nist-nvd2
Reference: CVE-2020-11023
Description: In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.
Link: <http://packetstormsecurity.com/files/162160/jquery-1.0.3-Cross-Site-Scripting.html>

 vulncheck-threat-actors
Reference: CVE-2020-11023
Description: Comment Panda
Link: <https://www.tenable.com/blog/daisy-chaining-how-vulnerabilities-can-be-greater-than-the-sum-of-their-parts>

Reference: CVE-2020-11023
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2020-11023
Description: Emissary Panda
Link: <https://www.securin.io/wp-content/uploads/2023/08/2023-State-of-Cybersecurity-for-Medical-Devices-and-Healthcare-Systems.pdf>

Reference: CVE-2020-11023
Description: Unattributed
Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

jQuery Version Prior to 3.5.0 Detected.jquery.js?v=1.4.4"><

3 Apache Partial HTTP Request Denial of Service Vulnerability - Zero Day

port 80/tcp

QID: 86847
Category: Web server
Associated CVEs: [CVE-2007-6750](#)
Vendor Reference: -
Bugtraq ID: 21865
Service Modified: 07/10/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server, commonly referred to as Apache is a freely available Web server.

Apache is vulnerable to a denial of service due to holding a connection open for partial HTTP requests.

Apache Versions 1.x and 2.x are vulnerable.

IMPACT:

A remote attacker can cause a denial of service against the Web server which would prevent legitimate users from accessing the site.

Denial of service tools and scripts such as Slowloris takes advantage of this vulnerability.

SOLUTION:

Patch -

There are no vendor-supplied patches available at this time.

Workaround:- Server-specific recommendations can be found here

(<https://community.qualys.com/blogs/securitylabs/2011/11/02/how-to-protect-against-slow-http-attacks>).

- Countermeasures for Apache are described here (http://httpd.apache.org/docs/trunk/misc/security_tips.html#dos).

- Reverse proxies, load balancers and iptables can help to prevent this attack from occurring.

- Adjusting the Timeout Directive (<http://httpd.apache.org/docs/2.2/mod/core.html#timeout>) can also prevent this attack from occurring.

- A new module mod_reqtimeout (http://httpd.apache.org/docs/2.2/mod/mod_reqtimeout.html) has been introduced since Apache 2.2.15 to provide tools for mitigation against these forms of attack.

Also refer to Cert Blog (http://www.cert.org/blogs/certcc/2009/07/slowloris_vs_your_webserver.html) and Slowloris and Mitigations for Apache document (<http://bedagaintstthewall.blogspot.com/2011/01/slowloris-and-mitigations-for-apache.html>) for further information.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/dos/http/slowloris

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/auxiliary/scanner/http/influxdb_enum

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack - Metasploit Ref : /modules/exploit/linux/http/zenoss_showdaemonxmlconfig_exec

Link: <https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/dos/http/slowloris.py>

metasploit

Reference: CVE-2007-6750

Description: Slowloris Denial of Service Attack

Link:

<https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/dos/http/slowloris.py>

github-exploits

Reference: CVE-2007-6750

Description: Jeanpseven/slowloris exploit repository

Link: <https://github.com/Jeanpseven/slowloris>

Reference: CVE-2007-6750

Description: sarjanpatel22/siem-threat-detection-lab exploit repository

Link: <https://github.com/sarjanpatel22/siem-threat-detection-lab>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 86847 detected on port 80 over TCP - Apache 2.2.11



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812)

port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities

port 80/tcp

QID: 732751
Category: CGI
Associated CVEs: [CVE-2025-53020](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 05/29/2026
User Modified: -

Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase
Affected Versions:
Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
 exploitdb
Reference: CVE-2025-53020
Description: Apache 2.4.17 - Denial of Service
Link: <https://www.exploit-db.com/exploits/39037>

 github-exploits
Reference: CVE-2025-53020
Description: galbarnahum/CVE-2025-53020-PoC exploit repository
Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -

Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.
ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-23048) port 80/tcp

QID: 732753
Category: CGI
Associated CVEs: [CVE-2025-23048](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-23048: Apache HTTP Server: mod_ssl access control bypass with session resumption

Affected Versions:

Apache httpd 2.4.35 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2025-23048

Description: absholi7ly/CVE-2025-23048-POC exploit repository

Link: <https://github.com/absholi7ly/CVE-2025-23048-POC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756

Category: CGI

Associated CVEs: [CVE-2024-42516](#)

Vendor Reference: [Apache_HTTP_Server_2.4.64](#)

Bugtraq ID: -

Service Modified: 04/23/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-42516: Apache HTTP Server: HTTP response splitting

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733481	
Category:	CGI	
Associated CVEs:	CVE-2025-59775	
Vendor Reference:	Apache_HTTP_Server_2.4.66	
Bugtraq ID:	-	
Service Modified:	12/11/2025	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID:	733483
Category:	CGI
Associated CVEs:	CVE-2025-66200
Vendor Reference:	Apache_HTTP_Server_2.4.66
Bugtraq ID:	-
Service Modified:	03/02/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2025-58098
Description: dhmosfunk/CVE-2025-58098 exploit repository
Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125
Category: CGI
Associated CVEs: [CVE-2026-33006](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache

Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734129
Category: CGI
Associated CVEs: [CVE-2026-24072](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID: 734380
Category: CGI
Associated CVEs: [CVE-2026-44186](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: <http://install.php>
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975)

port 80/tcp

QID: 734381
Category: CGI
Associated CVEs: [CVE-2026-49975](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 07/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2026-49975

Description: minc-nice-100/http2-bomb-analysis-paper exploit repository

Link: <https://github.com/minc-nice-100/http2-bomb-analysis-paper>

Reference: CVE-2026-49975

Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository

Link: <https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb->

Reference: CVE-2026-49975

Description: Manisso/http2-bomb exploit repository

Link: <https://github.com/Manisso/http2-bomb>

Reference: CVE-2026-49975

Description: 0xc03307b/CVE-2026-49975 exploit repository

Link: <https://github.com/0xc03307b/CVE-2026-49975>

Reference: CVE-2026-49975

Description: razureink/cve-2026-49975-http2bomb_reproduction exploit repository

Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975

Description: obrige/http2-bomb exploit repository

Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975

Description: LiaoZiqi-GZFLS/CVE-2026-49975 exploit repository

Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975

Description: mrx-arafat/CVE-2026-49975-POC exploit repository

Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

 coreimpact

Reference: CVE-2026-49975

Description: HTTP2 Bomb DoS

Link: <https://www.coresecurity.com/core-labs/exploits>

 blogs

Reference: CVE-2026-49975
Description: Codex Discovered a Hidden HTTP/2 Bomb
Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>



nist-nvd2

Reference: CVE-2026-49975
Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.

Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: http://install.php

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID: 734383
Category: CGI
Associated CVEs: [CVE-2026-43951](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535) port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-42535: mod_dav_fs protected directory access
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204)

port 80/tcp

QID: 732754
Category: CGI
Associated CVEs: [CVE-2024-43204](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:

Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: http://install.php

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



QID: 732755
Category: CGI
Associated CVEs: [CVE-2025-49630](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49630: Apache HTTP Server: mod_proxy_http2 denial of service
Affected Versions:
Apache httpd 2.4.26 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: <http://install.php>
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



QID: 733482
Category: CGI
Associated CVEs: [CVE-2025-65082](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -

Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-65082: Apache HTTP Server: CGI environment variable override
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.
ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID: 733484		
Category: CGI		
Associated CVEs: CVE-2025-55753		
Vendor Reference: Apache_HTTP_Server_2.4.66		
Bugtraq ID: -		
Service Modified: 12/11/2025		
User Modified: -		
Edited: No		
PCI Vuln: Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-55753: Apache HTTP Server: mod_md (ACME), unintended retry intervals
Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.
ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: <http://install.php>
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:	734123	
Category:	CGI	
Associated CVEs:	CVE-2026-34032	
Vendor Reference:	Apache_HTTP_Server_2.4.67	
Bugtraq ID:	-	
Service Modified:	05/22/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities	port 80/tcp
QID:	734124	
Category:	CGI	
Associated CVEs:	CVE-2026-33007	
Vendor Reference:	Apache_HTTP_Server_2.4.67	
Bugtraq ID:	-	
Service Modified:	05/22/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-33007: Apache HTTP Server: mod_auth_socache crash
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: <http://install.php>
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734131
Category: CGI
Associated CVEs: [CVE-2026-33523](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache

Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734138
Category: CGI
Associated CVEs: [CVE-2026-28780](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 07/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734139
Category: CGI

Associated CVEs: [CVE-2026-29168](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/07/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-29168: Apache HTTP Server: mod_md unrestricted OCSP response
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID: 734377

Category: CGI

Associated CVEs: [CVE-2026-29167](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)

Bugtraq ID: -

Service Modified: 06/16/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-29167: mod_lldap per-dir use-after-free
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

2

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536) port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-42536: mod_xml2enc heap overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http:///install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185) port 80/tcp

QID:	734379
Category:	CGI
Associated CVEs:	CVE-2026-44185
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OSCP `send\_request`

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:26:24 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: <http://install.php>

Cache-Control: no-cache

Content-Length: 0

Connection: close

Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-48913)

port 80/tcp

QID: 734384

Category: CGI

Associated CVEs: [CVE-2026-48913](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)

Bugtraq ID: -

Service Modified: 06/16/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-48913: mod_http2 memory corruption when file handles exhausted

Affected Versions:

Apache httpd 2.4.55 before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34356)

port 80/tcp

QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387
Category: CGI
Associated CVEs: [CVE-2026-44631](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31

Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8

Information Gathered (22)

3 Content-Security-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48001
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Content-Security-Policy](#)
Bugtraq ID: -
Service Modified: 03/11/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 80.
GET / HTTP/1.1
Host: drupal7.labvulnerabilities_vulnnet
Connection: Keep-Alive

2 PHP Server Detected

QID: 45110
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/22/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



2 PHP Server Detected

port 80/tcp

QID: 45110
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/22/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

X-Powered-By: PHP/8.1.31



2 Web Applications and Plugins Detected

port 80/tcp

QID:	45114
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/24/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The result section of this QID lists web applications and plugins that were detected on the target using web application fingerprinting. This technique compares static files at known locations against precomputed hashes for versions of those files in all available releases. The technique is fast, low-bandwidth, non-invasive, generic, and highly automatable.

Following open source and free applications are currently supported:

Joomla!
MediaWiki
WordPress
phpBB
MovableType
Drupal
osCommerce
PHP-Nuke
Moodle
Liferay
Tikiwiki
Twiki
phpmyadmin
SPIP
Confluence(free versions)
Wikka
Wacko
Usemod
e107
Flyspray
AppRain
V-CMS
Ajaxplorer/Pydio
eFront Learning Management System
vTigerCRM (Open source versions)
MyBB
WebCalendar
PivotX WebLog
DokuWiki
MODX Revolution
MODX Evolution
Collabtive
Achievo
Magento 1.x CE
iCE Hrm (Opensource Version)
AdaptCMS
ownCloud
HumHub
Redaxscript
phpwcms
Wolf CMS
Pligg CMS
Zen Cart
Xoops
TYPO3
Microweber

This QID is based on the Blind Elephant project (<http://blindelephant.sourceforge.net/>). For a complete list of supported web applications and plugins, please check the following link: DOC-5480 (<https://community.qualys.com/docs/DOC-5480>).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Drupal	7.103	in directory: /	Source: /CHANGELOG.txt
--------	-------	-----------------	------------------------



2 Web Server HTTP Protocol Versions

port 80/tcp

QID:	45266
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/02/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1



1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.84	drupal7.labvulnerabilities_vulnnet

1 Drupal Default Installation Wizards Detected

QID: 13456
Category: CGI
Associated CVEs: -
Vendor Reference: [Drupal](#)
Bugtraq ID: -
Service Modified: 08/20/2019
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Drupal is a free and open source content management framework written in PHP and distributed under the GNU General Public License.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Drupal installation wizard detected on port: 80
GET /install.php HTTP/1.1
Host: drupal7.labvulnerabilities_vulnnet
Connection: Keep-Alive

1 Host Scan Time - Scanner

QID:	45038
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/15/2022
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1191 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:43:37 GMT

1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
drupal7.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID: 45391
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/12/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Sun, 26 Jul 2026 03:26:24 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://install.php
Cache-Control: no-cache
Content-Length: 0
Connection: close
Content-Type: text/html; charset=UTF-8



1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	3:42:56

 1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

 1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)

Timestamp Request (to trigger Timestamp Reply)

Address Mask Request (to trigger Address Mask Reply)

UDP Packet (to trigger Port Unreachable Reply)

IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 4156	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 520	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7301	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1042	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:49 GMT
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 80	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 111	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of

difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1049417752 with a standard deviation of 609480095. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5064 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

port 80/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

```
GET / HTTP/1.1
Host: drupal7.labvulnerabilities_vulnnet
Connection: Keep-Alive
```

```
HTTP/1.1 302 Found
Date: Sun, 26 Jul 2026 03:26:51 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://drupal7.labvulnerabilities_vulnnet/install.php
Cache-Control: no-cache
Content-Length: 0
Keep-Alive: timeout=5, max=99
Connection: Keep-Alive
Content-Type: text/html; charset=UTF-8
```

 1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID:	13910
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/05/2020
User Modified:	-

Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: drupal7.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en" dir="ltr">
  <head>
    <title>Select an installation profile | Drupal</title>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="Generator" content="Drupal 7 (http://drupal.org)" />
    <meta name="robots" content="noindex, nofollow" />
    <link rel="shortcut icon" href="http://drupal7.labvulnerabilities_vulnnet/misc/favicon.ico" type="image/vnd.microsoft.icon" />
    <style type="text/css" media="all">
      @import url("http://drupal7.labvulnerabilities_vulnnet/modules/system/system.base.css?0");
      @import url("http://drupal7.labvulnerabilities_vulnnet/modules/system/system.admin.css?0");
      @import url("http://drupal7.labvulnerabilities_vulnnet/modules/system/system.menus.css?0");
      @import url("http://drupal7.labvulnerabilities_vulnnet/modules/system/system.messages.css?0");
      @import url("http://drupal7.labvulnerabilities_vulnnet/modules/system/system.theme.css?0");
      @import url("http://drupal7.labvulnerabilities_vulnnet/modules/system/system.maintenance.css?0");
    </style>
    <style type="text/css" media="screen">
      @import url("http://drupal7.labvulnerabilities_vulnnet/themes/seven/reset.css?0");
      @import url("http://drupal7.labvulnerabilities_vulnnet/themes/seven/style.css?0");
    </style>
    <!--[if lte IE 8]>
    <link type="text/css" rel="stylesheet" href="http://drupal7.labvulnerabilities_vulnnet/themes/seven/ie.css?0" media="all" />
    <![endif]>

    <!--[if lte IE 7]>
    <link type="text/css" rel="stylesheet" href="http://drupal7.labvulnerabilities_vulnnet/themes/seven/ie7.css?0" media="all" />
    <![endif]>

    <!--[if lte IE 6]>
    <link type="text/css" rel="stylesheet" href="http://drupal7.labvulnerabilities_vulnnet/themes/seven/ie6.css?0" media="all" />
    <![endif]>
    <script type="text/javascript" src="http://drupal7.labvulnerabilities_vulnnet/misc/jquery.js?v=1.4.4"></script>
    <script type="text/javascript" src="http://drupal7.labvulnerabilities_vulnnet/misc/jquery-extend-3.4.0.js?v=1.4.4"></script>
    <script type="text/javascript" src="http://drupal7.labvulnerabilities_vulnnet/misc/jquery-html-prefilter-3.5.0-backport.js?v=1.4.4"></script>
    <script type="text/javascript" src="http://drupal7.labvulnerabilities_vulnnet/misc/jquery.once.js?v=1.2"></script>
    <script type="text/javascript" src="http://drupal7.labvulnerabilities_vulnnet/misc/drupal.js?0"></script>
```



```

<script type="text/javascript" src="http://drupal7.labvulnerabilities_vulnnet/misc/form-single-submit.js?v=7.103"></script>
<script type="text/javascript">
<!--/--><![CDATA[//><!--
jQuery.extend(Drupal.settings,
{"basePath":"V","pathPrefix":"","setHasJsCookie":0,"urlIsAjaxTrusted":{"Vinstall.php":true},"ajaxPageState":{"css":{"modules/system/system.base.
css":1,"modules/system/system.admin.css":1,"modules/system/system.menus.css":1,"modules/system/system.messages.css":1,"modules/system/system
.theme.css":1,"modules/system/system.maintenance.css":1,"themes/seven/reset.css":1,"themes/seven/style.css":1,"themes/seven/vie.css":1,"theme
s/seven/vie7.css":1,"themes/seven/vie6.css":1},"js":{"misc/jquery.js":1,"misc/jquery-extend-3.4.0.js":1,"misc/jquery-html-prefilter-3.5.0-backp
ort.js":1,"misc/jquery.once.js":1,"misc/drupal.js":1,"misc/form-single-submit.js":1}}});
//--><![]]>
</script>
</head>
<body class="maintenance-page in-maintenance db-offline one-sidebar sidebar-first">

<div id="branding">
  <h1 class="page-title">Select an installation profile</h1> </div>

<div id="page">

  <div id="sidebar-first" class="sidebar">
    
    <h2 class="element-invisible">Installation tasks</h2><ol class="task-list"><li class="active">Choose profile<span
class="element-invisible">(active)</span></li><li>Choose language</li><li>Verify requirements</li><li>Set up database</li><li>Install
profile</li><li>Configure site</li><li>Finished</li></ol> </div>

    <div id="content" class="clearfix">
      <form action="/install.php" method="post" id="install-select-profile-form" accept-charset="UTF-8"><div><div class="form-item
form-type-radio form-item-profile">
        <input type="radio" id="edit-profile--2" name="profile" value="standard" checked="checked" class="form-radio" /> <label class="option"
for="edit-profile--2">Standard </label>

      <div class="description">Install with commonly used features pre-configured.</div>
    </div>
    <div class="form-item form-type-radio form-item-profile">
      <input type="radio" id="edit-profile--3" name="profile" value="minimal" class="form-radio" /> <label class="option" for="edit-profile--3">Minimal
    </label>

    <div class="description">Start with only a few modules enabled.</div>
  </div>
  <input type="hidden" name="form_build_id" value="form--EIXYcltGs1bhKu-392SXu7_Y8dZAM822B-QTvEJRko" />
  <input type="hidden" name="form_id" value="install_select_profile_form" />
  <div class="form-actions form-wrapper" id="edit-actions"><input type="submit" id="edit-submit" name="op" value="Save and continue"
class="form-submit" /></div></div></form> </div>

</div>

</body>
</html>

```



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 07/20/2020
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1

Host: drupal7.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 302 Found

Date: Sun, 26 Jul 2026 03:26:51 GMT

Server: Apache/2.4.62 (Debian)

X-Powered-By: PHP/8.1.31

Location: http://drupal7.labvulnerabilities_vulnnet/install.php

Cache-Control: no-cache

Content-Length: 0

Keep-Alive: timeout=5, max=99

Connection: Keep-Alive

Content-Type: text/html; charset=UTF-8



1 Referrer-Policy HTTP Security Header Not Detected

port 80/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can

lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 80 port.

GET / HTTP/1.1

Host: drupal7.labvulnerabilities_vulnnet

Connection: Keep-Alive



1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Server Version

Server Banner

 1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.31.1.84:80

GET /Q_Evasive/ HTTP/1.1
Host:172.31.1.84:80

HTTP/1.1 302 Found
Date: Sun, 26 Jul 2026 03:30:57 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://172.31.1.84:80/install.php
Cache-Control: no-cache
Content-Length: 0
Content-Type: text/html; charset=UTF-8

HTTP/1.1 302 Found
Date: Sun, 26 Jul 2026 03:30:57 GMT
Server: Apache/2.4.62 (Debian)
X-Powered-By: PHP/8.1.31
Location: http://172.31.1.84:80/install.php

Cache-Control: no-cache
Content-Length: 0
Content-Type: text/html; charset=UTF-8

1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/.git	brute force
/git/.git	brute force
/repository/.git	brute force
/dev/.git	brute force
/scripts/	brute force
/database/.git	brute force
/application/.git	brute force
/sites/	brute force
/new/.git	brute force
/repos/.git	brute force
/app/.git	brute force
/__MACOSX/.git	brute force
/build/.git	brute force
/aomanalyzer/.git	brute force
/old-cuburn/.git	brute force
/flock/.git	brute force
/amphhtml/.git	brute force
/modules/	brute force
/icons/	brute force
/aws/	brute force
/ada/	brute force
/ssh/	brute force
/midway/	brute force
/themes/	web page
/themes/seven/	web page

172.31.1.92 (owncloud9.labvulnerabilities_vulnnet, -)

Vulnerabilities (1)



3 Web Server Uses Plain-Text Form Based Authentication

port 80/tcp

QID: 86728
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/25/2020
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Web server uses plain-text form based authentication. A web page exists on the target host which uses an HTML login form. This data is sent from the client to the server in plain-text.

IMPACT:

An attacker with access to the network traffic to and from the target host may be able to obtain login credentials for other users by sniffing the network traffic.

SOLUTION:

Please contact the vendor of the hardware/software for a possible fix for the issue. For custom applications, ensure that data sent via HTML login forms is encrypted before being sent from the client to the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.0

```
<form action="index.php" method="post">
<input type="hidden" name="install" value="true">
  <fieldset id="adminaccount">
    <legend>Create an <strong>admin account</strong></legend>
    <p class="grouptop">
      <input type="text" name="adminlogin" id="adminlogin"
        placeholder="Username"
        value=""
        autocomplete="off" autocapitalize="off" autocorrect="off" autofocus required>
      <label for="adminlogin" class="infield">Username</label>
    </p>
    <p class="groupbottom">
      <input type="password" name="adminpass" data-tyetoggle="#show" id="adminpass"
        placeholder="Password"
        value=""
        autocomplete="off" autocapitalize="off" autocorrect="off" required>
    </p>
  </fieldset>
</form>
```

```

<label for="adminpass" class="infield">Password</label>
<input type="checkbox" id="show" name="show">
<label for="show" class="svg"></label>
<div class="strengthenify-wrapper"></div>
</p>
</fieldset>

<fieldset id="advancedHeader">
<legend><a id="showAdvanced">Storage & database </a></legend>
</fieldset>

<fieldset id="datadirField">
<div id="datadirContent">
<label for="directory">Data folder</label>
<input type="text" name="directory" id="directory"
placeholder="/var/www/html/data"
value="/var/www/html/data"
autocomplete="off" autocapitalize="off" autocorrect="off">
</div>
</fieldset>

<fieldset id="databaseBackend">
<legend>Configure the database</legend>
<div id="selectDbType">
<input type="radio" name="dbtype" value="sqlite" id="sqlite"
/>
<label class="sqlite" for="sqlite">SQLite</label>
<input type="radio" name="dbtype" value="mysql" id="mysql"
/>
<label class="mysql" for="mysql">MySQL/MariaDB</label>
<input type="radio" name="dbtype" value="pgsql" id="pgsql"
/>
<label class="pgsql" for="pgsql">PostgreSQL</label>
</div>
</fieldset>

<fieldset id="databaseField">
<div id="use_other_db">
<p class="grouptop">
<label for="dbuser" class="infield">Database user</label>
<input type="text" value="http://Qualys.null/ HTTP/1.0"

```

OPTIONS / HTTP/1.0

GET http://172.31.1.92:1/ HTTP/1.0

GET /index.php HTTP/1.0

GET /index.php?Products&oscommerce-tshirt HTTP/1.1

Connection: Keep-Alive

Host: 172.31.1.92

Cookie: cookie_test=please_accept_for_session; language=en_US

GET / HTTP/1.1

Host: 172.31.1.92:80

User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:22.0) Gecko/20100101 Firefox/22.0

Accept: text/html, application/xhtml+xml, */*

Accept-Language: en-US,en;q=0.5

Connection: keep-alive

POST /index.php/login HTTP/1.1

Host: 172.31.1.92:80

User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:45.0) Gecko/20100101 Firefox/45.0

Referer: http://172.31.1.92:80/

Accept: text/html, application/xhtml+xml, */*

Accept-Language: en-US,en;q=0.5

Cookie: ocmc1d72h1d5=909a6f95dce613c8a13c21d0ff0a10f0;

Connection: keep-alive

Content-Type: application/x-www-form-urlencoded

Content-Length: 50

username=admin&password=pointofsale&loginButton=GoGET /index.php/home HTTP/1.1

Host: 172.31.1.92:80

User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:22.0) Gecko/20100101 Firefox/22.0

Accept: text/html, application/xhtml+xml, */*

Accept-Language: en-US,en;q=0.5

Cookie:

oc_sessionPassphrase=%2BFxpKbzQ%2FGzhpvPJMQb7oR0jMWH6saYb%2BCZijuc02m6UwbWUKrDHneZKitLRoTArvcTK4yoeu6KrEW1NHbiy5kYHTV3%2FOHb0Jhe9Qkv3Cc54k9Of5O

%2BwJLKD9eYT1xXtg;
Connection: keep-alive

GET // HTTP/1.1
Connection: Keep-Alive
Host: 172.31.1.92

Potential Vulnerabilities (59)

5 EOL/Obsolete Software: Hypertext Preprocessor (PHP) 7.0.x Detected

QID: 105903
Category: Security Policy
Associated CVEs: -
Vendor Reference: [PHP End of Life](#)
Bugtraq ID: -
Service Modified: 09/06/2023
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is suited for web development and can be embedded in HTML.

PHP 7.0 series reached End of Life in its support cycle on 10 Jan 2019.

Since there are no further bug fixes or security updates for PHP 7.0 series, it's highly recommended to migrate from version 5.6 to newer supported versions.

Affected Versions:
PHP 7.0.x versions

IMPACT:

The system is at high risk of being exposed to security vulnerabilities. Since the vendor no longer provides updates, obsolete software is more vulnerable to viruses and other attacks.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 105903 detected on port 80 over TCP -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

5 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81738, 81739)

port 80/tcp

QID: 38880
Category: General remote services
Associated CVEs: [CVE-2022-31630](#), [CVE-2022-37454](#)
Vendor Reference: [81738](#), [81739](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

CVE-2022-31630: In installed version of PHP, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

CVE-2022-37454: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties.

Affected Versions:
PHP versions before 7.4.33
PHP versions 8.0.0 prior to 8.0.25
PHP versions 8.1.0 prior to 8.1.12

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to crash the PHP process or Denial of Service (DoS) or attackers to execute arbitrary code on the system.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)
For more information please refer to Sec Bug 81739 (<https://bugs.php.net/bug.php?id=81739>) .

Patch:
Following are links for downloading patches to fix the vulnerabilities:

81739 (<https://bugs.php.net/bug.php?id=81739>)

81738 (<http://bugs.php.net/81738>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.2.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

 nist-nvd2

Reference: CVE-2022-31630

Description: In PHP versions prior to 7.4.33, 8.0.25 and 8.1.12, when using imageloadfont() function in gd extension, it is possible to supply a specially crafted font file, such as if the loaded font is used with imagechar() function, the read outside allocated buffer will be used. This can lead to crashes or disclosure of confidential information.

Link: <https://bugs.php.net/bug.php?id=81739>

Reference: CVE-2022-37454

Description: The Keccak XKCP SHA-3 reference implementation before fdc6fef has an integer overflow and resultant buffer overflow that allows attackers to execute arbitrary code or eliminate expected cryptographic properties. This occurs in the sponge function interface.

Link: <https://mouha.be/sha-3-buffer-overflow/>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob:; font-src 'self' data:; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF

 5 Apache httpd Server Uninitialized memory reflection in mod_auth_digest Information Disclosure Vulnerability

port 80/tcp

QID: 87555

Category: Web server

Associated CVEs: [CVE-2017-9788](#)

Vendor Reference: [Apache HTTP Server Security Advisory](#)

Bugtraq ID: -

Service Modified: 09/23/2025

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

Uninitialized memory reflection in mod_auth_digest leading to leakage of potentially confidential information, and a segfault.

Affected Versions:

Apache httpd 2.2.x before 2.2.34

Apache httpd 2.4.x before 2.4.27

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to make the targeted server unavailable and cause denial of service.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.34, 2.4.27 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.2.34, 2.4.27 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 vulncheck-threat-actors

Reference: CVE-2017-9788

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNH04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob:; font-src 'self' data:; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF



5 Apache Hypertext Transfer Protocol Server (HTTP Server) mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism Vulnerability

port 80/tcp

QID: 730529

Category: CGI

Associated CVEs: [CVE-2022-31813](#)

Vendor Reference: [Apache HTTP Server](#)

Bugtraq ID: -

Service Modified: 06/25/2026

User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:
Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation allows information disclosure and possible remote code execution

SOLUTION:

Customers are advised to update latest Apache httpd
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2022-31813
Description: dodiorne/cve-2022-31813 exploit repository
Link: <https://github.com/dodiorne/cve-2022-31813>

Reference: CVE-2022-31813
Description: yiliufeng168/CVE-2022-31813 exploit repository
Link: <https://github.com/yiliufeng168/CVE-2022-31813>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhArc3JVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



5 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2022-28330, CVE-2022-28614, CVE-2022-28615, CVE-2022-29404, CVE-2022-30556)

port 80/tcp

QID: 731514
Category: CGI
Associated CVEs: [CVE-2022-28330](#), [CVE-2022-28614](#), [CVE-2022-28615](#), [CVE-2022-29404](#), [CVE-2022-30556](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-28330: Apache HTTP Server 2.4.53 and earlier on Windows may read beyond bounds when configured to process requests with the mod_isapi module.

CVE-2022-28614: The ap_rwrite() function in Apache HTTP Server 2.4.53 and earlier may read unintended memory if an attacker can cause the server to reflect very large input using ap_rwrite() or ap_rputs(), such as with mod_lua's r:puts() function.

CVE-2022-28615: Apache HTTP Server 2.4.53 and earlier may crash or disclose information due to a read beyond bounds in ap_strcmp_match() when provided with an extremely large input buffer.

CVE-2022-29404: In Apache HTTP Server 2.4.53 and earlier, a malicious request to a lua script that calls r:parsebody(0) may cause a denial of service due to no default limit on possible input size.

CVE-2022-30556: Apache HTTP Server 2.4.53 and earlier may return lengths to applications calling r:wsread() that point past the end of the storage allocated for the buffer.

Affected Versions:

Apache HTTP Server versions 2.4.53 and earlier

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

4 Apache httpd Server Information Disclosure Vulnerability (OptionsBleed)

QID: 87310
Category: Web server
Associated CVEs: [CVE-2017-9798](#)
Vendor Reference: [Apache httpd 2.4.28](#)
Bugtraq ID: 100872,105598
Service Modified: 03/12/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

On systems with the Limit directive set within a '.htaccess' file and set to an invalid HTTP method, a remote user can send a specially crafted HTTP OPTIONS request for a path to trigger a use-after-free memory error and view potentially sensitive information from process memory on the target system.

This vulnerability is referred to as "Optionsbleed".

Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27

IMPACT:

A remote user can obtain potentially sensitive information on the target system in certain cases.

SOLUTION:

The Apache HTTP Project released patch version (2.4.28) to resolve this issue.

Refer to Apache security advisory CVE-2017-9798. (https://httpd.apache.org/security/vulnerabilities_24.html)

If you are using a Linux distribution, please refer to your Linux vendor for further information and updates.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.28: Apache (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 Metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/auxiliary/scanner/http/apache_optionsbleed

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/imap/novell_netmail_auth

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/misc/doubletake

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/exploit/windows/scada/realwin_scpc_txtevent

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner - Metasploit Ref : /modules/encoder/x86/shikata_ga_nai

Link:

https://github.com/rapid7/metasploit-framework/blob/master//modules/auxiliary/scanner/http/apache_optionsbleed.rb



The Exploit-DB

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak - The Exploit-DB Ref : 42745

Link: <http://www.exploit-db.com/exploits/42745>



exploitdb

Reference: CVE-2017-9798

Description: Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak

Link: <https://www.exploit-db.com/exploits/42745>



nvd

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



seebug

Reference: CVE-2017-9798

Description: HTTP OPTIONS method can leak Apache's server memory(CVE-2017-9798)
(Optionsbleed)

Link: <https://www.seebug.org/vuldb/ssvid-96537>



packetstorm

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link: <https://packetstormsecurity.com/files/181038/Apache-Optionsbleed-Scanner.html>



metasploit

Reference: CVE-2017-9798

Description: Apache Optionsbleed Scanner

Link:

https://raw.githubusercontent.com/rapid7/metasploit-framework/master/modules/auxiliary/scanner/http/apache_optionsbleed.rb



Oday.today

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://oday.today/exploit/28573>

Reference: CVE-2017-9798

Description: Apache - HTTP OPTIONS Memory Leak Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/28573.txt>



github-exploits

Reference: CVE-2017-9798

Description: broken-sound77/OptionsBleed-POC-Scanner exploit repository

Link: <https://github.com/broken-sound77/OptionsBleed-POC-Scanner>

Reference: CVE-2017-9798

Description: l0n3rs/CVE-2017-9798 exploit repository

Link: <https://github.com/l0n3rs/CVE-2017-9798>

Reference: CVE-2017-9798

Description: nitrado/CVE-2017-9798 exploit repository

Link: <https://github.com/nitrado/CVE-2017-9798>



nist-nvd2

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link:

<https://blog.fuzzing-project.org/60-Optionsbleed-HTTP-OPTIONS-method-can-leak-Apaches-server-memory.html>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://blog.fuzzing-project.org/uploads/apache-2.2-optionsbleed-backport.patch>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://github.com/hannob/optionsbleed>

Reference: CVE-2017-9798

Description: Apache httpd allows remote attackers to read secret data from process memory if the Limit directive can be set in a user's .htaccess file, or if httpd.conf has certain misconfigurations, aka Optionsbleed. This affects the Apache HTTP Server through 2.2.34 and 2.4.x through 2.4.27. The attacker sends an unauthenticated OPTIONS HTTP request when attempting to read secret data. This is a use-after-free issue and thus secret data is not always sent, and the specific data depends on many factors incl

Link: <https://www.exploit-db.com/exploits/42745/>



vulncheck-threat-actors

Reference: CVE-2017-9798

Description: Unattributed

Link: https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html



vulncheck-ransomware

Reference: CVE-2017-9798

Description: Ryuk

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk

Type: Ransomware

Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable version of Apache http server detected on port: 80 over TCP .(OptionsBleed) -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF

4 Apache HTTP Server Privilege Escalation From Modules Scripts

QID: 87383

Category: Web server

Associated CVEs: [CVE-2019-0211](#), [CVE-2019-0217](#), [CVE-2019-0215](#), [CVE-2019-0197](#), [CVE-2019-0196](#), [CVE-2019-0220](#)

Vendor Reference: [Fixed in Apache httpd 2.4.39](#)

Bugtraq ID: 107666

Service Modified: 06/03/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Affected Versions:

2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.30, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17

IMPACT:

Successful exploitation allows a remote attacker to use this vulnerability to execute arbitrary code with the privileges of the parent process.

SOLUTION:

This vulnerability have been patched in Apache. Refer to Apache httpd 2.4.39 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html) or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache httpd 2.4.39 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - 'apache2ctl graceful' 'logrotate' Local Privilege Escalation - The Exploit-DB Ref : 46676

Link: <http://www.exploit-db.com/exploits/46676>



exploitdb

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - 'apache2ctl graceful' 'logrotate' Local Privilege Escalation

Link: <https://www.exploit-db.com/exploits/46676>



nvd

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <http://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.

Link: <https://www.exploit-db.com/exploits/46676/>



seebug

Reference: CVE-2019-0211

Description: CVE-2019-0211 Apache Root Privilege Escalation

Link: <https://www.seebug.org/vuldb/ssvid-97900>



packetstorm

Reference: CVE-2019-0211

Description: Apache 2.4.38 Root Privilege Escalation

Link: <https://packetstormsecurity.com/files/152386/Apache-2.4.38-Root-Privilege-Escalation.html>

Reference: CVE-2019-0211

Description: CARPE (DIEM) Apache 2.4.x Local Privilege Escalation

Link: <https://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>



Oday.today

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - apache2ctl graceful (logrotate) Local Privilege Escalation Exploit

Link: <https://oday.today/exploit/32502>

Reference: CVE-2019-0211

Description: Apache 2.4.17 < 2.4.38 - apache2ctl graceful (logrotate) Local Privilege Escalation Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/local-exploits/32502.txt>



github-exploits

Reference: CVE-2019-0211

Description: ozkanbilge/Apache-Exploit-2019 exploit repository
Link: <https://github.com/ozkanbilge/Apache-Exploit-2019>

Reference: CVE-2019-0217
Description: savsch/PoC_CVE-2019-0217 exploit repository
Link: https://github.com/savsch/PoC_CVE-2019-0217

Reference: CVE-2019-0211
Description: Jeanback1/CVE-2019-0211-exploit exploit repository
Link: <https://github.com/Jeanback1/CVE-2019-0211-exploit>

? cisa-key
Reference: CVE-2019-0211
Description: Apache HTTP Server Privilege Escalation Vulnerability
Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

? gitee-exploits
Reference: CVE-2019-0211
Description: Harveysn0w/cve-2019-0211 exploit repository
Link: <https://gitee.com/Harveysn0w/cve-2019-0211>

Reference: CVE-2019-0211
Description: Solitude-Echo/cve-2019-0211 exploit repository
Link: <https://gitee.com/Solitude-Echo/cve-2019-0211>

? vulncheck-initial-access
Reference: CVE-2019-0211
Description: Apache HTTP Server Carpe Diem Root Privilege Escalation
Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2019-0211>

? nist-nvd2
Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.
Link: <https://www.exploit-db.com/exploits/46676/>

Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.
Link: <http://packetstormsecurity.com/files/152441/CARPE-DIEM-Apache-2.4.x-Local-Privilege-Escalation.html>

Reference: CVE-2019-0211
Description: In Apache HTTP Server 2.4 releases 2.4.17 to 2.4.38, with MPM event, worker or prefork, code executing in less-privileged child processes or threads (including scripts executed by an in-process scripting interpreter) could execute arbitrary code with the privileges of the parent process (usually root) by manipulating the scoreboard. Non-Unix systems are not affected.
Link: <http://packetstormsecurity.com/files/152415/Slackware-Security-Advisory-httpd-Updates.html>

? vulncheck-threat-actors
Reference: CVE-2019-0211
Description: Unattributed
Link: <https://isc.sans.edu/diary/rss/32126>

Reference: CVE-2019-0211
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf

Reference: CVE-2019-0211
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Bre

Reference: CVE-2019-0211
Description: Unattributed
Link: https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2019-0211
Description: Unattributed
Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2019-0211
Description: Unattributed
Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf



vulncheck-ransomware

Reference: CVE-2019-0211
Description: Ryuk
Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

ASSOCIATED MALWARE:



Qualys Cloud Threat DB

Malware ID: Ryuk
Type: Ransomware
Link:

<https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

QID: 87383 detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



4 Apache HTTP Server mod_mime Buffer Overread

QID: 89009
Category: Web server
Associated CVEs: [CVE-2017-7679](#)
Vendor Reference: [Apache httpd 2.4.26](#), [Apache httpd 2.2.34](#)
Bugtraq ID: 99170
Service Modified: 02/28/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

The Apache Module mod_mime is used to assign content metadata to the content selected for an HTTP response by mapping patterns in the URI or filenames to the metadata values.

In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

IMPACT:

A remote attacker could exploit this vulnerability to read one byte past the end of a buffer which could affect the confidentiality, integrity and availability of data on the target system.

SOLUTION:

These vulnerabilities have been patched in Apache. Refer to Apache httpd 2.4.27 Changelog (https://httpd.apache.org/security/vulnerabilities_24.html), Apache httpd 2.2.34 Changelog (https://httpd.apache.org/security/vulnerabilities_22.html), or your Linux distro for further details.

Patch:

Following are links for downloading patches to fix the vulnerabilities:

CVE-2017-7679: Apache 2.2.x (https://httpd.apache.org/security/vulnerabilities_22.html)

CVE-2017-7679: Apache 2.4.x (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>



github-exploits

Reference: CVE-2017-7679

Description: briananya/cve-exploits exploit repository

Link: <https://github.com/briananya/cve-exploits>

Reference: CVE-2017-7679

Description: kатыansun/hackthebox exploit repository

Link: <https://github.com/kатыansun/hackthebox>

Reference: CVE-2017-7679

Description: gottburgm/Exploits exploit repository

Link: <https://github.com/gottburgm/Exploits>

Reference: CVE-2017-7679

Description: sobinge/CVE exploit repository

Link: <https://github.com/sobinge/CVE>

Reference: CVE-2017-7679

Description: askumbhojkar/Exploits exploit repository

Link: <https://github.com/askumbhojkar/Exploits>

Reference: CVE-2017-7679

Description: daedalus/misc exploit repository

Link: <https://github.com/daedalus/misc>

Reference: CVE-2017-7679

Description: winterwolf32/CVE_Exploits- exploit repository

Link: https://github.com/winterwolf32/CVE_Exploits-



nist-nvd2

Reference: CVE-2017-7679

Description: In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.

Link: <https://github.com/gottburgm/Exploits/tree/master/CVE-2017-7679>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

QID: 89009 detected on port 80 over TCP -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNH04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UT



4 Apache HTTP Server Multiple Vulnerabilities

port 80/tcp

QID: 730109

Category: CGI

Associated CVEs: [CVE-2019-17567](#), [CVE-2020-13938](#), [CVE-2020-13950](#), [CVE-2020-35452](#), [CVE-2021-26690](#), [CVE-2021-26691](#), [CVE-2021-30641](#)

Vendor Reference: [Apache HTTP Server 2.4.48](#)

Bugtraq ID: -

Service Modified: 12/30/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

Affected Versions:

Apache HTTP Server versions prior to 2.4.46.

NOTE:

CVE-2021-26691, CVE-2021-26690, CVE-2020-35452, CVE-2020-13938 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6, 2.4.4, 2.4.3, 2.4.2, 2.4.1, 2.4.0.

CVE-2019-17567 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39, 2.4.38, 2.4.37, 2.4.35, 2.4.34, 2.4.33, 2.4.29, 2.4.28, 2.4.27, 2.4.26, 2.4.25, 2.4.23, 2.4.20, 2.4.18, 2.4.17, 2.4.16, 2.4.12, 2.4.10, 2.4.9, 2.4.7, 2.4.6

CVE-2021-30641 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41, 2.4.39

CVE-2020-13950 affects to Apache HTTP Server versions 2.4.46, 2.4.43, 2.4.41

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update Apache httpd 2.4.48.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server 2.4.47 (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)

Reference: CVE-2021-26690

Description: 7own/CVE-2021-26690---Apache-mod_session exploit repository

Link: https://github.com/7own/CVE-2021-26690---Apache-mod_session

Reference: CVE-2021-26690

Description: 0xdeviner/CVE-2021-26690 exploit repository

Link: <https://github.com/0xdeviner/CVE-2021-26690>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3JVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob::; font-src 'self' data::; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF-16

Server: Apache/2.4.25 (Debian)

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Vulnerabilities

port 80/tcp

QID: 730209

Category: CGI

Associated CVEs: [CVE-2021-34798](#), [CVE-2021-39275](#), [CVE-2021-40438](#)

Vendor Reference: [Apache HTTP Server 2.4.49 Advisory](#)

Bugtraq ID: -

Service Modified: 07/24/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

Affected Versions:
Apache HTTP Server 2.4.48 and earlier

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to execute arbitrary code on the target.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits

Reference: CVE-2021-40438

Description: Kashkovsky/CVE-2021-40438 exploit repository

Link: <https://github.com/Kashkovsky/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sixpacksecurity/CVE-2021-40438 exploit repository

Link: <https://github.com/sixpacksecurity/CVE-2021-40438>

Reference: CVE-2021-40438

Description: sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit exploit repository

Link: <https://github.com/sergiovks/CVE-2021-40438-Apache-2.4.48-SSRF-exploit>

Reference: CVE-2021-40438

Description: element-security/check-point-gateways-rce exploit repository

Link: <https://github.com/element-security/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: yakir2b/check-point-gateways-rce exploit repository

Link: <https://github.com/yakir2b/check-point-gateways-rce>

Reference: CVE-2021-40438

Description: n0m-d/CVE-2021-40438-POC exploit repository

Link: <https://github.com/n0m-d/CVE-2021-40438-POC>

 cisa-key

Reference: CVE-2021-40438

Description: Apache HTTP Server-Side Request Forgery (SSRF)

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json

 blogs

Reference: CVE-2021-40438

Description: Check Point Security Gateways RCE via CVE-2021-40438

Link: <https://element.security/check-point-security-gateways-rce-via-cve-2021-40438/>

 vulncheck-initial-access

Reference: CVE-2021-40438

Description: Check Point Gaia Portal mod_proxy Configuration Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2021-40438>

 nuclei-templates

Reference: CVE-2021-40438

Description: Apache

Link:

<https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2021/CVE-2021-40438.yaml>



shadowserver-exploited

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2023-12-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-22&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-01-31&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-12&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-14&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-09&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-07&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-08&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-25&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-20&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-16&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-15&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-27&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-04&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-03&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-02-29&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-06&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-19&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-11&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-24&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-01&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-21&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-28&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-30&host_type=src&vulnerability=cve-2021-40438

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-03-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2023-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-09-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-12-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2024-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-04-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-06-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-14&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-13&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-02&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-25&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-15&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-03&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-25&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-22&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-07&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-27&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-26&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-17&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-01&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-18&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-29&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2021-40438
Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-06&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-15&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-11&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-18&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-08&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-12&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-13&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-23&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

Reference: CVE-2021-40438

Description: Apache HTTP Server (CVE-2021-40438)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-22&host_type=src&vulnerabil



vulncheck-threat-actors

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/reports/unit42-cloud-threat-report-volume7.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://cisa.gov/news-events/cybersecurity-advisories/aa23-215a>

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ww-en/analytics/pt-esc-threat-intelligence/excobalt-gored-the-hidden-tunnel-technique/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.criticalstart.com/wp-content/uploads/2024/08/2024-H1-Threat-Intel-Report-Final.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Methods_of_Targeting_and_Breaches.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://www.uscg.mil/Portals/0/Images/cyber/CGCYBER%202024%20CTIME.pdf>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Professional_Services_Sector_Threat_Landscape.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2025_Trustwave_Manufacturing_Risk_Radar_Report.pdf

Reference: CVE-2021-40438

Description: Unattributed

Link:

<https://unit42.paloaltonetworks.com/network-attacks-trends-august-october-2021/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trendmicro.com/en_us/research/22/b/recent-cyberattacks-open-source-web-servers.html

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/Risk_Radar_Tech_2025.pdf

Reference: CVE-2021-40438

Description: ExCobalt

Link:

<https://www.ptsecurity.com/ru-ru/research/pt-esc-threat-intelligence/ex-cobalt-go-red-tehnika-skrytogo-tunnelya/>

Reference: CVE-2021-40438

Description: Unattributed

Link:

https://www.trustwave.com/hubfs/Web/Library/Documents_pdf/2024_Trustwave_Public_Sector_Threat_Landscape.pdf



vulncheck-ransomware

Reference: CVE-2021-40438

Description: Ryuk
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Reference: CVE-2021-40438
Description: Unattributed
Link: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

ASSOCIATED MALWARE:

 Qualys Cloud Threat DB
Malware ID: Ryuk
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

Malware ID: Unattributed
Type: Ransomware
Link: <https://info.securin.io/hubfs/Securin%20Ransomware%20Report%202023.pdf>

RESULTS:

Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.25 (Debian)

	4	Apache Hypertext Transfer Protocol (HTTP) Server Buffer Overflow Vulnerability	port 80/tcp
QID: 730312			
Category: CGI			
Associated CVEs: CVE-2021-44790			
Vendor Reference: Apache HTTP Server Security Advisory			
Bugtraq ID: -			
Service Modified: 04/06/2026			
User Modified: -			
Edited: No			
PCI Vuln: Yes			

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0. A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).
Affected Versions:
Apache HTTP Server 2.4.51 and earlier

IMPACT:

Successful exploitation of the vulnerability may allow remote code execution and complete system compromise.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb

Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow
Link: <https://www.exploit-db.com/exploits/51193>



packetstorm

Reference: CVE-2021-44790
Description: Apache 2.4.x Buffer Overflow
Link: <https://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html>



Oday.today

Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit
Link: <https://Oday.today/exploit/38427>

Reference: CVE-2021-44790
Description: Apache 2.4.x - Buffer Overflow Exploit
Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/38427.txt>



github-exploits

Reference: CVE-2021-44790
Description: nuPacaChi/-CVE-2021-44790 exploit repository
Link: <https://github.com/nuPacaChi/-CVE-2021-44790>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3JVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



4 Apache Hypertext Transfer Protocol (HTTP) Server NULL Pointer Dereference and Server Side Request Forgery (SSRF) Vulnerability

port 80/tcp

QID: 730313
Category: CGI
Associated CVEs: [CVE-2021-44224](#)
Vendor Reference: [Apache Security Advisory](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery).

Affected Versions:

Apache HTTP Server 2.4.7 - 2.4.51

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.52 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhArc3IVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF



4 Apache Hypertext Transfer Protocol (HTTP) Server Out-of-bounds Write Vulnerability

port 80/tcp

QID: 730403

Category: CGI

Associated CVEs: [CVE-2022-23943](#), [CVE-2022-22721](#), [CVE-2022-22720](#), [CVE-2022-22719](#)

Vendor Reference: [Apache Security Advisory](#)

Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.

CVE-2022-22719 - A carefully crafted request body can cause a read to a random memory area which could cause the process to crash.

CVE-2022-22720 - Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling

CVE-2022-22721 - If LimitXMLRequestBody is set to allow request bodies larger than 350MB (defaults to 1M) on 32 bit systems an integer overflow happens which later causes out of bounds writes.

CVE-2022-23943 - Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data.

Affected Versions:

Apache HTTP Server 2.4 - 2.4.52

IMPACT:

Successful exploitation of the vulnerability may allow an attacker to redirect victim to a malicious server.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.53 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob::; font-src 'self' data::; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close
Content-Type: text/html; charset=UT

4 Apache Hypertext Transfer Protocol (HTTP) Server Request Smuggling Vulnerability

port 80/tcp

QID: 730758
Category: CGI
Associated CVEs: [CVE-2023-25690](#)
Vendor Reference: [Apache HTTP Server Security Advisory](#)
Bugtraq ID: -
Service Modified: 06/17/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack.

Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

Affected Versions:
Apache HTTP Server Versions 2.4.0 through 2.4.55 (including)

IMPACT:

Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning.

SOLUTION:

Customers are advised to upgrade to Apache HTTP Server version 2.4.56 or later. For more information please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html#2.4.56)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug
Reference: CVE-2023-25690
Description: Apache HTTP Server 求走私漏洞(CVE-2023-25690)
Link: <https://www.seebug.org/vuldb/ssvid-99689>

 packetstorm
Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling
Link: https://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html

 Oday.today
Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit
Link: <https://Oday.today/exploit/39214>

Reference: CVE-2023-25690
Description: Apache 2.4.55 mod_proxy HTTP Request Smuggling Exploit

Link: <https://raw.githubusercontent.com/vulncheck-oss/Oday.today.archive/main/web-applications/39214.txt>



github-exploits

Reference: CVE-2023-25690

Description: dhmosfunk/CVE-2023-25690-POC exploit repository

Link: <https://github.com/dhmosfunk/CVE-2023-25690-POC>

Reference: CVE-2023-25690

Description: thanhnam-attt/CVE-2023-25690 exploit repository

Link: <https://github.com/thanhnam-attt/CVE-2023-25690>

Reference: CVE-2023-25690

Description: oOCyginXOo/CVE-2023-25690-POC exploit repository

Link: <https://github.com/oOCyginXOo/CVE-2023-25690-POC>



vulncheck-threat-actors

Reference: CVE-2023-25690

Description: Ethereum Panda

Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

Reference: CVE-2023-25690

Description: Silent Chollima

Link:

<https://www.cisa.gov/sites/default/files/2024-07/aa24-207a-dprk-cyber-group-conducts-global-espionage-campaign.pdf>



vulncheck-botnets

Reference: CVE-2023-25690

Description: Mirai

Link: <https://media.defense.gov/2024/Sep/18/2003547016/-1/-1/0/CSA-PRC-LINKED-ACTORS-BOTNET.PDF>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNH04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF



4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.55 Multiple Security Vulnerabilities

port 80/tcp

QID: 731513

Category: CGI

Associated CVEs: CVE-2006-20001, CVE-2022-37436

Vendor Reference: [Apache_http_server](#)

Bugtraq ID: -

Service Modified: 08/20/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2006-20001: A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.
CVE-2022-37436: A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

Affected Versions:
Apache HTTP Server versions prior to 2.4.55

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



QID: 731517
Category: CGI
Associated CVEs: [CVE-2023-31122](#), [CVE-2023-45802](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/21/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-31122: Out-of-bounds Read vulnerability in mod_macro of Apache HTTP Server. This issue affects Apache HTTP Server
CVE-2023-45802: A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

Affected Versions:
Apache HTTP Server versions prior to 2.4.58

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.58 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-45802
Description: MehranTurk/CVE-2023-45802 exploit repository
Link: <https://github.com/MehranTurk/CVE-2023-45802>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHSQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-36760) port 80/tcp

QID: 731520
Category: CGI
Associated CVEs: [CVE-2022-36760](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 09/06/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2022-36760: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.
Affected Versions:
Apache HTTP Server from 2.4 through 2.4.54

IMPACT:

Successful exploitation of this vulnerability allows an attacker to smuggle requests to the AJP server it forwards requests.

SOLUTION:

Customers are advised to update the latest Apache HTTP Server versions 2.4.55 or later.
For further information, please refer to Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 blogs
Reference: CVE-2022-36760
Description: Leveraging HTTP Request Smuggling for Remote Code Execution
Link: <https://conference.hitb.org/hitbsecconf2024bkk/materials/D2T1%20-%20Leveraging%20Request%20Smuggling%20For%20Authen>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHUrS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Request Smuggling Vulnerability (CVE-2022-26377)	port 80/tcp
QID:	731521	
Category:	CGI	
Associated CVEs:	CVE-2022-26377	
Vendor Reference:	Apache_http_server	
Bugtraq ID:	-	
Service Modified:	08/20/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2022-26377: Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

Affected Versions:

Apache HTTP Server versions 2.4 to 2.4.53

IMPACT:

Successful exploitation of this vulnerability may allows an attacker to smuggle requests to the AJP server it forwards requests to.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



github-exploits

Reference: CVE-2022-26377

Description: [watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc](#) exploit repository

Link: https://github.com/watchtowrlabs/ibm-qradar-ajp_smuggling_CVE-2022-26377_poc

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

 4	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.60 Multiple Security Vulnerabilities	port 80/tcp
QID:	731613	
Category:	CGI	
Associated CVEs:	CVE-2024-38472 , CVE-2024-38473 , CVE-2024-38474 , CVE-2024-38475 , CVE-2024-38476 , CVE-2024-38477 , CVE-2024-39573	
Vendor Reference:	Apache HTTP Server 2.4.60	
Bugtraq ID:	-	
Service Modified:	07/24/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-38472: SSRF in Apache HTTP Server on Windows allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content

CVE-2024-38473: Apache HTTP Server proxy encoding problem

CVE-2024-38474: Apache HTTP Server weakness with encoded question marks in backreferences

CVE-2024-38475: Apache HTTP Server weakness in mod_rewrite when first segment of substitution matches filesystem path.

CVE-2024-38476: Apache HTTP Server may use exploitable/malicious backend application output to run local handlers via internal redirect

CVE-2024-38477: Apache HTTP Server Crash resulting in Denial of Service in mod_proxy via a malicious request

CVE-2024-39573: Apache HTTP Server mod_rewrite proxy handler substitution

Affected Versions:

Apache HTTP Server versions prior to 2.4.60

IMPACT:

Successful exploitation of this vulnerability may compromise Confidentiality, Integrity, and Availability of the Data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information, visit here (<https://httpd.apache.org/download.cgi>).

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 seebug

Reference: CVE-2024-38472
Description: Apache HTTP服务器Windows下UNC路径SSRF漏洞 (CVE-2024-38472)
Link: <https://www.seebug.org/vuldb/ssvid-99857>

 github-exploits

Reference: CVE-2024-38473
Description: Abdurahmon3236/CVE-2024-38473 exploit repository
Link: <https://github.com/Abdurahmon3236/CVE-2024-38473>

Reference: CVE-2024-38475
Description: soltanali0/CVE-2024-38475 exploit repository
Link: <https://github.com/soltanali0/CVE-2024-38475>

Reference: CVE-2024-38473
Description: juanschallibaum/CVE-2024-38473-Nuclei-Template exploit repository
Link: <https://github.com/juanschallibaum/CVE-2024-38473-Nuclei-Template>

Reference: CVE-2024-38476
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38472
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-39573
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38477
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38473
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38474
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

Reference: CVE-2024-38475
Description: p0in7s/CVE-2024-38475 exploit repository
Link: <https://github.com/p0in7s/CVE-2024-38475>

Reference: CVE-2024-38475
Description: abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC exploit repository

Link: https://github.com/abrewer251/CVE-2024-38475_SonicBoom_Apache_URL_Traversal_PoC

Reference: CVE-2024-38473

Description: mmtalsi/toolbox exploit repository

Link: <https://github.com/mmtalsi/toolbox>

Reference: CVE-2024-38475

Description: Nyakki-Labs-0x420/Myesve exploit repository

Link: <https://github.com/Nyakki-Labs-0x420/Myesve>



cisa-key

Reference: CVE-2024-38475

Description: Apache HTTP Server Improper Escaping of Output Vulnerability

Link: https://www.cisa.gov/sites/default/files/feeds/known_exploited_vulnerabilities.json



blogs

Reference: CVE-2024-38472

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-39573

Description: [EN] Confusion Attacks: Exploiting Hidden Semantic Ambiguity in Apache HTTP Server!

Link: <https://blog.orange.tw/2024/08/confusion-attacks-en.html>

Reference: CVE-2024-38475

Description: SonicBoom, From Stolen Tokens to Remote Shells - SonicWall SMA (CVE-2023-44221, CVE-2024-38475)

Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>



vulncheck-initial-access

Reference: CVE-2024-38475

Description: SonicWall SMA100 Arbitrary File Leak

Link: <https://api.vulncheck.com/v3/index/initial-access?cve=CVE-2024-38475>



nuclei-templates

Reference: CVE-2024-38475

Description: Sonicwall - Pre-Authentication Arbitrary File Read

Link: <https://raw.githubusercontent.com/projectdiscovery/nuclei-templates/main/http/cves/2024/CVE-2024-38475.yaml>



shadowserver-exploited

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-04&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-29&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-05&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-08-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-07-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-02&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-09-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-14&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-10-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-03&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-11-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-27&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-18&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2025-12-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-08&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-25&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-26&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-03&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-31&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-01-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-06&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-28&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-12&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-15&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-28&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-03-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-17&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-07&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-02-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-24&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-27&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-20&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-25&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-01&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-21&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-09&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-04-22&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-19&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-18&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-22&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-23&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-12&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-02&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-21&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-13&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-14&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-16&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-07&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-17&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-15&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-16&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-04&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-30&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-31&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-11&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-26&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-13&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-10&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link: https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-29&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-06&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-05-20&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-30&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-11&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-05&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-24&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-06-08&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-10&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-09&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-19&host_type=src&vulnerabil

Reference: CVE-2024-38475

Description: Apache HTTP Server (CVE-2024-38475)

Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-23&host_type=src&vulnerabil

Reference: CVE-2024-38475
Description: Apache HTTP Server (CVE-2024-38475)
Link:

https://dashboard.shadowserver.org/statistics/honeypot/vulnerability/map/?day=2026-07-20&host_type=src&vulnerabil

? vulncheck-threat-actors

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://fortiguard.fortinet.com/outbreak-alert/sonicwall-sma-attack>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2024-0018>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://app.crowdsec.net/cti/cve-explorer/CVE-2024-38475>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://labs.watchtowr.com/sonicboom-from-stolen-tokens-to-remote-shells-sonicwall-sma100-cve-2023-44221-cve-2024-38475/>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.enisa.europa.eu/sites/default/files/2025-10/ENISA%20Threat%20Landscape%202025.pdf>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://cyble.com/resources/research-reports/global-cybersecurity-report/>

Reference: CVE-2024-38475
Description: unc6148
Link: <https://www.loginsoft.com/reports/annually/vulnerability-intelligence-report-2025>

Reference: CVE-2024-38475
Description: Unattributed
Link: <https://www.greynoise.io/blog/active-reconnaissance-campaign-targets-sonicwall-firewalls-through-commercial-proxy-infrastructure>

? vulncheck-canaries

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-11-14>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-31>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2025-10-17>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-20>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-01-03>

Reference: CVE-2024-38475

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-09>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-06-18>

Reference: CVE-2024-38475
Description: VulnCheck Canaries CVE-2024-38475 Exploitation
Link: <https://api.vulncheck.com/v3/index/vulncheck-canaries?cve=CVE-2024-38475&date=2026-07-22>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

 4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-47252) port 80/tcp

QID: 732750
Category: CGI
Associated CVEs: [CVE-2024-47252](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-47252: Apache HTTP Server: mod_ssl error log variable escaping
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3JVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UT

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734128

Category: CGI

Associated CVEs: [CVE-2026-29169](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 05/22/2026

User Modified: -

Edited: No

PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29169: Apache HTTP Server: mod_dav_lock indirect lock crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

4 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734130
Category: CGI
Associated CVEs: [CVE-2026-34059](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34059: Apache HTTP Server: mod_proxy_ajp: Heap Over-Read and memory disclosure in ajp_parse_data()

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF

3 TCP Sequence Number Approximation Based Denial of Service

QID: 82054

Category: TCP/IP

Associated CVEs: [CVE-2004-0230](#)

Vendor Reference: -

Bugtraq ID: 10183

Service Modified: 03/27/2025

User Modified: -

Edited: No

PCI Vuln: No

THREAT:

TCP provides stateful communications between hosts on a network. TCP sessions are established by a three-way handshake and use random 32-bit sequence and acknowledgement numbers to ensure the validity of traffic. A vulnerability was reported that may permit TCP sequence numbers to be more easily approximated by remote attackers. This issue affects products released by multiple vendors.

The cause of the vulnerability is that affected implementations will accept TCP sequence numbers within a certain range, known as the acknowledgement range, of the expected sequence number for a packet in the session. This is determined by the TCP window size, which is negotiated during the three-way handshake for the session. Larger TCP window sizes may be set to allow for more throughput, but the larger the TCP window size, the more probable it is to guess a TCP sequence number that falls within an acceptable range. It was initially thought that guessing an acceptable sequence number was relatively difficult for most implementations given random distribution, making this type of attack impractical. However, some implementations may make it easier to successfully approximate an acceptable TCP sequence number, making these attacks possible with a number of protocols and implementations.

This is further compounded by the fact that some implementations may support the use of the TCP Window Scale Option, as described in RFC 1323, to extend the TCP window size to a maximum value of 1 billion.

This vulnerability will permit a remote attacker to inject a SYN or RST packet into the session, causing it to be reset and effectively allowing for denial of service attacks. An attacker would exploit this issue by sending a packet to a receiving implementation with an approximated sequence number and a forged source IP address and TCP port.

There are a few factors that may present viable target implementations, such as those which depend on long-lived TCP connections, those that have known or easily guessed IP address endpoints and those implementations with easily guessed TCP source ports. It has been noted that Border Gateway Protocol (BGP) is reported to be particularly vulnerable to this type of attack, due to the use of long-lived TCP sessions and the possibility that some implementations may use the TCP Window Scale Option. As a result, this issue is likely to affect a number of routing platforms.

Another factor to consider is the relative difficulty of injecting packets into TCP sessions, as a number of receiving implementations will reassemble packets in order, dropping any duplicates. This may make some implementations more resistant to attacks than others.

It should be noted that while a number of vendors have confirmed this issue in various products, investigations are ongoing and it is likely that many other vendors and products will turn out to be vulnerable as the issue is investigated further.

IMPACT:

Successful exploitation of this issue could lead to denial of service attacks on the TCP based services of target hosts.

SOLUTION:

Please first check the results section below for the port number on which this vulnerability was detected. If that port number is known to be used for port-forwarding, then it is the backend host that is really vulnerable.

Various implementations and products including Check Point, Cisco, Cray Inc, Hitachi, Internet Initiative Japan, Inc (IIJ), Juniper Networks, NEC and Yamaha are currently undergoing review. Contact the vendors to obtain more information about affected products and fixes. NISCC Advisory 236929 - Vulnerability Issues in TCP (<http://packetstormsecurity.org/0404-advisories/246929.html>) details the vendor patch status as of the time of the advisory, and identifies resolutions and workarounds.

Refer to US-CERT Vulnerability Note VU#415294 (<http://www.kb.cert.org/vuls/id/415294>) and OSVDB Article 4030 (<http://osvdb.org/4030>) to obtain a list of vendors affected by this issue and a note on resolutions (if any) provided by the vendor.

For Microsoft: Refer to MS05-019 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2005/ms05-019>) and MS06-064 (<https://docs.microsoft.com/en-us/security-updates/securitybulletins/2006/ms06-064>) for further details.

For SGI IRIX: Refer to SGI Security Advisory 20040905-01-P (<ftp://patches.sgi.com/support/free/security/advisories/20040905-01-P.asc>)

For SCO UnixWare 7.1.3 and 7.1.1: Refer to SCO Security Advisory SCOSA-2005.14 (<ftp://ftp.sco.com/pub/updates/UnixWare/SCOSA-2005.14/SCOSA-2005.14.txt>)

For Solaris (Sun Microsystems): The vendor has acknowledged the vulnerability; however a patch is not available. Refer to Sun Microsystems, Inc. Information for VU#415294 (<http://www.kb.cert.org/vuls/id/JARL-5YGQAJ>) to obtain additional details. Also, refer to TA04-111A (<http://www.us-cert.gov/cas/techalerts/TA04-111A.html>) for detailed mitigating strategies against these attacks.

For NetBSD: Refer to NetBSD-SA2004-006 (<ftp://ftp.netbsd.org/pub/NetBSD/security/advisories/NetBSD-SA2004-006.txt.asc>)

For Cisco: Refer to cisco-sa-20040420-tcp-ios.shtml (<http://www.cisco.com/warp/public/707/cisco-sa-20040420-tcp-ios.shtml>).

For IBM : Refer to IBM-tcp-sequence-number-cve-2004-0230 (<https://www.ibm.com/support/pages/tcp-sequence-number-approximation-based-denial-service-cve-2004-0230>).

For Red Hat Linux: There is no fix available : Refer to (<https://access.redhat.com/security/cve/cve-2004-0230>).

Workaround: The following BGP-specific workaround information has been provided.

For BGP implementations that support it, the TCP MD5 Signature Option should be enabled. Passwords that the MD5 checksum is applied to should be set to strong values and changed on a regular basis.

Secure BGP configuration instructions have been provided for Cisco and Juniper at these locations:

Secure Cisco IOS BGP Template (<http://www.cymru.com/Documents/secure-bgp-template.html>)

JUNOS Secure BGP Template (<http://www.cymru.com/gillsr/documents/junos-bgp-template.pdf>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



The Exploit-DB

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019) - The Exploit-DB Ref : 942

Link: <http://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset - The Exploit-DB Ref : 276

Link: <http://www.exploit-db.com/exploits/276>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service - The Exploit-DB Ref : 291

Link: <http://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1) - The Exploit-DB Ref : 24030

Link: <http://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2) - The Exploit-DB Ref : 24031

Link: <http://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3) - The Exploit-DB Ref : 24032

Link: <http://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4) - The Exploit-DB Ref : 24033

Link: <http://www.exploit-db.com/exploits/24033>



exploitdb

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (3)

Link: <https://www.exploit-db.com/exploits/24032>

Reference: CVE-2004-0230

Description: TCP Connection Reset - Remote Denial of Service

Link: <https://www.exploit-db.com/exploits/291>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (4)

Link: <https://www.exploit-db.com/exploits/24033>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (1)

Link: <https://www.exploit-db.com/exploits/24030>

Reference: CVE-2004-0230

Description: Multiple Vendor - TCP Sequence Number Approximation (2)

Link: <https://www.exploit-db.com/exploits/24031>

Reference: CVE-2004-0230

Description: Microsoft Windows - Malformed IP Options Denial of Service (MS05-019)

Link: <https://www.exploit-db.com/exploits/942>

Reference: CVE-2004-0230

Description: Microsoft Windows XP/2000 - TCP Connection Reset

Link: <https://www.exploit-db.com/exploits/276>



nvd

Reference: CVE-2004-0230

Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols

that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>



seebug

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (1)
Link: <https://www.seebug.org/vuldb/ssvid-77768>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (3)
Link: <https://www.seebug.org/vuldb/ssvid-77770>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (2)
Link: <https://www.seebug.org/vuldb/ssvid-77769>

Reference: CVE-2004-0230
Description: Multiple Vendor TCP Sequence Number Approximation Vulnerability (4)
Link: <https://www.seebug.org/vuldb/ssvid-77771>

Reference: CVE-2004-0230
Description: TCP Connection Reset Remote Exploit
Link: <https://www.seebug.org/vuldb/ssvid-18409>



packetstorm

Reference: CVE-2004-0230
Description: Kreset.pl
Link: <https://packetstormsecurity.com/files/33182/Kreset.pl.html>

Reference: CVE-2004-0230
Description: bgp-dosv2.pl
Link: <https://packetstormsecurity.com/files/33174/bgp-dosv2.pl.html>

Reference: CVE-2004-0230
Description: reset-tcp_rfc31337-compliant.c
Link: https://packetstormsecurity.com/files/33172/reset-tcp_rfc31337-compliant.c.html

Reference: CVE-2004-0230
Description: reset-tcp.c
Link: <https://packetstormsecurity.com/files/33171/reset-tcp.c.html>

Reference: CVE-2004-0230
Description: reset.zip
Link: <https://packetstormsecurity.com/files/33153/reset.zip.html>

Reference: CVE-2004-0230
Description: tcp_reset.c
Link: https://packetstormsecurity.com/files/33202/tcp_reset.c.html

Reference: CVE-2004-0230
Description: disconn.py
Link: <https://packetstormsecurity.com/files/33185/disconn.py.html>

Reference: CVE-2004-0230
Description: autoRST.c
Link: <https://packetstormsecurity.com/files/33243/autoRST.c.html>



nist-nvd2

Reference: CVE-2004-0230
Description: TCP, when using a large Window Size, makes it easier for remote attackers to guess sequence numbers and cause a denial of service (connection loss) to persistent TCP connections by repeatedly injecting a TCP RST packet, especially in protocols that use long-lived connections, such as BGP.
Link: <http://www.securityfocus.com/bid/10183>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Tested on port 80 with an injected SYN/RST offset by 16 bytes.

3 Apache httpd Server ap_get_basic_auth_pw() Authentication Bypass Vulnerability

QID: 87322
Category: Web server
Associated CVEs: [CVE-2017-3167](#), [CVE-2017-3169](#)
Vendor Reference: [Apache httpd 2.4.26](#)
Bugtraq ID: 99135
Service Modified: 06/26/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache Web Server is an open-source web server.

The use of the `ap_get_basic_auth_pw()` by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed in vulnerable Apache httpd versions.

Affected Versions:
Apache httpd 2.2.x before 2.2.33
Apache httpd 2.4.x before 2.4.26

IMPACT:

Successful exploitation allows remote attackers to bypass authentication and access sensitive information.

SOLUTION:

Customers are advised to upgrade to Apache httpd 2.2.33, 2.4.26 (<https://httpd.apache.org/download.cgi>) or later versions to remediate this vulnerability.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.2.33, 2.4.26 or later (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



3 Apache HTTP Server multiple vulnerabilities

port 80/tcp

QID: 13745
Category: CGI
Associated CVEs: [CVE-2020-1934](#), [CVE-2020-1927](#)
Vendor Reference: [Apache HTTP Server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2020-1934: In Apache HTTP Server, mod_proxy_ftp may use uninitialized memory when proxying to a malicious FTP server.

CVE-2020-1927: In Apache HTTP Server, redirects configured with mod_rewrite that were intended to be self-referential might be fooled by encoded newlines and redirect instead to an an unexpected URL within the request URL.

Affected Versions:
Apache httpd 2.4.0 to 2.4.41

IMPACT:

This vulnerability could be exploited to gain partial access to sensitive information. Malicious users could also use this vulnerability to change partial contents or configuration on the system

SOLUTION:

Customers are advised to update Apache httpd to 2.4.42 or later.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache httpd 2.4.42 or later 2.4. (<https://httpd.apache.org/download.cgi>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhArc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

3 PHP Multiple Denial of Service Vulnerabilities

port 80/tcp

QID: 13817
Category: CGI
Associated CVEs: [CVE-2018-19396](#), [CVE-2018-19395](#)
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Multiple vulnerabilities have been discovered in PHP :

Affected Version:
PHP 5.x through 7.1.24

IMPACT:

ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

SOLUTION:

Vendor has Released the patch to addressed the vulnerability. Please update to PHP 7.1.25 (https://www.php.net/releases/7_1_25.php)

Patch:
Following are links for downloading patches to fix the vulnerabilities:

Version 7.1.25 (https://www.php.net/releases/7_1_25.php)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2018-19395

Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WScript.Shell").

Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396

Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

Link: <https://bugs.php.net/bug.php?id=77177>

nist-nvd2

Reference: CVE-2018-19395

Description: ext/standard/var.c in PHP 5.x through 7.1.24 on Windows allows attackers to cause a denial of service (NULL pointer dereference and application crash) because com and com_safearray_proxy return NULL in com_properties_get in ext/com_dotnet/com_handlers.c, as demonstrated by a serialize call on COM("WScript.Shell").

Link: <https://bugs.php.net/bug.php?id=77177>

Reference: CVE-2018-19396

Description: ext/standard/var_unserializer.c in PHP 5.x through 7.1.24 allows attackers to cause a denial of service (application crash) via an unserialize call for the com, dotnet, or variant class.

Link: <https://bugs.php.net/bug.php?id=77177>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

PHP Multiple Denial of Service Vulnerabilities detected on port 80 over TCP -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF

3 PHP Unauthenticated Arbitrary File Disclosure

port 80/tcp

QID: 38816

Category: General remote services

Associated CVEs: [CVE-2020-11579](#)

Vendor Reference: -

Bugtraq ID: -

Service Modified: 02/29/2024

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

Affected Versions:

PHP versions before 7.2.16

IMPACT:

Successful exploitation allows a remote unauthenticated attacker to disclose local files on hosts.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

php downloads (<https://www.php.net/downloads>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

 nist-nvd2

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://www.shielder.it/blog/mysql-and-cve-2020-11579-exploitation/>

Reference: CVE-2020-11579

Description: An issue was discovered in Chadha PHPKB 9.0 Enterprise Edition. installer/test-connection.php (part of the installation process) allows a remote unauthenticated attacker to disclose local files on hosts running PHP before 7.2.16, or on hosts where the MySQL ALLOW LOCAL DATA INFILE option is enabled.

Link: <https://github.com/ShielderSec/CVE-2020-11579>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNH04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UT

QID: 38851
 Category: General remote services
 Associated CVEs: [CVE-2021-21706](#)
 Vendor Reference: [PHP Changelog Version 7.4.24](#), [PHP Changelog Version 7.3.31](#), [PHP Changelog Version 8.0.11](#)
 Bugtraq ID: -
 Service Modified: 10/09/2021
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

PHP is a general purpose scripting language that is especially suited for web development and can be embedded into HTML.

PHP is affected by multiple vulnerabilities.

Affected Versions:
 PHP versions prior to 7.4.24
 PHP versions 7.3.x prior to 7.3.31
 PHP versions 8.0.x prior to 8.0.11

IMPACT:

Successful exploitation of this vulnerability may allow an attacker to impact Confidentiality and Integrity.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

PHP Changelog Version 7.4.24 (https://www.php.net/ChangeLog-7.php#PHP_7_4)

PHP Changelog Version 7.3.31 (https://www.php.net/ChangeLog-7.php#PHP_7_3)

PHP Changelog Version 8.0.11 (<https://www.php.net/ChangeLog-8.php>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNH04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

3 Hypertext Preprocessor (PHP) Multiple Security Vulnerabilities (81726, 81727)

port 80/tcp

QID: 38881
Category: General remote services
Associated CVEs: [CVE-2022-31628](#), [CVE-2022-31629](#)
Vendor Reference: [81726](#), [81727](#)
Bugtraq ID: -
Service Modified: 02/29/2024
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

PHP is a programming language originally designed for use in web-based applications with HTML content. PHP supports a wide variety of platforms and is used by numerous web-based software applications.

Affected versions of PHP has multiple vulnerabilities:

CVE-2022-31628 : The vulnerability exists due to infinite loop within the phar uncompressor code when processing "quines" gzip files. A remote attacker can pass a specially crafted archive to the application, consume all available system resources and cause denial of service conditions.

CVE-2022-31629: The vulnerability exists due to the way PHP handles HTTP variable names. A remote attacker can set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Affected Versions:

PHP versions before 7.4.31

PHP versions 8.0.0 prior to 8.0.24

PHP versions 8.1.0 prior to 8.1.11

IMPACT:

Successful exploitation of this vulnerability allows a remote attacker to perform a denial of service (DoS) attack or bypass implemented security restrictions.

SOLUTION:

Customers are advised to upgrade to the latest version of PHP. (<https://www.php.net/downloads.php>)

For more information please refer to Sec Bug 81726 (<https://bugs.php.net/bug.php?id=81726>) and Sec Bug 81727 (<https://bugs.php.net/bug.php?id=81727>) .

Patch:

Following are links for downloading patches to fix the vulnerabilities:

81727 (<https://bugs.php.net/bug.php?id=81727>)

81726 (<https://bugs.php.net/bug.php?id=81726>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:



nvd

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>



nist-nvd2

Reference: CVE-2022-31629

Description: In PHP versions before 7.4.31, 8.0.24 and 8.1.11, the vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.

Link: <https://bugs.php.net/bug.php?id=81727>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable version of PHP detected on port 80 over TCP.
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Multiple Security Vulnerabilities (CVE-2023-38709, CVE-2024-24795) port 80/tcp

QID: 731355
Category: CGI
Associated CVEs: [CVE-2023-38709](#), [CVE-2024-24795](#)
Vendor Reference: [Apache_http_server](#)
Bugtraq ID: -
Service Modified: 04/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2023-38709: Faulty input validation in the core of Apache allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2024-24795: HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

Affected Versions:
Apache HTTP Server versions prior to 2.4.59

IMPACT:

Successful exploitation of this vulnerability may result in the breach of Confidentiality, Integrity, and Availability of data.

SOLUTION:

Customers are advised to update the latest Apache versions respectively.
For more information, visit here (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 [github-exploits](#)
Reference: CVE-2023-38709
Description: mrmtwoj/apache-vulnerability-testing exploit repository
Link: <https://github.com/mrmtwoj/apache-vulnerability-testing>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3lVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

3

 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2025-49812) port 80/tcp

QID: 732749
Category: CGI
Associated CVEs: [CVE-2025-49812](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2025-49812: Apache HTTP Server: mod_ssl TLS upgrade attack
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

3	Apache Hypertext Transfer Protocol Server (HTTP Server) Security Vulnerabilities	port 80/tcp
QID:	732751	
Category:	CGI	
Associated CVEs:	CVE-2025-53020	
Vendor Reference:	Apache_HTTP_Server_2.4.64	
Bugtraq ID:	-	
Service Modified:	05/29/2026	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-53020: Apache HTTP Server: HTTP/2 DoS by Memory Increase

Affected Versions:

Apache httpd 2.4.17 through 2.4.63

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 exploitdb
Reference: CVE-2025-53020
Description: Apache 2.4.17 - Denial of Service
Link: <https://www.exploit-db.com/exploits/39037>

 github-exploits
Reference: CVE-2025-53020
Description: galbarnahum/CVE-2025-53020-PoC exploit repository
Link: <https://github.com/galbarnahum/CVE-2025-53020-PoC>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43394)

port 80/tcp

QID: 732752
Category: CGI
Associated CVEs: [CVE-2024-43394](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -

Service Modified: 05/04/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2024-43394: Apache HTTP Server: SSRF on Windows due to UNC paths
Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable
EXPLOITABILITY:

There is no exploitability information for this vulnerability.
ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-42516)

port 80/tcp

QID: 732756
Category: CGI
Associated CVEs: [CVE-2024-42516](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-42516: Apache HTTP Server: HTTP response splitting

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



QID: 733481
Category: CGI
Associated CVEs: [CVE-2025-59775](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 12/11/2025
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-59775: Apache HTTP Server: NTLM Leakage on Windows through UNC SSRF

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733483
Category: CGI
Associated CVEs: [CVE-2025-66200](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-66200: Apache HTTP Server: mod_userdir+suexec bypass via AllowOverride FileInfo

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3lVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities

port 80/tcp

QID: 733485
Category: CGI
Associated CVEs: [CVE-2025-58098](#)
Vendor Reference: [Apache_HTTP_Server_2.4.66](#)
Bugtraq ID: -
Service Modified: 03/02/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-58098: Apache HTTP Server: Server Side Includes adds query string to #exec cmd=...

Affected Versions:
Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 github-exploits
Reference: CVE-2025-58098
Description: dhmosfunk/CVE-2025-58098 exploit repository
Link: <https://github.com/dhmosfunk/CVE-2025-58098>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734125
Category: CGI
Associated CVEs: [CVE-2026-33006](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33006: Apache HTTP Server: mod_auth_digest timing attack

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob::; font-src 'self' data::; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities port 80/tcp

QID: 734129
Category: CGI
Associated CVEs: [CVE-2026-24072](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-24072: Apache HTTP Server: mod_rewrite elevation of privileges via ap_expr
Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44119)

port 80/tcp

QID: 734376
Category: CGI
Associated CVEs: [CVE-2026-44119](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44119: escalation of privilege through expressions in .htaccess in multiple modules

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhArc3lVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44186)

port 80/tcp

QID:	734380
Category:	CGI
Associated CVEs:	CVE-2026-44186
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/16/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-44186: Loop in `proxy\_ftp\_handler` in mod_proxy_ftp
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

 3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-49975) port 80/tcp

QID: 734381
Category: CGI
Associated CVEs: [CVE-2026-49975](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 07/06/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-49975: mod_http2 denial of service

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

? github-exploits

Reference: CVE-2026-49975

Description: minc-nice-100/http2-bomb-analysis-paper exploit repository

Link: <https://github.com/minc-nice-100/http2-bomb-analysis-paper>

Reference: CVE-2026-49975

Description: fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb- exploit repository

Link: <https://github.com/fevar54/Proof-of-Concept-POC---CVE-2026-49975-HTTP-2-Bomb->

Reference: CVE-2026-49975

Description: Manisso/http2-bomb exploit repository

Link: <https://github.com/Manisso/http2-bomb>

Reference: CVE-2026-49975

Description: 0xc03307b/CVE-2026-49975 exploit repository

Link: <https://github.com/0xc03307b/CVE-2026-49975>

Reference: CVE-2026-49975

Description: razureink/cve-2026-49975-http2bomb_reproduction exploit repository

Link: https://github.com/razureink/cve-2026-49975-http2bomb_reproduction

Reference: CVE-2026-49975

Description: obrige/http2-bomb exploit repository

Link: <https://github.com/obrige/http2-bomb>

Reference: CVE-2026-49975

Description: LiaoZiqi-GZFLS/CVE-2026-49975 exploit repository

Link: <https://github.com/LiaoZiqi-GZFLS/CVE-2026-49975>

Reference: CVE-2026-49975

Description: mrx-arafat/CVE-2026-49975-POC exploit repository

Link: <https://github.com/mrx-arafat/CVE-2026-49975-POC>

? coreimpact

Reference: CVE-2026-49975

Description: HTTP2 Bomb DoS

Link: <https://www.coresecurity.com/core-labs/exploits>

? blogs

Reference: CVE-2026-49975

Description: Codex Discovered a Hidden HTTP/2 Bomb

Link: <https://blog.calif.io/p/codex-discovered-a-hidden-http2-bomb>

? nist-nvd2

Reference: CVE-2026-49975

Description: Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests.

This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.

Link: <https://github.com/EQSTLab/CVE-2026-49975>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-34355)

port 80/tcp

QID: 734382
Category: CGI
Associated CVEs: [CVE-2026-34355](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34355: mod_proxy_html buffer overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhArc3lVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-43951)

port 80/tcp

QID:	734383
Category:	CGI
Associated CVEs:	CVE-2026-43951
Vendor Reference:	Apache_HTTP_Server_2.4.68
Bugtraq ID:	-
Service Modified:	06/15/2026
User Modified:	-
Edited:	No
PCI Vuln:	Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-43951: OOB Read in `merge\_response\_headers` can cause crash
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

3 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42535)

port 80/tcp

QID: 734385
Category: CGI
Associated CVEs: [CVE-2026-42535](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/18/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-42535: mod_dav_fs protected directory access
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

 2	Apache Hypertext Transfer Protocol Server (HTTP Server) HTTP/2 Method Injection Vulnerability	port 80/tcp
QID:	730210	
Category:	CGI	
Associated CVEs:	CVE-2021-33193	
Vendor Reference:	Apache HTTP Server Security Advisory	
Bugtraq ID:	-	
Service Modified:	08/20/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	Yes	

THREAT:

Apache HTTP Server is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0.
A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning.
Affected Versions:
Apache HTTP Server 2.4.17 to 2.4.48.

IMPACT:

Successful exploitation of this vulnerability may allow request splitting or cache poisoning.

SOLUTION:

Customers are advised to update to Apache HTTP Server 2.4.49 or later. For more information, check Apache Security Advisory (https://httpd.apache.org/security/vulnerabilities_24.html).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
NA (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

 nvd

Reference: CVE-2021-33193
Description: A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning. This issue affects Apache HTTP Server 2.4.17 to 2.4.48.
Link: <https://portswigger.net/research/http2>

 nist-nvd2

Reference: CVE-2021-33193
Description: A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning. This issue affects Apache HTTP Server 2.4.17 to 2.4.48.
Link: <https://portswigger.net/research/http2>

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF-16
Vulnerable Version of Apache HTTP Server Detected on port: 80
Server: Apache/2.4.25 (Debian)

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.64 Security Vulnerabilities (CVE-2024-43204) port 80/tcp

QID: 732754
Category: CGI
Associated CVEs: [CVE-2024-43204](#)
Vendor Reference: [Apache_HTTP_Server_2.4.64](#)
Bugtraq ID: -
Service Modified: 04/23/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2024-43204: Apache HTTP Server: SSRF with mod_headers setting Content-Type header

Affected Versions:
Apache httpd 2.4.x before 2.4.64

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

	2	Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.66 Security Vulnerabilities	port 80/tcp
QID:	733482		
Category:	CGI		
Associated CVEs:	CVE-2025-65082		
Vendor Reference:	Apache_HTTP_Server_2.4.66		
Bugtraq ID:	-		
Service Modified:	03/02/2026		
User Modified:	-		
Edited:	No		
PCI Vuln:	Yes		

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2025-65082: Apache HTTP Server: CGI environment variable override

Affected Versions:

Apache httpd 2.4.x before 2.4.66

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3JVL64CgiOYKXKMnHl04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob::; font-src 'self' data::; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734123

Category: CGI

Associated CVEs: [CVE-2026-34032](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)

Bugtraq ID: -

Service Modified: 05/22/2026

User Modified: -

Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-34032: Apache HTTP Server: mod_proxy_ajp: Heap Buffer Over-Read Due to Missing Null-Termination Check (ajp_msg_get_string)

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhArc3JVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob::; font-src 'self' data::; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734124

Category: CGI

Associated CVEs: [CVE-2026-33007](#)

Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33007: Apache HTTP Server: mod_auth_socache crash

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhArc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF

QID: 734126
Category: CGI
Associated CVEs: [CVE-2026-33857](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/22/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33857: Apache HTTP Server: Off-by-one OOB reads in AJP getter functions

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob::; font-src 'self' data::; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF



QID: 734131
Category: CGI
Associated CVEs: [CVE-2026-33523](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 05/06/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-33523: Apache HTTP Server: multiple modules: HTTP response splitting forwarding malicious status line

Affected Versions:

Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob::; font-src 'self' data::; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.67 Security Vulnerabilities

port 80/tcp

QID: 734138
Category: CGI
Associated CVEs: [CVE-2026-28780](#)
Vendor Reference: [Apache_HTTP_Server_2.4.67](#)
Bugtraq ID: -
Service Modified: 07/15/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-28780: Apache HTTP Server: buffer overflow in mod_proxy_ajp via ajp_msg_check_header()

Affected Versions:
Apache httpd 2.4.x before 2.4.67

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29170)

port 80/tcp

QID: 734375
Category: CGI
Associated CVEs: [CVE-2026-29170](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/19/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29170: mod_proxy_ftp XSS

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3JVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-29167)

port 80/tcp

QID: 734377
Category: CGI
Associated CVEs: [CVE-2026-29167](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-29167: mod_lldap per-dir use-after-free

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:

Following are links for downloading patches to fix the vulnerabilities:

Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHl04vHsHUrS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

 2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-42536) port 80/tcp

QID: 734378
Category: CGI
Associated CVEs: [CVE-2026-42536](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-42536: mod_xml2enc heap overflow

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44185)

port 80/tcp

QID: 734379
Category: CGI
Associated CVEs: [CVE-2026-44185](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/16/2026
User Modified: -
Edited: No
PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44185: Stack Buffer Over-Read in mod_ssl OSCP `send\_request`

Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie:
oc_sessionPassphrase=GHRhARc3lVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g
1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CV E-2026-34356)

port 80/tcp

QID: 734386
Category: CGI
Associated CVEs: [CVE-2026-34356](#)
Vendor Reference: [Apache_HTTP_Server_2.4.68](#)
Bugtraq ID: -
Service Modified: 06/15/2026
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Apache HTTP Server is an HTTP web server application.
CVE-2026-34356: ProxyPassReverseCookieMap buffer overflow
Affected Versions:
Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd
For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)
COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -

Date: Sun, 26 Jul 2026 03:25:39 GMT

Server: Apache/2.4.25 (Debian)

X-Powered-By: PHP/7.0.33

Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate

Pragma: no-cache

Set-Cookie:

oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMnHL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g

1BaWNitW0wocxUHZKJ; path=/; HttpOnly

Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *

data: blob:; font-src 'self' data:; media-src *; connect-src *

X-XSS-Protection: 1; mode=block

X-Content-Type-Options: nosniff

X-Frame-Options: Sameorigin

X-Robots-Tag: none

X-Download-Options: noopen

X-Permitted-Cross-Domain-Policies: none

Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding

Connection: close

Content-Type: text/html; charset=UTF



2 Apache Hypertext Transfer Protocol Server (HTTP Server) Prior to 2.4.68 Security Vulnerabilities (CVE-2026-44631)

port 80/tcp

QID: 734387

Category: CGI

Associated CVEs: [CVE-2026-44631](#)

Vendor Reference: [Apache_HTTP_Server_2.4.68](#)

Bugtraq ID: -

Service Modified: 06/16/2026

User Modified: -

Edited: No

PCI Vuln: Yes

THREAT:

Apache HTTP Server is an HTTP web server application.

CVE-2026-44631: Heap Underflow in `ap\_regname` via Signed Char Overflow

Affected Versions:

Apache httpd 2.4.x before 2.4.68

IMPACT:

Successful exploitation of this vulnerability may compromise the confidentiality, integrity, or availability of the data.

SOLUTION:

Customers are advised to update latest Apache httpd

For more information please refer to Apachehttpserver (https://httpd.apache.org/security/vulnerabilities_24.html)

Patch:
Following are links for downloading patches to fix the vulnerabilities:
Apache HTTP Server (https://httpd.apache.org/security/vulnerabilities_24.html)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Vulnerable Apache HTTP Server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNH04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF

Information Gathered (17)

2 PHP Server Detected

QID:	45110
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/22/2024
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

PHP is a general purpose scripting language that is especially suited for Web development and can be embedded in HTML.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3iVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly
Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UTF



2 Web Server HTTP Protocol Versions

port 80/tcp

QID: 45266
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/02/2024
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 80 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.92	owncloud9.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1118 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:42:24 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/27/2020
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
owncloud9.labvulnerabilities_vulnnet	FQDN

1 Apache HTTP Server Detected

QID:	45391
Category:	Information gathering
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/12/2026
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

Apache HTTP Server was detected on the target.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache web server detected on port 80 -
Date: Sun, 26 Jul 2026 03:25:39 GMT
Server: Apache/2.4.25 (Debian)
X-Powered-By: PHP/7.0.33
Set-Cookie: ocmc1d72h1d5=96b2982a57055c3ccf05096dd3ebdd1f; path=/; HttpOnly
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Set-Cookie: oc_sessionPassphrase=GHRhARc3IVL64CgiOYKXKMNhL04vHsHurS%2Fidz3FA450s5CwcS1zKHsQFT%2Ba1YhMtsHMTJ9kzS7yPJ%2BRgBoWdZMM6hV4zb75yQB9oFn7gYqY8g1BaWNitW0wocxUHZKJ; path=/; HttpOnly
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-eval'; style-src 'self' 'unsafe-inline'; frame-src *; img-src *
data: blob;; font-src 'self' data;; media-src *; connect-src *
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Frame-Options: Sameorigin
X-Robots-Tag: none
X-Download-Options: noopen
X-Permitted-Cross-Domain-Policies: none
Set-Cookie: ocmc1d72h1d5=98c77e3b4e0e9d1c7225e85f36236340; path=/; HttpOnly

Vary: Accept-Encoding
Connection: close
Content-Type: text/html; charset=UT

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	80	2:03:31

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
80	www-http	World Wide Web HTTP	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 4156	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 520	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7301	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1042	Port Unreachable
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	03:23:49 GMT
Unreachable (type=3 code=3)	UDP Port 443	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 80	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 111	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 915049811 with a standard deviation of 596738883. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5062 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

QID:	82046
Category:	TCP/IP
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/27/2017
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE

There is no malware information for this vulnerability.

RESULTS:

[illegible]

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

port 80/tcp

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: owncloud9.labvulnerabilities_vulnnet

Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<p>Additionally, a 400 Bad Request
error was encountered while trying to use an ErrorDocument to handle the request.</p>
<hr>
<address>Apache/2.4.25 (Debian) Server at 172.31.1.92 Port 80</address>
</body></html>
```



1 Default Web Page (Follow HTTP Redirection)

port 80/tcp

QID: 13910
Category: CGI
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/05/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host: owncloud9.labvulnerabilities_vulnnet
Connection: Keep-Alive

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>400 Bad Request</title>
</head><body>
<h1>Bad Request</h1>
<p>Your browser sent a request that this server could not understand.<br />
</p>
<p>Additionally, a 400 Bad Request
error was encountered while trying to use an ErrorDocument to handle the request.</p>
<hr>
<address>Apache/2.4.25 (Debian) Server at 172.31.1.92 Port 80</address>
</body></html>
```



1 HTTP Response Method and Header Information Collected

port 80/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 80.

GET / HTTP/1.1
Host: owncloud9.labvulnerabilities_vulnnet

Connection: Keep-Alive

HTTP/1.1 400 Bad Request
Date: Sun, 26 Jul 2026 03:25:40 GMT
Server: Apache/2.4.25 (Debian)
Content-Length: 424
Connection: close
Content-Type: text/html; charset=iso-8859-1

 1 Web Server Version

port 80/tcp

QID: 86000
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 12/20/2021
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

A web server is server software, or hardware dedicated to running this software, that can satisfy client requests on the World Wide Web.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Apache/2.4.25 (Debian)

 1 Web Server Supports HTTP Request Pipelining

port 80/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.31.1.92:80

GET /Q_Evasive/ HTTP/1.1
Host:172.31.1.92:80



1 List of Web Directories

port 80/tcp

QID: 86672
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/core/	web page

/core/img/	web page
/core/css/	web page
/core/js/	web page
/core/vendor/	web page
/core/vendor/strengthenify/	web page
/core/js/files/	web page

172.31.1.95 (redmine33.labvulnerabilities_vulnnet, -)

Vulnerabilities (2)



2 Session Cookie Does Not Contain the "Secure" Attribute

port 3000/tcp

QID: 13162
 Category: CGI
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 06/24/2025
 User Modified: -
 Edited: No
 PCI Vuln: Yes

THREAT:

The secure cookie flag is an option that can be set by the application server when sending a new cookie to the user within an HTTP Response. The purpose of the secure flag is to prevent cookies from being observed by unauthorized parties due to the transmission of a the cookie in clear text. By setting the secure flag, the browser will prevent the transmission of a cookie over an unencrypted channel.

A cookie with the secure attribute was not detected in the scan.

IMPACT:

Session cookies sent via HTTP expose users to sniffing attacks that could lead to user impersonation or account compromise.

SOLUTION:

Apply the "secure" attribute to session cookies to ensure that they are sent via HTTPS only. More information about this flag can be found here: <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie>.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP Cookie missing Secure attribute on port 3000.

Set-Cookie:

```

_redmine_session=UWRnMExMbHZuK01ydWI4K3Q2aDEwc0RrWHJxQkZVL21MdVl0bWZRCXZwSnc2M0FidzNuZG8xZGdPUiVpU0J3aE9ZNHJZdzNsRzBrWjA0
NU91YXBjRmF4dU50QUlneGFvWnhKcmsyQlVjaUhXZGkzcEJJZ3pmRnpvT2RLQ21YRTdQQUJYZGllMTcrVkt6bWZZZitRL2U0cnE1dzdoZXJ1YUFFdnFaRmtRR
HlFeGs4VU1ZSXdXNGRaYXdkKa2s0VGZSLS1HWDAXbkZqeUIFeGQRME9XR0xFSElNPt0%3D--a58ebe9f435f11362c679af782a9541cf52dd0d9; path=/;
HttpOnly
GET / HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```




QID: 86729
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/28/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Web server allows form based authentication without disabling the AutoComplete feature for the password field.

Autocomplete should be turned off for any input that takes sensitive information such as credit card number, CVV2/CVC code, U.S. social security number, etc.

IMPACT:

If the browser is used in a shared computing environment where more than one person may use the browser, then "autocomplete" values may be retrieved or submitted by an unauthorized user.

SOLUTION:

Contact the vendor to have the AutoComplete attribute disabled for the password field in all forms. The AutoComplete attribute should also be disabled for the user ID field.

Developers can add the following attribute to the form or input element: autocomplete="off"

This attribute prevents the browser from prompting the user to save the populated form values for later reuse.

Most browsers no longer honor autocomplete="off" for password input fields. These browsers include Chrome, Firefox, Microsoft Edge, IE, Opera. However, there is still an ability to turn off autocomplete through the browser and that is recommended for a shared computing environment.

Since the ability to turn autocomplete off for password inputs fields is controlled by the user it is highly recommended for application to enforce strong password rules.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET /login.jsp HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```
<form onsubmit="return keepAnchorOnSignIn(this);" action="/login" accept-charset="UTF-8" method="post"><input name="utf8" type="hidden" value="&#x2713;" /><input type="hidden" name="authenticity_token" value="sibM5IP/OltGZ6izbZ0D3BUhzX0qGjJauZKUAUzKilgUVyrwNuZzHYW0UwnyRrCA9MicpTVmplcmLdjuxPmeIQ==" />
```

```
<table>
<tr>
  <td style="text-align:right;"><label for="username">Login:</label></td>
  <td style="text-align:left;"><input type="text" name="username" id="username" tabindex="1" /></td>
</tr>
<tr>
  <td style="text-align:right;"><label for="password">Password:</label></td>
  <td style="text-align:left;"><input type="password" name="password" id="password" tabindex="2" /></td>
</tr>
<tr>
  <td></td>
  <td style="text-align:left;">
```

```

        </td>
      </tr>
      <tr>
        <td style="text-align:left;">
          <a href="/account/lost_password">Lost password</a>
        </td>
        <td style="text-align:right;">
          <input type="submit" name="login" value="Login " tabindex="5"/>
        </td>
      </tr>
    </table>
  </form>

```

```

GET /login.php HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.cgi HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.php?target=http://qualys/ HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.asp HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login/?user=|'"id`"| HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.aspx?ReturnUrl=default.aspx%22%20onclick=%22alert('QG_DETECTED_XSS') HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.html HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.action HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

```

GET /login.seam HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

```

Information Gathered (18)

 3 Content-Security-Policy HTTP Security Header Not Detected

port 3000/tcp

QID: 48001
 Category: Information gathering
 Associated CVEs: -
 Vendor Reference: [Content-Security-Policy](#)
 Bugtraq ID: -
 Service Modified: 03/11/2019
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

The HTTP Content-Security-Policy response header allows web site administrators to control resources the user agent is allowed to load for a given page. This helps guard against cross-site scripting attacks (XSS).

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Content-Security-Policy HTTP Header missing on port 3000.
GET / HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

 2 Web Server HTTP Protocol Versions		port 3000/tcp
QID:	45266	
Category:	Information gathering	
Associated CVEs:	-	
Vendor Reference:	-	
Bugtraq ID:	-	
Service Modified:	10/02/2024	
User Modified:	-	
Edited:	No	
PCI Vuln:	No	

THREAT:

This QID lists supported HTTP protocol (HTTP 1.x or HTTP 2) from remote web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Remote Web Server supports HTTP version 1.x on 3000 port.GET / HTTP/1.1

1 DNS Host Name

QID: 6
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/04/2018
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
172.31.1.95	redmine33.labvulnerabilities_vulnnet

1 Host Scan Time - Scanner

QID: 45038
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/15/2022
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.

The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Scan duration: 1427 seconds

Start time: Sun, Jul 26 2026, 03:23:46 GMT

End time: Sun, Jul 26 2026, 03:47:33 GMT

 1 Host Names Found

QID: 45039
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/27/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
redmine33.labvulnerabilities_vulnnet	FQDN

1 Scan Activity per Port

QID: 45426
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/24/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Scan activity per port is an estimate of the amount of internal process time the scanner engine spent scanning a particular TCP or UDP port. This information can be useful to determine the reason for long scan times. The individual time values represent internal process time, not elapsed time, and can be longer than the total scan time because of internal parallelism. High values are often caused by slowly responding services or services on which requests time out.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Protocol	Port	Time
TCP	3000	4:54:28

1 Open TCP Services List

QID: 82023
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/19/2025
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.

The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:

Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:

Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (<http://www.cert.org>).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
3000	hbc	HBCI	http	

1 ICMP Replies Received

QID: 82040
Category: TCP/IP
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2003
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.

We have sent the following types of packets to trigger the host to send us ICMP replies:

Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)

Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply

Unreachable (type=3 code=3)	UDP Port 858	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 500	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	12:47:33 GMT
Unreachable (type=3 code=3)	UDP Port 514	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1034	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 98	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 50113	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6969	Port Unreachable
Unreachable (type=3 code=2)	IP with High Protocol	Protocol Unreachable
Unreachable (type=3 code=3)	UDP Port 177	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 6073	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 5001	Port Unreachable

1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
 Category: TCP/IP
 Associated CVEs: -
 Vendor Reference: -
 Bugtraq ID: -
 Service Modified: 11/19/2004
 User Modified: -
 Edited: No
 PCI Vuln: No

THREAT:

TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Average change between subsequent TCP initial sequence numbers is 1304672074 with a standard deviation of 605795898. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5068 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID: 82046
 Category: TCP/IP
 Associated CVEs: -

Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/2017
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.

Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

[illegible]

 1 Default Web Page

port 3000/tcp

QID:	12230
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/16/2019
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

The Result section displays the default Web page for the Web server.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: redmine33.labvulnerabilities_vulnnet:3000

Connection: Keep-Alive

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge"/>
<title>Redmine</title>
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">
<meta name="description" content="Redmine" />
<meta name="keywords" content="issue,bug,tracker" />
<meta name="csrf-param" content="authenticity_token" />
<meta name="csrf-token" content="GVU39TElbnwXDI6xyAdsOp5bvpjJA0X3A3HNIaZ3gfTgJuDmK+i5uXiLUC4YuCylSa9g2EF7dQFj6L+5LyagnUw==" />
<link rel="shortcut icon" href="/favicon.ico" />
<link rel="stylesheet" media="all" href="/stylesheets/jquery/jquery-ui-1.11.0.css" />
<link rel="stylesheet" media="all" href="/stylesheets/application.css" />
<link rel="stylesheet" media="all" href="/stylesheets/responsive.css" />

<script src="/javascripts/jquery-1.11.1-ui-1.11.0-uj-3.1.4.js"></script>
<script src="/javascripts/application.js"></script>
<script src="/javascripts/responsive.js"></script>
<script>
//<![CDATA[
$(window).load(function(){ warnLeavingUnsaved('The current page contains unsaved text that will be lost if you leave this page.');
```

```

<div id="account">
  <ul><li><a class="login" href="/login">Sign in</a></li><li><a class="register" href="/account/register">Register</a></li></ul> </div>

  <ul><li><a class="home" href="/">Home</a></li><li><a class="projects" href="/projects">Projects</a></li><li><a class="help"
href="https://www.redmine.org/guide">Help</a></li></ul></div>

<div id="header">

  <a href="#" class="mobile-toggle-button js-flyout-menu-toggle-button"></a>

  <div id="quick-search">
    <form action="/search" accept-charset="UTF-8" method="get"><input name="utf8" type="hidden" value="#x2713;" />

      <label for="q">
        <a accesskey="4" href="/search">Search</a>:
      </label>
      <input type="text" name="q" id="q" size="20" class="small" accesskey="f" />
    </form>
  </div>

  <h1>Redmine</h1>

</div>

<div id="main" class="nosidebar">
  <div id="sidebar">

    </div>

    <div id="content">

      <h2>Home</h2>

<div class="splitcontentleft">
  <div class="wiki">

    </div>

  </div>

  <div class="splitcontentright">

    </div>

    <div style="clear:both;"></div>
  </div>
</div>

<div id="ajax-indicator" style="display:none;"><span>Loading...</span></div>
<div id="ajax-modal" style="display:none;"></div>

<div id="footer">
  <div class="bgl"><div class="bgr">
    Powered by <a href="https://www.redmine.org/">Redmine</a> 2006-2018 Jean-Philippe Lang
  </div></div>
</div>
</div>
</div>

</body>
</html>

```



1 Default Web Page (Follow HTTP Redirection)

port 3000/tcp

QID:	13910
Category:	CGI
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/05/2020
User Modified:	-

Edited: No
PCI Vuln: No

THREAT:

The Result section displays the default Web page for the Web server following HTTP redirections.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1

Host: redmine33.labvulnerabilities_vulnnet:3000

Connection: Keep-Alive

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge"/>
<title>Redmine</title>
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">
<meta name="description" content="Redmine" />
<meta name="keywords" content="issue,bug,tracker" />
<meta name="csrf-param" content="authenticity_token" />
<meta name="csrf-token" content="WQHsBmXUrI5Hdl7adhxmV274tX+JdHdDnUUGDnIFWUN3+X/QhjyLF7pAGD63pFDtgt/2wNoZ4jGuVApCUYucbPg==" />
<link rel="shortcut icon" href="/favicon.ico" />
<link rel="stylesheet" media="all" href="/stylesheets/jquery/jquery-ui-1.11.0.css" />
<link rel="stylesheet" media="all" href="/stylesheets/application.css" />
<link rel="stylesheet" media="all" href="/stylesheets/responsive.css" />

<script src="/javascripts/jquery-1.11.1-ui-1.11.0-ujs-3.1.4.js"></script>
<script src="/javascripts/application.js"></script>
<script src="/javascripts/responsive.js"></script>
<script>
//
$(window).load(function(){ warnLeavingUnsaved('The current page contains unsaved text that will be lost if you leave this page.');</script>
//]]&gt;
&lt;/script&gt;

&lt;!-- page specific tags --&gt;
&lt;link rel="alternate" type="application/atom+xml" title="Redmine: Latest news" href="http://redmine33.labvulnerabilities_vulnnet:3000/news.atom" /&gt;
&lt;link rel="alternate" type="application/atom+xml" title="Redmine: Activity" href="http://redmine33.labvulnerabilities_vulnnet:3000/activity.atom" /&gt;
&lt;/head&gt;
&lt;body class="controller-welcome action-index"&gt;

&lt;div id="wrapper"&gt;

&lt;div class="flyout-menu js-flyout-menu"&gt;

&lt;div class="flyout-menu__search"&gt;</pre></div><div data-bbox="35 962 97 975" data-label="Page-Footer"><p>Scan Results</p></div><div data-bbox="914 962 969 976" data-label="Page-Footer"><p>page 644</p></div>
```

```

        <form action="/search" accept-charset="UTF-8" method="get"><input name="utf8" type="hidden" value="#x2713;" />

        <label class="search-magnifier search-magnifier--flyout" for="flyout-search">#9906;</label>
        <input type="text" name="q" id="flyout-search" class="small js-search-input" placeholder="Search" />
</form>      </div>

<h3>General</h3>
<span class="js-general-menu"></span>

<span class="js-sidebar flyout-menu__sidebar"></span>

<h3>Profile</h3>
<span class="js-profile-menu"></span>

</div>

<div id="wrapper2">
<div id="wrapper3">
<div id="top-menu">
  <div id="account">
    <ul><li><a class="login" href="/login">Sign in</a></li><li><a class="register" href="/account/register">Register</a></li></ul>  </div>

    <ul><li><a class="home" href="/">Home</a></li><li><a class="projects" href="/projects">Projects</a></li><li><a class="help"
href="https://www.redmine.org/guide">Help</a></li></ul></div>

<div id="header">

  <a href="#" class="mobile-toggle-button js-flyout-menu-toggle-button"></a>

  <div id="quick-search">
    <form action="/search" accept-charset="UTF-8" method="get"><input name="utf8" type="hidden" value="#x2713;" />

    <label for="q">
      <a accesskey="4" href="/search">Search</a>:
    </label>
    <input type="text" name="q" id="q" size="20" class="small" accesskey="f" />
  </form>
  </div>

  <h1>Redmine</h1>

</div>

<div id="main" class="nosidebar">
  <div id="sidebar">

    </div>

    <div id="content">

      <h2>Home</h2>

<div class="splitcontentleft">
  <div class="wiki">

    </div>

  </div>

  <div class="splitcontentright">

    </div>

    <div style="clear:both;"></div>
  </div>
</div>

<div id="ajax-indicator" style="display:none;"><span>Loading...</span></div>
<div id="ajax-modal" style="display:none;"></div>

<div id="footer">
  <div class="bgl"><div class="bgr">

```

1 HTTP Methods Returned by OPTIONS Request

port 3000/tcp

QID: 45056
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/16/2006
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Allow: GET,HEAD,POST,OPTIONS

1 HTTP Response Method and Header Information Collected

port 3000/tcp

QID: 48118
Category: Information gathering
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/20/2020
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

This QID prints the information, in the form of a text record, that a web server sends back to a client's browser in response to receiving a single

HTTP GET request.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HTTP header and method information collected on port 3000.

GET / HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

HTTP/1.1 200 OK
X-Frame-Options: SAMEORIGIN
X-Xss-Protection: 1; mode=block
X-Content-Type-Options: nosniff
Content-Type: text/html; charset=utf-8
Etag: W/"ddc4caf0c0d6f6dc05f53ce75b522cea"
Cache-Control: max-age=0, private, must-revalidate
X-Request-Id: 74f7971d-cb94-4f75-b48a-2b52120739fd
X-Runtime: 0.005110
Server: WEBrick/1.3.1 (Ruby/2.3.8/2018-10-18)
Date: Sun, 26 Jul 2026 03:28:03 GMT
Content-Length: 3812
Connection: Keep-Alive
Set-Cookie:
_redmine_session=NFRqaDZmMzRJT0dWWIEvOV01S1dtdHNxbFdc1dVRFBFc1VyZ1B3UWttcHlCc3R2ek1WTFIMSXQ1WFg3Sm1mY29GdlQ2c0c1eUpBaFZGK1dUYW84UDEwSGV5Q2tJSVRQTDZrb0pNd2M1cllBb2gxUCtnZnVmeU13WXM2bjllR21zQ2JaWmZvY1dZaTh2U05xdWhMRnMzQ1ZTYW02cDBhOW9KVWNEWDFLMzVIRXBzNnBwaXovRTFOdHdScXo0N0FRLS1mdFZxdlp6YUJvVG94WmcyV01DRGJ3PT0%3D--fef18dd3cb53ec407b0ca656d266cae9d6040b77; path=/; HttpOnly

 1 Referrer-Policy HTTP Security Header Not Detected

port 3000/tcp

QID: 48131
Category: Information gathering
Associated CVEs: -
Vendor Reference: [Referrer-Policy](#)
Bugtraq ID: -
Service Modified: 01/18/2023
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

No Referrer Policy is specified for the link. It checks for one of the following Referrer Policy in the response headers:

- 1) no-referrer
- 2) no-referrer-when-downgrade
- 3) same-origin
- 4) origin
- 5) origin-when-cross-origin
- 6) strict-origin
- 7) strict-origin-when-cross-origin

IMPACT:

The Referrer-Policy header controls how much referrer information is sent to a site when navigating to it. Absence of Referrer-Policy header can lead to leakage of sensitive information via the referrer header.

SOLUTION:

Referrer Policy header improves security by ensuring websites don't leak sensitive information via the referrer header. It's recommended to add secure Referrer Policies as a part of a defense-in-depth approach.

References:

- <https://www.w3.org/TR/referrer-policy/> (<https://www.w3.org/TR/referrer-policy/>)
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy> (<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy>)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Referrer-Policy HTTP Header missing on 3000 port.
GET / HTTP/1.1
Host: redmine33.labvulnerabilities_vulnnet:3000
Connection: Keep-Alive

1 URLScan Security Tool Detected

port 3000/tcp

QID:	86534
Category:	Web server
Associated CVEs:	-
Vendor Reference:	-
Bugtraq ID:	7767
Service Modified:	07/09/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

THREAT:

UrlScan is a security tool offered by Microsoft that restricts the types of HTTP requests that Internet Information Services (IIS) will process. By blocking specific HTTP requests, the UrlScan security tool helps prevent potentially harmful requests from reaching the server.

A weakness has been reported for URLScan that may result in the disclosure of sensitive information. The weakness exists because of the way URLScan handles HEAD HTTP requests. Specifically, when URLScan receives a HEAD request that is subsequently rejected, it is automatically converted to a GET request and sent to the underlying IIS server. As a result, the appropriate reject page is delivered to a requesting client.

IMPACT:

The information returned may allow an attacker to identify systems that incorporate the use of URLScan.

The target host may not have been tested to the full extent due to the presence of this utility.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

No results available



1 Web Server Supports HTTP Request Pipelining

port 3000/tcp

QID: 86565
Category: Web server
Associated CVEs: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/22/2005
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Version 1.1 of the HTTP protocol supports URL-Request Pipelining. This means that instead of using the "Keep-Alive" method to keep the TCP connection alive over multiple requests, the protocol allows multiple HTTP URL requests to be made in the same TCP packet. Any Web server which is HTTP 1.1 compliant should then process all the URLs requested in the single TCP packet and respond as usual.

The target Web server was found to support this functionality of the HTTP 1.1 protocol.

IMPACT:

Support for URL-Request Pipelining has interesting consequences. For example, as explained in this paper by Daniel Roelker (<http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf>), it can be used for evading detection by Intrusion Detection Systems. Also, it can be used in HTTP Response-Splitting style attacks.

SOLUTION:

N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

GET / HTTP/1.1
Host:172.31.1.95:3000

GET /Q_Evasive/ HTTP/1.1
Host:172.31.1.95:3000

HTTP/1.1 200 OK
X-Frame-Options: SAMEORIGIN
X-Xss-Protection: 1; mode=block

X-Content-Type-Options: nosniff
Content-Type: text/html; charset=utf-8
Etag: W/"8ab8420c37ec9e81d30da954e7f3bbcc"
Cache-Control: max-age=0, private, must-revalidate
X-Request-Id: dfeccd2f-8ab5-41a7-847d-b3ca069f7872
X-Runtime: 0.002678
Server: WEBrick/1.3.1 (Ruby/2.3.8/2018-10-18)
Date: Sun, 26 Jul 2026 03:27:53 GMT
Content-Length: 3762
Connection: Keep-Alive
Set-Cookie:
_redmine_session=MnlaajNEbE1HZE9yd2t4YUkwTDNFYkg0YVZBeWIURWtSKzhETDZWVE5GMnlxaDN0bXgzMys2VTE3ZjkxM1RXV2plSEhoVmRXZIZGcmNvdG1VTIRoa3FBWkZlchd5bU
VJSmxmbF1RjBkbnlZNfPCKzQzZWldGhOUmVxVzR4RFhSMzJTMmNZUE5saWFSaGVtJmVzQndDZDI4dU81YzFRTEVvbjVDZXd1WW9naVNKUUVBb1JpSDJDSkphejJ4aUznLS1XSUJRMW1jL
zVwL3ZpVGRLMW5QMw1BPT0%3D--1fde85de108fba88a1b59073d139554585b6c6d6; path=/; HttpOnly

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge"/>
<title>Redmine</title>
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">
<meta name="description" content="Redmine" />
<meta name="keywords" content="issue,bug,tracker" />
<meta name="csrf-param" content="authenticity_token" />
<meta name="csrf-token" content="L+YVF5c2uzY68aoPgqmQjT9kR7ta0d6euFILpkJXw96cAetHRnwBP2Z0t393n/RWNaDkGE/tW6eeZ7Z6/hDsCg==" />
<link rel="shortcut icon" href="/favicon.ico" />
<link rel="stylesheet" media="all" href="/stylesheets/jquery/jquery-ui-1.11.0.css" />
<link rel="stylesheet" media="all" href="/stylesheets/application.css" />
<link rel="stylesheet" media="all" href="/stylesheets/responsive.css" />

<script src="/javascripts/jquery-1.11.1-ui-1.11.0-uj-3.1.4.js"></script>
<script src="/javascripts/application.js"></script>
<script src="/javascripts/responsive.js"></script>
<script>
//<![CDATA[
$(window).load(function(){ warnLeavingUnsaved('The current page contains unsaved text that will be lost if you leave this page. '); });
//}]]>
</script>

<!-- page specific tags -->
<link rel="alternate" type="application/atom+xml" title="Redmine: Latest news" href="http://172.31.1.95:3000/news.atom" />
<link rel="alternate" type="application/atom+xml" title="Redmine: Activity" href="http://172.31.1.95:3000/activity.atom" />
</head>
<body class="controller-welcome action-index">

<div id="wrapper">

<div class="flyout-menu js-flyout-menu">

  <div class="flyout-menu__search">
    <form action="/search" accept-charset="UTF-8" method="get"><input name="utf8" type="hidden" value="#&x2713;" />

    <label class="search-magnifier search-magnifier--flyout" for="flyout-search">&#9906;</label>
    <input type="text" name="q" id="flyout-search" class="small js-search-input" placeholder="Search" />
  </form>
  </div>

  <h3>General</h3>
  <span class="js-general-menu"></span>

  <span class="js-sidebar flyout-menu__sidebar"></span>

  <h3>Profile</h3>
  <span class="js-profile-menu"></span>

</div>

<div id="wrapper2">
<div id="wrapper3">
<div id="top-menu">
  <div id="account">
    <ul><li><a class="login" href="/login">Sign in</a></li><li><a class="register" href="/account/register">Register</a></li></ul>
  </div>
```

```
<ul><li><a class="home" href="/">Home</a></li><li><a class="projects" href="/projects">Projects</a></li><li><a class="help" href="https://www.redmine.org/guide">Help</a></li></ul></div>
```

```
<div id="header">
```

```
<a href="#" class="mobile-toggle-button js-flyout-menu-toggle-button"></a>
```

```
<div id="quick-search">
```

```
<form action="/search" accept-charset="UTF-8" method="get"><input name="utf8" type="hidden" value="#x2713;" />
```

```
<label for='q'>
```

```
<a accesskey="4" href="/search">Search</a>:
```

```
</label>
```

```
<input type="text" name="q" id="q" size="20" class="small" accesskey="f" />
```

```
</form>
```

```
</div>
```

```
<h1>Redmine</h1>
```

```
</div>
```

```
<div id="main" class="nosidebar">
```

```
<div id="sidebar">
```

```
</div>
```

```
<div id="content">
```

```
<h2>Home</h2>
```

```
<div class="splitcontentleft">
```

```
<div class="wiki">
```

```
</div>
```

```
</div>
```

```
<div class="splitcontentright">
```

```
</div>
```

```
<div style="clear:both;"></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div id="ajax-indicator" style="display:none;"><span>Loading...</span></div>
```

```
<div id="ajax-modal" style="display:none;"></div>
```

```
<div id="footer">
```

```
<div class="bgl"><div class="bgr">
```

```
Powered by <a href="https://www.redmine.org/">Redmine</a> 2006-2018 Jean-Philippe Lang
```

```
</div></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

```
HTTP/1.1 404 Not Found
```

```
Content-Type: text/html; charset=utf-8
```

```
Content-Length: 459
```

```
X-Request-Id: 0c33da24-0895-4cbb-b98d-6cc68bb20779
```

```
X-Runtime: 0.000268
```

```
Server: WEBrick/1.3.1 (Ruby/2.3.8/2018-10-18)
```

```
Date: Sun, 26 Jul 2026 03:27:53 GMT
```

```
Connection: Keep-Alive
```



1 List of Web Directories

port 3000/tcp

QID: 86672

Category: Web server

Associated CVEs: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/10/2004
User Modified: -
Edited: No
PCI Vuln: No

THREAT:

Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/issues/	brute force
/news/	brute force
/admin	brute force
/login/	brute force
/search/	brute force
/users/	brute force
/logout/	brute force
/#/	brute force
/projects/	brute force
/login.asp	brute force
/users/1	brute force
/stylesheets/	web page
/issues/	web page
/javascripts/	web page
/admin/	brute force
/login.php	brute force
/login	brute force
/login.action/	brute force
/login.php/	brute force
/account/	web page

Appendix

Hosts Scanned (IP)

172.30.20.2, 172.30.26.1, 172.30.32.1, 172.30.45.1, 172.30.46.1, 172.30.47.1, 172.30.49.1, 172.31.1.20, 172.31.1.74, 172.31.1.84, 172.31.1.92, 172.31.1.95, 172.30.19.1-172.30.19.2, 172.31.1.73

Target distribution across scanner appliances

mulita-5080 : 172.30.19.1-172.30.19.2, 172.30.20.2, 172.30.26.1, 172.30.32.1, 172.30.45.1, 172.30.46.1, 172.30.47.1, 172.30.49.1, 172.31.1.14, 172.31.1.20, 172.31.1.73-172.31.1.74, 172.31.1.76, 172.31.1.82, 172.31.1.84, 172.31.1.86, 172.31.1.92, 172.31.1.95

Hosts Not Scanned

Hosts Not Alive (IP) (4)

172.31.1.14, 172.31.1.76, 172.31.1.82, 172.31.1.86

No vulnerabilities match your filters for these hosts (3)

172.30.19.1-172.30.19.2, 172.31.1.73

Options Profile

Qualys Recommended Option Profile

Scan Settings

Ports:	
Scanned TCP Ports:	Standard Scan
Scanned UDP Ports:	Standard Scan
Scan Dead Hosts:	Off
Close Vulnerabilities on Dead Hosts Count:	Off
Purge old host data when OS changes:	On
Load Balancer Detection:	Off
Perform 3-way Handshake:	Off
Vulnerability Detection:	Complete
Intrusive Checks:	Excluded
Password Brute Forcing:	
System:	Disabled
Custom:	Disabled
On-Host Script Execution:	
Allow On-Host Script Execution:	Disabled
Maximum Scan Duration per Asset:	
Maximum Scan Duration Per Asset:	Disabled
Authentication:	
Windows:	Enabled
Unix/Cisco/Network SSH:	Enabled
Unix Least Privilege Authentication:	Disabled
Oracle:	Disabled
Oracle Listener:	Disabled
SNMP:	Disabled
VMware:	Disabled
DB2:	Disabled
HTTP:	Disabled

MySQL:	Disabled
Tomcat Server:	Disabled
MongoDB:	Disabled
Palo Alto Networks Firewall:	Disabled
Jboss Server:	Disabled
Oracle WebLogic Server:	Disabled
MariaDB:	Disabled
InformixDB:	Disabled
MS Exchange Server:	Disabled
Oracle HTTP Server:	Disabled
MS SharePoint:	Disabled
Sybase:	Disabled
Kubernetes:	Disabled
SAP IQ:	Disabled
SAP HANA:	Disabled
Azure MS SQL:	Disabled
Neo4j:	Disabled
NGINX:	Disabled
Infoblox:	Disabled
BIND:	Disabled
Cisco_APIC:	Disabled
Cassandra:	Disabled
MarkLogic:	Disabled
DataStax:	Disabled
NSX:	Disabled
OLVM:	Disabled
Overall Performance:	Normal
Allow Parallel Scanning:	Disabled
Limit Per Host CGI Checks:	disabled
Configure Scan for Limited Connectivity:	disabled
Set Maximum Targets per Slice:	disabled
Skip Pre-scanning:	disabled
Additional Certificate Detection:	
Authenticated Scan Certificate Discovery:	Disabled
Test Authentication:	Disabled
Hosts to Scan in Parallel:	
Use Appliance Parallel ML Scaling:	On
External Scanners:	15
Scanner Appliances:	50
Processes to Run in Parallel:	
Total Processes:	20
HTTP Processes:	20
Packet (Burst) Delay:	Medium
Port Scanning and Host Discovery:	
Intensity:	Normal
Dissolvable Agent:	
Dissolvable Agent (for this profile):	Enabled
Windows Share Enumeration:	Disabled
Windows Directory Search:	Disabled
Lite OS Discovery:	Disabled
Host Alive Testing:	Disabled
Do Not Overwrite OS:	Disabled

Advanced Settings

Host Discovery:	TCP Standard Scan, UDP Standard Scan, ICMP Off
Ignore firewall-generated TCP RST packets:	On
Ignore all TCP RST packets:	Off
Ignore firewall-generated TCP SYN-ACK packets:	On
Do not send TCP ACK or SYN-ACK packets during host discovery:	Off

Report Legend

Vulnerability Levels

A Vulnerability is a design flaw or mis-configuration which makes your network (or a host on your network) susceptible to malicious attacks from local or remote users. Vulnerabilities can exist in several areas of your network, such as in your firewalls, FTP servers, Web servers, operating systems or CGI bins. Depending on the level of the security risk, the successful exploitation of a vulnerability can vary from the disclosure of information about the host to a complete compromise of the host.

Severity	Level	Description
 1	Minimal	Intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities.
 2	Medium	Intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions.
 3	Serious	Intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying.
 4	Critical	Intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host.
 5	Urgent	Intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors.

Potential Vulnerability Levels

A potential vulnerability is one which we cannot confirm exists. The only way to verify the existence of such vulnerabilities on your network would be to perform an intrusive scan, which could result in a denial of service. This is strictly against our policy. Instead, we urge you to investigate these potential vulnerabilities further.

Severity	Level	Description
 1	Minimal	If this vulnerability exists on your system, intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities.
 2	Medium	If this vulnerability exists on your system, intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions.
 3	Serious	If this vulnerability exists on your system, intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying.
 4	Critical	If this vulnerability exists on your system, intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host.
 5	Urgent	If this vulnerability exists on your system, intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors.

Information Gathered

Information Gathered includes visible information about the network related to the host, such as traceroute information, Internet Service Provider (ISP), or a list of reachable hosts. Information Gathered severity levels also include Network Mapping data, such as detected firewalls, SMTP banners, or a list of open TCP services.

Severity	Level	Description
1	Minimal	Intruders may be able to retrieve sensitive information related to the host, such as open UDP and TCP services lists, and detection of firewalls.
2	Medium	Intruders may be able to determine the operating system running on the host, and view banner versions.
3	Serious	Intruders may be able to detect highly sensitive data, such as global system user lists.

This report was generated with an evaluation version of Qualys

CONFIDENTIAL AND PROPRIETARY INFORMATION.
Qualys provides its Service "As Is," without any warranty of any kind. Qualys makes no warranty that the information contained in this report is complete or error-free. Copyright 2026, Qualys, Inc.