

LABORATORIO DE INNOVACIÓN 2

BITACORA 2

IVÁN NAVARRETE GUZMÁN

BITÁCORA

Página web, generalmente de carácter personal, con una estructura cronológica que se actualiza regularmente y que se suele dedicar a tratar un tema concreto.

4 VENTAJAS DE LA BITÁCORA:

Ventaja #1- Auto conocimiento

Ventaja #2- Archivo

Ventaja #3-Orden


Ventaja #4- Sistematización



PÁGINA WEB



**EN ESTA SESIÓN PROFUNDIZAMOS
MUCHO MAS EN EL DESARROLLO DE
NUESTRA PÁGINA WEB CON EL
PROGRAMA DE STUDIO CODE**




```
main.js - default (Workspace) x + https://vscode.dev
EXPLORER
  DEFAULT (WORKSPACE)
    theCatSaidNo
      .github
      .vscode
      assets
      static
        images
          catpaw.png
          dogpaw.png
          vscode.png
        javascript
          main.js
        stylesheets
          # style.css
          favicon.ico
      templates
        home.html
      deployment
      .gitignore
      app_test.py
      app.py
      README.md
      requirements.txt
      vscode.github-issues
      OUTLINE
      0 4

# style.css 4 x
theCatSaidNo > static > stylesheets > # style.css > body
1 body {
2   font-family: 'Montserrat', 'Lato', 'sans-serif';
3   color: #0070C0;
4   background: #fff;
5   -webkit-touch-callout: none;
6   -webkit-user-select: none;
7   -khtml-user-select: none;
8   -moz-user-select: none;
9   -ms-user-select: none;
10  user-select: none;
11  transition: background-color 0.25s;
12 }
13 .jumbotron {
14   background: #0070C0;
15   color: #fff;
16 }
17 .jumbotron h1 {
18   color: #fff;
19 }
20 .example {
21   margin: 4rem auto;
22 }
23 .example > .row {
24   margin-top: 2rem;
25   height: 5rem;
26   vertical-align: middle;
27   text-align: center;
28   border: 1px solid #0070C0;
29 }
30 .example > .row:first-of-type {
31   border: none;
32   height: auto;
33   text-align: left;
34 }
35 .example h3 {
36   font-weight: 400;
37 }

JS main.js x
theCatSaidNo > static > javascript > JS
1 pawToggled = false;
2 var myTimeout;
3
4 function callbackToggle() {
5   return function () {
6     if (!pawToggled) {
7       document.getELEM...
8     }
9   }
10 }
11
12 function togglePaw() {
13   if (!pawToggled) {
14     // Runs when we to...
15     document.getElem...
16     myTimeout = setTim...
17   } else {
18     document.getElem...
19     clearTimeout(myTim...
20   }
21
22 pawToggled = !pawTogg...
23 }

Ln 11, Col 1 Spaces: 4 UTF-8 LF ( JavaScript 
```

APRENDIMOS




```
04_typography.html — htmlsandbox
EXPLORER
OPEN EDITORS
HTMLSANDBOX
+ images
+ Resources
01_basic_layout.html
02_live_server.html
03_meta_tags.html
04_typography.html
05_links_images.html
06_lists_tables.html
07_forms_input.html
08_block_inline.html
09_id_class.html
10_entities.html
11_html_semantics...
index.html


04_typography.html
<!DOCTYPE html>
<html lang="es">
<head>
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Headings, Paragraphs, Tipography</title>
</head>
<body>
    <!-- Headings -->
    <h1>Heading 1</h1>
    <h2>Heading 2</h2>
    <h3>Heading 3</h3>
    <h4>Heading 4</h4>
    <h5>Heading 5</h5>
    <h6>Heading 6</h6>
    <!-- Paragraph -->
    <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Maiores voluptate ea sed fuga aspernatur perspiciatis laborum atque, qui <strong>quidem dicta, illum</strong> excepturi laboriosam possimus cum accusantium beatae soluta asperiores dolor ad. Hic earum <em>voluptate facilis nobis! Dolores aliquam</em> obcaecati omnis officiis ex, nisi optio sed <del>repellendus impedit</del>.
    <!-- Line break -->
    <br>
    Rerum, architecto quibusdam. Modi odit vitae ipsam minus veniam libero repellendus laboriosam dolor veritatis at eveniet tempora fugit, excepturi ad beatae quas iure nihil perferendis natus quo! Minima sint debitis quasi
    <!-- Horizontal Rule -->
    <hr>
    itaque unde iusto blanditiis mollitia perferendis explicabo illum natus soluta quo vel sequi aliquam, perspiciatis voluptatem placeat! Ducimus quasi debitis accusantium.</p>
</body>
</html>
```

COMO MODIFICAR NUESTRO TEXTO

COMO COLOCAR IMAGENES




```
image-preview.html - HTMLCSS - Visual Studio Code
pruebas > image-preview > image-preview.html ...
1  <!DOCTYPE html>
2  <html lang="es">
3  <head>
4      <meta charset="utf-8">
5      <title>Extensión Image Preview</title>
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7  </head>
8
9  <body>
10     <p>La Santa Croce de Florencia: </p>
11
12     </body>
13 </html>
```





```
41
42
43
44
45
46
47
48
49
50
51
$(function(){cards();});
$(window).on('resize', function(){cards();});
function cards(){
    var width = $(window).width();
    if(width < 750){
        cardssmallscreen();
    }else{
        cardsbigscreen();
    }
}
function cardssmallscreen(){
    var cards = $('.card').length;
    height = 0;
    i = 1;
    for(i=0;i<cards;i++){
        card = $(`#card${i}`);
        card.css('height', height);
        height += 200;
    }
}
```


HIPERVINCULOS



A screenshot of Visual Studio Code showing the code for a football history page. The code includes sections for the title, meta tags, and various heading levels (H1 to H5) describing the history of football. An image of a soccer ball is included, with its source code highlighted.



INSPECCIONAR



A screenshot of a browser window showing the source code of a news article from androidphoria.com. The page content discusses a keyboard offer for Android TV. The right side of the screen shows the raw HTML code, including links to other pages and images.