

Open in app ↗

Sign up

Sign in


Medium



Search



Understanding Ethereum Node Architecture



Nova Novriansyah · Follow

Published in Novai-Blockchain 101

3 min read · May 7, 2024



Listen




Share

Ethereum, the groundbreaking blockchain platform, operates through a complex network of nodes. These nodes play crucial roles in executing transactions, reaching consensus, and ensuring the integrity of the Ethereum blockchain. Let's delve into the architecture of an Ethereum node to comprehend its inner workings.

The Two Components of an Ethereum Node

An Ethereum node consists of two essential components: an execution client and a consensus client. In the past, when Ethereum operated on proof-of-work, only an execution client was necessary. However, with the transition to proof-of-stake, the execution client now collaborates with a consensus client.



This image is from geth.ethereum.org

The diagram illustrates the relationship between these two clients. Each connects to its respective peer-to-peer (P2P) network. While execution clients handle transaction gossiping and local transaction pools, consensus clients manage block gossiping and facilitate consensus and chain growth.

The Role of the Execution Client

The execution client takes charge of transaction handling, gossiping, state management, and supporting the Ethereum Virtual Machine (EVM). It generates execution payloads, comprising transactions and updated state data, which are included in every block by consensus clients. *Additionally, the execution client ensures the validity of transactions by executing them locally on the EVM.*

Moreover, it provides a user interface to interact with Ethereum through RPC methods, facilitating blockchain queries, transaction submissions, and smart contract deployments. Popular libraries like Web3js or user interfaces like browser wallets often handle RPC calls.

In summary, the execution client serves as:

- A user gateway to Ethereum.
- The home of the Ethereum Virtual Machine and transaction pool.

The Functionality of the Consensus Client

The consensus client *handles the logic required for a node to synchronize with the Ethereum network*. It receives blocks from peers, runs fork choice algorithms, and *ensures nodes follow the chain with the highest accumulation of attestations*. Unlike the execution client, it doesn't participate in block proposing and attestation. Attestation tasks are delegated to validators.

A validator attestation is a cryptographic proof provided by a validator in a blockchain network, confirming the validity of a particular block or set of transactions. In the context of Ethereum 2.0, validators play a crucial role in the proof-of-stake (PoS) consensus mechanism, where they are responsible for proposing and validating new blocks.

When a validator receives a block from the network, it verifies the transactions within the block and checks the validity of the block itself according to the consensus rules of the network. Once the validation process is complete and the validator is confident that the block is valid, it creates an attestation.

COMPONENTS OF A NODE COMPARISON

Execution Client	Consensus Client	Validator
Gossips transactions over its p2p network	Gossips blocks and attestations over its p2p network	Proposes blocks
Executes/re-executes transactions	Runs the fork choice algorithm	Accrues rewards/penalties
Verifies incoming state changes	Keeps track of the head of the chain	Makes attestations
Manages state and receipts tries	Manages the Beacon state (contains consensus and execution info)	Requires 32 ETH to be staked
Creates execution payload	Keeps track of accumulated randomness in RANDAO	Can be slashed
Exposes JSON-RPC API for interacting with Ethereum	Keeps track of justification and finalization	

Understanding the architecture of Ethereum nodes sheds light on the intricate processes that underpin this revolutionary blockchain platform. As Ethereum continues to evolve, so too will the architecture of its nodes, ensuring the scalability, security, and efficiency of the network.

Ethereum

Blockchain

Web3



Follow

Published in Novai-Blockchain 101

1 Follower · Last published Jun 2, 2024

Welcome to our blockchain channel, where we unravel the mysteries of decentralized technology. Delve into the concepts of public and private blockchains, exploring their unique features, applications, and potential impact on various industries. Whether you're a blockchain novice



Follow



Written by Nova Novriansyah

109 Followers · 34 Following

C|CISO, CEH, CC, CVA, CertBlockchainPractitioner, Google Machine Learning , Tensorflow, Unity Cert, Arduino Cert, AWS Arch Cert. CTO, IT leaders. Platform owners


No responses yet



What are your thoughts?

Respond

More from Nova Novriansyah and Novai-Blockchain 101




 In NovAI- Agile & DevOPS 101 by Nova Novriansyah

Top 4 Branching Strategies and Their Comparison: A Guide with Recommendations

Branching strategies are critical in version control, helping teams manage and organize code changes efficiently. Choosing the right...

Aug 15  14 





In Novai-Blockchain 101 by Nova Novriansyah

Understanding Nodes and Clients in Ethereum

In the realm of Ethereum, nodes and clients play crucial roles in maintaining the network's integrity and facilitating transactions. Let's...

May 7 🖱️ 2



In Novai-Blockchain 101 by Nova Novriansyah

Unofficial Guide to Passing the Certified Blockchain Practitioner Certification Exam from SecOps

In today's rapidly evolving digital landscape, blockchain technology has emerged as a revolutionary force with the potential to transform...

May 8 🖱️ 2





In NovAI Cloud Computing — GCP by Nova Novriansyah

How to Install Google Cloud CLI (Command-Line Interface) on Mac, Windows, and Linux

Google Cloud CLI, known as gcloud, is an essential tool for managing Google Cloud Platform (GCP) resources from the command line...

Jun 21  1  1



See all from Nova Novriansyah

See all from Novai-Blockchain 101

Recommended from Medium



AK

Web3 and Blockchain Development in 2024: A Comprehensive Engineering Guide

After leading blockchain development teams at major financial institutions and implementing numerous Web3 solutions, I've learned that...



Nov 25



10



 In Stackademic by Crafting-Code


I Stopped Using Kubernetes. Our DevOps Team Is Happier Than Ever

Why Letting Go of Kubernetes Worked for Us

🌟 Nov 19 🖱️ 3.6K 💬 111



Lists




My Kind Of Medium (All-Time Faves)

102 stories · 598 saves



MODERN MARKETING

199 stories · 948 saves



data science and AI

40 stories · 296 saves




Generative AI Recommended Reading

52 stories · 1532 saves

```
// BASIC Node.js server
const http = require('http');

const server = http.createServer((req, res) => {
  res.statusCode = 200;
  res.setHeader('Content-Type', 'text/plain');
  res.end('Hello, World!\n');
});

server.listen(3000, '127.0.0.1', () => {
  console.log('Server running at http://127.0.0.1:3000/');
});
```

 Anshu Sharma

Top 30 Node.js Interview Questions | One Stop Solution

image taken from curotech

★ Nov 24 🖱 58



 In Booster for Writers by Dinesh Maharjan

It's too hard to deploy HyperLedger Fabric Operator??? — Part 1

Really????

★ Nov 25 🖱 164 💬 1







 In Coinmonks by QuillAudits - Web3 Security 

Week 89: Vitalik's Thoughts On Possible futures for Ethereum (The Merge & The Surge), World Chain...

Hashingbits: Your Weekly Dose of Web3 Innovation and Security. Curated by QuillAudits

Oct 21  4



Blockchain

S Sithara Wanigasooriya

Blockchain in 2024: An Expert's Guide to its Core Components and Evolution

Blockchain is now recognized as a decentralized, secure, and transparent way to store and manage data across a network of computers without...

★ Oct 6



See more recommendations