Named Tensors operator coverage

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 1)

Unknown directive type "currentmodule".

.. currentmodule:: torch

Please read ref. named tensors-doc' first for an introduction to named tensors.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 8); backlink

Unknown interpreted text role 'ref'.

This document is a reference for *name inference*, a process that defines how named tensors:

- use names to provide additional automatic runtime correctness checks
- 2. propagate names from input tensors to output tensors

Below is a list of all operations that are supported with named tensors and their associated name inference rules.

If you don't see an operation listed here, but it would help your use case, please search if an issue has already been filed and if not, file one.

Warning

The named tensor API is experimental and subject to change.

Supported Operations

29); backlink

29); backlink

API Name inference rule :meth: Tensor.abs', :func: 'torch.abs' **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'keeps input names-doc' master\docs\source\((pytorch-master))

Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name inference.rst, line

(docs) (source) name_inference.rst, line

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-

onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:`Tensor.abs`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref.'keeps input names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink

:meth: Tensor.acos', :func: 'torch.acos'

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-

master\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref. keeps input names-doc

Name inference rule

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth:`Tensor.acos_`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'meth'.

ref.'keeps_input_names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth: Tensor.add', :func: 'torch.add'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master\)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "func".

ref: unifies names from inputs-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth:\Tensor.add_\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref. unifies names from inputs-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

:meth: 'Tensor.addmm', :func: 'torch.addmm'

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'meth'.

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref.'contracts away dims-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:\Tensor.addmm_\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role 'meth'.

ref.`contracts_away_dims-doc`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth: `Tensor.addmv`, :func: `torch.addmv`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\)
(docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref.'contracts away dims-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "ref".

:meth:\Tensor.addmv\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref. contracts away dims-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

| | Name inference rule |
|---|---------------------|
| :meth:`Tensor.align_as` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | See documentation |
| :meth:`Tensor.align_to` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | See documentation |
| meth: Tensor.all', :func: 'torch.all' | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink | |
| Unknown interpreted text role "func". | |
| meth: Tensor.any', :func: 'torch.any' | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink | None |
| Unknown interpreted text role "func". | |

meth: Tensor.asin', :func: 'torch.asin'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref:\keeps_input_names-doc\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:\Tensor.asin_\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref. keeps input names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: Tensor.atan', :func: 'torch.atan'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref:\keeps_input_names-doc\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

:meth:\Tensor.atan2\, :func:\torch.atan2\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref.'unifies names from inputs-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:`Tensor.atan2_`

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref. unifies names from inputs-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role 'ref'.

:meth:`Tensor.atan_`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

ref:\keeps_input_names-doc\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth: Tensor.bernoulli', :func: 'torch.bernoulli'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master\)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref. keeps input names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

| API | Name inference rule |
|---|---|
| :meth: Tensor.bernoulli_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| meth: Tensor.bfloat16 | ref: keeps_input_names-doc' |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "finc". | System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink | None |
| | |

API Name inference rule :meth: Tensor.bmm', :func: 'torch.bmm' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. contracts away dims-doc master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line **System Message: ERROR/3** 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.bool` ref. keeps input names-doc System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role 'ref'. :meth:`Tensor.byte` ref:\keeps_input_names-doc\ System Message: ERROR/3 **System Message: ERROR/3** (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role 'ref'. :func:`torch.cat` ref. unifies names from inputs-doc **System Message: ERROR/3 System Message: ERROR/3** (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role 'ref'. :meth:`Tensor.cauchy_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None

master\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line

Unknown interpreted text role "meth".

29); backlink

API 29); backlink

:meth: Tensor.ceil', :func: 'torch.ceil'

System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref. keeps input names-doc

Name inference rule

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:`Tensor.ceil `

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

None

:meth:\Tensor.char\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref. keeps input names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:`Tensor.chunk`, :func:`torch.chunk`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref. keeps input names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

API Name inference rule :meth: Tensor.clamp', :func: 'torch.clamp' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.clamp_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:`Tensor.copy_ ref.'out function semantics-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role 'ref'. Unknown interpreted text role "meth". :meth: Tensor.cos', :func: 'torch.cos' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink Unknown interpreted text role "meth".

System Message: ERROR/3

29); backlink

(D:\onboarding-resources\sample-

onboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line

Unknown interpreted text role "func".

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

API Name inference rule :meth:`Tensor.cos` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.cosh', :func: 'torch.cosh' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.cosh System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". meth: Tensor.acosh', :func: 'torch.acosh' **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

API Name inference rule :meth:`Tensor.acosh_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:`Tensor.cpu` ref. keeps input names-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "ref". Unknown interpreted text role "meth". :meth:`Tensor.cuda` ref.`keeps_input_names-doc` System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role 'ref'. :meth: Tensor.cumprod', :func: 'torch.cumprod' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'keeps_input_names-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line **System Message: ERROR/3** 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line

29); backlink

Unknown interpreted text role "func".

API Name inference rule :meth: Tensor.cumsum', :func: 'torch.cumsum' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth: Tensor.data_ptr System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:\Tensor.deg2rad\,:func:\torch.deg2rad\ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.deg2rad_\ **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

| API | Name inference rule |
|--|---|
| meth: Tensor.detach', :func: 'torch.detach' System Message: ERROR/3 | |
| (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | ref. keeps_input_names-doc` System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)) |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". | (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'ref'. |
| meth: Tensor.detach | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| attr: Tensor.device`, :func: `torch.device` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink | |
| Unknown interpreted text role 'func''. | |

API Name inference rule :meth: Tensor.digamma', :func: 'torch.digamma' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.digamma_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:`Tensor.dim` **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". meth: Tensor.div', :func: 'torch.div' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. unifies names from inputs-doc master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func".

Name inference rule API :meth:`Tensor.div_` ref. unifies names from inputs-doc System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref". :meth: Tensor.dot', :func: 'torch.dot' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". None System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.double` ref. keeps input names-doc System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref". :meth:`Tensor.element size` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :func:`torch.empty` ref: factory-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink

Unknown interpreted text role "ref".

Unknown interpreted text role "func".

API Name inference rule :func:\torch.empty_like\ ref: factory-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role "ref". :meth: Tensor.eq', :func: 'torch.eq' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'unifies_names_from_inputs-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line **System Message: ERROR/3** 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.erf,:func:`torch.erf System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'keeps input names-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink System Message: ERROR/3 (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) System Message: ERROR/3 (docs) (source) name inference.rst, line 29); backlink (D:\onboarding-resources\sampleonboarding-resources\pytorch-Unknown interpreted text role 'ref'. master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.erf_\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

None

API Name inference rule :meth: Tensor.erfc', :func: 'torch.erfc' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.erfc_\ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.erfinv', :func: 'torch.erfinv' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.erfinv_` **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule :meth:`Tensor.exp`, :func:`torch.exp` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.exp_ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:\Tensor.expand\ ref. keeps input names-doc' **System Message: ERROR/3** System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\(pytorch-master) (docs) (source) name inference.rst, line (docs) (source) name inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role 'ref'. :meth: Tensor.expml ', :func: 'torch.expml ' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line System Message: ERROR/3 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line 29); backlink

Unknown interpreted text role "func".

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line 29); backlink

| API | Name inference rule |
|---|---|
| meth: Tensor.expml_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| neth: Tensor.exponential_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| neth: `Tensor.fill_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| neth: Tensor.flatten`, :func: 'torch.flatten` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | See documentation |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink | |
| Unknown interpreted text role "func". | |
| neth: Tensor.float | ref'keeps_input_names-doc' |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |

API Name inference rule :meth: Tensor.floor', :func: 'torch.floor' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.floor_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.frac', :func: 'torch.frac' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.frac **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule :meth: Tensor.ge', :func: 'torch.ge' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.`unifies_names_from_inputs-doc` master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth: Tensor.get_device`, :func:`torch.get_device` **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". None **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :attr:\Tensor.grad\ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr".

API met

API

:meth:`Tensor.gt`, :func:`torch.gt`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref. unifies names from inputs-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role 'ref'.

:meth:\Tensor.half

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'meth''.

ref. keeps input names-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth:\Tensor.has_names\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

See documentation

:meth:'Tensor.index fill', :func:'torch.index fill'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "func".

ref:\keeps_input_names-doc\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

| API | Name inference rule |
|--|---|
| meth: Tensor.index_fill_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| meth: Tensor.int` | refi`keeps_input_names-doc` |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| meth: Tensor.is_contiguous` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| :attr:`Tensor.is_cuda` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". | None |
| :meth: Tensor.is_floating_point', :func: 'torch.is_floating_point' | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink | |
| Unknown interpreted text role "func". | |

| API | Name inference rule |
|--|---------------------|
| :attr:`Tensor.is_leaf | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". | None |
| meth: Tensor.is_pinned` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| :meth:`Tensor.is_shared` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| meth: Tensor.is_signed`, :func:`torch.is_signed` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". | |
| | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resource\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". | None |

| API | Name inference rule |
|--|--|
| attr: `Tensor.is_sparse_csr` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". | None |
| func: 'torch.is_tensor' | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". | None |
| meth: 'Tensor.item' | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| meth: 'Tensor.kthvalue', :func: 'torch.kthvalue' | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | ref. removes_dimensions-doc System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)) |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink | (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| Unknown interpreted text role "func". | |

:meth: Tensor.le`, :func: torch.le`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)

(docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'meth'.

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref. unifies names from inputs-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth:\Tensor.log\, :func:\torch.log\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref. keeps input names-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: Tensor.log10', :func: 'torch.log10'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'meth'.

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "func".

ref. keeps_input_names-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

| API | Name inference rule |
|--|---|
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "finc". | ref`keeps_input_names-doc` System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink | ref. keeps_input_names-doc` System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |

| API | Name inference rule |
|--|---|
| :meth:`Tensor.log2_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| :meth:`Tensor.log_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| meth: Tensor.log normal ` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| meth: Tensor.logical_not`, :func:`torch.logical_not` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | ref: keeps_input_names-doc` System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink | master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| Unknown interpreted text role "func". | |
| :meth:`Tensor.logical_not_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink | None |
| Unknown interpreted text role "meth". | |

API Name inference rule :meth: Tensor.logsumexp', :func: 'torch.logsumexp' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. removes dimensions-doc master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.long\ ref. keeps input names-doc **System Message: ERROR/3** System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref". :meth:`Tensor.lt`, :func:`torch.lt` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. unifies names from inputs-doc' master\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :func:`torch.manual seed` System Message: ERROR/3 (D:\onboarding-resources\sample-

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

None

Name inference rule API :meth: Tensor.masked fill', :func: 'torch.masked fill' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line **System Message: ERROR/3** 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.masked_fill_` **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'meth''. :meth:`Tensor.masked_select`, :func:`torch.masked_select` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". Aligns mask up to input and then unifies_names_from_input_tensors System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func".

:meth: 'Tensor.matmul', :func: 'torch.matmul'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master\)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref. contracts away dims-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: Tensor.mean', :func: 'torch.mean'

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref. removes dimensions-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: 'Tensor.median', :func: 'torch.median'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'meth'.

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref: removes_dimensions-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

:meth: Tensor.nanmedian', :func: 'torch.nanmedian'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

Name inference rule

ref: removes_dimensions-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: Tensor.mm', :func: 'torch.mm'

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\)
(docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "func".

ref.`contracts_away_dims-doc`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: Tensor.mode', :func: 'torch.mode'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role 'meth'.

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

:ref:\'removes_dimensions-doc'\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

API Name inference rule :meth:`Tensor.mul`, :func:`torch.mul` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. unifies names from inputs-doc master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.mul\` :ref.'unifies names from inputs-doc' **System Message: ERROR/3 System Message: ERROR/3** (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref". :meth: Tensor.mv', :func: 'torch.mv' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'contracts away dims-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :attr:\Tensor.names\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "attr".

See documentation

API Name inference rule meth: Tensor.narrow', :func: 'torch.narrow' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :attr:\Tensor.ndim\ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". :meth:\Tensor.ndimension\ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:`Tensor.ne`, :func:`torch.ne` **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchref.'unifies_names_from_inputs-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func".

Name inference rule API :meth: Tensor.neg', :func: 'torch.neg' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.neg_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) None (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :func:`torch.normal` ref. keeps input names-doc' System Message: ERROR/3 **System Message: ERROR/3** (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role 'ref'. :meth:`Tensor.normal_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule :meth: Tensor.numel', :func: 'torch.numel' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". None System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :func:`torch.ones` ref: factory-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role 'ref'. :meth: Tensor.pow', :func: 'torch.pow' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. unifies names from inputs-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.pow_ **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule meth: Tensor.prod', :func: 'torch.prod' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref: removes dimensions-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line **System Message: ERROR/3** 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sampleonboarding-resources\pytorch-Unknown interpreted text role "ref". master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". meth: Tensor.rad2deg', :func: 'torch.rad2deg' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.rad2deg` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

:func:`torch.rand`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref: factory-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

| API | Name inference rule |
|---|---|
| :fune:`toreh.rand` | ref. factory-doc |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "finc". | System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'ref'. |
| func: torch.randn` | ref. factory-doc |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". | System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'ref'. |
| func: 'torch.randn' | ref. factory-doc |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". | System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| :meth:`Tensor.random_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |

| API | Name inference rule |
|--|--|
| meth: Tensor.reciprocal, :func: torch.reciprocal | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | ref: keeps_input_names-doc` System Message: ERROR/3 (D: \onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "ref". |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". | |
| :meth:`Tensor.reciprocal_` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| :meth:`Tensor.refine_names` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | See documentation |
| :meth:`Tensor.register_hook` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None |
| :meth:`Tensor.rename` | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink | See documentation |
| Unknown interpreted text role "meth". | |

| API | Name inference rule | |
|--|---|--|
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | See documentation | |
| :attr:`Tensor.requires_grad` | | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "attr". | None | |
| :meth:`Tensor.requires_grad_` | | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | None | |
| :meth:`Tensor.resize_` | | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'meth'. | Only allow resizes that do not change shape | |
| :meth:`Tensor.resize_as_` | | |
| System Message: ERROR/3 (D:\onboarding-resources\sample- onboarding-resources\pytorch- master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". | Only allow resizes that do not change shape | |

API Name inference rule :meth: Tensor.round', :func: 'torch.round' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.round_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.rsqrt', :func: 'torch.rsqrt' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.rsqrt_\ **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule :meth: Tensor.select', :func: 'torch.select' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. removes dimensions-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink System Message: ERROR/3 (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) System Message: ERROR/3 (docs) (source) name_inference.rst, line (D:\onboarding-resources\sample-29); backlink onboarding-resources\pytorch-Unknown interpreted text role "ref". master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.short` ref. keeps input names-doc **System Message: ERROR/3 System Message: ERROR/3** (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref". meth: 'Tensor.sigmoid', :func: 'torch.sigmoid' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:\Tensor.sigmoid \ System Message: ERROR/3 (D:\onboarding-resources\sample-

None

onboarding-resources\pytorch-

Unknown interpreted text role "meth".

29); backlink

master\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line

API Name inference rule :meth: Tensor.sign', :func: 'torch.sign' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.sign_ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.sgn', :func: 'torch.sgn' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sampleonboarding-resources\pytorch-Unknown interpreted text role "ref". master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.sgn` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule :meth: Tensor.sin', :func: 'torch.sin' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.sin_ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.sinh', :func: 'torch.sinh' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.sinh` **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API Name inference rule :meth: Tensor.asinh', :func: 'torch.asinh' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.asinh` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:\Tensor.size\ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.split', :func: 'torch.split' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func".

Name inference rule API :meth:`Tensor.sqrt`, :func:`torch.sqrt` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.sqrt_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'meth''. meth: Tensor.squeeze', :func: 'torch.squeeze' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref: removes_dimensions-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "func".

Unknown interpreted text role 'ref'.

API Name inference rule :meth: Tensor.std', :func: 'torch.std' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref: removes_dimensions-doc master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :func:`torch.std_mean` ref: removes_dimensions-doc System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role 'ref'. :meth:`Tensor.stride` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) None (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.sub', :func: 'torch.sub' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref.`unifies_names_from_inputs-doc`

master\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

API Name inference rule :meth:`Tensor.sub` ref. unifies names from inputs-doc System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref". :meth: Tensor.sum', :func: 'torch.sum' System Message: ERROR/3 (D:\onboarding-resources\sampleref. removes dimensions-doc onboarding-resources\pytorchmaster\docs\source\(pytorch-master) System Message: ERROR/3 (docs) (source) name_inference.rst, line 29); backlink (D:\onboarding-resources\sampleonboarding-resources\pytorch-Unknown interpreted text role "meth". master\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth: Tensor.tan', :func: 'torch.tan' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.tan System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master))

(docs) (source) name_inference.rst, line

Unknown interpreted text role "meth".

29); backlink

API Name inference rule :meth: Tensor.tanh', :func: 'torch.tanh' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.tanh` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.atanh', :func: 'torch.atanh' **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchref. keeps input names-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.atanh` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth".

API

:func:`torch.tensor`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "func".

Name inference rule

ref: factory-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth:`Tensor.to`

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

ref.'keeps input names-doc'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

:meth: Tensor.topk', :func: 'torch.topk'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master)
(docs) (source) name_inference.rst, line
29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref: removes_dimensions-doc

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role 'ref'.

:meth: 'Tensor.transpose', :func: 'torch.transpose'

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "meth".

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

ref:\permutes_dimensions-doc\

System Message: ERROR/3

(D:\onboarding-resources\sampleonboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "ref".

Name inference rule API :meth: Tensor.trunc', :func: torch.trunc' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref:\keeps_input_names-doc\ master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.trunc_` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:`Tensor.type` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role 'meth'. :meth:`Tensor.type_as` ref.'keeps input names-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\(pytorch-master) master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "meth". Unknown interpreted text role "ref".

API Name inference rule meth: Tensor.unbind', :func: 'torch.unbind' System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorchref: removes_dimensions-doc master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role 'ref'. onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "func". :meth:`Tensor.unflatten` System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-See documentation master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth:`Tensor.uniform System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink Unknown interpreted text role "meth". :meth: Tensor.var', :func: 'torch.var' **System Message: ERROR/3** (D:\onboarding-resources\sampleonboarding-resources\pytorchref. removes_dimensions-doc' master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line System Message: ERROR/3 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "meth". onboarding-resources\pytorchmaster\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line **System Message: ERROR/3** 29); backlink (D:\onboarding-resources\sample-Unknown interpreted text role "ref". onboarding-resources\pytorchmaster\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line 29); backlink

Unknown interpreted text role "func".

API Name inference rule :func:`torch.var_mean` ref. removes dimensions-doc System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name_inference.rst, line (docs) (source) name_inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role "ref". :meth:`Tensor.zero_ System Message: ERROR/3 (D:\onboarding-resources\sampleonboarding-resources\pytorch-None master\docs\source\(pytorch-master) (docs) (source) name inference.rst, line 29); backlink Unknown interpreted text role "meth". :func:\torch.zeros\ ref: factory-doc' System Message: ERROR/3 System Message: ERROR/3 (D:\onboarding-resources\sample-(D:\onboarding-resources\sampleonboarding-resources\pytorchonboarding-resources\pytorchmaster\docs\source\((pytorch-master)) master\docs\source\((pytorch-master)) (docs) (source) name inference.rst, line (docs) (source) name inference.rst, line 29); backlink 29); backlink Unknown interpreted text role "func". Unknown interpreted text role "ref".

Keeps input names

All pointwise unary functions follow this rule as well as some other unary functions.

- Check names: None
- Propagate names: input tensor's names are propagated to the output.

```
>>> x = torch.randn(3, 3, names=('N', 'C'))
>>> x.abs().names
('N', 'C')
```

Removes dimensions

All reduction ops like :meth: `~Tensor.sum` remove dimensions by reducing over the desired dimensions. Other operations like :meth: `~Tensor.select` and :meth: `~Tensor.selecet` remove dimensions.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 265); backlink

Unknown interpreted text role "meth".

 $System\,Message:\,ERROR/3~(\mbox{D:\nonlinear-resources}\) ample-onboarding-resources\) pytorch-master\) (docs)~(source)~name_inference.rst,~line~265);~backlink~$

Unknown interpreted text role "meth".

 $System\ Message: ERROR/3\ (\texttt{D:\nonboarding-resources\sample-onboarding-resources\spaces\spaces)}) to be a surface of the property of the pr$

Unknown interpreted text role 'meth'.

Wherever one can pass an integer dimension index to an operator, one can also pass a dimension name. Functions that take lists of dimension indices can also take in a list of dimension names.

• Check names: If attr: dim or attr: dim is passed in as a list of names, check that those names exist in attr: self.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 273); backlink
Unknown interpreted text role "attr".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 273); backlink

Unknown interpreted text role "attr".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 273); backlink

Unknown interpreted text role "attr".
```

• Propagate names: If the dimensions of the input tensor specified by attr:'dim are not present in the output tensor, then the corresponding names of those dimensions do not appear in output.names.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 275); backlink

Unknown interpreted text role "attr".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 275); backlink

Unknown interpreted text role "attr".
```

```
>>> x = torch.randn(1, 3, 3, 3, names=('N', 'C', 'H', 'W'))
>>> x.squeeze('N').names
('C', 'H', 'W')
>>> x = torch.randn(3, 3, 3, 3, names=('N', 'C', 'H', 'W'))
>>> x.sum(['N', 'C']).names
('H', 'W')

# Reduction ops with keepdim=True don't actually remove dimensions.
>>> x = torch.randn(3, 3, 3, 3, names=('N', 'C', 'H', 'W'))
>>> x.sum(['N', 'C'], keepdim=True).names
('N', 'C', 'H', 'W')
```

Unifies names from inputs

All binary arithmetic ops follow this rule. Operations that broadcast still broadcast positionally from the right to preserve compatibility with unnamed tensors. To perform explicit broadcasting by names, use meth: Tensor.align as`.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 300); backlink
Unknown interpreted text role "meth".
```

- Check names: All names must match positionally from the right. i.e., in tensor + other, match (tensor.names[i], other.names[i]) must be true for all i in (-min(tensor.dim(), other.dim()) + 1, -1].
- Check names: Furthermore, all named dimensions must be aligned from the right. During matching, if we match a named dimension A with an unnamed dimension None, then A must not appear in the tensor with the unnamed dimension.
- Propagate names: unify pairs of names from the right from both tensors to produce output names.

For example,

```
# tensor: Tensor[ N, None]
# other: Tensor[None, C]
>>> tensor = torch.randn(3, 3, names=('N', None))
>>> other = torch.randn(3, 3, names=(None, 'C'))
>>> (tensor + other).names
('N', 'C')
```

Check names:

- match(tensor.names[-1], other.names[-1]) is True
- match(tensor.names[-2], tensor.names[-2]) is True
- Because we matched None in attr: tensor' with 'c', check to make sure 'c' doesn't exist in attr: tensor' (it does not).

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 328); backlink

Unknown interpreted text role "attr".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 328); backlink

Unknown interpreted text role "attr".
```

• Check to make sure 'N' doesn't exists in :attr: other (it does not).

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 330); backlink

Unknown interpreted text role "attr".
```

Finally, the output names are computed with [unify('N', None), unify(None, 'C')] = ['N', 'C']

More examples:

```
# Dimensions don't match from the right:
# tensor: Tensor[N, C]
# other: Tensor[
                   Νl
>>> tensor = torch.randn(3, 3, names=('N', 'C'))
>>> other = torch.randn(3, names=('N',))
>>> (tensor + other).names
RuntimeError: Error when attempting to broadcast dims ['N', 'C'] and dims \,
['N']: \dim 'C' and \dim 'N' are at the same position from the right but do
not match.
# Dimensions aren't aligned when matching tensor.names[-1] and other.names[-1]:
# tensor: Tensor[N, None]
# other: Tensor[
>>> tensor = torch.randn(3, 3, names=('N', None))
>>> other = torch.randn(3, names=('N',))
>>> (tensor + other).names
RuntimeError: Misaligned dims when attempting to broadcast dims ['N'] and
dims ['N', None]: dim 'N' appears in a different position from the right
across both lists.
```

Note

In both of the last examples, it is possible to align the tensors by names and then perform the addition. Use meth: Tensor.align_as` to align tensors by name or meth: Tensor.align_to` to align tensors to a custom dimension ordering.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 359); backlink
Unknown interpreted text role "meth".
```

```
(source) name_inference.rst, line 359); backlink
Unknown interpreted text role "meth".
```

Permutes dimensions

Some operations, like :meth: Tensor.t()', permute the order of dimensions. Dimension names are attached to individual dimensions so they get permuted as well.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)), backlink unknown interpreted text role "meth".
```

If the operator takes in positional index attr: 'dim', it is also able to take a dimension name as attr: 'dim'.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master\) (docs) (source) name_inference.rst, line 372); backlink
Unknown interpreted text role "attr".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master) (docs) (source) name_inference.rst, line 372); backlink
Unknown interpreted text role "attr".
```

• Check names: If attr: dim' is passed as a name, check that it exists in the tensor.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master)\) (docs) (source) name_inference.rst, line 375); backlink
Unknown interpreted text role "attr".
```

Propagate names: Permute dimension names in the same way as the dimensions that are being permuted.

```
>>> x = torch.randn(3, 3, names=('N', 'C'))
>>> x.transpose('N', 'C').names
('C', 'N')
```

Contracts away dims

Matrix multiply functions follow some variant of this. Let's go through :func:`torch.mm` first and then generalize the rule for batch matrix multiplication.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 390); backlink
Unknown interpreted text role "func".
```

For torch.mm(tensor, other):

- Check names: None
- Propagate names: result names are (tensor.names[-2], other.names[-1]).

```
>>> x = torch.randn(3, 3, names=('N', 'D'))
>>> y = torch.randn(3, 3, names=('in', 'out'))
>>> x.mm(y).names
('N', 'out')
```

Inherently, a matrix multiplication performs a dot product over two dimensions, collapsing them. When two tensors are matrix-multiplied, the contracted dimensions disappear and do not show up in the output tensor.

:fine:`torch.mv`, :fune:`torch.dot` work in a similar way: name inference does not check input names and removes the dimensions that are involved in the dot product:

master\docs\source\(pytorch-master)\) (docs)\((source)\) name_inference.rst, line 409);\(backlink\) Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 409); backlink

Unknown interpreted text role "func".

```
>>> x = torch.randn(3, 3, names=('N', 'D'))
>>> y = torch.randn(3, names=('something',))
>>> x.mv(y).names
('N',)
```

Now, let's take a look at torch.matmul (tensor, other). Assume that tensor.dim() \geq 2 and other.dim() \geq 2.

• Check names: Check that the batch dimensions of the inputs are aligned and broadcastable. See ref: unifies_names_from_inputs-doc for what it means for the inputs to be aligned.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 422); backlink

Unknown interpreted text role "ref".
```

• Propagate names: result names are obtained by unifying the batch dimensions and removing the contracted dimensions: unify(tensor.names[:-2], other.names[:-2]) + (tensor.names[-2], other.names[-1]).

Examples:

```
# Batch matrix multiply of matrices Tensor['C', 'D'] and Tensor['E', 'F'].
# 'A', 'B' are batch dimensions.
>>> x = torch.randn(3, 3, 3, 3, names=('A', 'B', 'C', 'D'))
>>> y = torch.randn(3, 3, 3, names=('B', 'E', 'F'))
>>> torch.matmul(x, y).names
('A', 'B', 'C', 'F')
```

Finally, there are fused add versions of many matmul functions. i.e., :func:'addmm' and :func:'addmw'. These are treated as composing name inference for i.e. :func:'mm' and name inference for :func:'add'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)\) (docs) (source) name_inference.rst, line 438); backlink
Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 438); backlink
Unknown interpreted text role "func".

 $System\,Message:\,ERROR/3\, (\mbox{D:\nonces}\scales) ample-onboarding-resources \scales \scale$

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 438); backlink

Unknown interpreted text role "func".

Factory functions

Factory functions now take a new "attr: names" argument that associates a name with each dimension.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)) name_inference.rst, line 448); backlink

Unknown interpreted text role "attr".

out function and in-place variants

A tensor specified as an out= tensor has the following behavior:

- If it has no named dimensions, then the names computed from the operation get propagated to it.
- If it has any named dimensions, then the names computed from the operation must be exactly equal to the existing names. Otherwise, the operation errors.

All in-place methods modify inputs to have names equal to the computed names from name inference. For example:

```
>>> x = torch.randn(3, 3)
>>> y = torch.randn(3, 3, names=('N', 'C'))
>>> x.names
(None, None)
>>> x += y
>>> x.names
('N', 'C')
```