## **TTY Buffer**

- Flip Buffer Management
- Other Functions
- Buffer Locking
- Internal Functions

Here, we document functions for taking care of tty buffer and their flipping. Drivers are supposed to fill the buffer by one of those functions below and then flip the buffer, so that the data are passed to :doc:`line discipline <tty\_ldisc>` for further processing.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\[linux-master] [Documentation] [tty]tty\_buffer.rst, line 9); backlink Unknown interpreted text role "doc".

### Flip Buffer Management

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\[linux-master] [Documentation] [tty]tty\_buffer.rst, line 17)

Unknown directive type "kernel-doc".

#### **Other Functions**

 $System\,Message: ERROR/3 \ (\c : \c sample-onboarding-resources \c sample-onboarding-resourc$ 

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/tty/tty_buffer.c
    :identifiers: tty_buffer_space_avail tty_buffer_set_limit
```

# **Buffer Locking**

These are used only in special circumstances. Avoid them.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\[linux-master] [Documentation] [tty]tty\_buffer.rst, line 37)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/tty/tty_buffer.c
    :identifiers: tty buffer lock exclusive tty buffer unlock exclusive
```

#### **Internal Functions**

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\[linux-master] [Documentation] [tty]tty\_buffer.rst, line 45)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/tty/tty_buffer.c
:internal:
```