This wiki is automatically published from <u>ohmyzsh/wiki</u>. To edit this page, go to <u>ohmyzsh/wiki</u>, make your changes and submit a Pull Request.

If you're coming from the Internet, this section has been edited to only show main Oh My Zsh tricks. Documentation for each plugin can be found in each [[Plugins]] README.

Quick reference:

- $\bullet \quad \hbox{Oh My Zsh's Command-Line Interface (CLI):} \quad \hbox{omz} \ \ . \ \hbox{Run} \quad \hbox{omz} \ \ -- \\ \hbox{help} \quad \hbox{for available commands.}$
- To **update** Oh My Zsh: omz update .
- To uninstall it: uninstall_oh_my_zsh .
- To apply changes made to .zshrc: omz reload (this just runs exec zsh). Do NOT run source
 -/.zshrc.

Commands

Command	Description
alias	List all aliases
take/mkcd	Create a new directory and change to it, will create intermediate directories as required.
zsh_stats	Get a list of the top 20 commands and how many times they have been run.

Directory

Alias	Command		
md	mkdir -p		
rd	rmdir		
cd / ~	cd to your home directory		
	cd		
	cd/		
	cd//		
	cd//		
/	cd /		
d	dirs -v (lists last visited directories)		
cd +n	Switch to directory number n		
-	cd to last visited directory		
1	cd -1		
2	cd -2		
3	cd -3		
4	cd -4		

5	cd -5
6	cd -6
7	cd -7
8	cd -8
9	cd -9