## **Security Considerations**

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) security_warnings.rst, line 3)

Unknown directive type "index".

.. index:: single: security considerations
```

The following modules have specific security considerations:

• mod: base64': ref. base64 security considerations < base64-security>' in RFC 4648

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main)\Doc\\(library\) security_warnings.rst, line 10); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main)\Doc\\(ibrary\) security_warnings.rst, line 10); backlink
Unknown interpreted text role "ref".
```

• mod:'cgi': ref:'CGI security considerations <cgi-security>'

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 12); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 12); backlink
Unknown interpreted text role "ref".
```

• mod: hashlib`: ref.`all constructors take a "usedforsecurity" keyword-only argument disabling known insecure and blocked algorithms < hashlib-usedforsecurity>`

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 13); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main)\Doc\\library\security_warnings.rst, line 13); backlink
Unknown interpreted text role 'ref'.
```

• mod: http.server is not suitable for production use, only implementing basic security checks

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 16); backlink
Unknown interpreted text role "mod".
```

• mod: logging': ref.'Logging configuration uses eval() < logging-eval-security>'

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 18); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main)\Doc\\library\(cpython-main)\) (Doc) (library) security_warnings.rst, line 18); backlink
Unknown interpreted text role "ref".
```

• :mod:'multiprocessing': ref.'Connection.recv() uses pickle <multiprocessing-recv-pickle-security>'

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 20); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 20); backlink
Unknown interpreted text role "ref".
```

• :mod:'pickle': :ref.'Restricting globals in pickle <pickle-restrict>'

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 22); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 22); backlink
Unknown interpreted text role "ref".
```

• mod: random' shouldn't be used for security purposes, use mod: secrets' instead

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 23); backlink
Unknown interpreted text role "mod".
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 23); backlink
Unknown interpreted text role "mod".
```

• mod: shelve: ref; shelve is based on pickle and thus unsuitable for dealing with untrusted sources < shelve-security>

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main)\((Doc)\) (library) security_warnings.rst, line 25); backlink

Unknown interpreted text role "mod".
```

```
System \, Message: ERROR/3 \, (\mbox{D:\noboarding-resources}\scapple-onboarding-resources\cpython-main\noc\library\cpython-main) (Doc) \\ (library) \, security\_warnings.rst, \, line \, 25); \, backlink \\
```

Unknown interpreted text role 'ref'.

• :mod:\ssl\: :ref.\SSL/TLS security considerations <ssl-security>\

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 27); backlink
Unknown interpreted text role "mod".
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc)

(library) security\_warnings.rst, line 27); backlink

Unknown interpreted text role 'ref'.

• mod: subprocess: ref: Subprocess security considerations < subprocess-security>

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 28); backlink
Unknown interpreted text role "mod".
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security\_warnings.rst, line 28); backlink

Unknown interpreted text role 'ref'.

• :mod:'tempfile': :ref:'mktemp is deprecated due to vulnerability to race conditions <tempfile-mktemp-deprecated>'

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security\_warnings.rst, line 30); backlink

 $System \, Message: ERROR/3 \, (\mbox{D:\noboarding-resources} \mbox{comple-onboarding-resources}) \, (\mbox{Doc\noboarding-resources}) \, (\mbox{completion-main}) \, (\mbox{Doc\noboarding-resources}) \, (\mbox{Doc\noboarding-resources}) \, (\mbox{completion-main}) \, (\mbox{Doc\noboarding-resources}) \, (\mbox{Doc\$ 

Unknown interpreted text role "ref".

Unknown interpreted text role "mod".

• mod: xml: ref: XML vulnerabilities < xml-vulnerabilities >

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security\_warnings.rst, line 32); backlink

Unknown interpreted text role 'mod'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security\_warnings.rst, line 32); backlink
Unknown interpreted text role "ref".

• mod: 'zipfile': ref.' maliciously prepared .zip files can cause disk volume exhaustion <zipfile-resources-limitations>'

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) security_warnings.rst, line 33); backlink
```

Unknown interpreted text role "mod".

 $System \, Message: ERROR/3 \, (\mbox{D:\noboarding-resources}\scapple-onboarding-resources\cpython-main\noc\library\cpython-main) (Doc) \\ (library) \, security\_warnings.rst, \, line \, 33); \, backlink \\$ 

Unknown interpreted text role "ref".