Development Tools

The modules described in this chapter help you write software. For example, the <a href="mod:"mod:"mod:"module takes a module and generates documentation based on the module's contents. The <a href="mod:"doctest" and <a href="mod:"doctest" and <a href="mod:"unittest" modules contains frameworks for writing unit tests that automatically exercise code and verify that the expected output is produced. program:"2to3" can translate Python 2.x source code into valid Python 3.x code.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) development.rst, line 7); backlink

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) development.rst, line 7); backlink

Unknown interpreted text role 'mod'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) development.rst, line 7); backlink

Unknown interpreted text role 'mod'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) development.rst, line 7); backlink

Unknown interpreted text role 'program'.

The list of modules described in this chapter is:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) development.rst, line 17)

Unknown directive type "toctree".

```
typing.rst
pydoc.rst
devmode.rst
doctest.rst
unittest.rst
unittest.mock.rst
unittest.mock-examples.rst
2to3.rst
test.rst
```