

Russia has invaded Ukraine and already killed tens of thousands of civilians, with many more raped or tortured. It's a **genocide**. We need your help.

Help Ukraine Now →

Welcome to the Font-Awesome wiki!

Font Awesome v4.6.0

The iconic font and CSS framework

Font Awesome is a full suite of 628 pictographic icons for easy scalable vector graphics on websites, created and maintained by [Dave Gandy](#). Stay up to date with the latest release and announcements on Twitter: [@fontawesome](#).

Get started at <http://fontawesome.io>!

License

- The Font Awesome font is licensed under the SIL OFL 1.1:
 - <http://scripts.sil.org/OFL>
- Font Awesome CSS, LESS, and Sass files are licensed under the MIT License:
 - <https://opensource.org/licenses/mit-license.html>
- The Font Awesome documentation is licensed under the CC BY 3.0 License:
 - <http://creativecommons.org/licenses/by/3.0/>
- Attribution is no longer required as of Font Awesome 3.0, but much appreciated:
 - Font Awesome by Dave Gandy - <http://fontawesome.io>
- Full details: <http://fontawesome.io/license/>

Changelog

- [v4.6.0 GitHub milestones](#)
- [v4.5.0 GitHub milestones](#)
- [v4.4.0 GitHub milestones](#)
- [v4.3.0 GitHub milestones](#)
- [v4.2.0 GitHub milestones](#)
- [v4.1.0 GitHub milestones](#)
- [v4.0.3 GitHub milestones](#)
- [v4.0.2 GitHub milestones](#)
- [v4.0.1 GitHub milestones](#)
- [v4.0.0 GitHub milestones](#)
- [v3.2.1 GitHub milestones](#)
- [v3.2.0 GitHub milestones](#)
- [v3.1.1 GitHub milestones](#)
- v3.1.0 - Added 54 icons, icon stacking styles, flipping and rotating icons, removed Sass support
- v3.0.2 - much improved rendering and alignment in IE7
- v3.0.1 - much improved rendering in webkit, various bug fixes

- v3.0.0 - all icons redesigned from scratch, optimized for Bootstrap's 14px default

Contributing

Please read through our [contributing guidelines](#). Included are directions for opening issues, coding standards, and notes on development.

Versioning

Font Awesome will be maintained under the Semantic Versioning guidelines as much as possible. Releases will be numbered with the following format:

```
<major>.<minor>.<patch>
```

And constructed with the following guidelines:

- Breaking backward compatibility bumps the major (and resets the minor and patch)
- New additions, including new icons, without breaking backward compatibility bumps the minor (and resets the patch)
- Bug fixes and misc changes bumps the patch

For more information on SemVer, please visit <http://semver.org>.

Author

- Email: dave@fontawesome.io
- Twitter: <http://twitter.com/davegandy>
- GitHub: <https://github.com/davegandy>

Component

To include as a [component](#), just run

```
$ component install FortAwesome/Font-Awesome
```

Or add

```
"FortAwesome/Font-Awesome": "**"
```

to the `dependencies` in your `component.json`.

Hacking on Font Awesome

Before you can build the project, you must first have the following installed:

- [Ruby](#)
- Ruby Development Headers
 - **Ubuntu:** `sudo apt-get install ruby-dev` (Only if you're **NOT** using `rbenv` or `rvm`)
 - **Windows:** [DevKit](#)
- [Bundler](#) (Run `gem install bundler` to install).
- [Node Package Manager \(AKA NPM\)](#).
- [Less](#) (Run `npm install -g less` to install).
- [Less Plugin: Clean CSS](#) (Run `npm install -g less-plugin-clean-css` to install).

From the root of the repository, install the tools used to develop.

```
$ bundle install  
$ npm install
```

Build the project and documentation:

```
$ bundle exec jekyll build
```

Or serve it on a local server on <http://localhost:7998/Font-Awesome/>:

```
$ bundle exec jekyll -w serve
```