```
+++ title = "HTTP Preferences API" description = "Grafana HTTP API" keywords = ["grafana", "http", "documentation", "api", "preferences"] aliases = ["docs/grafana/latest/http\_api/preferences/"] +++
```

# User and Org Preferences API

Keys:

- theme One of: light, dark, or an empty string for the default theme
- $\mathbf{homeDashboardId}$  The numerical :id of a favorited dashboard, default: 0
- timezone One of: utc, browser, or an empty string for the default

Omitting a key will cause the current value to be replaced with the system default value.

# Get Current User Prefs

GET /api/user/preferences

### **Example Request:**

```
GET /api/user/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
```

### Example Response:

```
HTTP/1.1 200
Content-Type: application/json
{"theme":"","homeDashboardId":0,"timezone":""}
```

# **Update Current User Prefs**

PUT /api/user/preferences

#### **Example Request:**

```
PUT /api/user/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
{
    "theme": "",
    "homeDashboardId":0,
```

```
"timezone": "utc"
Example Response:
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message": "Preferences updated"}
Patch Current User Prefs
Update one or more preferences without modifying the others.
PATCH /api/user/preferences
Example Request:
PATCH /api/user/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
  "theme": "dark"
Example Response:
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message": "Preferences updated"}
Get Current Org Prefs
GET /api/org/preferences
Example Request:
GET /api/org/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
Example Response:
HTTP/1.1 200
Content-Type: application/json
{"theme":"", "homeDashboardId":0, "timezone":""}
```

# **Update Current Org Prefs**

```
PUT /api/org/preferences
```

```
Example Request:
```

```
PUT /api/org/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
  "theme": "",
  "homeDashboardId":0,
  "timezone":"utc"
Example Response:
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message": "Preferences updated"}
```

# Patch Current Org Prefs

Update one or more preferences without modifying the others.

PATCH /api/org/preferences

# **Example Request:**

```
PATCH /api/org/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
  "theme": "dark"
}
```

# Example Response:

```
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message": "Preferences updated"}
```