

# Changes

## 2.0.2

- Rename bin to `node-which`

## 2.0.1

- generate changelog and publish on version bump
- enforce 100% test coverage
- Promise interface

## 2.0.0

- Parallel tests, modern JavaScript, and drop support for node < 8

## 1.3.1

- update deps
- update travis

## v1.3.0

- Add nothrow option to `which.sync`
- update tap

## v1.2.14

- appveyor: drop node 5 and 0.x
- travis-ci: add node 6, drop 0.x

## v1.2.13

- test: Pass missing option to pass on windows
- update tap
- update isexe to 2.0.0
- neveragain.tech pledge request

## v1.2.12

- Removed unused require

## v1.2.11

- Prevent changelog script from being included in package

#### **v1.2.10**

- Use `env.PATH` only, not `env.Path`

#### **v1.2.9**

- fix for paths starting with `../`
- Remove unused `is-absolute` module

#### **v1.2.8**

- bullet items in changelog that contain (but don't start with) `#`

#### **v1.2.7**

- strip 'update changelog' changelog entries out of changelog

#### **v1.2.6**

- make the changelog bulleted

#### **v1.2.5**

- make a changelog, and keep it up to date
- don't include tests in package
- Properly handle relative-path executables
- appveyor
- Attach error code to Not Found error
- Make tests pass on Windows

#### **v1.2.4**

- Fix typo

#### **v1.2.3**

- update `isexe`, fix regression in `pathExt` handling

#### **v1.2.2**

- update deps, use `isexe` module, test windows

#### **v1.2.1**

- Sometimes windows `PATH` entries are quoted
- Fixed a bug in the check for group and user mode bits. This bug was introduced during refactoring for supporting strict mode.
- doc cli

### **v1.2.0**

- Add support for opt.all and -as cli flags
- test the bin
- update travis
- Allow checking for multiple programs in bin/which
- tap 2

### **v1.1.2**

- travis
- Refactored and fixed undefined error on Windows
- Support strict mode

### **v1.1.1**

- test +g exes against secondary groups, if available
- Use windows exe semantics on cygwin & msys
- cwd should be first in path on win32, not last
- Handle lower-case 'env.Path' on Windows
- Update docs
- use single-quotes

### **v1.1.0**

- Add tests, depend on is-absolute

### **v1.0.9**

- which.js: root is allowed to execute files owned by anyone

### **v1.0.8**

- don't use graceful-fs

### **v1.0.7**

- add license to package.json

### **v1.0.6**

- isc license

### **1.0.5**

- Awful typo

#### 1.0.4

- Test for path absoluteness properly
- win: Allow " as a pathext if cmd has a . in it

#### 1.0.3

- Remove references to execPath
- Make `which.sync()` work on Windows by honoring the PATHEXT variable.
- Make `isExe()` always return true on Windows.
- MIT

#### 1.0.2

- Only files can be exes

#### 1.0.1

- Respect the PATHEXT env for win32 support
- should 0755 the bin
- binary
- guts
- package
- 1st