## zh-CN

可承载更多内容。

## en-US

More content can be hosted.

```
import React, { useState } from 'react';
import { Card } from 'antd';
const tabList = [
{
 key: 'tab1',
  tab: 'tab1',
 },
  key: 'tab2',
  tab: 'tab2',
},
];
const contentList = {
tab1: content1,
tab2: content2,
};
const tabListNoTitle = [
{
  key: 'article',
  tab: 'article',
 },
  key: 'app',
  tab: 'app',
 },
  key: 'project',
  tab: 'project',
 },
1;
const contentListNoTitle = {
article: article content,
 app: app content,
project: project content,
};
const TabsCard = () => {
const [activeTabKey1, setActiveTabKey1] = useState('tab1');
 const [activeTabKey2, setActiveTabKey2] = useState('app');
```

```
const onTab1Change = key => {
  setActiveTabKey1(key);
 const onTab2Change = key => {
  setActiveTabKey2(key);
 return (
   <>
     <Card
       style={{ width: '100%' }}
       title="Card title"
       extra={<a href="#">More</a>}
       tabList={tabList}
       activeTabKey={activeTabKey1}
       onTabChange={key => {
         onTab1Change(key);
       } }
       {contentList[activeTabKey1]}
     </Card>
     <br />
     <br />
     <Card
       style={{ width: '100%' }}
       tabList={tabListNoTitle}
       activeTabKey={activeTabKey2}
       tabBarExtraContent={<a href="#">More</a>}
       onTabChange={key => {
         onTab2Change(key);
       } }
       {contentListNoTitle[activeTabKey2]}
     </Card>
   </>
 );
};
export default () => <TabsCard />;
```