# Collapse

Use Collapse para almacenar contenidos.

## Uso básico

Puede expandir varios paneles

:::demo

```html
<el-collapse v-model="activeNames" @change="handleChange">
  <el-collapse-item title="Consistency" name="1">
    <div>Consistent with real life: in line with the process and logic of real life,
and comply with languages and habits that the users are used to;</div>
    <div>Consistent within interface: all elements should be consistent, such as:
design style, icons and texts, position of elements, etc.</div>
  </el-collapse-item>
  <el-collapse-item title="Feedback" name="2">
    <div>Operation feedback: enable the users to clearly perceive their operations
by style updates and interactive effects;</div>
    <div>Visual feedback: reflect current state by updating or rearranging elements
of the page.</div>
  </el-collapse-item>
  <el-collapse-item title="Efficiency" name="3">
    <div>Simplify the process: keep operating process simple and intuitive;</div>
    <div>Definite and clear: enunciate your intentions clearly so that the users can
quickly understand and make decisions;</div>
    <div>Easy to identify: the interface should be straightforward, which helps the
users to identify and frees them from memorizing and recalling.</div>
  </el-collapse-item>
  <el-collapse-item title="Controllability" name="4">
    <div>Decision making: giving advices about operations is acceptable, but do not
make decisions for the users;</div>
    <div>Controlled consequences: users should be granted the freedom to operate,
including canceling, aborting or terminating current operation.</div>
  </el-collapse-item>
</el-collapse>
<script>
  export default {
    data() {
      return {
        activeNames: ['1']
      };
    },
    methods: {
      handleChange(val) {
        console.log(val);
      }
    }
  }
</script>
```

:::

## Acordeón

En modo acordeón sólo un panel puede ser expandido a la vez

:::demo Activa el modo acordeón usado el atributo `accordion` .

```html
<el-collapse v-model="activeName" accordion>
  <el-collapse-item title="Consistency" name="1">
    <div>Consistent with real life: in line with the process and logic of real life,
and comply with languages and habits that the users are used to;</div>
    <div>Consistent within interface: all elements should be consistent, such as:
design style, icons and texts, position of elements, etc.</div>
  </el-collapse-item>
  <el-collapse-item title="Feedback" name="2">
    <div>Operation feedback: enable the users to clearly perceive their operations
by style updates and interactive effects;</div>
    <div>Visual feedback: reflect current state by updating or rearranging elements
of the page.</div>
  </el-collapse-item>
  <el-collapse-item title="Efficiency" name="3">
    <div>Simplify the process: keep operating process simple and intuitive;</div>
    <div>Definite and clear: enunciate your intentions clearly so that the users can
quickly understand and make decisions;</div>
    <div>Easy to identify: the interface should be straightforward, which helps the
users to identify and frees them from memorizing and recalling.</div>
  </el-collapse-item>
  <el-collapse-item title="Controllability" name="4">
    <div>Decision making: giving advices about operations is acceptable, but do not
make decisions for the users;</div>
    <div>Controlled consequences: users should be granted the freedom to operate,
including canceling, aborting or terminating current operation.</div>
  </el-collapse-item>
</el-collapse>
<script>
  export default {
    data() {
      return {
        activeName: '1'
      };
    }
  }
</script>
```

:::

## Título personalizado

Además de usar el atributo `title` , se puede personalizar el título del panel con slots con nombre, esto hace posible agregar contenido personalizado, por ejemplo: iconos.

:::demo

```html
<el-collapse accordion>
  <el-collapse-item name="1">
    <template slot="title">
      Consistency<i class="header-icon el-icon-information"></i>
    </template>
    <div>Consistent with real life: in line with the process and logic of real life,
and comply with languages and habits that the users are used to;</div>
    <div>Consistent within interface: all elements should be consistent, such as:
design style, icons and texts, position of elements, etc.</div>
  </el-collapse-item>
  <el-collapse-item title="Feedback" name="2">
    <div>Operation feedback: enable the users to clearly perceive their operations
by style updates and interactive effects;</div>
    <div>Visual feedback: reflect current state by updating or rearranging elements
of the page.</div>
  </el-collapse-item>
  <el-collapse-item title="Efficiency" name="3">
    <div>Simplify the process: keep operating process simple and intuitive;</div>
    <div>Definite and clear: enunciate your intentions clearly so that the users can
quickly understand and make decisions;</div>
    <div>Easy to identify: the interface should be straightforward, which helps the
users to identify and frees them from memorizing and recalling.</div>
  </el-collapse-item>
  <el-collapse-item title="Controllability" name="4">
    <div>Decision making: giving advices about operations is acceptable, but do not
make decisions for the users;</div>
    <div>Controlled consequences: users should be granted the freedom to operate,
including canceling, aborting or terminating current operation.</div>
  </el-collapse-item>
</el-collapse>
```

:::

### Atributos de Collapse

| Atributo | Descripción | Tipo | Valores aceptados | Por defecto |
|---|---|---|---|---|
| value / v-model | panel activo | string (modo acordeón) / array (No modo acordeón) | — | — |
| accordion | especifica si activa el modo acordeón | boolean | — | false |

### Eventos de Collapse

| Nombre de Evento | Descripción | Parámetros |
|---|---|---|
| change | se dispara cuando los paneles | (activeNames: array (No modo acordeón) / string |

| | activos cambian | | (modo acordeón)) | |

## Atributos de Collapse Item

| Atributo | Descripción | Tipo | Valores aceptados | Por defecto |
| --- | --- | --- | --- | --- |
| name | identificador único del panel | string/number | — | — |
| title | título del panel | string | — | — |
| disabled | deshabilita el collapse ítem | boolean | — | — |