

example.js

```
console.log(require("./index"));
```

index.ts

```
const myName: string = "Junya";
const age: number = 22;

function getArray<T>(...args: T[]): T[] {
  return [...args];
}

console.log(getArray("foo", "bar"));
console.log(getArray(1, 2, 3));
```

webpack.config.js

```
const ForkTsCheckerWebpackPlugin = require("fork-ts-checker-webpack-plugin");

module.exports = (env = "development") => ({
  mode: env,
  entry: {
    output: "./index.ts"
  },
  module: {
    rules: [
      {
        test: /\.tsx?$/,
        loader: "ts-loader",
        options: {
          transpileOnly: true
        }
      }
    ]
  },
  resolve: {
    extensions: [".ts", ".js", ".json"]
  },
  plugins: [new ForkTsCheckerWebpackPlugin({ async: env === "production" })]
});
```

dist/output.js

```

/*****/ (() => { // webpackBootstrap
/*****/      var __webpack_modules__ = ([
/* 0 *//,
/* 1 */
/*!*****!*\
    *** ./index.ts ***!
    \*****/
/*! unknown exports (runtime-defined) */
/*! runtime requirements: top-level-this-exports */
/*! CommonJS bailout: this is used directly at 1:21-25 */
/*****/ (function() {

var __spreadArray = (this && this.__spreadArray) || function (to, from) {
    for (var i = 0, il = from.length, j = to.length; i < il; i++, j++)
        to[j] = from[i];
    return to;
};
var myName = "Junya";
var age = 22;
function getArray() {
    var args = [];
    for (var _i = 0; _i < arguments.length; _i++) {
        args[_i] = arguments[_i];
    }
    return __spreadArray([], args);
}
console.log(getArray("foo", "bar"));
console.log(getArray(1, 2, 3));

/*****/ })
/*****/      ]);

```

► /* webpack runtime code */

```

var __webpack_exports__ = {};
// This entry need to be wrapped in an IIFE because it need to be isolated against
other modules in the chunk.
(() => {
/*!*****!*\
    *** ./example.js ***!
    \*****/
/*! unknown exports (runtime-defined) */
/*! runtime requirements: __webpack_require__ */
console.log(__webpack_require__(/*! ./index */ 1));

})();

/*****/ }) ()
;

```

Info

Unoptimized

```
asset output.js 2.22 KiB [emitted] (name: main)
chunk (runtime: main) output.js (main) 513 bytes [entry] [rendered]
  > ./example.js main
  dependent modules 480 bytes [dependent] 1 module
  ./example.js 33 bytes [built] [code generated]
    [used exports unknown]
  entry ./example.js main
webpack 5.51.1 compiled successfully
```

Production mode

```
asset output.js 438 bytes [emitted] [minimized] (name: main)
chunk (runtime: main) output.js (main) 513 bytes [entry] [rendered]
  > ./example.js main
  dependent modules 480 bytes [dependent] 1 module
  ./example.js 33 bytes [built] [code generated]
    [no exports used]
  entry ./example.js main
webpack 5.51.1 compiled successfully
```