
Following the Ant Design specification, we developed a React UI library antd that contains a set of high quality components and demos for building rich, interactive user interfaces.



S Features

- \bigcirc Written in TypeScript with predictable static types.
- Internationalization support for dozens of languages.
- • Powerful theme customization in every detail.

Environment Support

- Modern browsers and Internet Explorer 11 (with polyfills)
- Server-side Rendering
- <u>Electron</u>



Polyfills are needed for IE browsers. We recommend obsel-preset-env for it. You can set targets config if you are using umi.

We drop support of IE8 after antd@2.0, We drop support of React 15 and IE9/10 after antd@4.0,

Version

npm v4.22.8

• Stable:

You can subscribe to this feed for new version notifications: https://github.com/ant-design/ant-design/releases.atom

Installation

Using npm or yarn

We recommend using npm or yarn to install, it not only makes development easier, but also allow you to take advantage of the rich ecosystem of Javascript packages and tooling.

```
$ npm install antd
$ yarn add antd
```

If you are in a bad network environment, you can try other registries and tools like cnpm.

Import in Browser

Add \mbox{script} and \mbox{link} tags in your browser and use the global variable \mbox{antd} .

We provide antd.js antd.css and antd.min.js antd.min.css under antd/dist in antd/s npm

cdnjs v4.22.8 jsDelivr 26M hits/month

package. You can also download these files directly from unpkg.

We strongly discourage loading the entire files this will add bloat to your application and make it more difficult to receive bugfixes and updates. Antd is intended to be used in conjunction with a build tool, such as <u>webpack</u>, which will make it easy to import only the parts of antd that you are using.

Note: you should import react/react-dom/moment before using antd.js.

Usage

```
import { DatePicker } from 'antd';
ReactDOM.render(<DatePicker />, mountNode);
```

And import stylesheets manually:

```
import 'antd/dist/antd.css'; // or 'antd/dist/antd.less'
```

Use modularized antd

antd supports ES modules tree shaking by default for JS part.

TypeScript

antd provides a built-in ts definition, don't install @types/antd.

Links

- Home page
- Components
- Ant Design Pro
- Ant Design Charts
- Change Log

- rc-components
- Mobile UI
- Ant Design Icons
- Ant Design Colors
- Ant Design Pro Layout
- Ant Design Pro Blocks
- Dark Theme
- Landing Pages
- <u>Motion</u>
- Scaffold Market
- <u>Developer Instruction</u>
- <u>Versioning Release Note</u>
- FAO
- CodeSandbox Template for bug reports
- Awesome Ant Design
- <u>Customize Theme</u>
- How to Apply for Being A Collaborator

Companies using antd

- Ant Financial
- Alibaba
- <u>Tencent</u>
- Baidu
- Koubei
- Meituan
- <u>Didi</u>
- Eleme

If your company or product uses Ant Design, let us know here!

Contributing

Please read our **CONTRIBUTING.md** first.

If you'd like to help us improve antd, just create a <u>Pull Request</u>. Feel free to report bugs and issues <u>here</u>.

If you're new to posting issues, we ask that you read <u>How To Ask Questions The Smart Way</u> and <u>How to Ask a</u> <u>Question in Open Source Community</u> and <u>How to Report Bugs Effectively</u> prior to posting. Well written bug reports help us help you!

Need Help?

For questions on how to use antd, please post questions to GitHub Discussions using the Q&A tag or



using the antd tag.

As always, we encourage experienced users to help those who are not familiar with antd!