webpack.config.js

```
module.exports = {
    entry: {
        app: { import: "./app.js", dependOn: ["react-vendors"] },
        "react-vendors": ["react", "react-dom", "prop-types"]
    },
    optimization: {
        chunkIds: "named" // To keep filename consistent between different modes
    (for example building only)
    },
    stats: {
        chunks: true,
        chunkRelations: true
    }
};
```

app.js

```
import react from "react";
import reactDOM from "react-dom";
import propTypes from "prop-types";

console.log(react, reactDOM, propTypes);
```

dist/app.js

```
/* harmony import */ var react__WEBPACK_IMPORTED_MODULE_0__default =
/*# PURE */ webpack require .n(react WEBPACK IMPORTED MODULE 0 );
/* harmony import */ var react dom WEBPACK IMPORTED MODULE 1 =
__webpack_require__(/*! react-dom */ 1);
/* harmony import */ var react dom WEBPACK IMPORTED MODULE 1 default =
/*#__PURE__*/__webpack_require__.n(react_dom__WEBPACK_IMPORTED_MODULE_1__);
/* harmony import */ var prop types WEBPACK IMPORTED MODULE 2 =
__webpack_require__(/*! prop-types */ 2);
/* harmony import */ var prop types WEBPACK IMPORTED MODULE 2 default =
/*\# PURE */ webpack require .n(prop types WEBPACK IMPORTED MODULE 2 );
console.log((react WEBPACK IMPORTED MODULE 0 default()),
(react dom WEBPACK IMPORTED MODULE 1 default()),
(prop types WEBPACK IMPORTED MODULE 2 default()));
/***/ })
/*****/ __webpack_require__ => { // webpackRuntimeModules
/*****/ var __webpack_exec__ = (moduleId) =>
(__webpack_require__(_webpack_require__.s = moduleId))
/*****/ var webpack exports = ( webpack exec (3));
/*****/ }
]);
```

dist/react-vendors.js

```
\***********
/*! unknown exports (runtime-defined) */
/*! runtime requirements: module */
/*! CommonJS bailout: module.exports is used directly at 1:0-14 */
/***/ ((module) => {
module.exports = 'react-dom';
/***/ }),
!*** ./node_modules/prop-types.js ***!
 \************
/*! unknown exports (runtime-defined) */
/*! runtime requirements: module */
/*! CommonJS bailout: module.exports is used directly at 1:0-14 ^{*}/
/***/ ((module) => {
module.exports = 'prop-types';
/***/ })
/*****/
]);
```

▶ /* webpack runtime code */

```
/*****/
/*****/
             // startup
/*****/
              // Load entry module and return exports
/*****/
              // This entry module is referenced by other modules so it can't be
inlined
              __webpack_require__(0);
/*****/
/*****/
               __webpack_require__(1);
/*****/
              var __webpack_exports__ = __webpack_require__(2);
/*****/
               __webpack_exports__ = __webpack_require__.0(__webpack_exports__);
/*****/
/*****/ })()
```

Info

Unoptimized

```
asset react-vendors.js 7.62 KiB [emitted] (name: react-vendors)
asset app.js 1.63 KiB [emitted] (name: app)
chunk (runtime: react-vendors) app.js (app) 139 bytes <{react-vendors}> [initial]
[rendered]
> ./app.js app
```

```
./app.js 139 bytes [built] [code generated]
   [no exports]
    [used exports unknown]
    entry ./app.js app
chunk (runtime: react-vendors) react-vendors.js (react-vendors) 87 bytes (javascript)
3.3 KiB (runtime) >{app}< [entry] [rendered]</pre>
 > prop-types react-vendors
 > react react-vendors
 > react-dom react-vendors
 runtime modules 3.3 KiB 6 modules
 cacheable modules 87 bytes
    ./node modules/prop-types.js 31 bytes [built] [code generated]
     [used exports unknown]
     from origin ./app.js
       harmony side effect evaluation prop-types ./app.js 3:0-35
       harmony import specifier prop-types ./app.js 5:29-38
     cjs self exports reference ./node modules/prop-types.js 1:0-14
     entry prop-types react-vendors
    ./node modules/react-dom.js 30 bytes [built] [code generated]
     [used exports unknown]
     from origin ./app.js
       harmony side effect evaluation react-dom ./app.js 2:0-33
       harmony import specifier react-dom ./app.js 5:19-27
     cjs self exports reference ./node modules/react-dom.js 1:0-14
     entry react-dom react-vendors
    ./node modules/react.js 26 bytes [built] [code generated]
     [used exports unknown]
     from origin ./app.js
       harmony side effect evaluation react ./app.js 1:0-26
       harmony import specifier react ./app.js 5:12-17
      cjs self exports reference ./node modules/react.js 1:0-14
     entry react react-vendors
webpack 5.51.1 compiled successfully
```

Production mode

```
cacheable modules 87 bytes
    ./node modules/prop-types.js 31 bytes [built] [code generated]
     [used exports unknown]
     from origin ./app.js
      harmony side effect evaluation prop-types ./app.js 3:0-35
       harmony import specifier prop-types ./app.js 5:29-38
     cjs self exports reference ./node modules/prop-types.js 1:0-14
      entry prop-types react-vendors
    ./node modules/react-dom.js 30 bytes [built] [code generated]
      [used exports unknown]
     from origin ./app.js
       harmony side effect evaluation react-dom ./app.js 2:0-33
       harmony import specifier react-dom ./app.js 5:19-27
     cjs self exports reference ./node modules/react-dom.js 1:0-14
      entry react-dom react-vendors
    ./node modules/react.js 26 bytes [built] [code generated]
      [used exports unknown]
     from origin ./app.js
       harmony side effect evaluation react ./app.js 1:0-26
       harmony import specifier react ./app.js 5:12-17
     cjs self exports reference ./node modules/react.js 1:0-14
      entry react react-vendors
webpack 5.51.1 compiled successfully
```