Avatar

A vatars can be used to represent people or objects. It supports images, ${\tt Icons},$ or letters.

API Avatar

Property	Description	Type	Default	Version
alt	This attribute defines the alternative text describing the image	string	-	
gap	Letter type unit distance between left and right sides	number	4	4.3.0
icon	Custom icon type for an icon avatar	ReactNode	-	
shape	The shape of avatar	circle square	circle	
size	The size of the avatar	number large small default { xs: number, sm: number,}	default	4.7.0

Property	Description	Type	Default	Version
STC	The address of the image for an image avatar or image element	string ReactNode	-	ReactNode: 4.8.0
srcSet	A list of sources to use for different screen resolutions	string	-	
draggable	Whether the picture is allowed to be dragged	boolean 'true' 'false'	-	
crossOrigin	CORS settings attributes	'anonymous' 'use-credent	- ials'	4.17.0
onError	Handler when img load error, return false to prevent default fallback behavior	() => boolean	-	

Tip: You can set icon or children as the fallback for image load error, with the priority of icon > children

Avatar. Group (4.5.0+)

Property	Description	Type	Default	Version
maxCount	Max avatars to show	number	-	
maxPopoverPlac@hent placement of excess avatar Popover		top bottom	top	

Property	Description	Type	Default	Version
maxPopoverTri	trigger of	hover focus	hover	4.17.0
	excess avatar Popover	click		
maxStyle	The style of excess avatar style	CSSProperties	-	
size	The size of the avatar	<pre>number large small default { xs: number, sm: number,}</pre>	default	4.8.0