```
+++ title = "HTTP Preferences API " description = "Grafana HTTP API" keywords = ["grafana", "http", "documentation", "api", "preferences"] aliases = ["/docs/grafana/latest/http_api/preferences/"] +++
```

# **User and Org Preferences API**

Keys:

- theme One of: light , dark , or an empty string for the default theme
- homeDashboardId The numerical :id of a favorited dashboard, default: 0
- timezone One of: utc , browser , or an empty string for the default

Omitting a key will cause the current value to be replaced with the system default value.

### **Get Current User Prefs**

GET /api/user/preferences

#### **Example Request:**

```
GET /api/user/preferences HTTP/1.1

Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiT0tTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
```

### **Example Response:**

```
HTTP/1.1 200
Content-Type: application/json
{"theme":"", "homeDashboardId":0, "timezone":""}
```

# **Update Current User Prefs**

PUT /api/user/preferences

### **Example Request:**

```
PUT /api/user/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcGlpUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk

{
    "theme": "",
    "homeDashboardId":0,
    "timezone":"utc"
}
```

### **Example Response:**

```
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message":"Preferences updated"}
```

## **Patch Current User Prefs**

Update one or more preferences without modifying the others.

PATCH /api/user/preferences

### **Example Request:**

```
PATCH /api/user/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiT0tTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk

{
    "theme": "dark"
}
```

#### **Example Response:**

```
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message":"Preferences updated"}
```

## **Get Current Org Prefs**

GET /api/org/preferences

### **Example Request:**

```
GET /api/org/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
```

### **Example Response:**

```
HTTP/1.1 200
Content-Type: application/json
{"theme":"", "homeDashboardId":0, "timezone":""}
```

# **Update Current Org Prefs**

PUT /api/org/preferences

#### **Example Request:**

```
PUT /api/org/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiTOtTcG1pUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk

{
    "theme": "",
    "homeDashboardId":0,
    "timezone":"utc"
}
```

### **Example Response:**

```
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message":"Preferences updated"}
```

# **Patch Current Org Prefs**

Update one or more preferences without modifying the others.

PATCH /api/org/preferences

### **Example Request:**

```
PATCH /api/org/preferences HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiT0tTcGlpUlY2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk

{
    "theme": "dark"
}
```

### **Example Response:**

```
HTTP/1.1 200
Content-Type: text/plain; charset=utf-8
{"message":"Preferences updated"}
```