

Developing ansible-core

Although `ansible-core` (the code hosted in the [ansible/ansible repository](#) on GitHub) includes a few plugins that can be swapped out via playbook directives or configuration, much of the code there is not modular. The documents here give insight into how the parts of `ansible-core` work together.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-  
devel\docs\docsite\rst\dev_guide\ (ansible-devel) (docs) (docsite) (rst)  
(dev_guide) developing_core.rst, line 7)
```

Unknown directive type "toctree".

```
.. toctree::  
    :maxdepth: 1  
  
    developing_program_flow_modules
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-  
devel\docs\docsite\rst\dev_guide\ (ansible-devel) (docs) (docsite) (rst)  
(dev_guide) developing_core.rst, line 12)
```

Unknown directive type "seealso".

```
.. seealso::  
  
    :ref:`developing_api`  
        Learn about the Python API for task execution  
    :ref:`developing_plugins`  
        Learn about developing plugins  
    `Mailing List <https://groups.google.com/group/ansible-devel>`_  
        The development mailing list  
    `irc.libera.chat <https://libera.chat>`_  
        #ansible-devel IRC chat channel
```