CA RESET

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\(linux-master) (Documentation) (userspace-api) (media) (dvb) ca-reset.rst, line 2)
```

Unknown directive type "c:namespace".

```
.. c:namespace:: DTV.ca
```

Name

CA RESET

Synopsis

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\(linux-master) (Documentation) (userspace-api) (media) (dvb) ca-reset.rst, line 18)
```

Unknown directive type "c:macro".

```
.. c:macro:: CA_RESET
```

int ioctl(fd, CA RESET)

Arguments

fd

File descriptor returned by a previous call to :c:func:'open()'.

 $System\ Message: ERROR/3\ (\mbox{D:\nonboarding-resources}\ sample-onboarding-resources\ linux-master\ Documentation\ userspace-api\ (media)\ (dvb)\ ca-reset.rst,\ line\ 26);\ backlink$

Unknown interpreted text role "c:func".

Description

Puts the Conditional Access hardware on its initial state. It should be called before start using the CA hardware.

Return Value

On success 0 is returned.

On error -1 is returned, and the errno variable is set appropriately.

Generic error codes are described at the ref. Generic Error Codes <gen-errors>` chapter.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\(linux-master) (Documentation) (userspace-api) (media) (dvb) ca-reset.rst, line 42); backlink

Unknown interpreted text role 'ref'.