

Tabs

Tabs make it easy to switch between different views.

When To Use

Ant Design has 3 types of Tabs for different situations.

- Card Tabs: for managing too many closeable views.
- Normal Tabs: for functional aspects of a page.
- Radio.Button: for secondary tabs.

API

Tabs

Property	Description	Type	Default	Version
activeKey	Current TabPane's key	string	-	
addIcon	Customize add icon	ReactNode	-	4.4.0
animated	Whether to change tabs with animation. Only works while tabPosition="top"	boolean { inkBar: boolean, tabPane: boolean }	{ inkBar: true, tabPane: false }	
centered	Centers tabs	boolean	false	4.4.0
defaultActiveKey	Initial active TabPane's key, if activeKey is not set	string	-	

Property	Description	Type	Default	Version
hideAdd	Hide plus icon or not. Only works while <code>type="editable-card"</code>	boolean	false	
moreIcon	The custom icon of ellipsis	ReactNode	<code><EllipsisOutlined /></code>	4.14.0
renderTabBar	Replace the TabBar	(props: DefaultTabBarProps, DefaultTabBar: React.ComponentClass) => React.ReactElement	-	
size	Preset tab bar size	<code>large default small</code>	<code>default</code>	
tabBarExtraContent	Extra content in tab bar	ReactNode {left?: ReactNode, right?: ReactNode}	-	object: 4.6.0
tabBarGutter	The gap between tabs	number	-	
tabBarStyle	Tab bar style object	CSSProperties	-	
tabPosition	Position of tabs	<code>top right bottom left</code>	<code>top</code>	
destroyInactiveTabs	Whether destroy inactive TabPane when change tab	boolean	false	
type	Basic style of tabs	<code>line card editable-card</code>	<code>line</code>	

Property	Description	Type	Default	Version
onChange	Callback executed when active tab is changed	function(activeKey) {}	-	
onEdit	Callback executed when tab is added or removed. Only works while <code>type="editable-card"</code>	(targetKey, action) => void	-	
onTabClick	Callback executed when tab is clicked	function(key: string, event: MouseEvent)	-	
onTabScroll	Trigger when tab scroll	function({ direction: <code>left</code> <code>right</code> <code>top</code> <code>bottom</code> })	-	4.3.0

More option at rc-tabs option

Tabs.TabPane

Property	Description	Type	Default
closeIcon	Customize close icon in TabPane's head. Only works while <code>type="editable-card"</code>	ReactDOM	-
forceRender	Forced render of content in tabs, not lazy render after clicking on tabs	boolean	false
key	TabPane's key	string	-
tab	Show text in TabPane's head	ReactDOM	-

More option at rc-tabs option