

zh-CN

Test disabled Input with validate state

en-US

Test disabled Input with validate state

```
import { Form, Input } from 'antd';

export default () => (
  <Form>
    <Form.Item label="Normal0">
      <Input placeholder="unavailable choice" value="Buggy!" />
    </Form.Item>
    <Form.Item label="Fail0" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" value="Buggy!" />
    </Form.Item>
    <Form.Item label="FailDisabled0" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" disabled value="Buggy!" />
    </Form.Item>
    <Form.Item label="Normal1">
      <Input placeholder="unavailable choice" value="Buggy!" />
    </Form.Item>
    <Form.Item label="Fail1" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" value="Buggy!" />
    </Form.Item>
    <Form.Item label="FailDisabled1" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" disabled value="Buggy!" />
    </Form.Item>
    <Form.Item label="Normal2">
      <Input placeholder="unavailable choice" addonBefore="Buggy!" />
    </Form.Item>
    <Form.Item label="Fail2" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" addonBefore="Buggy!" />
    </Form.Item>
    <Form.Item label="FailDisabled2" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" disabled addonBefore="Buggy!" />
    </Form.Item>
    <Form.Item label="Normal3">
      <Input placeholder="unavailable choice" prefix="人民币" value="50" />
    </Form.Item>
    <Form.Item label="Fail3" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" prefix="人民币" value="50" />
    </Form.Item>
    <Form.Item label="FailDisabled3" validateStatus="error" help="Buggy!">
      <Input placeholder="unavailable choice" disabled prefix="人民币" value="50" />
    </Form.Item>
  </Form>
);
```