

example.js

```
export * from "./counter";
export * from "./methods";
```

methods.js

```
export { reset as resetCounter } from "./counter";

export const print = value => console.log(value);
```

counter.js

```
export let value = 0;
export function increment() {
  value++;
}
export function decrement() {
  value--;
}
export function reset() {
  value = 0;
}
```

dist/output.js

```

/*****/ // The require scope
/*****/ var __webpack_require__ = {};
/*****/

/* webpack runtime code */

/*****/
/*****/ /* webpack/runtime/define property getters */
/*****/ (() => {
/*****/   // define getter functions for harmony exports
/*****/   __webpack_require__.d = (exports, definition) => {
/*****/     for(var key in definition) {
/*****/       if(__webpack_require__.o(definition, key) && !__webpack_require__.o(exports, key)) {
/*****/         Object.defineProperty(exports, key, { enumerable: true, get: definition[key] });
/*****/       }
/*****/     }
/*****/   };
/*****/ }());
/*****/
```



```

function increment() {
  value++;
}
function decrement() {
  value--;
}
function counter_reset() {
  value = 0;
}

; // CONCATENATED MODULE: ./methods.js

const print = value => console.log(value);

; // CONCATENATED MODULE: ./example.js

var __webpack_exports__decrement = __webpack_exports__.decrement;
var __webpack_exports__increment = __webpack_exports__.increment;
var __webpack_exports__print = __webpack_exports__.print;
var __webpack_exports__reset = __webpack_exports__.reset;
var __webpack_exports__resetCounter = __webpack_exports__.resetCounter;
var __webpack_exports__value = __webpack_exports__.value;
export { __webpack_exports__decrement as decrement, __webpack_exports__increment as increment, __webpack_exports__print as print, __webpack_exports__reset as reset, __webpack_exports__resetCounter as resetCounter, __webpack_exports__value as value };

```

dist/output.js (production)

```

var e={d:(n,t)=>{for(var o in t)e.o(t,o)&&!e.o(n,o)&&Object.defineProperty(n,o,{enumerable:

```

Info

Unoptimized

```

asset output.js 3.61 KiB [emitted] [javascript module] (name: main)
chunk (runtime: main) output.js (main) 302 bytes (javascript) 670 bytes (runtime) [entry] [1]
  > ./example.js main
runtime modules 670 bytes 3 modules
  ./example.js + 2 modules 302 bytes [built] [code generated]
    [exports: decrement, increment, print, reset, resetCounter, value]
    [used exports unknown]
    entry ./example.js main
    used as library export
webpack 5.51.1 compiled successfully

```

Production mode

```
asset output.js 446 bytes [emitted] [javascript module] [minimized] (name: main)
chunk (runtime: main) output.js (main) 302 bytes (javascript) 396 bytes (runtime) [entry] [1]
> ./example.js main
runtime modules 396 bytes 2 modules
./example.js + 2 modules 302 bytes [built] [code generated]
  [exports: decrement, increment, print, reset, resetCounter, value]
  [all exports used]
  entry ./example.js main
  used as library export
webpack 5.51.1 compiled successfully
```