AUDIO STOP

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-
master\drivers\staging\media\av7110\[linux-master][drivers][staging][media]
[av7110]audio-stop.rst, line 2)
Unknown directive type "cnamespace".
.. c:namespace:: DTV.audio
```

Name

AUDIO_STOP

Attention!

This ioctl is deprecated

Synopsis

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\[linux-master][drivers][staging][media]
[av7110]audio-stop.rst, line 20)
Unknown directive type "cmacro".
.. c:macro:: AUDIO_STOP
```

int ioctl(int fd, AUDIO STOP)

Arguments

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-
master\drivers\staging\media\av7110\[linux-master][drivers][staging][media]
[av7110]audio-stop.rst, line 27)

Unknown directive type "flat-table".

.. flat-table::
    :header-rows: 0
    :stub-columns: 0

- .. row 1

- int fd

- File descriptor returned by a previous call to open().
```

Description

This ioctl call asks the Audio Device to stop playing the current stream.

Return Value

On success 0 is returned, on error -1 and the errno variable is set appropriately. The generic error codes are described at the ref. Generic Error Codes <gen-errors>` chapter.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\[linux-master][drivers][staging][media] [av7110]audio-stop.rst, line 46); backlink

Unknown interpreted text role "ref".
```