

This wiki is automatically published from ohmyzsh/wiki. To edit this page, go to ohmyzsh/wiki, make your changes and submit a Pull Request.

Oh My Zsh comes bundled with plugins, which allow you to take advantage of functionality of many sorts to your shell just by enabling them. They are each documented in the README file in their respective `plugins/` folder.

Enable a plugin by adding its name to the `plugins` array in your `.zshrc` file (found in the `$HOME` directory). For example, this enables the `rails`, `git` and `ruby` plugins, **in that order**:

```
plugins=(rails git ruby)
```

NOTE: elements in zsh arrays are separated by whitespace (spaces, tabs, newlines...). DO NOT use commas.

Plugins

- 1password
- adb
- ag
- aliases
- alias-finder
- ansible
- ant
- apache2-macports
- arcanist
- archlinux
- asdf
- autoenv
- autojump
- autopep8
- aws
- battery
- bazel
- bbedit
- bedtools
- bgnotify
- boot2docker
- bower
- branch
- brew
- bundler
- cabal
- cake
- cakephp3
- capistrano

- cask
- cating
- celery
- chruby
- chucknorris
- cloudfoundry
- codeclimate
- coffee
- colemak
- colored-man-pages
- colorize
- command-not-found
- common-aliases
- compleat
- composer
- copybuffer
- copydir
- copyfile
- cp
- cpanm
- dash
- debian
- deno
- dircycle
- direnv
- dirhistory
- dirpersist
- dnf
- dnote
- docker
- docker-compose
- docker-machine
- doctl
- dotenv
- dotnet
- droplr
- drush
- eecms
- emacs
- ember-cli
- emoji
- emoji-clock
- emotty
- encode64
- extract
- fabric

- fancy-ctrl-z
- fasd
- fastfile
- fbterm
- fd
- fig
- firewalld
- flutter
- fnm
- forklift
- fossil
- frontend-search
- fzf
- gas
- gatsby
- gb
- gcloud
- geeknote
- gem
- genpass
- gh
- git
- git-auto-fetch
- git-escape-magic
- git-extras
- gitfast
- git-flow
- git-flow-avh
- github
- git-hubflow
- gitignore
- git-lfs
- git-prompt
- glassfish
- globalias
- gnu-utils
- golang
- gpg-agent
- gradle
- grails
- grc
- grunt
- gulp
- hanami
- helm
- heroku

- history
- history-substring-search
- hitchhiker
- hitokoto
- homestead
- httpie
- invoke
- ionic
- ipfs
- isodate
- istioctl
- iterm2
- jake-node
- jenv
- jfrog
- jhbuild
- jira
- jruby
- jsontools
- juju
- jump
- kate
- keychain
- kitchen
- kn
- knife
- knife_ssh
- kops
- kubect1
- kubectx
- kube-ps1
- lando
- laravel
- laravel4
- laravel5
- last-working-dir
- lein
- lighthouse
- lol
- lpass
- lxd
- macos
- macports
- magic-enter
- man
- marked2

- mercurial
- meteor
- microk8s
- minikube
- mix
- mix-fast
- mongocli
- mosh
- mvn
- mysql-macports
- n98-magerun
- nanoc
- ng
- nmap
- node
- nomad
- npm
- nvm
- oc
- octozen
- operator-sdk
- otp
- pass
- paver
- pep8
- percol
- per-directory-history
- perl
- perms
- phing
- pip
- pipenv
- pj
- please
- pm2
- pod
- poetry
- postgres
- pow
- powder
- powify
- profiles
- pyenv
- pylint
- python
- rails

- rake
- rake-fast
- rand-quote
- rbenv
- rbfu
- rbw
- react-native
- rebar
- redis-cli
- repo
- ripgrep
- ros
- rsync
- ruby
- rust
- rvm
- safe-paste
- salt
- samtools
- sbt
- scala
- scd
- screen
- scw
- sdk
- sfdx
- sfffe
- shell-proxy
- shrink-path
- singlechar
- spring
- sprunge
- ssh-agent
- stack
- sublime
- sublime-merge
- sudo
- supervisor
- suse
- svcat
- svn
- svn-fast-info
- swiftpm
- symfony
- symfony2
- systemadmin

- systemd
- taskwarrior
- terminator
- term_tab
- terraform
- textastic
- textmate
- thefuck
- themes
- thor
- tig
- timer
- tmux
- tmux-cssh
- tmuxinator
- torrent
- transfer
- tugboat
- ubuntu
- ufw
- universalarchive
- urltools
- vagrant
- vagrant-prompt
- vault
- vim-interaction
- vi-mode
- virtualenv
- virtualenvwrapper
- volta
- vscode
- vundle
- wakeonlan
- wd
- web-search
- wp-cli
- xcode
- yarn
- yii
- yii2
- yum
- z
- zbell
- zeus
- zoxide
- zsh-interactive-cd

- `zsh-navigation-tools`

Deprecated

- `cargo`: moved to the `rust` plugin.
- `npx`: new npm versions ($\geq 7.0.0$) do not provide the same functionality.
- `osx`: renamed to `macos`.
- `rustup`: moved to the `rust` plugin.

Removed

- `cloudapp`: removed due to deprecated API.
- `django`: removed because Zsh provides a better completion for Django.
- `fedora`: use `dnf` instead.
- `git-remote-branch`: not actively maintained.
- `go`: use `golang` instead.
- `nyan`: the service that the plugin relied on is no longer available.
- `zsh_reload`: functionality baked into the CLI with `omz reload`.