

Docs fragments

- [Enabling docs fragments](#)
- [Using docs fragments](#)

Docs fragments allow you to document common parameters of multiple plugins or modules in a single place.

Enabling docs fragments

You can add a custom docs fragment by dropping it into a `doc_fragments` directory adjacent to your collection or role, just like any other plugin.

Using docs fragments

Only collection developers and maintainers use docs fragments. For more information on using docs fragments, see [:ref:module_docs_fragments`](#) or [:ref:docfragments_collections`](#).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\plugins\ (ansible-devel) (docs) (docsite) (rst) (plugins) docs_fragment.rst, line 24); [backlink](#)

Unknown interpreted text role "ref".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\plugins\ (ansible-devel) (docs) (docsite) (rst) (plugins) docs_fragment.rst, line 24); [backlink](#)

Unknown interpreted text role "ref".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\plugins\ (ansible-devel) (docs) (docsite) (rst) (plugins) docs_fragment.rst, line 26)

Unknown directive type "seealso".

```
.. seealso::

    :ref:`developing_modules_general`
        An introduction to creating Ansible modules
    :ref:`developing_collections`
        An guide to creating Ansible collections
    `User Mailing List <https://groups.google.com/group/ansible-devel>`_
        Have a question? Stop by the google group!
    :ref:`communication_irc`
        How to join Ansible chat channels
```