

composer

This plugin provides completion for [composer](#) as well as aliases for frequent composer commands. It also adds Composer's global binaries to the PATH, using Composer if available.

To use it add `composer` to the plugins array in your zshrc file.

```
plugins=(... composer)
```

Original author: Daniel Gomes me@danielcsgomes.com

Aliases

Alias	Command	Description
c	composer	Starts composer
ccp	composer create-project	Create new project from an existing package
cdo	composer dump-autoload -o	Converts PSR-0/4 autoloading to classmap for a faster autoloader (good for production)
cdu	composer dump-autoload	Updates the autoloader
cget	curl -s <installer> php	Installs composer in the current directory
cgr	composer global require	Allows require command to run on COMPOSER_HOME directory
cgrm	composer global remove	Allows remove command to run on COMPOSER_HOME directory
cgu	composer global update	Allows update command to run on COMPOSER_HOME directory
ci	composer install	Resolves and installs dependencies from <code>composer.json</code>
co	composer outdated	Shows a list of installed packages with available updates
cod	composer outdated --direct	Shows a list of installed packages with available updates which are direct dependencies
cr	composer require	Adds new packages to <code>composer.json</code>
crm	composer remove	Removes packages from <code>composer.json</code>
cs	composer show	Lists available packages, with optional filtering
csu	composer self-update	Updates composer to the latest version
cu	composer update	Updates composer dependencies and <code>composer.lock</code> file
cuh	composer update -d <config-home>	Updates globally installed packages