

## 19.0.4 / 2021-12-25

- republish to fix #2529

## 19.0.3 / 2021-12-24

- [patch] set `namedComponents` option to match style guide
- [deps] update `eslint-plugin-react`

## 19.0.2 / 2021-12-02

- [meta] fix “exports” path (#2525)
- [Tests] re-enable tests disabled for the eslint 8 upgrade

## 19.0.1 / 2021-11-22

- [fix] `whitespace`: update to support eslint 8 (#2517)
- [deps] update `eslint-plugin-react`
- [dev deps] update `tape`

## 19.0.0 / 2021-11-10

- [breaking] support `eslint` 8; drop `eslint < 7`
- [patch] Explain why `react/jsx-key` is turned off (#2474)
- [fix] bump `eslint-plugin-react-hooks` peer dependency version (#2356)
- [patch] Alphabetize the rules for `react-a11y.js` (#2407)
- [Docs] HTTP => HTTPS (#2489)
- [readme] clarify hooks requirement (#2482)
- [deps] update `eslint-config-airbnb-base`, `eslint-plugin-jsx-a11y`, `eslint-plugin-react`, `eslint-plugin-react-hooks`, `safe-publish-latest`, `eslint-plugin-import`, `object.entries`
- [meta] add `--no-save` to link scripts
- [meta] use `prepublishOnly` script for npm 7+
- [dev deps] update `@babel/runtime`, `tape`

## 18.2.1 / 2020-11-06

- [patch] remove deprecated `jsx-a11y/accessible-emoji` rule (#2322)
- [patch] Fix `ignoreNonDOM` typo in `jsx-a11y/aria-role` rule (#2318)
- [patch] Fixed `handle` and on ordering in `sort-comp` rule (#2287)
- [deps] update `eslint-plugin-jsx-a11y`, `eslint-plugin-react`
- [deps] update `eslint-config-airbnb-base`, `object.assign`

- [dev deps] update @babel/runtime, eslint-find-rules, eslint-plugin-import, eslint-plugin-jsx-a11y, eslint-plugin-react

## 18.2.0 / 2020-06-18

- [new] add eslint v7 (#2240)
- [minor] Allow using eslint-plugin-react-hooks v3 and v4 (#2235, #2207)
- [minor] Fix typo in no-multiple-empty-lines rule (#2168)
- [patch] set explicitSpread to ignore for react/jsx-props-no-spreading (#2237)
- [patch] relax eslint-plugin-react-hooks down to v2.3, due to a controversial change in v2.5
- [readme] fix typo (#2194)
- [deps] update eslint-config-airbnb-base, eslint-plugin-jsx-a11y, eslint-plugin-import, eslint-plugin-react, babel-preset-airbnb, eslint-find-rules, in-publish, tape, object.entries
- [tests] fix for eslint 7

## 18.1.0 / 2020-03-12

- [minor] Support eslint-plugin-react-hooks@2 (#2090)
- [minor] add new disabled rules, update eslint
- [fix] whitespace: only set erroring rules to “warn”
- [patch] Remove duplicate componentDidCatch (#2108)
- [patch] Add static-variables to sort-comp rule (#2109)
- [readme] clarify hooks section in readme (#2074)
- [deps] update eslint, eslint-plugin-react, eslint-plugin-react-hooks, eslint-config-airbnb-base, eslint-plugin-import, object.entries
- [dev deps] update @babel/runtime, babel-preset-airbnb, safe-publish-latest, tape
- [tests] re-enable eslint rule prefer-destructuring internally (#2110)
- [tests] fix eslint errors from c66cfc3 (#2112)

## 18.0.1 / 2019-08-13

- [patch] react/state-in-constructor: fix incorrect configuration

## 18.0.0 / 2019-08-10

- [breaking] add eslint v6, drop eslint v4
- [deps] [breaking] update eslint-config-airbnb-base, eslint-plugin-react, eslint-find-rules, eslint-plugin-import

- [breaking] Remove rules/strict from ‘extends’ (#1962)
- [breaking] set react version to “detect”
- [breaking] disable `label-has-for`; enable `control-has-associated-label`
- [breaking] enable `react/jsx-props-no-spreading`
- [breaking] enable `react/jsx-fragments`
- [minor] enable `react/static-property-placement`
- [minor] enable `react/state-in-constructor`
- [minor] enable `react/jsx-curly-newline`
- [react] Add missing/unsafe lifecycle methods to `react/sort-comp` rule (#2043)
- [react] add `componentDidCatch` to lifecycle for `react/sort-comp` (#2060)
- [react] add `react-hooks` plugin (#2022)
- [dev deps] update babel-related deps to latest
- [tests] only run tests in non-lint per-package travis job
- [tests] use `eclint` instead of `editorconfig-tools`
- [meta] add disabled config for new react and ally rules

### 17.1.1 / 2019-07-01

- [patch] Turn off `react/no-multi-comp` (#2006)
- [patch] extend `no-underscore-dangle` to allow for redux dev tools in the main config instead (#1996)
- [meta] add disabled `jsx-fragments` rule
- [deps] update `eslint-config-airbnb-base`, `object.entries`, `eslint-plugin-import`, `eslint-plugin-react`, `eslint-plugin-jsx-a11y`, `babel-preset-airbnb`, `tape` (#2005, etc)
- [docs] correct JavaScript capitalization (#2046)
- [docs] fix docs for whitespace config (#1914, #1871)
- [readme] Improve eslint config setup instructions for yarn (#2001)

### 17.1.0 / 2018-08-13

- [new] add eslint v5 support
- [minor] enable `label-has-associated-control` rule
- [patch] re-enabling `jsx-one-expression-per-line` allowing single children, ignore DOM components on `jsx-no-bind`
- [deps] update `eslint`, `eslint-config-airbnb-base`, `eslint-plugin-react`, `eslint-plugin-import`, `safe-publish-latest`, `eslint-plugin-jsx-a11y`, `eslint-find-rules`
- [docs] fix readme typo (#1855)

### 17.0.0 / 2018-06-21

- [breaking] update `eslint-config-airbnb-base` to v13

- [breaking] enable `no-useless-path-segments` (#1743)
- [breaking] update `eslint-plugin-react` to v7.6; update rule configs (#1737)
- [breaking] bump react pragma to v16; update `class-methods-use-this`'s `exceptMethods` to include `componentDidCatch` (#1704)
- [new] Adds config entry point with only whitespace rules enabled (#1749, #1751)
- [patch] set `forbid-foreign-prop-types` to "warn"
- [patch] Add new methods introduced in react@16.3 (#1831)
- [patch] `label-has-for`: Remove redundant component (#1802)
- [patch] Add 'to' as a specialLink to the 'anchor-is-valid' ally rule (#1648)
- [patch] disable `no-did-mount-set-state`, since it's necessary for server-rendering.
- [deps] update `eslint`, `eslint-plugin-react`, `eslint-plugin-import`,
- [dev deps] update `babel-preset-airbnb`, `tape`, `eslint-find-rules`
- [meta] add ES2015-2018 in npm package keywords (#1587)
- [meta] Add licenses to sub packages (#1746)
- [docs] add `npm` shortcut (#1694)
- [docs] Use HTTPS for links to ESLint documentation (#1628)

## 16.1.0 / 2017-10-16

- [deps] update `eslint-config-airbnb-base`, `eslint` to v4.9

## 16.0.0 / 2017-10-06

- [breaking] [deps] require `eslint` v4, update `eslint-config-airbnb-base`
- [breaking] [deps] Upgrade `eslint-plugin-jsx-ally` to v6; enable more ally rules (#1482)
- [breaking] enable/add react rules: `react/jsx-curly-brace-presence`, `react/no-typos`, `react/no-unused-state`, `react/no-redundant-should-component-update`, `react/default-props-match-prop-types`
- [new] add `propWrapperFunctions` default settings for `eslint-plugin-react`
- [new] Enable `react/jsx-closing-tag-location` (#1533)
- [deps] update `eslint` v4, `eslint-plugin-react`, `tape`
- [docs] Specify yarn-specific install instructions (#1511)

## 15.1.0 / 2017-07-24

- [deps] allow `eslint` v3 or v4 (#1447)
- [deps] update `eslint-plugin-import`, `eslint-config-airbnb-base`

## 15.0.2 / 2017-07-04

- [fix] `jsx` should be enabled via `parserOptions`, not via a root `ecmaFeatures`
- [deps] update `babel-preset-airbnb`, `eslint-find-rules`, `eslint-plugin-import`, `eslint-plugin-jsx-a11y`, `eslint-plugin-react`, `tape`

## 15.0.1 / 2017-05-15

- [fix] set default React version to 15.0 (#1415)

## 15.0.0 / 2017-05-14

- [breaking] set default React version to 0.15
- [breaking] update `eslint-plugin-jsx-a11y` to v5, enable new rules
- [breaking] update `eslint-plugin-react` to v7, enable new rules
- [minor] enable rules: `jsx-max-props-per-line`, `void-dom-elements-no-children`
- [patch] Turn `ignorePureComponents` option on for `react/prefer-stateless-function` (#1378, #1398)
- [deps] update `eslint`, `eslint-plugin-react`, `eslint-config-airbnb-base`

## 14.1.0 / 2017-02-05

- [patch] allow `eslint-plugin-jsx-a11y` to be v3 or v4. Remove `no-marquee` rule temporarily.
- [deps] update `eslint-config-airbnb-base`, `babel-preset-airbnb`, `eslint`

## 14.0.0 / 2017-01-08

- [breaking] enable `react/no-array-index-key`, `react/require-default-props`
- [breaking] [deps] update `eslint`, `eslint-plugin-import`, `eslint-plugin-react`, `eslint-config-airbnb-base`
- [breaking] [deps] update `eslint-plugin-jsx-a11y` to v3 (#1166)
- [docs] add note about `install-peerdeps` (#1234)
- [docs] Updated instructions to support non-bash users (#1214)

## 13.0.0 / 2016-11-06

- [breaking] Enable `import/no-webpack-loader-syntax` rule (#1123)
- [patch] `class-methods-use-this`: exempt React `getChildContext` (#1094)
- [patch] set `react/no-unused-prop-types` `skipShapeProps` (#1099)

- [deps] [breaking] update `eslint`, `eslint-config-airbnb-base`, `eslint-plugin-jsx-a11y`, `eslint-plugin-react`, `eslint-plugin-import`
- [dev deps] update `babel-preset-airbnb`, `eslint`, `eslint-find-rules`, `tape`, `safe-publish-latest`
- [Tests] on node v7
- [docs] ensure latest version of config is installed (#1121)

## 12.0.0 / 2016-09-24

- [breaking] Enable react rules: `react/no-unescaped-entities`, `react/no-children-prop`
- [breaking] [deps] update `eslint-config-airbnb-base`
- [patch] disable deprecated and redundant `react/require-extension` rule (#978)

## 11.2.0 / 2016-09-23

- [new] set `ecmaVersion` to 2017; enable object rest/spread; update `babel-preset-airbnb`
- [deps] update `eslint`, `eslint-config-airbnb-base`, `eslint-plugin-import`, `eslint-plugin-jsx-a11y`, `eslint-plugin-react`, `eslint-find-rules`, `safe-publish-latest`

## 11.1.0 / 2016-09-11

- [deps] update `eslint-config-airbnb-base`, `eslint`

## 11.0.0 / 2016-09-08

- [breaking] enable react rules: `react/no-danger-with-children`, `react/no-unused-prop-types`, `react/style-prop-object`, `react/forbid-prop-types`, `react/jsx-no-duplicate-props`; set `react/no-danger` to “warn”
- [breaking] enable jsx-a11y rules: `jsx-a11y/anchor-has-content`, `jsx-a11y/tabindex-no-positive`, `jsx-a11y/no-static-element-interactions`
- [deps] update `eslint`, `eslint-plugin-react`, `eslint-config-airbnb-base`, `eslint-find-rules`, `eslint-plugin-import`, `eslint-plugin-jsx-a11y`
- [patch] set `ignoreCase` to `true` in disabled rules.
- [docs] use “#” in example command rather than version numbers (#984)

## 10.0.1 / 2016-08-12

- [deps] update `eslint`, `eslint-find-rules`, `eslint-plugin-jsx-a11y`, `eslint-plugin-import`, `eslint-config-airbnb-base`

## 10.0.0 / 2016-08-01

- [breaking] enable jsx-a11y rules:
- `jsx-a11y/heading-has-content`
- `jsx-a11y/html-has-lang`
- `jsx-a11y/lang`
- `jsx-a11y/no-marquee`
- `jsx-a11y/scope`
- `jsx-a11y/href-no-hash`
- `jsx-a11y/label-has-for`
- [breaking] enable aria rules:
- `jsx-a11y/aria-props`
- `jsx-a11y/aria-proptypes`
- `jsx-a11y/aria-unsupported-elements`
- `jsx-a11y/role-has-required-aria-props`
- `jsx-a11y/role-supports-aria-props`
- [breaking] enable react rules:
- `react/jsx-filename-extension`
- `react/jsx-no-comment-textnodes`
- `react/jsx-no-target-blank`
- `react/require-extension`
- `react/no-render-return-value`
- `react/no-find-dom-node`
- `react/no-deprecated`
- [deps] [breaking] update `eslint` to v3, `eslint-config-airbnb-base` to v5, `eslint-find-rules`, `eslint-plugin-import`, `eslint-plugin-jsx-a11y` to v2, `eslint-plugin-react` to v6, `tape`. drop node < 4 support.
- [deps] update `eslint-config-airbnb-base`, `eslint-plugin-react`, `eslint-plugin-import`, `eslint-plugin-jsx-a11y`, `babel-tape-runner`, add `babel-preset-airbnb`. ensure react is >= 0.13.0
- [patch] loosen `jsx-pascal-case` rule to allow all caps component names
- [tests] stop testing < node 4
- [tests] use `in-publish` because coffeescript screwed up the prepublish script for everyone
- [tests] Only run `eslint-find-rules` on prepublish, not in tests
- [tests] Even though the base config may not be up to date in the main package, let's `npm link` the base package into the main one for the sake of travis-ci tests
- [docs] update the peer dep install command to dynamically look up the right version numbers when installing peer deps
- add `safe-publish-latest` to prepublish

## 9.0.1 / 2016-05-08

- [patch] update `eslint-config-airbnb-base` to v3.0.1

## 9.0.0 / 2016-05-07

- [breaking] update `eslint-config-airbnb-base` to v3
- [deps] update `eslint-find-rules`, `eslint-plugin-import`, `eslint-plugin-jsx-a11y`

## 8.0.0 / 2016-04-21

- [breaking] Migrate non-React rules to a separate linter config (`eslint-config-airbnb-base`)
- [breaking] disallow empty methods
- [breaking] disallow empty restructuring patterns
- [breaking] enable `no-restricted-syntax` rule
- [breaking] enable `global-require` rule
- [breaking] [react] enable `react/jsx-curly-spacing` rule (#693)
- [semver-minor] [react] Add `react/jsx-first-prop-new-line` rule
- [semver-minor] [react] enable `jsx-equals-spacing` rule
- [semver-minor] [react] enable `jsx-indent` rule
- [semver-minor] enforce spacing inside single-line blocks
- [semver-minor] enforce `no-underscore-dangle`
- [semver-minor] Enable import/no-unresolved and import/export rules (#825)
- [semver-patch] Enable `no-useless-concat` rule which `prefer-template` already covers
- [semver-patch] Allow `== null` (#542)
- [dev deps / peer deps] update `eslint`, `eslint-plugin-react`, `eslint-plugin-import`
- [dev deps / peer deps] update `eslint-plugin-jsx-a11y` and rename rules (#838)
- [refactor] [react] separate a11y rules to their own file
- [refactor] Add missing disabled rules.
- [tests] Add `eslint-find-rules` to prevent missing rules

## 7.0.0 / 2016-04-11

- [react] [breaking] Add accessibility rules to the React style guide + `eslint-plugin-a11y`
- [breaking] enable `react/require-render-return`
- [breaking] Add `no-dupe-class-members` rule + section (#785)
- [breaking] error on debugger statements
- [breaking] add `no-useless-escape` rule
- [breaking] add `no-duplicate-imports` rule
- [semver-minor] enable `jsx-pascal-case` rule
- [deps] update `eslint`, `react`
- [dev deps] update `eslint`, `eslint-plugin-react`



## 6.2.0 / 2016-03-22

- [new] Allow arrow functions in JSX props
- [fix] re-enable `no-confusing-arrow` rule, with `allowParens` option enabled (#752, #791)
- [dev deps] update `tape`, `eslint`, `eslint-plugin-react`
- [peer deps] update `eslint`, `eslint-plugin-react`

## 6.1.0 / 2016-02-22

- [new] enable `react/prefer-stateless-function`
- [dev deps] update `react-plugin-eslint`, `eslint`, `tape`

## 6.0.2 / 2016-02-22

- [fix] disable `no-confusing-arrow` due to an `eslint` bug (#752)

## 6.0.1 / 2016-02-21

- [fix] disable `newline-per-chained-call` due to an `eslint` bug (#748)

## 6.0.0 / 2016-02-21

- [breaking] enable `array-callback-return`
- [breaking] enable `no-confusing-arrow`
- [breaking] enable `no-new-symbol`
- [breaking] enable `no-restricted-imports`
- [breaking] enable `no-useless-constructor`
- [breaking] enable `prefer-rest-params`
- [breaking] enable `template-curly-spacing`
- [breaking] enable `newline-per-chained-call`
- [breaking] enable `one-var-declaration-per-line`
- [breaking] enable `no-self-assign`
- [breaking] enable `no- whitespace-before-property`
- [breaking] [react] enable `react/jsx-space-before-closing`
- [breaking] [react] enable `static-methods` at top of `react/sort-comp`
- [breaking] [react] don't `ignoreTranspilerName` for `react/display-name`
- [peer+dev deps] update `eslint`, `eslint-plugin-react` (#730)

## 5.0.1 / 2016-02-13

- [fix] `eslint` `peerDep` should not include breaking changes

## 5.0.0 / 2016-02-03

- [breaking] disallow unneeded ternary expressions
- [breaking] Avoid lexical declarations in case/default clauses
- [dev deps] update `babel-tape-runner`, `eslint-plugin-react`, `react`, `tape`

## 4.0.0 / 2016-01-22

- [breaking] require outer IIFE wrapping; flesh out guide section
- [minor] Add missing `arrow-body-style`, `prefer-template` rules (#678)
- [minor] Add `prefer-arrow-callback` to ES6 rules (to match the guide) (#677)
- [Tests] run `npm run lint` as part of tests; fix errors
- [Tests] use `parallelshell` to parallelize npm run-scripts

## 3.1.0 / 2016-01-07

- [minor] Allow multiple stateless components in a single file

## 3.0.2 / 2016-01-06

- [fix] Ignore URLs in `max-len` (#664)

## 3.0.1 / 2016-01-06

- [fix] because we use babel, keywords should not be quoted

## 3.0.0 / 2016-01-04

- [breaking] enable `quote-props` rule (#632)
- [breaking] Define a max line length of 100 characters (#639)
- [breaking] [react] Minor cleanup for the React styleguide, add `react/jsx-no-bind` (#619)
- [breaking] update best-practices config to prevent parameter object manipulation (#627)
- [minor] Enable `react/no-is-mounted` rule (#635, #633)
- [minor] Sort `react/prefer-es6-class` alphabetically (#634)
- [minor] enable `react/prefer-es6-class` rule
- Permit strict mode in “legacy” config
- [react] add missing rules from `eslint-plugin-react` (enforcing where necessary) (#581)
- [dev deps] update `eslint-plugin-react`

### 2.1.1 / 2015-12-15

- [fix] Remove deprecated `react/jsx-quotes` (#622)

### 2.1.0 / 2015-12-15

- [fix] use `require.resolve` to allow nested `extends` (#582)
- [new] enable `object-shorthand` rule (#621)
- [new] enable `arrow-spacing` rule (#517)
- [docs] flesh out react rule defaults (#618)

### 2.0.0 / 2015-12-03

- [breaking] `space-before-function-paren`: require function spacing: `function <optional name>{` (#605)
- [breaking] `indent`: Fix switch statement indentation rule (#606)
- [breaking] `array-bracket-spacing`, `computed-property-spacing`: disallow spacing inside brackets (#594)
- [breaking] `object-curly-spacing`: require padding inside curly braces (#594)
- [breaking] `space-in-parens`: disallow spaces in parens (#594)

### 1.0.2 / 2015-11-25

- [breaking] `no-multiple-empty-lines`: only allow 1 blank line at EOF (#578)
- [new] `restParams`: enable rest params (#592)

### 1.0.1 / 2015-11-25

- *erroneous publish*

### 1.0.0 / 2015-11-08

- require `eslint v1.0.0` or higher
- remove `babel-eslint` dependency

### 0.1.1 / 2015-11-05

- remove `id-length` rule (#569)
- enable `no-mixed-spaces-and-tabs` (#539)
- enable `no-const-assign` (#560)

- enable `space-before-keywords` (#554)

## **0.1.0 / 2015-11-05**

- switch to modular rules files courtesy the `eslint-config-default` project and @taion. PR
- export `eslint-config-airbnb/legacy` for ES5-only users. `eslint-config-airbnb/legacy` does not require the `babel-eslint` parser. PR

## **0.0.9 / 2015-09-24**

- add rule `no-undef`
- add rule `id-length`

## **0.0.8 / 2015-08-21**

- now has a changelog
- now is modular (see instructions above for with react and without react versions)

## **0.0.7 / 2015-07-30**

- TODO: fill in