- [Productivity]()
- [FS jumping]()
- [Build tools]()
- [Node JS]()
- [PHP]()
- [Ruby]()
- [Python]()
- [Distro-related]()
- [macOS]()
- [Misc]()

## Productivity

| Name | Description |
| --- | --- |
| [autoenv]() | automatically execs script on changing dir (.env file) |
| [colemak]() | colemak layout support + vi-mode fixes for colemak [https://en.wikipedia.org/wiki/Keyboard_layout#Colemak]() |
| [colored-man-pages]() | adds colors to manpages |
| [colorize]() | cat with syntax highlight support |
| [command-not-found]() | suggests package name with relevant command |
| [compleat]() | reformats completion [https://github.com/mbrubeck/compleat]() |
| [copydir]() | copies current dir full path to clipboard |
| [copyfile]() | copies selected file content to clipboard |
| [cp]() | cp with progress bar (rsync) |
| [dircycle]() | hotkeys for cycling directories |
| [dirpersist]() | saves and restores your directory stack across shell invocations |
| [encode64]() | e64 & d64 aliases |
| [extract]() | 'x' alias - swiss knife for archive extracting |
| [fbterm]() | enhanced VESA terminal [https://code.google.com/p/fbterm/]() |
| [genpass]() | Three distinct 128-bit password generators |
| [gpg-agent]() | gpg-agent start/stop funcs |
| [history]() | aliases: h for history, hsi for grepping history |
| [history-substring-search]() | implementation of fish history substring search |

| | |
|---|---|
| [kate](#) | Kate text editor alias https://kate-editor.org/ |
| [last-working-dir](#) | same as dirpersist |
| [mosh](#) | mobile shell with roaming (wifi, mobile networks) and local echo https://mosh.mit.edu/ |
| [pass](#) | pass utility autocompletion |
| [per-directory-history](#) | self-descriptive |
| [profiles](#) | different zsh profiles per hostname |
| [rsync](#) | aliases |
| [safe-paste](#) | extended copy/paste in terminal |
| [screen](#) | GNU screen enhances (titles etc) |
| [sprunge](#) | CLI pastebin service sprunge.us uploader (https://www.shellperson.net/sprunge-pastebin-script/) |
| [ssh-agent](#) | ssh-agent start script |
| [sublime](#) | aliases for SublimeText Editor |
| [supervisor](#) | autocompletion for https://supervisord.org |
| [taskwarrior](#) | autocompletion for https://taskwarrior.org |
| [terminitor](#) | **[RENAMED to consular]** Consular automates your development workflow setup https://github.com/achiu/consular |
| [tmux](#) | enhanced Tmux support |
| [tmuxinator](#) | enhanced Tmux support |
| [torrent](#) | magnet2torrent converter function |
| [tugboat](#) | Digital Ocean droplet manager |
| [urltools](#) | urlencode/urldecode etc |
| [vi-mode](#) | self descriptive |
| [vundle](#) | Vim plugin manager https://github.com/gmarik/vundle |
| [wakeonlan](#) | funcs for wakeonlan tool |
| [web-search](#) | google from CLI |

## FS Jumping

| Name | Description |
|---|---|
| [autojump](#) | shell extension to jump to frequently used directories |
| [fasd](#) | quick access to files and dirs https://github.com/clvv/fasd |
| [jump](#) | allows to mark dirs and jump to marks |

| | |
|---|---|
| pj | aliases for quick access to projects dir |
| wd | yet another autojump tool github.com/mfaerevaag/wd |
| z | yet another autojump |
| zoxide | a blazing fast, fully featured autojumper written in Rust ([homepage](#)) |

## Build tools

| Name | Description |
|---|---|
| ant | Java build tool https://ant.apache.org/ |
| bower | Front-end package manager https://github.com/bower/bower |
| cabal | Haskell package manager https://www.haskell.org/cabal/ |
| cake | Cake build tool |
| coffee | CoffeeScript completion |
| cpanm | cpanminus get, unpack, build, install Perl modules https://github.com/miyagawa/cpanminus/ |
| docker | application shipment tool https://github.com/dotcloud/docker |
| gas | small utility used to manage Git authors. https://github.com/walle/gas |
| git | extras: git-extras gitfast git-flow git-flow-avh git-hubflow git-remote-branch |
| github | cli access, url shortener |
| gitignore | git alias to fetch default .gitignore files from https://gitignore.io/ |
| gnu-utils | GNU coreutils wrappers to override shell builtins |
| golang | Go build tool https://golang.org/cmd/go/ |
| gradle | build automation tool https://www.gradle.org/ |
| grails | funcs for grails script management https://grails.org/ |
| heroku | cli access https://www.heroku.com/ |
| jira | JIRA cli access |
| knife | knife autocompletion |
| knife_ssh | knife autocompletion |
| lein | leiningen autocompletion https://leiningen.org |
| lighthouse | CLI access to issue tracker Lighthouse, https://lighthouseapp.com/ |
| mercurial | hg autocompletion |
| mix | Elixir build tool autocompletion https://elixir-lang.org/docs/stable/mix |
| mvn | maven completion |
| | |

| | |
|---|---|
| [nanoc](#) | static website generator [https://nanoc.ws/](https://nanoc.ws/) |
| [postgres](#) | aliases for Postgres managing |
| [perl](#) | aliases for Perl |
| [rebar](#) | Erlang build tool autocompletion |
| [redis-cli](#) | Redis autocompletion |
| [repo](#) | git repo management tool autocompletion [https://code.google.com/p/git-repo/](https://code.google.com/p/git-repo/) |
| [sbt](#) | autocomplete for ScalaBuildTool [https://www.scala-sbt.org/](https://www.scala-sbt.org/) |
| [scala](#) | autocomplete |
| [sfffe](#) | aliases for ack (JS & CSS grepping) [https://beyondgrep.com/](https://beyondgrep.com/) |
| [svn](#) | subversion autocompletion |
| [svn-fast-info](#) | faster subversion autocompletion (especially interesting on big project) |
| [vagrant](#) | quick development env deployment [https://www.vagrantup.com/](https://www.vagrantup.com/) |

## Node JS

| Name | Description |
|---|---|
| [jake-node](#) | NodeJS build tool Jake [https://github.com/mde/jake](https://github.com/mde/jake) |
| [node](#) | NodeJS docs easy access via CLI |
| [npm](#) | package manager for NodeJS |
| [nvm](#) | NodeJS version manager |

## PHP

| Name | Description |
|---|---|
| [composer](#) | PHP dependency manager [https://getcomposer.org](https://getcomposer.org) |
| [laravel](#) | PHP deployment tool artisan completion [https://laravel.com/docs/master/artisan](https://laravel.com/docs/master/artisan) |
| [phing](#) | Ant-like build system for PHP [https://phing.info](https://phing.info) |
| [symfony](#) | PHP webframework [https://symfony.com](https://symfony.com) |
| [symfony2](#) | PHP webframework [https://symfony.com](https://symfony.com) |
| [yii](#) | PHP webframework [https://yiiframework.com](https://yiiframework.com) |
| [yii2](#) | PHP webframework [https://yiiframework.com](https://yiiframework.com) |

## Ruby

| Name | Description |
|---|---|
| | |

| | |
|---|---|
| bundler | package manager https://bundler.io/ |
| capistrano | remote deployment tool |
| gem | https://rubygems.org/ |
| jruby | JRuby aliases |
| pow | rack apps restarter https://pow.cx/ |
| powder | powder gem autocompletion https://github.com/Rodreegez/powder |
| powify | another pow manager https://github.com/sethvargo/powify |
| rails | rails aliases for rails 2, rails 3, and rails 4 all in one clean plugin |
| rake | Ruby build tool |
| rbenv | Ruby version switcher |
| rbfu | **[OBSOLETE]** another Ruby version manager https://github.com/hmans/rbfu |
| ruby | aliases |
| rvm | another RubyVersionManager |
| thor | Ruby doc tool https://github.com/erikhuda/thor |
| zeus | funcs for Zeus (Rails env preloader) https://github.com/burke/zeus |

## Python

| Name | Description |
|---|---|
| celery | Python distributed task queue |
| fabric | remote deployment tool https://docs.fabfile.org/en/1.8/ |
| pip | Python package manager https://www.pip-installer.org/en/latest/ |
| python | python aliases (pyfind, pyclean, pygrep) |
| pyenv | python version management |
| virtualenv | https://pypi.python.org/pypi/virtualenv isolated Python envs |
| virtualenvwrapper | https://pypi.python.org/pypi/virtualenv isolated Python envs |

## Distro-related

| Name | Description |
|---|---|
| archlinux | aliases for yaourt and pacman |
| debian | aliases for apt* utils |
| dnf | aliases for `dnf` |
| suse | aliases for SUSE Linux (zypper aliases) |

| | |
|---|---|
| [systemd](#) | aliases |
| [yum](#) | aliases |

## macOS

| Name | Description |
|---|---|
| [apache2-macports](#) | apache management functions |
| [brew](#) | package manager [https://brew.sh/](https://brew.sh/) |
| [forklift](#) | macOS file browser |
| [macports](#) | macport autocompletion |
| [macos](#) | macOS completions and iTunes & Spotify control |
| [mysql-macports](#) | same as apache-macport for MySQL |
| [pod](#) | [https://cocoapods.org](https://cocoapods.org) library dependency manager for Xcode |
| [textmate](#) | aliases |

## Misc

| Name | Description |
|---|---|
| [battery](#) | allows see battery status in PS |
| [emoji-clock](#) | fancy shell clocks |
| [lol](#) | dowant |
| [rand-quote](#) | quote function for random quotes from [https://www.quotationspage.com/random.php](https://www.quotationspage.com/random.php) |
| [themes](#) | ZSH theme switcher |