

# Templates

## Layout

### Header

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Conduit</title>
  <!-- Import Ionicon icons & Google Fonts our Bootstrap theme relies on -->
  <link href="//code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css" rel="stylesheet">
  <link href="//fonts.googleapis.com/css?family=Titillium+Web:700|Source+Serif+Pro:400,700"
    rel="stylesheet" type="text/css">
  <!-- Import the custom Bootstrap 4 theme from our hosted CDN -->
  <link rel="stylesheet" href="//demo.productionready.io/main.css">
</head>
<body>

<nav class="navbar navbar-light">
  <div class="container">
    <a class="navbar-brand" href="index.html">conduit</a>
    <ul class="nav navbar-nav pull-xs-right">
      <li class="nav-item">
        <!-- Add "active" class when you're on that page -->
        <a class="nav-link active" href="">Home</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="">
          <i class="ion-compose"></i>&nbsp;New Article
        </a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="">
          <i class="ion-gear-a"></i>&nbsp;Settings
        </a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="">Sign in</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="">Sign up</a>
      </li>
    </ul>
  </div>
</nav>
```

```
</nav>
```

## Footer

```
<footer>
  <div class="container">
    <a href="/" class="logo-font">conduit</a>
    <span class="attribution">
      An interactive learning project from <a href="https://thinkster.io">Thinkster</a>
    </span>
  </div>
</footer>

</body>
</html>
```

## Pages

### Home

```
<div class="home-page">

  <div class="banner">
    <div class="container">
      <h1 class="logo-font">conduit</h1>
      <p>A place to share your knowledge.</p>
    </div>
  </div>

  <div class="container page">
    <div class="row">

      <div class="col-md-9">
        <div class="feed-toggle">
          <ul class="nav nav-pills outline-active">
            <li class="nav-item">
              <a class="nav-link disabled" href="">Your Feed</a>
            </li>
            <li class="nav-item">
              <a class="nav-link active" href="">Global Feed</a>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
```

```

<div class="article-preview">
  <div class="article-meta">
    <a href="profile.html"></a>
    <div class="info">
      <a href="" class="author">Eric Simons</a>
      <span class="date">January 20th</span>
    </div>
    <button class="btn btn-outline-primary btn-sm pull-xs-right">
      <i class="ion-heart"></i> 29
    </button>
  </div>
  <a href="" class="preview-link">
    <h1>How to build webapps that scale</h1>
    <p>This is the description for the post.</p>
    <span>Read more...</span>
  </a>
</div>

<div class="article-preview">
  <div class="article-meta">
    <a href="profile.html"></a>
    <div class="info">
      <a href="" class="author">Albert Pai</a>
      <span class="date">January 20th</span>
    </div>
    <button class="btn btn-outline-primary btn-sm pull-xs-right">
      <i class="ion-heart"></i> 32
    </button>
  </div>
  <a href="" class="preview-link">
    <h1>The song you won't ever stop singing. No matter how hard you try</h1>
    <p>This is the description for the post.</p>
    <span>Read more...</span>
  </a>
</div>

</div>

<div class="col-md-3">
  <div class="sidebar">
    <p>Popular Tags</p>

    <div class="tag-list">
      <a href="" class="tag-pill tag-default">programming</a>
      <a href="" class="tag-pill tag-default">javascript</a>
      <a href="" class="tag-pill tag-default">emberjs</a>
    </div>
  </div>
</div>

```

```

        <a href="" class="tag-pill tag-default">angularjs</a>
        <a href="" class="tag-pill tag-default">react</a>
        <a href="" class="tag-pill tag-default">mean</a>
        <a href="" class="tag-pill tag-default">node</a>
        <a href="" class="tag-pill tag-default">rails</a>
      </div>
    </div>
  </div>
</div>

```

## Login/Register

```

<div class="auth-page">
  <div class="container page">
    <div class="row">

      <div class="col-md-6 offset-md-3 col-xs-12">
        <h1 class="text-xs-center">Sign up</h1>
        <p class="text-xs-center">
          <a href="">Have an account?</a>
        </p>

        <ul class="error-messages">
          <li>That email is already taken</li>
        </ul>

        <form>
          <fieldset class="form-group">
            <input class="form-control form-control-lg" type="text" placeholder="Email address">
          </fieldset>
          <fieldset class="form-group">
            <input class="form-control form-control-lg" type="text" placeholder="First name">
          </fieldset>
          <fieldset class="form-group">
            <input class="form-control form-control-lg" type="password" placeholder="Password">
          </fieldset>
          <button class="btn btn-lg btn-primary pull-xs-right">
            Sign up
          </button>
        </form>
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
</div>

```

## Profile

```

<div class="profile-page">

    <div class="user-info">
        <div class="container">
            <div class="row">

                <div class="col-xs-12 col-md-10 offset-md-1">
                    
                    <h4>Eric Simons</h4>
                    <p>
                        Cofounder @GoThinkster, lived in Aol's HQ for a few months, kinda l
                        Hunger Games
                    </p>
                    <button class="btn btn-sm btn-outline-secondary action-btn">
                        <i class="ion-plus-round"></i>
                        &nbsp;
                        Follow Eric Simons
                    </button>
                </div>

            </div>
        </div>
    </div>

    <div class="container">
        <div class="row">

            <div class="col-xs-12 col-md-10 offset-md-1">
                <div class="articles-toggle">
                    <ul class="nav nav-pills outline-active">
                        <li class="nav-item">
                            <a class="nav-link active" href="">My Articles</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link" href="">Favorited Articles</a>
                        </li>
                    </ul>
                </div>
            </div>
        </div>
    </div>

```

```

<div class="article-preview">
  <div class="article-meta">
    <a href=""></a>
    <div class="info">
      <a href="" class="author">Eric Simons</a>
      <span class="date">January 20th</span>
    </div>
    <button class="btn btn-outline-primary btn-sm pull-xs-right">
      <i class="ion-heart"></i> 29
    </button>
  </div>
  <a href="" class="preview-link">
    <h1>How to build webapps that scale</h1>
    <p>This is the description for the post.</p>
    <span>Read more...</span>
  </a>
</div>

<div class="article-preview">
  <div class="article-meta">
    <a href=""></a>
    <div class="info">
      <a href="" class="author">Albert Pai</a>
      <span class="date">January 20th</span>
    </div>
    <button class="btn btn-outline-primary btn-sm pull-xs-right">
      <i class="ion-heart"></i> 32
    </button>
  </div>
  <a href="" class="preview-link">
    <h1>The song you won't ever stop singing. No matter how hard you try</h1>
    <p>This is the description for the post.</p>
    <span>Read more...</span>
    <ul class="tag-list">
      <li class="tag-default tag-pill tag-outline">Music</li>
      <li class="tag-default tag-pill tag-outline">Song</li>
    </ul>
  </a>
</div>

</div>

</div>
</div>

```

```
</div>
```

## Settings

```
<div class="settings-page">
  <div class="container page">
    <div class="row">

      <div class="col-md-6 offset-md-3 col-xs-12">
        <h1 class="text-xs-center">Your Settings</h1>

        <form>
          <fieldset>
            <fieldset class="form-group">
              <input class="form-control" type="text" placeholder="URL of profile picture">
            </fieldset>
            <fieldset class="form-group">
              <input class="form-control form-control-lg" type="text" placeholder="Full name">
            </fieldset>
            <fieldset class="form-group">
              <textarea class="form-control form-control-lg" rows="8"
                placeholder="Short bio about you"></textarea>
            </fieldset>
            <fieldset class="form-group">
              <input class="form-control form-control-lg" type="text" placeholder="Email address">
            </fieldset>
            <fieldset class="form-group">
              <input class="form-control form-control-lg" type="password" placeholder="New password">
            </fieldset>
            <button class="btn btn-lg btn-primary pull-xs-right">
              Update Settings
            </button>
          </fieldset>
        </form>
      </div>

    </div>
  </div>
</div>
```

## Create/Edit Article

```
<div class="editor-page">
```

```

<div class="container page">
  <div class="row">

    <div class="col-md-10 offset-md-1 col-xs-12">
      <form>
        <fieldset>
          <fieldset class="form-group">
            <input type="text" class="form-control form-control-lg" placeholder="Name" />
          </fieldset>
          <fieldset class="form-group">
            <input type="text" class="form-control" placeholder="What's this about?" />
          </fieldset>
          <fieldset class="form-group">
            <textarea class="form-control" rows="8" placeholder="Write your article (in markdown)" />
          </fieldset>
          <fieldset class="form-group">
            <input type="text" class="form-control" placeholder="Enter tags" />
            <div class="tag-list"></div>
          </fieldset>
          <button class="btn btn-lg pull-xs-right btn-primary" type="button">
            Publish Article
          </button>
        </fieldset>
      </form>
    </div>
  </div>
</div>

```

## Article

```

<div class="article-page">
  <div class="banner">
    <div class="container">

      <h1>How to build webapps that scale</h1>

      <div class="article-meta">
        <a href="#"></a>
        <div class="info">
          <a href="#" class="author">Eric Simons</a>
        </div>
      </div>
    </div>
  </div>

```



```

        <span class="date">January 20th</span>
    </div>
    <button class="btn btn-sm btn-outline-secondary">
        <i class="ion-plus-round"></i>
        &nbsp;
        Follow Eric Simons <span class="counter">(10)</span>
    </button>
    &nbsp;&nbsp;
    <button class="btn btn-sm btn-outline-primary">
        <i class="ion-heart"></i>
        &nbsp;
        Favorite Post <span class="counter">(29)</span>
    </button>
</div>

</div>
</div>

<div class="container page">

    <div class="row article-content">
        <div class="col-md-12">
            <p>
                Web development technologies have evolved at an incredible clip over the
            </p>
            <h2 id="introducing-ionic">Introducing RealWorld.</h2>
            <p>It's a great solution for learning how other frameworks work.</p>
        </div>
    </div>

    <hr/>

    <div class="article-actions">
        <div class="article-meta">
            <a href="profile.html"></a>
            <div class="info">
                <a href="" class="author">Eric Simons</a>
                <span class="date">January 20th</span>
            </div>
        </div>

        <button class="btn btn-sm btn-outline-secondary">
            <i class="ion-plus-round"></i>
            &nbsp;
            Follow Eric Simons
        </button>
        &nbsp;

```

```

        <button class="btn btn-sm btn-outline-primary">
            <i class="ion-heart"></i>
            &nbsp;
            Favorite Post <span class="counter">(29)</span>
        </button>
    </div>
</div>

<div class="row">

    <div class="col-xs-12 col-md-8 offset-md-2">

        <form class="card comment-form">
            <div class="card-block">
                <textarea class="form-control" placeholder="Write a comment..." rows="4">
            </div>
            <div class="card-footer">
                
                <button class="btn btn-sm btn-primary">
                    Post Comment
                </button>
            </div>
        </form>

        <div class="card">
            <div class="card-block">
                <p class="card-text">With supporting text below as a natural lead-in paragraph.
            </div>
            <div class="card-footer">
                <a href="#" class="comment-author">
                    
                </a>
                &nbsp;
                <a href="#" class="comment-author">Jacob Schmidt</a>
                <span class="date-posted">Dec 29th</span>
            </div>
        </div>

        <div class="card">
            <div class="card-block">
                <p class="card-text">With supporting text below as a natural lead-in paragraph.
            </div>
            <div class="card-footer">
                <a href="#" class="comment-author">
                    
                </a>
            </div>
        </div>
    </div>

```

```

        &nbsp;
        <a href="" class="comment-author">Jacob Schmidt</a>
        <span class="date-posted">Dec 29th</span>
        <span class="mod-options">
            <i class="ion-edit"></i>
            <i class="ion-trash-a"></i>
        </span>
    </div>
</div>
</div>
</div>
</div>
```