:mod:`tkinter.scrolledtext` --- Scrolled Text Widget

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) tkinter.scrolledtext.rst, line 1); backlink

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) tkinter.scrolledtext.rst, line 4)

Unknown directive type "module".

```
.. module:: tkinter.scrolledtext
   :platform: Tk
   :synopsis: Text widget with a vertical scroll bar.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) tkinter.scrolledtext.rst, line 8)

Unknown directive type "sectionauthor".

.. sectionauthor:: Fred L. Drake, Jr. <fdrake@acm.org>

Source code: :source:`Lib/tkinter/scrolledtext.py`

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\conboardin$

Unknown interpreted text role "source".

The mod: 'tkinter.scrolledtext' module provides a class of the same name which implements a basic text widget which has a vertical scroll bar configured to do the "right thing." Using the :class: 'ScrolledText' class is a lot easier than setting up a text widget and scroll bar directly.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) tkinter.scrolledtext.rst, line 14); backlink Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) tkinter.scrolledtext.rst, line 14); backlink

Unknown interpreted text role "class".

The text widget and scrollbar are packed together in a <code>:class:`Frame`</code>, and the methods of the <code>:class:`Grid`</code> and <code>:class:`Pack`</code> geometry managers are acquired from the <code>:class:`Frame`</code> object. This allows the <code>:class:`ScrolledText`</code> widget to be used directly to achieve most normal geometry management behavior.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) tkinter.scrolledtext.rst, line 19); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) tkinter.scrolledtext.rst, line 19); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) tkinter.scrolledtext.rst, line 19); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) tkinter.scrolledtext.rst, line 19); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main\) (Doc) (library) tkinter.scrolledtext.rst, line 19); backlink Unknown interpreted text role "class".

Should more specific control be necessary, the following attributes are available:

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\conboardin$

Unknown directive type "attribute".

 $% \left(1\right) =\left(1\right) \left(1\right)$. . attribute:: frame $% \left(1\right) =\left(1\right) \left(1$

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\(cpython-main) (Doc) (library) tkinter.scrolledtext.rst, line 35)

Unknown directive type "attribute".

.. attribute:: vbar

The scroll bar widget.