

SerializedAXNode interface

Represents a Node and the properties of it that are relevant to Accessibility.

Signature:

```
export interface SerializedAXNode
```

Properties

Property	Type	Description
autocomplete?	string	<i>(Optional)</i>
checked?	boolean 'mixed'	<i>(Optional)</i> Whether the checkbox is checked, or in a mixed state .
children?	SerializedAXNode []	<i>(Optional)</i> Children of this node, if there are any.
description?	string	<i>(Optional)</i> An additional human readable description of the node.
disabled?	boolean	<i>(Optional)</i>
expanded?	boolean	<i>(Optional)</i>
focused?	boolean	<i>(Optional)</i>
haspopup?	string	<i>(Optional)</i>
invalid?	string	<i>(Optional)</i> Whether and in what way this node's value is invalid.
keyshortcuts?	string	<i>(Optional)</i> Any keyboard shortcuts associated with this node.
level?	number	<i>(Optional)</i> The level of a heading.
modal?	boolean	<i>(Optional)</i>
multiline?	boolean	<i>(Optional)</i>
multiselectable?	boolean	<i>(Optional)</i> Whether more than one child can be selected.
name?	string	<i>(Optional)</i> A human readable name for the node.
orientation?	string	<i>(Optional)</i>
pressed?	boolean 'mixed'	<i>(Optional)</i> Whether the node is checked or in a mixed state.
readonly?	boolean	<i>(Optional)</i>
required?	boolean	<i>(Optional)</i>
role	string	The role of the node.
roledescription?	string	<i>(Optional)</i> A human readable alternative to the role.
selected?	boolean	<i>(Optional)</i>

<u>value?</u>	string number	(Optional) The current value of the node.
<u>valuemax?</u>	number	(Optional)
<u>valuemin?</u>	number	(Optional)
<u>valuetext?</u>	string	(Optional) A description of the current value.