Extending

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main][Doc][library]asyncio-extending.rst, line 1)

Unknown directive type "currentmodule".

.. currentmodule:: asyncio

The main direction for :mod:`asyncio` extending is writing custom event loop classes. Asyncio has helpers that could be used to simplify this task.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 8); backlink

Unknown interpreted text role "mod".

Note

Third-parties should reuse existing asyncio code with caution, a new Python version is free to break backward compatibility in *internal* part of API.

Writing a Custom Event Loop

:class: asyncio. AbstractEventLoop declares very many methods. Implementing all them from scratch is a tedious job.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 21); backlink
Unknown interpreted text role "class".

A loop can get many common methods implementation for free by inheriting from :class: asyncio.BaseEventLoop'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] asyncio-extending.rst, line 24); backlink
Unknown interpreted text role "class".

In turn, the successor should implement a bunch of *private* methods declared but not implemented in class: 'asyncio.BaseEventLoop'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] asyncio-extending.rst, line 27); backlink

Unknown interpreted text role "class".

For example, <code>loop.create_connection()</code> checks arguments, resolves DNS addresses, and calls <code>loop._make_socket_transport()</code> that should be implemented by inherited class. The <code>_make_socket_transport()</code> method is not documented and is considered as an *internal* API.

Future and Task private constructors

class: `asyncio.Future` and class: `asyncio.Task` should be never created directly, please use corresponding meth: `loop.create future` and meth: `loop.create task`, or :func: `asyncio.create task` factories instead.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] asyncio-extending.rst, line 40); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] asyncio-extending.rst, line 40); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 40); backlink
Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 40); backlink

Unknown interpreted text role 'meth'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 40); backlink

Unknown interpreted text role "func".

However, third-party event loops may reuse built-in future and task implementations for the sake of getting a complex and highly optimized code for free.

For this purpose the following, *private* constructors are listed:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main][Doc][library]asyncio-extending.rst, line 49)

Unknown directive type "method".

```
.. method:: Future.__init__(*, loop=None)
   Create a built-in future instance.
   *loop* is an optional event loop instance.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 55)

Unknown directive type "method".

```
.. method:: Task.__init__(coro, *, loop=None, name=None, context=None)
   Create a built-in task instance.
   *loop* is an optional event loop instance. The rest of arguments are described in :meth:`loop.create_task` description.
   .. versionchanged:: 3.11
     *context* argument is added.
```

 $System\,Message: ERROR/3 \, (\mboarding-resources \scalebox{\times sample-onboarding-resources \cpython-main[Doc][library]asyncio-extending.rst, line \, 66)}$

Unknown directive type "method".

```
.. method:: Tasl._check_future(future)

Return ``True`` if *future* is attached to the same loop as the task, ``False``
  otherwise.
.. versionadded:: 3.11
```

Task lifetime support

A third party task implementation should call the following functions to keep a task visible by :func:`asyncio.get_tasks` and :func:`asyncio.current_task`:

 $System\ Message:\ ERROR/3\ (\texttt{D:\nonboarding-resources\backslashsample-onboarding-resources\backslash cpython-resources\backslash cpython-resources) and the state of the sta$

main\Doc\library\[cpython-main][Doc][library]asyncio-extending.rst, line 77); backlink Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]asyncio-extending.rst, line 77); backlink

Unknown interpreted text role "func".

 $System\,Message: ERROR/3~(\texttt{D:}\onboarding-resources}\cpython-main\Doc\library\[cpython-main\]~[Doc]~[library\]~asyncio-extending.rst, line~80)$

Unknown directive type "function".

```
.. function:: _register_task(task)
Register a new *task* as managed by *asyncio*.
Call the function from a task constructor.
```

 $System\,Message: ERROR/3 \ (\cite{D:Nonboarding-resources}) a syncio-extending.rst, \cite{Biness} line \ 86)$

Unknown directive type "function".

```
.. function:: _unregister_task(task)
Unregister a *task* from *asyncio* internal structures.
The function should be called when a task is about to finish.
```

 $System\,Message: ERROR/3~(\texttt{D:}\onboarding-resources}\cpython-main\Doc\library\[cpython-main\]~[Doc]~[library\]~asyncio-extending.rst, line~92)$

Unknown directive type "function".

```
.. function:: _enter_task(loop, task)
Switch the current task to the *task* argument.

Call the function just before executing a portion of embedded *coroutine*
   (:meth:`coroutine.send` or :meth:`coroutine.throw`).
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] asyncio-extending.rst, line 99)

Unknown directive type "function".

```
.. function:: _leave_task(loop, task)
   Switch the current task back from *task* to ``None``.

Call the function just after :meth:`coroutine.send` or :meth:`coroutine.throw` execution.
```