

TorchScript Unsupported Pytorch Constructs

Torch and Tensor Unsupported Attributes

TorchScript supports most methods defined on `torch` and `torch.Tensor`, but we do not have full coverage. Here are specific known ops and categories of ops which have diverging behavior between Python and TorchScript. If you encounter something else that is not supported please file a GitHub issue. Deprecated ops are not listed below.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 17)

Unknown directive type "automodule".

```
.. automodule:: torch.jit.unsupported_tensor_ops
```

Functions Not Correctly Bound on Torch

The following functions will fail if used in TorchScript, either because they are not bound on `torch` or because Python expects a different schema than TorchScript.

- `:func:`torch.tensordot``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 27); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.nn.init.calculate_gain``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 28); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.nn.init.eye_``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 29); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.nn.init.dirac_``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 30); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.nn.init.kaiming_normal_``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 31); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.nn.init.orthogonal_``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-

resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 32); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.nn.init.sparse`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 33); [backlink](#)

Unknown interpreted text role "func".

Ops With Divergent Schemas Between Torch & Python

The following categories of ops have divergent schemas:

Functions which construct tensors from non-tensor inputs do not support the *requires_grad* argument, except for *torch.tensor*. This covers the following ops:

- :func:`torch.norm`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 44); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.bartlett_window`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 45); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.blackman_window`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 46); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.empty`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 47); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.empty_like`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 48); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.empty_strided`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)
(source) jit_unsupported.rst, line 49); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.eye``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 50); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.full``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 51); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.full_like``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 52); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.hamming_window``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 53); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.hann_window``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 54); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.linspace``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 55); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.logspace``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 56); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.normal``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 57); [backlink](#)

Unknown interpreted text role "func".

- `:func:`torch.ones``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 58); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.rand`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 59); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.rand_like`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 60); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.randint_like`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 61); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.randn`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 62); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.randn_like`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 63); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.randperm`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 64); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.tril_indices`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 65); [backlink](#)

Unknown interpreted text role "func".

- :func:`torch.triu_indices`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 66); [backlink](#)

Unknown interpreted text role "func".

- `.func:`torch.vander``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 67); [backlink](#)

Unknown interpreted text role "func".

- `.func:`torch.zeros``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 68); [backlink](#)

Unknown interpreted text role "func".

- `.func:`torch.zeros_like``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 69); [backlink](#)

Unknown interpreted text role "func".

The following functions require *dtype*, *layout*, *device* as parameters in TorchScript, but these parameters are optional in Python.

- `.func:`torch.randint``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 74); [backlink](#)

Unknown interpreted text role "func".

- `.func:`torch.sparse_coo_tensor``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 75); [backlink](#)

Unknown interpreted text role "func".

- `.meth:`~torch.Tensor.to``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs)

(source) jit_unsupported.rst, line 76); [backlink](#)

Unknown interpreted text role "meth".

PyTorch Unsupported Modules and Classes

TorchScript cannot currently compile a number of other commonly used PyTorch constructs. Below are listed the modules that TorchScript does not support, and an incomplete list of PyTorch classes that are not supported. For unsupported modules we suggest using `.meth:`torch.jit.trace``.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 82); [backlink](#)

Unknown interpreted text role "meth".

- `.class:`torch.nn.RNN``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 87); [backlink](#)

Unknown interpreted text role "class".

- `:class:`torch.nn.AdaptiveLogSoftmaxWithLoss``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 88); [backlink](#)

Unknown interpreted text role "class".

- `:class:`torch.autograd.Function``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 89); [backlink](#)

Unknown interpreted text role "class".

- `:class:`torch.autograd.enable_grad``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 90); [backlink](#)

Unknown interpreted text role "class".

- `:class:`torch.Generator``

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\ (pytorch-master) (docs) (source) jit_unsupported.rst, line 91); [backlink](#)

Unknown interpreted text role "class".