

Ansible CLI cheatsheet

This page shows one or more examples of each Ansible command line utility with some common flags added and a link to the full documentation for the command. This page offers a quick reminder of some common use cases only - it may be out of date or incomplete or both. For canonical documentation, follow the links to the CLI pages.

- [ansible-playbook](#)

ansible-playbook

```
ansible-playbook -i /path/to/my_inventory_file -u my_connection_user -k /path/to/my_ssh_key -f 3 -T 30 -t my_tag -m /path/to/my_modules
```

Loads `my_playbook.yml` from the current working directory and:

- `-i` - uses `my_inventory_file` in the path provided for `ref:inventory <intro_inventory>` to match the `ref:pattern <intro_patterns>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 20); [backlink](#)
Unknown interpreted text role "ref".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 20); [backlink](#)
Unknown interpreted text role "ref".

- `-u` - connects `ref:over SSH <connections>` as `my_connection_user`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 21); [backlink](#)
Unknown interpreted text role "ref".

- `-k` - uses `my_ssh_key` in the path provided for SSH authentication.
- `-f` - allocates 3 `ref:forks <playbooks_strategies>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 23); [backlink](#)
Unknown interpreted text role "ref".

- `-T` - sets a 30-second timeout.
- `-t` - runs only tasks marked with the `ref:tag <tags>` `my_tag`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 25); [backlink](#)
Unknown interpreted text role "ref".

- `-m` - loads `ref:local modules <developing_locally>` from `/path/to/my/modules`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 26); [backlink](#)
Unknown interpreted text role "ref".

- `-b` - executes with elevated privileges (uses `ref:become <become>`).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 27); [backlink](#)
Unknown interpreted text role "ref".

- `-K` - prompts the user for the become password.

See `ref:ansible-playbook` for detailed documentation.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\user_guide\[ansible-devel] [docs] [docsite] [rst] [user_guide] cheatsheet.rst, line 30); [backlink](#)
Unknown interpreted text role "ref".