Endpoints

Authentication Header:

You can read the authentication header from the headers of the request

`Authorization: Token jwt.token.here`

Authentication:

`POST /api/users/login`

Example request body:

```
{
  "user":{
    "email": "jake@jake.jake",
    "password": "jakejake"
  }
}
```

No authentication required, returns a User

Required fields: `email`, `password`

Registration:

`POST /api/users`

Example request body:

```
{
  "user":{
    "username": "Jacob",
    "email": "jake@jake.jake",
    "password": "jakejake"
  }
}
```

No authentication required, returns a User

Required fields: `email`, `username`, `password`

Get Current User

`GET /api/user`

Authentication required, returns a User that's the current user

Update User

`PUT /api/user`

Example request body:

```
{
  "user":{
    "email": "jake@jake.jake",
    "bio": "I like to skateboard",
    "image": "https://i.stack.imgur.com/xHWG8.jpg"
  }
}
```

Authentication required, returns the User

Accepted fields: `email`, `username`, `password`, `image`, `bio`

Get Profile

`GET /api/profiles/:username`

Authentication optional, returns a Profile

Follow user

`POST /api/profiles/:username/follow`

Authentication required, returns a Profile

No additional parameters required

Unfollow user

`DELETE /api/profiles/:username/follow`

Authentication required, returns a Profile

No additional parameters required

List Articles

`GET /api/articles`

Returns most recent articles globally by default, provide `tag`, `author` or `favorited` query parameter to filter results

Query Parameters:

Filter by tag:

`?tag=AngularJS`

Filter by author:

`?author=jake`

Favorited by user:

```
?favorited=jake
```

Limit number of articles (default is 20):

```
?limit=20
```

Offset/skip number of articles (default is 0):

```
?offset=0
```

Authentication optional, will return multiple articles, ordered by most recent first

Feed Articles

```
GET /api/articles/feed
```

Can also take `limit` and `offset` query parameters like List Articles

Authentication required, will return multiple articles created by followed users, ordered by most recent first.

Get Article

```
GET /api/articles/:slug
```

No authentication required, will return single article

Create Article

```
POST /api/articles
```

Example request body:

```
{
  "article": {
    "title": "How to train your dragon",
    "description": "Ever wonder how?",
    "body": "You have to believe",
    "tagList": ["reactjs", "angularjs", "dragons"]
  }
}
```

Authentication required, will return an Article

Required fields: `title`, `description`, `body`

Optional fields: `tagList` as an array of Strings

Update Article

```
PUT /api/articles/:slug
```

Example request body:

```
{
  "article": {
    "title": "Did you train your dragon?"
  }
}
```

Authentication required, returns the updated Article

Optional fields: `title`, `description`, `body`

The `slug` also gets updated when the `title` is changed

Delete Article

DELETE /api/articles/:slug

Authentication required

Add Comments to an Article

POST /api/articles/:slug/comments

Example request body:

```
{
  "comment": {
    "body": "His name was my name too."
  }
}
```

Authentication required, returns the created Comment

Required field: `body`

Get Comments from an Article

GET /api/articles/:slug/comments

Authentication optional, returns multiple comments

Delete Comment

DELETE /api/articles/:slug/comments/:id

Authentication required

Favorite Article

POST /api/articles/:slug/favorite

Authentication required, returns the Article

No additional parameters required

Unfavorite Article

`DELETE /api/articles/:slug/favorite`

Authentication required, returns the Article

No additional parameters required

Get Tags

`GET /api/tags`

No authentication required, returns a List of Tags