:mod:`tty` --- Terminal control functions

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]tty.rst, line 1); backlink

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]tty.rst, line 4)

Unknown directive type 'module'.

```
.. module:: tty
    :platform: Unix
    :synopsis: Utility functions that perform common terminal control operations.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]tty.rst, line 8)

Unknown directive type "moduleauthor".

.. moduleauthor:: Steen Lumholt

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] tty.rst, line 9)

Unknown directive type "sectionauthor".

.. sectionauthor:: Moshe Zadka <moshez@zadka.site.co.il>

Source code: :source:`Lib/tty.py`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] tty.rst, line 11); backlink

Unknown interpreted text role "source".

The mod: tty module defines functions for putting the tty into cbreak and raw modes.

 $System\,Message:\,ERROR/3\, (\mbox{D:\nonlinear-resources}\xspace) ample-onboarding-resources\xspace \xspace \xspace, line 15); \nonlinear \xspace \xsp$

Unknown interpreted text role "mod".

Because it requires the :mod:'termios' module, it will work only on Unix.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library] tty.rst, line 18); backlink

Unknown interpreted text role 'mod'.

The <u>mod</u>:'tty' module defines the following functions:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]tty.rst, line 20); backlink

Unknown interpreted text role 'mod'.

 $System\,Message:\,ERROR/3~(\mbox{D:\nonlinear-resources}\xspace) \label{linear-resources} $$ xon-100c\library\color=100c\librar$

Unknown directive type "function".

.. function:: setraw(fd, when=termios.TCSAFLUSH)

Change the mode of the file descriptor *fd* to raw. If *when* is omitted, it defaults to :const:`termios.TCSAFLUSH`, and is passed to :func:`termios.tcsetattr`.

 $System\,Message: ERROR/3~(\texttt{D:}\onboarding-resources}\cpython-main\Doc\library\[cpython-main\]~(\texttt{Doc}\]~(\texttt{Dibrary}\ty.rst,\line\ 30)$

Unknown directive type "function".

.. function:: setcbreak(fd, when=termios.TCSAFLUSH)

Change the mode of file descriptor *fd* to cbreak. If *when* is omitted, it defaults to :const:`termios.TCSAFLUSH`, and is passed to :func:`termios.tcsetattr`.

 $System\,Message: ERROR/3 \ (\mboarding-resources\spaces) ample-onboarding-resources\spaces \cpython-main\boc\library\cpython-main\clibrary\clibrar$

Unknown directive type "seealso".

.. seealso::

Module :mod:`termios`
Low-level terminal control interface.