torch.Storage

A :class: torch._TypedStorage` is a contiguous, one-dimensional array of elements of a particular :class: torch.dtype`. It can be given any :class: torch.dtype`, and the internal data will be interpretted appropriately.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 4); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 4); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 4); backlink

Unknown interpreted text role "class".

Every strided :class: 'torch. Tensor' contains a :class: 'torch. TypedStorage', which stores all of the data that the :class: 'torch. Tensor' views.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 8); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 8); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 8); backlink

Unknown interpreted text role "class".

For backward compatibility, there are also <code>:class:`torch.</type>Storage</code>` classes (like :class:`torch.FloatStorage`, :class:`torch.IntStorage`, etc). These classes are not actually instantiated, and calling their constructors creates a :class:`torch._TypedStorage` with the appropriate :class:`torch.dtype`. :class:`torch.</type>Storage` classes have all of the same class methods that :class:`torch. TypedStorage` has.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 11); backlink

Unknown interpreted text role "class".

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown interpreted text role "class".

 $System\ Message: ERROR/3\ (\texttt{D:\onboarding-resources}) sample-onboarding-resources \ pytorch-master \ [docs]\ [source]\ storage.rst, line\ 11); \ \textit{backlink}$

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 11); backlink

Unknown interpreted text role "class".

 $System\ Message: ERROR/3\ (\texttt{D:\onboarding-resources}\ sample-onboarding-resources\ pytorch-master\ docs\ source\ [pytorch-master]\ [docs]\ [source]\ storage.rst,\ line\ 11);\ \textit{backlink}$

Unknown interpreted text role "class".

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 11); backlink

Unknown interpreted text role "class".

Also for backward compatibility, <code>class:`torch.Storage`</code> is an alias for the storage class that corresponds with the default data type (<code>func:`torch.get_default_dtype()</code>). For instance, if the default data type is <code>:attr:`torch.float</code>, <code>:class:`torch.Storage</code>` resolves to <code>:class:`torch.FloatStorage</code>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 18); backlink

Unknown interpreted text role "class".

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 18); backlink

Unknown interpreted text role "attr".

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 18); backlink

Unknown interpreted text role "class".

 $System\,Message: ERROR/3~(\texttt{D:}\onboarding-resources}) sample-onboarding-resources \\ pytorch-master|docs|source|[pytorch-master][docs][source]| storage.rst, line 25)$

Unknown directive type "autoclass".

```
.. autoclass:: torch._TypedStorage
:members:
:undoc-members:
:inherited-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources) sample-onboarding-resources \constant [pytorch-master]~[docs]~[source]~storage.rst, line~30)$

Unknown directive type "autoclass".

```
.. autoclass:: torch.DoubleStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 34)

Unknown directive type "autoclass".

```
.. autoclass:: torch.FloatStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown directive type "autoclass".

```
.. autoclass:: torch.HalfStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 42)

Unknown directive type "autoclass".

```
.. autoclass:: torch.LongStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 46)

Unknown directive type "autoclass".

```
.. autoclass:: torch.IntStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown directive type "autoclass".

```
.. autoclass:: torch.ShortStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown directive type "autoclass".

```
.. autoclass:: torch.CharStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources) sample-onboarding-resources \constant [docs] [source] storage.rst, line 58)$

Unknown directive type "autoclass".

```
.. autoclass:: torch.ByteStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources) sample-onboarding-resources \constant [docs] source] storage.rst, line 62)$

Unknown directive type "autoclass".

```
.. autoclass:: torch.BoolStorage
:members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 66)

Unknown directive type "autoclass".

```
.. autoclass:: torch.BFloat16Storage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 70)

Unknown directive type "autoclass".

```
.. autoclass:: torch.ComplexDoubleStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown directive type "autoclass".

```
.. autoclass:: torch.ComplexFloatStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 78)

Unknown directive type "autoclass".

```
.. autoclass:: torch.QUInt8Storage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3 \ (\mbox{D:\noboarding-resources}) sample-onboarding-resources \ \mbox{pytorch-master} \ [docs] \ [source] \ storage.rst, \ line\ 82)$

Unknown directive type "autoclass".

```
.. autoclass:: torch.QInt8Storage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources) pytorch-master\\\conboarding-resources\conboarding-resources, line~86)$

Unknown directive type "autoclass".

```
.. autoclass:: torch.QInt32Storage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source] storage.rst, line 90)

Unknown directive type "autoclass".

```
.. autoclass:: torch.QUInt4x2Storage
:members:
:undoc-members:
```

 $System\ Message:\ ERROR/3\ (\ D:\ \ \ \ \ \ \ \ \ \ \ \ \ \) line\ 94)$ master \docs\source\[pytorch-master] [docs] [source] storage.rst, line 94)

Unknown directive type "autoclass".

.. autoclass:: torch.QUInt2x4Storage
:members:
:undoc-members: