Authenticated Encryption With Associated Data (AEAD) Algorithm **Definitions**

 $System\,Message:\,ERROR/3\,(\texttt{D:}\label{localing-resources}\label{localing-resources}) ample-onboarding-resources \verb|\label{localing-resources}|$ entation\crypto\[linux-master][Documentation][crypto]api-aead.rst, line 4)

Unknown directive type "kernel-doc".

.. kernel-doc:: include/crypto/aead.h :doc: Authenticated Encryption With Associated Data (AEAD) Cipher API

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linu ntation\crypto\[linux-master][Documentation][crypto]api-aead.rst, line 7)

Unknown directive type "kernel-doc".

.. kernel-doc:: include/crypto/aead.h :functions: aead_request aead_alg

Authenticated Encryption With Associated Data (AEAD) Cipher API

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linus ntation\crypto\[linux-master][Documentation][crypto]api-aead.rst, line 13)

Unknown directive type "kernel-doc".

.. kernel-doc:: include/crypto/aead.h :functions: crypto_alloc_aead crypto_free_aead crypto_aead_ivsize crypto_aead_authsize crypto_aead_blocksize crypto_aead_setkey

Asynchronous AEAD Request Handle

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linus ntation\crypto\[linux-master][Documentation][crypto]api-aead.rst, line 19)

Unknown directive type "kernel-doc".

.. kernel-doc:: include/crypto/aead.h :doc: Asynchronous AEAD Request Handle

 $System\ Message: ERROR/3\ (D:\nboarding-resources) sample-onboarding-resources \verb|\linux-master|| Documentation|| crypto|| api-aead.rst, line 22)$

Unknown directive type "kernel-doc".

.. kernel-doc:: include/crypto/aead.h :functions: crypto_aead_requist_aead_request_set_tfm aead_request_alloc aead_request_free aead_request_set_callback aead_request_set_cal