

# drm/xen-front Xen para-virtualized frontend driver

This frontend driver implements Xen para-virtualized display according to the display protocol described at `include/xen/interface/io/displif.h`

## Driver modes of operation in terms of display buffers used

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\gpu\linux-master) (Documentation) (gpu) xen-front.rst, line 12)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/gpu/drm/xen/xen_drm_front.h
   :doc: Driver modes of operation in terms of display buffers used
```

## Buffers allocated by the frontend driver

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\gpu\linux-master) (Documentation) (gpu) xen-front.rst, line 18)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/gpu/drm/xen/xen_drm_front.h
   :doc: Buffers allocated by the frontend driver
```

## Buffers allocated by the backend

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\gpu\linux-master) (Documentation) (gpu) xen-front.rst, line 24)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/gpu/drm/xen/xen_drm_front.h
   :doc: Buffers allocated by the backend
```

## Driver limitations

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\gpu\linux-master) (Documentation) (gpu) xen-front.rst, line 30)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/gpu/drm/xen/xen_drm_front.h
   :doc: Driver limitations
```