## Plugin title naming conventions

There are five standard plugin naming conventions for Gatsby:

- gatsby-source-\* a source plugin loads data from a given source (e.g. WordPress, MongoDB, the file system). Use this plugin type if you are connecting a new source of data to Gatsby.
  - Example: gatsby-source-contentful
  - Docs: <u>creating a source plugin</u>
- gatsby-transformer-\* a transformer plugin converts data from one format (e.g. CSV, YAML) to a JavaScript object. Use this naming convention if your plugin will be transforming data from one format to another.
  - Example: <a href="mailto:gatsby-transformer-yaml">gatsby-transformer-yaml</a>
  - Docs: <u>creating a transformer plugin</u>
- gatsby-[plugin-name]-\* if a plugin is a plugin for another plugin , it should be prefixed with the name of the plugin it extends (e.g. if it adds emoji to the output of gatsby-transformer-remark, call it gatsby-remark-add-emoji). Use this naming convention whenever your plugin will be included as a plugin in the options object of another plugin.
  - Example: <a href="mailto:gatsby-remark-images">gatsby-remark-images</a>
  - o Docs: creating a remark plugin
- gatsby-theme-\* this naming convention is used for <u>Gatsby themes</u>, which are a type of plugin. This
  naming convention is used for plugins that own a section, a page, or part of a page on a site or expose files
  and components for <u>shadowing</u>.
  - Example: gatsby-theme-blog
  - Docs: <u>creating a theme</u>
- gatsby-plugin-\* this is the most general plugin type. Use this naming convention if your plugin doesn't meet the requirements of any other plugin types.
  - Example: <u>gatsby-plugin-sharp</u>