# Macports plugin

This plugin adds completion for the package manager [Macports](), as well as some aliases for common Macports commands.

To use it, add `macports` to the plugins array in your zshrc file:

```
plugins=(... macports)
```

## Aliases

| Alias | Command | Description |
|---|---|---|
| pc | `sudo port clean --all installed` | Clean up intermediate installation files for installed ports |
| pi | `sudo port install` | Install package given as argument |
| pli | `port livecheck installed` | Check for updates for installed ports |
| plm | `port-livecheck-maintainer` | Check for updates of ports mainained by the specified users |
| psu | `sudo port selfupdate` | Update ports tree with MacPorts repository |
| puni | `sudo port uninstall inactive` | Uninstall inactive ports |
| puo | `sudo port upgrade outdated` | Upgrade ports with newer versions available |
| pup | `psu && puo` | Update ports tree, then upgrade ports to newest versions |

## Commands

### port-livecheck-maintainer

```
Usage:
  port-livecheck-maintainer
  port-livecheck-maintainer (maintainer)+
  port-livecheck-maintainer -h|--help

Check

Options:
  maintainer  maintainer id
  -h          print this help message and exit
```

Checks whether updates are available for ports whose maintainer is the current user, or any of a specified list of maintainer expressions. The current user maintainer id is retrieved as follows:

- The value of the `MACPORTS_MAINTAINER` variable, if set and not null.
- The value of the `USER` variable.