Collapse

Use Collapse para almacenar contenidos.

Uso básico

Puede expandir varios paneles

```
<el-collapse v-model="activeNames" @change="handleChange">
  <el-collapse-item title="Consistency" name="1">
    <div>Consistent with real life: in line with the process and logic of real life, and con
    <div>Consistent within interface: all elements should be consistent, such as: design st
  </el-collapse-item>
  <el-collapse-item title="Feedback" name="2">
    <div>Operation feedback: enable the users to clearly perceive their operations by style
    <div>Visual feedback: reflect current state by updating or rearranging elements of the |
  </el-collapse-item>
  <el-collapse-item title="Efficiency" name="3">
    <div>Simplify the process: keep operating process simple and intuitive;</div>
    <div>Definite and clear: enunciate your intentions clearly so that the users can quickly
    <div>Easy to identify: the interface should be straightforward, which helps the users to
  </el-collapse-item>
  <el-collapse-item title="Controllability" name="4">
    <div>Decision making: giving advices about operations is acceptable, but do not make dec
    <div>Controlled consequences: users should be granted the freedom to operate, including
  </el-collapse-item>
</el-collapse>
<script>
  export default {
    data() {
     return {
        activeNames: ['1']
     };
    },
    methods: {
     handleChange(val) {
        console.log(val);
```

Acordeón

}

</script>

En modo acordeón sólo un panel puede ser expandido a la vez :::demo Activa el modo acordeón usado el atributo accordion.

```
<el-collapse v-model="activeName" accordion>
  <el-collapse-item title="Consistency" name="1">
    <div>Consistent with real life: in line with the process and logic of real life, and con
    <div>Consistent within interface: all elements should be consistent, such as: design st
  </el-collapse-item>
  <el-collapse-item title="Feedback" name="2">
    <div>Operation feedback: enable the users to clearly perceive their operations by style
    <div>Visual feedback: reflect current state by updating or rearranging elements of the p
  </el-collapse-item>
  <el-collapse-item title="Efficiency" name="3">
    <div>Simplify the process: keep operating process simple and intuitive;</div>
    <div>Definite and clear: enunciate your intentions clearly so that the users can quickly
    <div>Easy to identify: the interface should be straightforward, which helps the users to
  </el-collapse-item>
  <el-collapse-item title="Controllability" name="4">
    <div>Decision making: giving advices about operations is acceptable, but do not make dec
    <div>Controlled consequences: users should be granted the freedom to operate, including
  </el-collapse-item>
</el-collapse>
<script>
  export default {
   data() {
      return {
        activeName: '1'
      };
   }
 }
</script>
```

Título personalizado

:::

Además de usar el atributo title, se puede personalizar el título del panel con slots con nombre, esto hace posible agregar contenido personalizado, por ejemplo: iconos.

Atributos de Collapse

AtributoDescripción	Tipo	Valores aceptados	Por de- fecto
value panel activo / v- model	string (modo acordeón) / array (No modo acordeón)		_
accordio n specifica si activa el modo acordeón	boolean	_	false

Eventos de Collapse

Nombre		
de		
Evento	Descripción	Parámetros
change	se dispara cuando los paneles activos cambian	(activeNames: array (No modo acordeón) / string (modo acordeón))

Atributos de Collapse Item

Atributo	Descripción	Tipo	Valores aceptados	Por defecto
name	identificador único del panel	string/numb	er—	_
title disabled	título del panel deshabilita el collapse ítem	string boolean	_	_