

```
+++ title = "Grafana documentation" description = "Guides, Installation and  
Feature Documentation" keywords = ["grafana", "installation", "documenta-  
tion"] aliases = ["/docs/grafana/v1.1", "/docs/grafana/latest/guides/reference/admin",  
"/docs/grafana/v3.1"] +++
```

## Grafana documentation

### Installing Grafana

```
<a href="{{< relref "installation/debian.md" >}}" class="nav-cards__item nav-cards__item--in  
    <div class="nav-cards__icon fa fa-linux">  
    </div>  
    <h5>Install on Linux</h5>  
</a>  
<a href="{{< relref "installation/mac.md" >}}" class="nav-cards__item nav-cards__item--insta  
    <div class="nav-cards__icon fa fa-apple">  
    </div>  
    <h5>Install on macOS</h5>  
</a>  
<a href="{{< relref "installation/windows.md" >}}" class="nav-cards__item nav-cards__item--i  
    <div class="nav-cards__icon fa fa-windows">  
    </div>  
    <h5>Install on Windows</h5>  
</a>  
<a href="{{< relref "installation/docker.md" >}}" class="nav-cards__item nav-cards__item--in  
      
    <h5>Run Docker image</h5>  
</a>  
<a href="https://grafana.com/docs/grafana-cloud/" class="nav-cards__item nav-cards__item--in  
    <div class="nav-cards__icon fa fa-cloud">  
    </div>  
    <h5>Grafana Cloud</h5>  
</a>  
<a href="https://grafana.com/grafana/download" class="nav-cards__item nav-cards__item--insta  
    <div class="nav-cards__icon fa fa-moon-o">  
    </div>  
    <h5>Nightly builds</h5>  
</a>
```

### Guides

```
<a href="{{< relref "getting-started/getting-started.md" >}}" class="nav-cards__item nav-car  
    <h4>Getting started</h4>  
    <p>Learn the basics of using Grafana.</p>  
</a>
```

```

<a href="{{< relref "basics/_index.md" >}}" class="nav-cards__item nav-cards__item--guide">
    <h4>Grafana basics</h4>
    <p>Learn basic observability.</p>
</a>
<a href="{{< relref "administration/configuration.md" >}}" class="nav-cards__item nav-cards__item--guide">
    <h4>Configure Grafana</h4>
    <p>Review the configuration and setup options.</p>
</a>
<a href="{{< relref "basics/timeseries.md" >}}" class="nav-cards__item nav-cards__item--guide">
    <h4>Intro to time series</h4>
    <p>Learn about time series data.</p>
</a>
<a href="{{< relref "administration/provisioning.md" >}}" class="nav-cards__item nav-cards__item--guide">
    <h4>Provisioning</h4>
    <p>Learn how to automate your Grafana configuration.</p>
</a>
<a href="{{< relref "whatsnew/whats-new-in-v8-0.md" >}}" class="nav-cards__item nav-cards__item--guide">
    <h4>What's new in v8.0</h4>
    <p>Explore the features and enhancements in the latest release.</p>
</a>

```

## Data source guides

```

<a href="{{< relref "datasources/graphite.md" >}}" class="nav-cards__item nav-cards__item--guide">
    
    <h5>Graphite</h5>
</a>
<a href="{{< relref "datasources/elasticsearch.md" >}}" class="nav-cards__item nav-cards__item--guide">
    
    <h5>Elasticsearch</h5>
</a>
<a href="{{< relref "datasources/influxdb/_index.md" >}}" class="nav-cards__item nav-cards__item--guide">
    
    <h5>InfluxDB</h5>
</a>
<a href="{{< relref "datasources/prometheus.md" >}}" class="nav-cards__item nav-cards__item--guide">
    
    <h5>Prometheus</h5>
</a>
<a href="{{< relref "datasources/google-cloud-monitoring/_index.md" >}}" class="nav-cards__item nav-cards__item--guide">
    
    <h5>Google Cloud Monitoring</h5>
</a>
<a href="{{< relref "datasources/aws-cloudwatch/_index.md" >}}" class="nav-cards__item nav-cards__item--guide">
    
    <h5>AWS CloudWatch</h5>
</a>

```

```

</a>
<a href="{< relref "datasources/azuremonitor/_index.md" >}" class="nav-cards__item nav-ca
  
  <h5>Azure Monitor</h5>
</a>
<a href="{< relref "datasources/loki.md" >}" class="nav-cards__item nav-cards__item--ds">
  
  <h5>Loki</h5>
</a>
<a href="{< relref "datasources/mysql.md" >}" class="nav-cards__item nav-cards__item--ds">
  
  <h5>MySQL</h5>
</a>
<a href="{< relref "datasources/postgres.md" >}" class="nav-cards__item nav-cards__item--ds">
  
  <h5>Postgres</h5>
</a>
<a href="{< relref "datasources/mssql.md" >}" class="nav-cards__item nav-cards__item--ds">
  
  <h5>Microsoft SQL Server</h5>
</a>
<a href="{< relref "datasources/opentsdb.md" >}" class="nav-cards__item nav-cards__item--ds">
  
  <h5>OpenTSDB</h5>
</a>

```